R3850-1.77-

CPHA COMMISSION ON PROFESSIONAL AND HOSPITAL ACTIVITIES

DX LENGTH OF STAY BY DIAGNOSIS

UNITED STATES



Southern REGION

1984

Length of Stay by Diagnosis, Southern Region, 1984

Commission on Professional and Hospital Activities
Ann Arbor, Michigan
October, 1985

LENGTH OF STAY

Copyright 1985 by Commission on Professional and Hospital Activities (CPHA), Ann Arbor, Michigan. All rights reserved. Printed in the United States of America. This book, or parts thereof, may not be reproduced in any form without permission of the publisher.

Library of Congress Catalog Card Number: 73-173193

This volume is one of the books in a series entitled
Length of Stay . . .

. . . by Diagnosis, United States, 1984
. . . by Diagnosis, United States, North Central Region, 1984
. . . by Diagnosis, United States, Northeastern Region, 1984
. . . by Diagnosis, United States, Southern Region, 1984
. . . by Diagnosis, United States, Western Region, 1984
. . . by Diagnosis, Canada, 1984

. . . by Operation, United States, 1984
. . . by Operation, United States, North Central Region, 1984
. . . by Operation, United States, Northeastern Region, 1984
. . . by Operation, United States, Southern Region, 1984
. . . by Operation, United States, Western Region, 1984
. . . by Operation, Canada, 1984

Geriatric Length of Stay, by Diagnosis and Operation, United States, 1984
Pediatric Length of Stay, by Diagnosis and Operation, United States, 1984

The length of stay series began in 1963, and certain volumes are still available from the Commission on Professional and Hospital Activities.

PREFACE

This book is one volume of a set of 14 books presenting statistics on hospital stay during 1984 in North America. The complete set is the latest in a series of publications on length of stay in hospitals that participate in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities. Several organizations have contributed data to CPHA from other abstracting services. Some of those data were included in the 1984 series.

These statistics, which are also available on computer-readable magnetic tape, can provide a valuable perspective for physicians, administrators, utilization review authorities, and planners who make decisions based on length of hospitalization. They can also serve as an aid in establishing check points for "continued stay review" and in the implementation or revision of utilization review systems.

We extend our appreciation to the hospitals and state organizations that supported this study by making their data available.

PROJECT STAFF
1984 LENGTH OF STAY BOOKS

Edward J. Kobrinski, Manager, Research Services
Wilma J. Allen, Senior Contract Manager
Carol A. Prevost, Research Associate
Jean C. Haar, Research Clerk

CONTENTS

Preface iii
Discussion of the Data 1
  Source of the Data. 1
  Data Quality. 2
  Coverage 3
  Organization of Length of Stay Tables. 5
    Definition of Multiple Diagnosis Patients 5
    Definition of Operated Patients 5
  Explanation of Statistics. 6
  Defining the Extended Stay Case 7
Length of Stay Tables 17
  Summary of All Patients. 18
  Summary of All Patients Except Newborn 19
  Diagnosis Groups 1-398 20
Appendix: *ICD-9-CM* Codes for Selected Diagnosis Groups 219
Index to Length of Stay Tables 223

DISCUSSION OF THE DATA

Source of the Data

Data in the length of stay books were compiled from individual patient discharge records submitted by hospitals participating in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities (CPHA). In addition, some books contain discharge data from hospitals participating in information systems other than PAS.

CPHA is an organization dedicated to the improvement of hospital and medical care through research, education, publishing, and systems development. Established in 1955 under grants from the W.K. Kellogg Foundation, CPHA is nonprofit, nongovernmental, noncommercial. CPHA is sponsored by the American College of Physicians, the American College of Surgeons, the American Hospital Association, and the Southwestern Michigan Hospital Council.

The following steps explain the PAS method of storing and retrieving medical data:

1. In each participating hospital, personnel transfer data from the medical record of each discharged patient into the PAS System via PAS+ microcomputer, PAS Case Abstract, or magnetic tape.

2. The disk, abstract, or tape is mailed to the center of PAS operations in Ann Arbor, Michigan, where it is entered into the computer system.

3. Data then undergo a comprehensive editing process and errors are corrected by CPHA and contributing hospitals.

4. The computer system continually adds data to the permanent history file. Participating hospitals are provided access to these data through interactive systems, reports, and in-house computers. The stored data are also available to researchers on a contractual basis.

5. Length of stay statistics from this file are published annually in this series of books.

Data Quality

Data quality has always been and remains one of CPHA's major concerns. Although the hospital has basic responsibility for the quality of PAS data, CPHA shares that responsibility in its function as an extension of the hospital's medical information network. CPHA's position of leadership in health information processing systems and data usage necessitates a constant striving for data accuracy.

CPHA goes to considerable length to prevent and correct errors in data submission by training hospital medical record personnel in coding and abstracting methods, by monitoring submitted data, and by meticulously checking and editing the data for errors. Over 350 checks are performed during the processing of each record to ensure the reasonableness of the data received. Examples of discrepancies in the data that are detected by the audit are: hospital day of operative episode exceeding total stay, cesarean section with a normal delivery diagnosis, a sex-specific diagnosis or operation with the wrong sex recorded, incalculable age or stay, unrecorded or invalid diagnosis. When illogical, invalid, or missing data are detected, about 40 percent of the errors are corrected by the computer. The remainder are referred to the hospital staff through error messages generated by the computer.

In addition to the initial data editing, the computer system that produces the length of stay tables does numerous edits to eliminate uncorrected or unusual data. The following events noted on a record cause that record to be excluded:

1. death
2. stillborn
3. admitted from other short-term hospital
4. discharged to other short-term hospital
5. discharged against medical advice
6. length of stay greater than 99 days (included only in the percentile calculations)

These patient records were excluded because they do not represent typical short-term patients. Data that pass all the edits represent patients whose length of stay was solely determined and managed by the physician.

Coverage

Data chosen for inclusion in the length of stay series are from general, nonfederal, short-term hospitals in the United States. Short-term hospitals are defined as those in which the median stay is shorter than 30 days. The map indicates the boundaries of the regional books.

Most of the data used in the length of stay book series are from short-term, general hospitals participating in PAS through CPHA. In addition, the following organizations have sent data to CPHA: Alabama Hospital Association, Colorado Hospital Association, Illinois Hospital Association, Kaiser Foundation Hospitals, Kansas Hospital Association, Maine Hospital Association, Michigan Health Data Corporation, Missouri Health Data Corporation, The National Association of Children's Hospitals and Related Institutions, Inc. (NACHRI), Oregon Hospital Association, Sisters of Mercy Health Corporation (SMHC), Utilization Information Service of the Hospital Association of New York State, and the Vermont Hospital Association. Several individual hospitals throughout the United States have also sent data to CPHA for special studies. These contributed data expand CPHA as a national health information center. The cooperation of these organizations is appreciated.

Hospitals participating in PAS from United States Territories and Puerto Rico were excluded from the series. Data from psychiatric hospitals were excluded because the psychiatric hospitals are not general hospitals. Data from psychiatric units within general hospitals were included. Pediatric hospitals were also included.

Characteristics of all the hospitals with data included in the length of stay books are displayed on the following page.


Northeast
North Central
West
Pacific**
Mountain
West North Central
East North Central
Middle Atlantic
New England
South Atlantic
East South Central
West South Central
** Includes Alaska and Hawaii
South

Census Divisions and Regions in the United States

Bed Size, Region, and Census Division: Included Hospitals Compared with All Short-Term Nonfederal Hospitals[1] in the U.S.

January-December 1984

	Short-Term Nonfederal Hospitals			Short-Term Nonfederal Hospital Beds		
Hospital Class (1)	U.S. Total[2] (2)	Number in Books (3)	Percent in Books (4)	U.S. Total[2] (5)	Number in Books (6)	Percent in Books (7)
Bed Size						
6-24 beds	334	65	19.5	6,186	1,283	20.7
25-49	1,156	271	23.4	42,594	10,371	24.3
50-99	1,294	414	32.0	93,091	29,756	32.0
100-199	1,233	388	31.5	175,270	55,535	31.7
200-299	693	221	31.9	168,434	54,709	32.5
300-399	417	141	33.8	141,646	47,929	33.8
400-499	270	91	33.7	119,835	40,323	33.6
500+	314	79	25.2	218,303	51,582	23.6
Total	5,711	1,670	29.2	965,359	291,488	30.2
Region and Census Division						
Northeast	819	332	40.5	206,566	68,649	33.2
New England	242	112	46.3	48,660	19,162	39.4
Middle Atlantic	577	220	38.1	157,906	49,487	31.3
North Central	1,689	594	35.2	277,174	105,715	38.1
East North Central	892	358	40.1	187,719	77,606	41.3
West North Central	797	236	29.6	89,455	28,109	31.4
South	2,141	402	18.8	338,768	67,644	20.0
South Atlantic	811	210	25.9	159,089	38,464	24.2
East South Central	496	100	20.2	72,022	14,961	20.8
West South Central	834	92	11.0	107,657	14,219	13.2
West	1,062	342	32.2	142,851	49,480	34.6
Mountain	367	148	40.3	39,415	20,416	51.8
Pacific	695	194	27.9	103,436	29,064	28.1
Total	5,711	1,670	29.2	965,359	291,488	30.2

The Pediatric book was compiled from the data of 1,662 hospitals. The Geriatric book was compiled from the data of 1,650 hospitals.

[1] Hospitals with average stay less than 30 days, excluding psychiatric hospitals.

[2] 1983 Annual Survey of Hospitals, magnetic tape, American Hospital Association.

Organization of Length of Stay Tables

The length of stay tables are organized according to CPHA's cross classification, a patient classification system similar to Diagnosis Related Groups (DRGs). The diagnosis classification system is called *ICD-9-CM List A: Hospital Diagnosis Groups.*[1] Within each diagnosis group, patients are further stratified by single or multiple diagnoses, operation status, and age. For diagnosis groups 393-395, which pertain exclusively to newborn, age is replaced by birthweight in grams as a means of stratifying patients.

Patient data were assigned *ICD-9-CM List A* groups on the basis of the principal diagnosis. This is the diagnosis that after study explains why the patient was admitted to the hospital. Diagnosis information for all patient data included in this book was coded using *ICD-9-CM.*

Definition of Multiple Diagnosis Patients

Patients are classified in the multiple diagnosis category if they had at least one valid secondary diagnosis in addition to the principal. The following codes are not considered valid secondary diagnoses for purposes of this classification:

1) Manifestation codes (conditions that evolved from underlying diseases [etiology] and are in italics in *ICD-9-CM Volume 1*[2])
2) Codes V27.0-V27.9 (outcome of delivery)
3) E codes (external causes of injury and poisoning)

Definition of Operated Patients

Operated patients are patients who had at least one UHDDS[3] Class 1 procedure. Patients with only Class 2-4 procedures are considered nonoperated.

---

[1] *ICD-9-CM List A: Hospital Diagnosis Groups* is based on the *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM),* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 1, Diseases: Tabular List,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[3] Additional information regarding classes of procedures can be obtained in *UHDDS Classes of Procedures, ICD-9-CM,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Explanation of Statistics

The *List A* diagnosis group titles heading the tables are followed in parentheses by the *ICD-9-CM* diagnosis codes included in that *List A* group.

Length of stay was calculated by the computer from admission and discharge dates by counting the day of admission but not the day of discharge. Patients discharged on the day of admission were counted as staying one day in the calculation of average stay and variance but as staying less than one day in the calculation of the percentiles. Thus, if more than 5 percent of the patients in a cell (one line of data within a table) were discharged on the day of admission, the 5th percentile is shown as "<1."

Patients who were hospitalized 100 days or longer are not included in Number of Patients, Average Stay, or Variance. The percentiles shown in columns 5 through 11, however, do include these patients.

The variance displayed is an unbiased estimate of the mean squared deviation from the average. For each cell it is calculated as $\sum_{i=1}^{N} (X_i - \overline{X})^2/(N - 1)$, where the X_i's are the length of stay for each patient, $\overline{X}$ is the average stay in the cell, and N is the number of patients in the cell.

The 5th, 10th, 50th, 75th, 90th, 95th, and 99th percentiles of stay are displayed in days. If, for example, the 10th percentile for a group of patients is four, it means that 10 percent of the patients stayed four days or less. The 50th percentile is the median. Any percentile with a value of 100 days or more is listed as 99+.

Determining a stay percentile for a group of patients is done by arranging the individual patient stays from low to high. Counting up from the lowest stay to the point where half of the patients have been counted yields the value of the 50th percentile. Counting off one-tenth of the total patients gives the 10th percentile, and so on.

Defining the Extended Stay Case

Concurrent review of a continuous hospital stay that equals or exceeds the period defined in the hospital's utilization review plan or memorandum of understanding with the utilization review authority is called extended stay review. This review, whether applied universally to all patients within the facility or focused on known or suspected problem areas, is designed to answer the following question: Is further hospitalization medically necessary?

Ideally, this question is posed at that point in the patient's hospitalization which is neither so early as to be annoyingly pointless nor so late that opportunity for cost containment has passed. The median (50th percentile) stay for similar patients, as reflected in current length of stay tables, represents an effort to arrive at a sensible compromise as to the "correct" day on which to initiate the review process.

To satisfy the requirements for extended stay review, a method of defining an extended stay must begin with a definition of factors that affect stay. Presented here is a technique for determining extended stay review dates according to the admitting diagnosis, whether the patient had single or multiple diagnoses, whether the patient had an operation, and the patient's age. In some instances it is appropriate to determine the date for extended stay review by referring to an operation table rather than one based on the diagnosis.

An extended stay review date can be projected for each patient at the time of admission to the hospital by using one of the length of stay books published by CPHA. With the appropriate book, the six steps to determine a review date are as follows:

Step 1. Find the length of stay diagnosis group (derived from the *ICD-9-CM List A: Hospital Diagnosis Groups*[1]) that contains the admission diagnosis in one of the following ways:

a. Usually the diagnosis can be found in *Concurrent Review Screening,*[2] developed for admission certification and extended stay review purposes, in which diagnoses are listed alphabetically. The length of stay group for each diagnosis is given in column 4.

b. Diagnoses can also be found in the Alphabetic Index at the back of the length of stay books.

---

[1] *ICD-9-CM List A: Hospital Diagnosis Groups,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] *Concurrent Review Screening – Criteria for Hospital Admission and Assignment of Length of Stay,* Second Edition, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

c. If a diagnosis is not listed in the index to the length of stay tables, the code for the diagnosis can be found in Volume 2 of *ICD-9-CM.*[1] That code can then be located in *List A* or in the heading of the length of stay table.

d. If a diagnosis is not clearly specified and therefore might fall into one of several diagnosis groups, the attending physician should be consulted.

Step 2. Find the appropriate table in the length of stay book. The group number precedes the title of each table.

Step 3. Find the appropriate part of the table for single or multiple diagnoses.

Step 4. If surgery is planned, find the applicable section for operated patients. For some diagnoses two or more operations with widely different lengths of stay could be performed, e.g., primary malignancy of trachea, bronchus, and lung, where the planned operation may be either bronchoscopy or a major lung resection. The second edition of *Concurrent Review Screening* directs the UR coordinator to the appropriate length of stay table.

Step 5. Determine the patient's age on day of admission and locate the correct age group to find the appropriate cell.

Step 6. Find the 50th percentile of stay for similar patients at the point where the 50th percentile column (column 7) of the table intersects the horizontal line that includes the pertinent variables for the patient having an extended stay review date assigned.

Example: On 3 November a 47-year-old patient is admitted to a hospital for elective surgery. The admitting diagnosis is cholelithiasis and no secondary diagnoses are recorded. The following illustrations show the six steps for finding the date on which the patient becomes an extended stay case and must be reviewed.

---

[1] ***International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 2, Diseases: Alphabetic Index,*** Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Step 1. The length of stay group can be found in any of the following ways:

a. Cholelithiasis is listed as a diagnosis in *Concurrent Review Screening.* The length of stay table is number 215.

1 ADMITTING DIAGNOSIS	2 Suggested Admission Category	3 Your Hospital's Admission Category	4 Length of Stay Group
Cervix, cervical			
chronic erosion and ulceration	2		252
stricture of os	2		252
Chest pain	3		335
Criteria for admission			
1. Suspicion of life threatening disease, e.g. *a. acute myocardial infarction* *b. dissecting aortic aneurysm* *c. acute pericarditis*			
2. Respiratory distress--cyanosis, severe dyspnea (> 30 resp/min)			
3.			
4.			
Choking sensation	4		340
Cholangitis, acute			
with calculus	1		217
without mention of calculus	1		218
Cholecystitis			
acute			
with calculus	1		215
without mention of calculus	1		216
chronic or unspecified			
with calculus	2		215
without mention of calculus	2		216
Choledocholithiasis	2		217
Cholelithiasis	**2**		**215**
Cholesteatoma, ear	2		134

b. The Alphabetic Index at the back of the length of stay book shows that cholelithiasis is included in diagnosis group 215.



DIAGNOSIS INDEX (continued)

Group Number	Title
390	Cardiac arrest, postoperative
109	Cardiac neurosis
189	Cardiospasm
119	Carpal tunnel syndrome
125	Cataract, except senile and diabetic
73	Cataract, diabetic
124	Cataract, senile
221	Celiac disease
292	Cellulitis, digit
291	Cellulitis, skin and subcutaneous tissue, except digit
117	Central nervous system disease, except epilepsy, inflammatory, multiple sclerosis, and paralysis agitans
154	Cerebral hemorrhage, except subarachnoid, without paralysis
155	Cerebral hemorrhage, except subarachnoid, with paralysis
161	Cerebrovascular accident, without paralysis
162	Cerebrovascular accident, with paralysis
268	Cervical incompetence
280	Cervical incompetence, with delivery
246	Cervical infection
246	Cervicitis
340	Chemical diabetes mellitus
385	Chemical poisoning
398	Chemotherapy session or treatment
8	Chickenpox
97	Childhood psychoses
218	Cholangitis
216	Cholecystitis, without cholelithiasis
215	Cholecystitis, with cholelithiasis
217	Choledocholithiasis
215	Cholelithiasis
36	Choriocarcinoma
128	Chorioretinitis
104	Chronic alcoholism
181	Chronic bronchitis
241	Chronic cystic disease of breast
48	Chronic leukemia, except lymphocytic or lymphoid
47	Chronic leukemia, lymphocytic or lymphoid
88	Chronic lymphadenitis, except mesenteric
213	Cirrhosis, except Laennec's
212	Cirrhosis, alcoholic
213	Cirrhosis, biliary
212	Cirrhosis, Laennec's
321	Cleft palate and lip

c. Cholelithiasis can be found in Volume 2 of *ICD-9-CM* on page 124.



Cholangitis INDEX TO DISEASES

- **Cholangitis** (acute) (ascending) (catarrhal) (chronic) (infective) (malignant) (primary) (recurrent) (sclerosing) (secondary) (stenosing) (suppurative) 576.1
  - chronic nonsuppurative destructive 571.6
  - nonsuppurative destructive (chronic) 571.6
- **Cholecystdocholithiasis** — *see* Choledocholithiasis
- **Cholecystitis** (chronic) 575.1

> *Note — Use the following fifth-digit subclassification with category 574:*
>
> *0 without mention of obstruction*
>
> *1 with obstruction*

  - with
    - calculus, stones in
      - bile duct (common) (hepatic) 574.4
      - gallbladder 574.1
    - choledocholithiasis 574.4
    - cholelithiasis 574.1
  - acute 575.0
    - with
      - calculus, stones in
        - bile duct (common) (hepatic) 574.3
        - gallbladder 574.0
      - choledocholithiasis 574.3
      - cholelithiasis 574.0
  - emphysematous (acute) *(see also* Cholecystitis, acute) 575.0
  - gangrenous *(see also* Cholecystitis, acute) 575.0
  - paratyphoidal, current *(see also* Fever, paratyphoid) 002.9
  - suppurative *(see also* cholecystitis, acute) 575.0
  - typhoidal 002.0
- **Choledochitis** (suppurative) 576.1
- **Choledocholith** — *see* Choledocholithiasis
- **Choledocholithiasis** 574.5

> *Note — Use the following fifth-digit subclassification with category 574:*
>
> *0 without mention of obstruction*
>
> *1 with obstruction*

  - with cholecystitis (chronic) 574.4
    - acute 574.3
- **Cholelithiasis** (impacted) (multiple) 574.2

> *Note — Use the following fifth-digit subclassification with category 574:*
>
> *0 without mention of obstruction*
>
> *1 with obstruction*

  - with cholecystitis (chronic) 574.1
    - acute 574.0
- **Cholemia** *(see also* Jaundice) 782.4
  - familial 277.4
  - Gilbert's (familial nonhemolytic) 277.4
- **Cholemic gallstone** — *see* Cholelithiasis
- **Choleperitoneum, choleperitonitis** *(see also* Disease, gallbladder) 567.8
- **Cholera** (algid) (Asiatic) (asphyctic) (epidemic) (gravis) (Indian) (malignant) (morbus) (pestilential) (spasmodic) 001.9
  - antimonial 985.4
  - carrier (suspected) of V02.0
  - classical 001.0
  - contact V01.0
  - due to
    - Vibrio
      - cholerae (Inaba, Ogawa, Hikojima serotypes) 001.0
        - El Tor 001.1
  - El Tor 001.1
  - exposure to V01.0
  - vaccination, prophylactic (against) V03.0
- **Cholerine** *(see also* Cholera) 001.9
- **Cholestasis** *(see also* Disease, gallbladder) 575.8
- **Cholesteatoma** (ear) 385.30
  - attic (primary) 385.31
  - diffuse 385.35
  - external ear (canal) 380.21
  - marginal (middle ear) 385.32
    - with involvement of mastoid cavity 385.33
    - secondary (with middle ear involvement) 385.33
  - mastoid cavity 385.30
  - middle ear 385.30
    - secondary 385.32
      - with involvement of mastoid cavity 385.33
  - postmastoidectomy cavity (recurrent) 383.32
  - primary 385.31
  - recurrent, postmastoidectomy cavity 383.32
  - secondary (middle ear) 385.32
    - with involvement of mastoid cavity 385.33
- **Cholesteatosis** (middle ear) *(see also* Cholesteatoma) 385.30
  - diffuse 385.35

Step 2. Find the table for group 215 in the length of stay book.

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	231	3.8	5	1	1	3	5	7	8	11
20-34	1724	3.4	5	1	1	3	4	6	7	11
35-49	1625	3.6	6	1	1	3	5	7	8	12
50-64	1648	4.2	8	1	1	4	5	8	10	14
65+	1465	5.3	16	1	2	5	7	9	11	17
B. *Operated*										
0-19 YRS	1267	7.5	10	4	5	7	9	11	13	18
20-34	15024	7.4	8	4	5	7	8	11	13	17
35-49	13018	7.9	11	5	5	7	9	11	13	18
50-64	13588	8.6	13	5	5	8	10	13	15	21
65+	7394	10.4	24	5	6	9	12	16	19	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	156	4.7	10	1	2	4	6	9	11	15
20-34	1472	4.4	10	1	1	4	6	8	10	16
35-49	1964	5.2	14	1	2	4	7	9	12	17
50-64	3826	5.8	15	2	2	5	7	10	13	19
65+	7503	7.6	32	2	3	6	10	14	17	28
B. *Operated*										
0-19 YRS	671	9.6	30	5	5	8	11	15	17	32
20-34	9073	9.2	24	5	5	8	11	14	17	27
35-49	11544	9.9	27	5	6	8	12	16	19	30
50-64	17699	11.4	41	5	6	10	13	18	23	35
65+	18538	15.1	82	6	7	13	18	25	32	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6693	4.1	9	1	1	3	5	8	9	14
B. *Operated*	50291	8.3	14	5	5	7	9	12	15	21
2. MULTIPLE DX										
A. *Not Operated*	14921	6.5	24	2	2	5	8	12	15	25
B. *Operated*	57525	11.9	54	5	6	10	14	20	25	41
1. SINGLE DX	56984	7.8	15	3	4	7	9	12	14	21
2. MULTIPLE DX	72446	10.8	53	3	5	9	13	19	24	39
A. NOT OPERATED	21614	5.7	21	1	2	5	7	11	14	22
B. OPERATED	107816	10.2	38	5	6	8	12	17	21	34
TOTAL 0-19 YRS	2325	7.5	19	2	3	7	9	12	14	22
20-34	27293	7.6	16	3	4	7	9	12	14	21
35-49	28151	8.3	21	3	4	7	10	13	16	24
50-64	36761	9.4	31	3	5	8	11	16	19	30
65+	34900	12.1	68	3	5	10	15	21	27	44
GRAND TOTAL	**129430**	**9.5**	**38**	**3**	**4**	**8**	**11**	**16**	**20**	**33**

Step 3. There are no secondary diagnoses recorded, so attention is directed to the top ten lines of the table (1. Single Dx).



215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	231	3.8	5	1	1	3	5	7	8	11
20-34	1724	3.4	5	1	1	3	4	6	7	11
35-49	1625	3.6	6	1	1	3	5	7	8	12
50-64	1648	4.2	8	1	1	4	5	8	10	14
65+	1465	5.3	16	1	2	5	7	9	11	17
B. *Operated*										
0-19 YRS	1267	7.5	10	4	5	7	9	11	13	18
20-34	15024	7.4	8	4	5	7	8	11	13	17
35-49	13018	7.9	11	5	5	7	9	11	13	18
50-64	13588	8.6	13	5	5	8	10	13	15	21
65+	7394	10.4	24	5	6	9	12	16	19	28

Step 4. Since surgery is scheduled, use the second five lines of the table (Section 1.B.).



215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	231	3.8	5	1	1	3	5	7	8	11
20-34	1724	3.4	5	1	1	3	4	6	7	11
35-49	1625	3.6	6	1	1	3	5	7	8	12
50-64	1648	4.2	8	1	1	4	5	8	10	14
65+	1465	5.3	16	1	2	5	7	9	11	17
B. *Operated*										
0-19 YRS	1267	7.5	10	4	5	7	9	11	13	18
20-34	15024	7.4	8	4	5	7	8	11	13	17
35-49	13018	7.9	11	5	5	7	9	11	13	18
50-64	13588	8.6	13	5	5	8	10	13	15	21
65+	7394	10.4	24	5	6	9	12	16	19	28

Step 5. The patient is 47-years-old and therefore falls in the age group 35-49.



215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	231	3.8	5	1	1	3	5	7	8	11
20-34	1724	3.4	5	1	1	3	4	6	7	11
35-49	1625	3.6	6	1	1	3	5	7	8	12
50-64	1648	4.2	8	1	1	4	5	8	10	14
65+	1465	5.3	16	1	2	5	7	9	11	17
B. Operated										
0-19 YRS	1267	7.5	10	4	5	7	9	11	13	18
20-34	15024	7.4	8	4	5	7	8	11	13	17
35-49	13018	7.9	11	5	5	7	9	11	13	18
50-64	13588	8.6	13	5	5	8	10	13	15	21
65+	7394	10.4	24	5	6	9	12	16	19	28

Step 6. The 50th percentile day is the date assigned for the initial extended stay review. Column 7 shows the seventh day after admission to be the day that this patient comes up for extended stay review.



215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	231	3.8	5	1	1	3	5	7	8	11
20-34	1724	3.4	5	1	1	3	4	6	7	11
35-49	1625	3.6	6	1	1	3	5	7	8	12
50-64	1648	4.2	8	1	1	4	5	8	10	14
65+	1465	5.3	16	1	2	5	7	9	11	17
B. Operated										
0-19 YRS	1267	7.5	10	4	5	7	9	11	13	18
20-34	15024	7.4	8	4	5	7	8	11	13	17
35-49	13018	7.9	11	5	5	7	9	11	13	18
50-64	13588	8.6	13	5	5	8	10	13	15	21
65+	7394	10.4	24	5	6	9	12	16	19	28

The patient was admitted on 3 November; therefore, the seventh day will fall on 10 November. Prior to or on 10 November, the groups responsible for conducting extended stay review will make a finding as to whether further stay is medically necessary.

In the above example, the stay percentile used to define extended stay was the 50th percentile (column 7). If, based on the initial review, the patient's stay in the hospital was approved for extension beyond the 50th percentile, the date for the second extended stay review is determined in accordance with the hospital's plan, e.g., the 75th percentile.

Subsequent extended stay review dates should be set by the physician advisor or the utilization review committee as necessary based on the patient's medical condition and the attending physician's evaluation of the patient's progress.

Length of Stay Tables

402 Hospitals, Southern Region, January-December 1984

SUMMARY OF ALL PATIENTS IN DIAGNOSIS GROUPS

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	195539	3.1	9	1	1	3	4	5	6	13
20-34	105660	3.6	17	1	1	3	4	6	9	22
35-49	46125	4.8	28	1	1	3	6	10	13	28
50-64	33819	5.4	30	1	1	4	7	11	14	28
65+	29956	5.9	31	1	2	4	7	11	15	29
B. *Operated*										
0-19 YRS	71358	3.1	11	<1	1	2	3	6	8	16
20-34	119212	3.6	9	1	1	3	4	6	8	14
35-49	61982	4.6	16	1	1	3	6	9	12	19
50-64	50164	5.2	21	1	1	4	7	11	14	22
65+	46151	5.7	30	1	1	4	8	13	16	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	148917	4.5	33	1	1	3	5	7	11	31
20-34	91911	5.0	35	1	1	3	6	9	14	32
35-49	101716	5.8	33	1	2	4	7	11	15	30
50-64	156927	6.4	33	1	2	5	8	12	16	29
65+	319548	7.5	40	2	2	6	9	14	19	33
B. *Operated*										
0-19 YRS	58203	5.8	84	1	1	3	6	12	21	59
20-34	136503	5.3	32	1	2	4	6	9	13	30
35-49	102846	6.9	45	1	2	6	8	13	17	36
50-64	114605	8.5	71	2	2	6	11	17	23	45
65+	169959	10.4	91	2	2	8	14	21	28	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	411099	3.8	18	1	1	3	4	7	10	22
B. *Operated*	348867	4.2	16	1	1	3	5	8	11	19
2. MULTIPLE DX										
A. *Not Operated*	819019	6.3	37	1	2	5	8	12	16	31
B. *Operated*	582116	7.8	68	1	2	5	9	16	22	45
1. SINGLE DX	759966	4.0	17	1	1	3	5	8	11	20
2. MULTIPLE DX	1401135	6.9	51	1	2	5	8	14	19	37
A. NOT OPERATED	1230118	5.4	32	1	2	4	6	11	15	29
B. OPERATED	930983	6.4	52	1	1	4	8	13	19	37
TOTAL 0-19 YRS	474017	3.9	27	1	1	3	4	6	10	28
20-34	453286	4.4	24	1	1	3	5	8	11	26
35-49	312669	5.8	33	1	2	4	7	11	15	30
50-64	355515	6.8	45	1	2	5	8	13	18	34
65+	565614	8.2	57	2	2	6	10	16	21	39
GRAND TOTAL	**2161101**	**5.9**	**41**	**1**	**2**	**4**	**7**	**12**	**16**	**33**

402 Hospitals, Southern Region, January-December 1984

SUMMARY OF ALL PATIENTS IN DIAGNOSIS GROUPS EXCEPT NEWBORN

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	79923	3.4	19	1	1	2	4	6	8	22
20-34	105660	3.6	17	1	1	3	4	6	9	22
35-49	46125	4.8	28	1	1	3	6	10	13	28
50-64	33819	5.4	30	1	1	4	7	11	14	28
65+	29956	5.9	31	1	2	4	7	11	15	29
B. *Operated*										
0-19 YRS	71292	3.1	11	<1	1	2	3	6	8	16
20-34	119212	3.6	9	1	1	3	4	6	8	14
35-49	61982	4.6	16	1	1	3	6	9	12	19
50-64	50164	5.2	21	1	1	4	7	11	14	22
65+	46151	5.7	30	1	1	4	8	13	16	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	94046	4.5	40	1	1	3	5	8	12	37
20-34	91911	5.0	35	1	1	3	6	9	14	32
35-49	101716	5.8	33	1	2	4	7	11	15	30
50-64	156927	6.4	33	1	2	5	8	12	16	29
65+	319548	7.5	40	2	2	6	9	14	19	33
B. *Operated*										
0-19 YRS	55893	5.2	60	1	1	3	6	11	18	45
20-34	136503	5.3	32	1	2	4	6	9	13	30
35-49	102846	6.9	45	1	2	6	8	13	17	36
50-64	114605	8.5	71	2	2	6	11	17	23	45
65+	169959	10.4	91	2	2	8	14	21	28	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	295483	4.2	23	1	1	3	5	8	11	25
B. *Operated*	348801	4.2	16	1	1	3	5	8	11	19
2. MULTIPLE DX										
A. *Not Operated*	764148	6.4	38	1	2	5	8	12	17	32
B. *Operated*	579806	7.7	66	1	2	5	9	16	22	43
1. SINGLE DX	644284	4.2	19	1	1	3	5	8	11	22
2. MULTIPLE DX	1343954	7.0	51	1	2	5	8	14	19	37
A. NOT OPERATED	1059631	5.8	35	1	2	4	7	11	15	30
B. OPERATED	928607	6.4	50	1	1	4	8	13	18	37
TOTAL 0-19 YRS	301154	4.0	32	1	1	3	4	7	11	30
20-34	453286	4.4	24	1	1	3	5	8	11	26
35-49	312669	5.8	33	1	2	4	7	11	15	30
50-64	355515	6.8	45	1	2	5	8	13	18	34
65+	565614	8.2	57	2	2	6	10	16	21	39
GRAND TOTAL	**1988238**	**6.1**	**42**	**1**	**1**	**4**	**7**	**12**	**17**	**33**

1: Intestinal infectious disease (001-009)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2097	3.0	4	1	1	3	4	5	6	10
20-34	853	2.8	3	1	1	2	4	5	6	9
35-49	365	3.3	5	1	1	3	4	6	7	11
50-64	198	3.6	5	1	1	3	5	6	8	11
65+	170	4.0	7	1	2	3	5	7	10	14
B. *Operated*										
0-19 YRS	36	4.6	8	1	2	4	6	7	12	14
20-34	41	5.0	8	2	3	4	6	8	12	15
35-49	22	5.3	8	2	2	4	8	10	11	12
50-64	9	5.7	4	3	3	5	7	9	9	9
65+	6	7.7	7	4	4	8	9	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3684	3.5	5	1	2	3	4	6	7	12
20-34	1277	3.2	4	1	1	3	4	6	7	10
35-49	774	4.3	11	1	2	3	5	8	9	17
50-64	730	4.6	8	2	2	4	6	8	10	16
65+	1308	5.6	23	2	2	5	7	10	13	23
B. *Operated*										
0-19 YRS	89	8.6	89	2	2	5	9	22	29	49
20-34	84	6.9	17	2	3	6	8	13	16	20
35-49	77	8.0	51	2	3	6	9	15	22	43
50-64	82	9.0	45	2	3	7	11	18	21	38
65+	105	12.3	81	3	4	10	16	23	26	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3683	3.1	4	1	1	3	4	5	7	10
B. *Operated*	114	5.2	8	2	3	4	6	9	11	14
2. MULTIPLE DX										
A. *Not Operated*	7773	4.0	10	1	2	3	5	7	9	15
B. *Operated*	437	9.1	62	2	3	7	11	19	23	41
1. SINGLE DX	3797	3.1	4	1	1	3	4	5	7	11
2. MULTIPLE DX	8210	4.3	14	1	2	3	5	8	10	19
A. NOT OPERATED	11456	3.7	8	1	1	3	4	7	8	14
B. OPERATED	551	8.3	53	2	3	6	10	17	22	36
TOTAL 0-19 YRS	5906	3.4	6	1	1	3	4	6	7	12
20-34	2255	3.2	5	1	1	3	4	6	7	12
35-49	1238	4.2	13	1	1	3	5	8	10	19
50-64	1019	4.7	12	1	2	4	6	8	11	18
65+	1589	5.9	28	2	2	5	7	11	14	26
GRAND TOTAL	**12007**	**3.9**	**11**	**1**	**1**	**3**	**5**	**7**	**9**	**16**

2: Respiratory tuberculosis (010-012)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	21	6.0	29	1	2	3	8	12	19	24
20-34	41	7.8	18	1	3	7	11	13	15	21
35-49	44	7.9	29	2	2	7	11	14	18	26
50-64	27	8.6	72	1	1	6	11	23	30	33
65+	22	12.4	58	3	4	11	16	22	27	33
B. *Operated*										
0-19 YRS	4	4.8	19	1	1	3	7	11	11	11
20-34	15	8.2	67	1	2	6	8	24	28	30
35-49	25	8.5	13	3	4	8	9	15	16	17
50-64	30	10.8	113	2	2	7	12	25	41	44
65+	23	12.3	77	3	4	10	15	27	32	37
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	8.5	89	3	3	5	9	25	31	31
20-34	57	11.2	99	3	4	8	13	21	25	62
35-49	87	13.1	87	3	4	11	17	25	33	49
50-64	91	10.2	57	2	3	9	12	16	22	48
65+	161	13.5	110	2	4	11	17	24	35	57
B. *Operated*										
0-19 YRS	1	12.0		12	12	12	12	12	12	12
20-34	27	12.4	72	3	4	11	16	22	28	41
35-49	63	18.7	244	4	5	13	23	39	53	81
50-64	100	16.4	205	4	5	12	20	32	50	76
65+	154	18.2	246	3	4	14	22	39	53	72
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	155	8.4	40	1	2	7	11	16	21	33
B. *Operated*	97	9.9	69	2	3	8	12	18	30	43
2. MULTIPLE DX										
A. *Not Operated*	404	12.2	92	3	4	10	15	21	32	55
B. *Operated*	345	17.3	221	4	5	12	21	36	51	73
1. SINGLE DX	252	9.0	52	1	2	7	11	17	24	37
2. MULTIPLE DX	749	14.6	158	3	4	11	17	29	40	67
A. NOT OPERATED	559	11.2	81	2	3	9	14	20	27	52
B. OPERATED	442	15.7	196	3	4	11	18	34	44	72
TOTAL 0-19 YRS	34	6.6	41	1	2	4	8	12	22	31
20-34	140	10.1	69	2	3	8	12	20	24	43
35-49	219	13.2	128	3	4	10	16	26	37	56
50-64	248	12.6	134	2	3	10	15	24	34	67
65+	360	15.3	168	3	4	12	18	32	42	67
GRAND TOTAL	**1001**	**13.2**	**137**	**2**	**3**	**10**	**16**	**26**	**37**	**63**

3: Nonrespiratory tuberculosis (013-018)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	26.0	417	3	3	33	40	42	42	42
20-34	1	2.0		2	2	2	2	2	2	2
35-49	6	6.7	29	2	2	5	7	16	17	17
50-64										
65+	2	8.0	8	6	6	8	10	10	10	10
B. *Operated*										
0-19 YRS	5	3.4	5	2	2	2	5	7	7	7
20-34	2	10.5	13	8	8	10	13	13	13	13
35-49	2	10.5	25	7	7	10	14	14	14	14
50-64	5	7.2	31	2	2	7	11	15	15	15
65+	1	9.0		9	9	9	9	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	18.0	420	3	3	7	31	51	51	51
20-34	2	4.0	18	1	1	4	7	7	7	7
35-49	6	25.7	1207	5	5	14	17	88	96	96
50-64	20	7.8	33	1	1	7	11	17	18	19
65+	26	13.0	88	4	5	11	16	26	38	42
B. *Operated*										
0-19 YRS	8	22.6	621	1	3	13	27	64	80	80
20-34	10	11.9	61	2	3	11	16	23	29	29
35-49	12	15.5	90	1	2	16	20	30	32	32
50-64	11	20.1	337	3	3	14	36	73	96	99+
65+	36	20.9	147	7	8	17	27	38	47	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12	11.3	170	2	2	6	13	36	41	42
B. *Operated*	15	6.9	21	2	2	7	10	14	15	15
2. MULTIPLE DX										
A. *Not Operated*	59	12.6	213	1	3	8	15	23	40	92
B. *Operated*	77	19.0	201	3	5	15	27	37	55	94
1. SINGLE DX	27	8.9	88	2	2	7	10	17	34	42
2. MULTIPLE DX	136	16.2	215	2	3	13	19	35	47	97
A. NOT OPERATED	71	12.4	203	1	3	8	15	26	42	87
B. OPERATED	92	17.0	191	2	3	14	24	35	48	91
TOTAL 0-19 YRS	21	17.4	415	1	2	8	27	46	64	80
20-34	15	10.0	54	1	2	10	13	18	26	29
35-49	26	15.4	333	2	3	13	17	28	45	96
50-64	36	11.4	152	1	2	8	15	34	53	99+
65+	65	17.2	133	5	7	14	23	35	41	57
GRAND TOTAL	**163**	**15.0**	**201**	**2**	**3**	**12**	**18**	**33**	**42**	**94**

4: Streptococcal sore throat and scarlet fever (034)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	209	2.7	2	1	1	2	3	4	5	6
20-34	95	2.9	1	1	2	3	3	4	5	7
35-49	30	3.9	2	1	2	4	4	6	7	8
50-64	14	3.9	3	<1	2	4	6	6	6	6
65+	4	3.0	1	2	2	3	4	4	4	4
B. *Operated*										
0-19 YRS	13	1.7	1	1	1	2	2	3	3	3
20-34	5	3.8	14	1	1	3	5	10	10	10
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	488	3.0	5	1	1	3	4	5	6	9
20-34	173	3.6	3	2	2	3	4	5	7	11
35-49	80	4.1	5	2	2	3	5	7	8	13
50-64	49	4.1	2	2	2	4	5	6	7	8
65+	41	5.4	15	2	2	4	7	10	14	20
B. *Operated*										
0-19 YRS	21	2.8	3	1	1	2	3	5	6	8
20-34	5	3.6	4	1	1	3	5	6	6	6
35-49	4	4.5	4	2	2	4	6	7	7	7
50-64	5	7.6	20	4	4	7	10	15	15	15
65+	1	4.0		4	4	4	4	4	4	4
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	352	2.9	2	1	1	3	4	5	5	7
B. *Operated*	18	2.3	5	1	1	2	3	4	8	10
2. MULTIPLE DX										
A. *Not Operated*	831	3.4	5	1	2	3	4	5	7	11
B. *Operated*	36	3.8	7	1	2	3	5	7	8	15
1. SINGLE DX	370	2.8	2	1	1	3	4	5	5	7
2. MULTIPLE DX	867	3.4	5	1	2	3	4	6	7	11
A. NOT OPERATED	1183	3.2	4	1	1	3	4	5	6	10
B. OPERATED	54	3.3	7	1	1	2	4	7	8	15
TOTAL 0-19 YRS	731	2.9	4	1	1	3	4	5	5	8
20-34	278	3.3	3	1	2	3	4	5	6	10
35-49	114	4.0	4	2	2	4	5	7	7	12
50-64	68	4.3	4	2	2	4	5	6	8	14
65+	46	5.2	14	2	2	4	7	9	13	20
GRAND TOTAL	**1237**	**3.2**	**4**	**1**	**1**	**3**	**4**	**5**	**6**	**10**

5: Septicemia (038)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	386	4.8	10	1	2	4	6	10	11	14
20-34	30	5.3	23	1	2	4	6	9	11	27
35-49	17	6.1	7	2	3	6	7	9	12	13
50-64	22	6.6	17	1	2	6	9	11	14	19
65+	67	8.0	41	3	3	7	10	13	15	44
B. *Operated*										
0-19 YRS	13	10.3	99	2	3	7	12	22	37	40
20-34	1	11.0		11	11	11	11	11	11	11
35-49										
50-64	8	16.8	183	7	7	10	25	39	39	39
65+	2	24.5	85	18	18	24	31	31	31	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	652	6.1	20	2	2	5	8	11	14	23
20-34	180	9.9	60	2	3	8	12	18	24	43
35-49	209	9.4	40	3	3	8	12	15	23	32
50-64	518	10.4	38	4	5	9	12	17	22	36
65+	2759	11.2	53	4	5	10	13	19	25	41
B. *Operated*										
0-19 YRS	63	13.7	145	3	4	10	17	28	38	58
20-34	71	18.5	227	6	7	14	22	34	52	83
35-49	64	19.1	274	4	6	14	23	43	57	99
50-64	173	17.4	158	5	7	14	21	34	59	99+
65+	612	19.0	171	6	8	15	24	35	47	78
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	522	5.3	16	1	2	4	7	11	12	16
B. *Operated*	24	13.7	131	3	4	10	15	38	39	40
2. MULTIPLE DX										
A. *Not Operated*	4318	10.2	49	3	4	9	12	18	23	38
B. *Operated*	983	18.3	179	5	7	14	23	35	49	93
1. SINGLE DX	546	5.7	23	1	2	5	7	11	12	27
2. MULTIPLE DX	5301	11.7	83	3	4	10	14	22	29	53
A. NOT OPERATED	4840	9.7	48	2	3	8	12	17	22	37
B. OPERATED	1007	18.2	178	5	7	14	23	35	48	92
TOTAL 0-19 YRS	1114	6.1	28	2	2	5	8	11	14	29
20-34	282	11.5	115	2	3	9	14	22	32	53
35-49	290	11.4	106	3	4	9	13	22	30	64
50-64	721	12.0	78	4	5	10	14	22	29	61
65+	3440	12.5	83	4	5	10	15	23	30	50
GRAND TOTAL	**5847**	**11.1**	**81**	**3**	**4**	**9**	**13**	**21**	**28**	**50**

6: Miscellaneous bacterial diseases (020-033; 035-037; 039-041)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	217	7.1	23	1	2	6	10	13	15	23
20-34	46	5.3	10	1	2	4	7	11	12	12
35-49	28	5.4	10	2	2	4	8	11	11	13
50-64	31	5.5	7	3	3	5	7	9	10	13
65+	16	5.9	13	2	3	5	7	12	15	16
B. *Operated*										
0-19 YRS	14	8.3	18	1	2	9	11	13	14	15
20-34	10	8.6	15	2	3	9	11	13	14	14
35-49	5	10.8	55	2	2	9	15	22	22	22
50-64	11	12.0	87	1	1	10	20	26	28	28
65+	3	13.0	84	3	3	15	19	21	21	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	236	7.1	28	2	2	6	10	13	15	24
20-34	82	6.3	24	2	3	5	7	12	19	23
35-49	95	6.6	17	2	3	5	9	13	15	20
50-64	126	8.3	42	3	3	7	9	17	20	35
65+	324	9.9	75	3	4	8	12	17	24	41
B. *Operated*										
0-19 YRS	31	13.3	66	4	5	11	18	29	29	99+
20-34	23	16.3	147	2	5	13	25	33	42	48
35-49	30	12.7	122	2	3	10	16	24	29	57
50-64	45	15.9	221	3	3	9	20	35	48	68
65+	103	15.7	175	2	3	12	22	33	47	83
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	338	6.5	19	2	2	6	9	12	14	23
B. *Operated*	43	9.9	42	1	2	10	13	21	23	28
2. MULTIPLE DX										
A. *Not Operated*	863	8.2	48	2	3	7	10	15	20	34
B. *Operated*	232	15.1	159	3	4	11	21	31	44	74
1. SINGLE DX	381	6.9	22	2	2	6	10	12	15	23
2. MULTIPLE DX	1095	9.7	79	2	3	7	12	20	27	52
A. NOT OPERATED	1201	7.7	40	2	3	6	10	14	18	30
B. OPERATED	275	14.3	144	2	3	11	20	29	43	69
TOTAL 0-19 YRS	498	7.5	30	2	2	6	11	14	18	29
20-34	161	7.6	49	2	3	5	9	14	23	38
35-49	158	7.7	42	2	3	6	10	15	20	29
50-64	213	9.7	87	3	3	7	10	20	28	50
65+	446	11.1	103	3	4	8	14	21	30	55
GRAND TOTAL	**1476**	**8.9**	**66**	**2**	**3**	**7**	**11**	**17**	**24**	**44**

7: Poliomyelitis and other enteroviral diseases of central nervous system (045; 047-048)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	733	3.6	5	1	2	3	4	6	7	12
20-34	334	3.8	7	1	2	3	5	6	8	11
35-49	73	4.2	7	1	2	4	5	8	9	14
50-64	13	5.1	6	2	2	5	6	9	11	11
65+	7	9.3	60	2	2	7	11	22	25	25
B. *Operated*										
0-19 YRS	11	5.3	6	3	3	4	7	9	10	10
20-34	5	8.0	9	6	6	7	9	13	13	13
35-49	1	3.0		3	3	3	3	3	3	3
50-64	1	1.0		1	1	1	1	1	1	1
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	365	4.6	12	1	2	4	5	8	12	19
20-34	157	4.5	6	2	2	4	6	8	9	14
35-49	60	5.3	7	2	3	4	7	9	10	12
50-64	29	7.3	29	3	3	5	9	13	24	24
65+	25	10.8	43	3	4	9	14	23	24	26
B. *Operated*										
0-19 YRS	17	9.8	114	2	2	6	12	21	37	45
20-34	7	10.9	154	2	3	5	11	33	38	38
35-49										
50-64	4	11.3	46	5	5	10	16	20	20	20
65+	2	13.5	113	6	6	13	21	21	21	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1160	3.8	6	1	2	3	5	6	8	12
B. *Operated*	18	5.7	9	2	3	5	7	10	12	13
2. MULTIPLE DX										
A. *Not Operated*	636	5.0	14	2	2	4	6	9	12	23
B. *Operated*	30	10.5	104	2	2	6	13	21	38	45
1. SINGLE DX	1178	3.8	6	1	2	3	5	6	8	13
2. MULTIPLE DX	666	5.2	19	2	2	4	6	10	13	23
A. NOT OPERATED	1796	4.2	9	1	2	3	5	7	9	16
B. OPERATED	48	8.7	73	2	2	6	10	19	24	45
TOTAL 0-19 YRS	1126	4.0	9	1	2	3	5	7	9	15
20-34	503	4.2	9	1	2	3	5	7	9	13
35-49	134	4.7	7	1	2	4	6	8	10	13
50-64	47	6.9	26	2	3	5	8	13	21	24
65+	34	10.6	46	3	4	9	14	23	25	26
GRAND TOTAL	**1844**	**4.3**	**11**	**1**	**2**	**4**	**5**	**7**	**10**	**17**

8: Viral diseases with exanthem (050-057)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	295	3.3	4	1	1	3	4	6	7	11
20-34	91	5.4	15	2	2	5	7	9	11	26
35-49	47	4.8	8	1	2	4	6	7	11	15
50-64	87	6.8	66	2	2	6	7	11	14	55
65+	134	5.8	12	1	3	5	7	11	12	18
B. *Operated*										
0-19 YRS	8	8.4	83	2	2	5	9	24	30	30
20-34	4	4.0	1	3	3	4	5	5	5	5
35-49	7	6.4	20	2	2	4	10	13	13	13
50-64	9	4.6	15	2	2	3	5	11	14	14
65+	4	6.0	30	2	2	4	9	14	14	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	666	4.1	12	1	2	3	5	7	9	19
20-34	117	5.2	11	2	2	5	6	8	10	19
35-49	93	5.9	11	1	2	6	7	10	11	19
50-64	241	6.7	25	2	2	5	8	12	16	32
65+	823	7.8	28	2	3	7	9	14	17	26
B. *Operated*										
0-19 YRS	11	13.5	274	1	2	6	30	66	95	99+
20-34	10	13.2	94	4	4	10	16	28	37	37
35-49	12	8.2	22	4	4	6	11	16	17	17
50-64	19	8.7	34	3	4	7	11	16	22	26
65+	74	12.2	71	2	4	10	16	22	29	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	654	4.7	18	1	2	4	6	8	11	18
B. *Operated*	32	6.0	32	2	2	4	8	13	14	30
2. MULTIPLE DX										
A. *Not Operated*	1940	6.1	23	2	2	5	8	11	15	25
B. *Operated*	126	11.5	80	2	4	9	15	23	30	63
1. SINGLE DX	686	4.7	18	1	2	4	6	9	11	18
2. MULTIPLE DX	2066	6.5	28	2	2	5	8	12	16	30
A. NOT OPERATED	2594	5.8	22	1	2	5	7	10	14	24
B. OPERATED	158	10.4	75	2	3	8	14	22	29	51
TOTAL 0-19 YRS	980	4.0	14	1	2	3	5	7	9	21
20-34	222	5.6	19	2	2	5	7	9	11	28
35-49	159	5.8	12	1	2	5	7	10	13	18
50-64	356	6.7	35	2	2	6	8	12	16	32
65+	1035	7.8	31	2	3	7	9	14	18	29
GRAND TOTAL	**2752**	**6.0**	**26**	**1**	**2**	**5**	**7**	**11**	**15**	**27**

9: Viral hepatitis (070)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	114	5.2	10	2	2	5	7	9	10	19
20-34	349	6.3	15	2	2	5	8	12	14	19
35-49	84	6.5	13	3	3	6	8	12	14	19
50-64	37	8.7	31	3	3	7	12	15	21	25
65+	26	8.7	53	2	2	7	11	15	21	39
B. *Operated*										
0-19 YRS	4	13.5	114	4	4	11	22	27	27	27
20-34	18	4.9	19	1	1	3	7	10	15	18
35-49	6	3.8	17	1	1	2	4	11	12	12
50-64	9	5.9	21	<1	1	4	10	13	13	13
65+	6	3.3	5	1	1	3	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	64	5.9	28	2	2	4	7	10	14	31
20-34	229	6.2	13	2	2	5	8	11	14	19
35-49	105	7.8	43	2	3	6	10	14	17	39
50-64	86	7.6	25	2	2	6	10	16	18	22
65+	86	9.5	31	3	4	9	12	15	20	31
B. *Operated*										
0-19 YRS	5	15.6	306	2	2	6	27	44	44	44
20-34	27	7.3	27	2	2	6	9	10	19	27
35-49	17	8.8	22	2	2	8	12	16	17	17
50-64	29	7.7	25	2	3	6	10	16	18	21
65+	33	11.5	24	3	5	11	14	19	21	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	610	6.4	17	2	3	5	8	11	15	21
B. *Operated*	43	5.5	30	1	1	4	7	12	17	27
2. MULTIPLE DX										
A. *Not Operated*	570	7.2	26	2	3	6	9	13	17	28
B. *Operated*	111	9.3	39	2	3	8	12	17	21	34
1. SINGLE DX	653	6.3	18	2	2	5	8	11	15	21
2. MULTIPLE DX	681	7.5	29	2	3	6	9	14	18	28
A. NOT OPERATED	1180	6.8	22	2	3	6	8	12	15	24
B. OPERATED	154	8.2	39	1	2	7	11	17	20	27
TOTAL 0-19 YRS	187	5.9	28	2	2	5	7	10	13	31
20-34	623	6.3	15	2	2	5	8	11	14	19
35-49	212	7.3	29	2	3	6	9	13	16	32
50-64	161	7.8	26	2	2	6	10	15	18	23
65+	151	9.5	34	2	3	9	12	16	20	35
GRAND TOTAL	**1334**	**6.9**	**24**	**2**	**2**	**6**	**9**	**13**	**16**	**25**

10: Infectious mononucleosis (075)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	389	3.7	5	1	2	3	5	6	8	12
20-34	129	4.4	5	2	2	4	5	8	10	12
35-49	16	5.6	11	2	2	5	8	11	11	11
50-64	3	5.7	20	1	1	6	9	10	10	10
65+	2	9.0	8	7	7	9	11	11	11	11
B. *Operated*										
0-19 YRS	6	4.8	4	2	2	5	7	7	7	7
20-34	3	6.7	4	5	5	6	8	9	9	9
35-49	1	8.0		8	8	8	8	8	8	8
50-64	1	4.0		4	4	4	4	4	4	4
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	558	4.1	5	1	2	4	5	7	8	12
20-34	155	4.5	6	1	2	4	6	8	9	12
35-49	47	4.3	11	1	1	4	7	9	11	12
50-64	17	5.1	22	1	1	3	8	12	14	15
65+	9	1.0		<1	<1	1	1	1	1	1
B. *Operated*										
0-19 YRS	18	6.4	17	1	2	5	7	14	15	16
20-34	5	11.2	73	5	5	5	20	22	22	22
35-49	5	7.4	20	3	3	5	11	14	14	14
50-64	1	27.0		27	27	27	27	27	27	27
65+	1	6.0		6	6	6	6	6	6	6
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	539	4.0	5	1	2	3	5	7	9	12
B. *Operated*	11	5.5	4	2	3	5	7	8	9	9
2. MULTIPLE DX										
A. *Not Operated*	786	4.2	6	1	2	4	5	7	9	12
B. *Operated*	30	8.1	39	2	3	5	10	17	22	27
1. SINGLE DX	550	4.0	5	1	2	3	5	7	9	12
2. MULTIPLE DX	816	4.3	8	1	2	4	5	8	9	14
A. NOT OPERATED	1325	4.1	6	1	2	4	5	7	9	12
B. OPERATED	41	7.4	30	2	3	5	8	15	20	27
TOTAL 0-19 YRS	971	4.0	5	1	2	3	5	7	8	12
20-34	292	4.6	8	1	2	4	6	8	10	16
35-49	69	4.9	12	1	1	4	7	10	11	14
50-64	22	6.1	41	1	1	4	10	13	20	27
65+	12	2.8	11	<1	<1	1	4	8	11	11
GRAND TOTAL	**1366**	**4.2**	**7**	**1**	**2**	**4**	**5**	**7**	**9**	**13**

11: Viral warts (078.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	1.3		<1	<1	1	1	2	2	2
20-34	6	1.8	1	<1	<1	2	2	3	3	3
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
65+										
B. *Operated*										
0-19 YRS	127	1.9	1	<1	<1	2	2	3	4	5
20-34	335	2.2	2	<1	<1	2	3	4	5	7
35-49	107	2.3	2	<1	<1	2	3	4	5	8
50-64	30	2.4	2	<1	<1	2	3	4	5	6
65+	12	3.7	10	1	1	2	4	10	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	3.2	7	1	1	2	4	8	8	8
20-34	7	2.4	3	<1	<1	2	3	5	6	6
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
65+	2	4.0	2	3	3	4	5	5	5	5
B. *Operated*										
0-19 YRS	45	2.6	3	<1	1	2	3	5	6	8
20-34	145	2.9	5	<1	<1	2	4	6	8	11
35-49	68	3.1	4	1	1	3	4	5	8	9
50-64	33	3.6	9	<1	<1	3	4	6	8	18
65+	18	5.2	23	1	2	3	5	14	16	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11	1.5		<1	<1	1	2	3	3	3
B. *Operated*	611	2.2	2	<1	<1	2	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	16	2.8	4	<1	<1	2	4	6	7	8
B. *Operated*	309	3.1	6	<1	1	2	4	6	8	14
1. SINGLE DX	622	2.2	2	<1	<1	2	3	4	5	7
2. MULTIPLE DX	325	3.1	6	<1	1	2	4	6	8	14
A. NOT OPERATED	27	2.3	3	<1	<1	2	3	5	6	8
B. OPERATED	920	2.5	4	<1	<1	2	3	4	6	10
TOTAL 0-19 YRS	182	2.1	2	<1	<1	2	3	4	5	7
20-34	493	2.4	3	<1	<1	2	3	4	6	9
35-49	177	2.6	3	<1	1	2	3	5	5	9
50-64	63	3.0	6	<1	<1	3	4	5	6	17
65+	32	4.5	16	1	2	3	5	12	15	17
GRAND TOTAL	**947**	**2.5**	**3**	**<1**	**<1**	**2**	**3**	**4**	**6**	**9**

12: Miscellaneous viral diseases (046; 049; 060-066; 071-074; 076-077; 078.0; 078.2-079)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1444	2.7	2	1	1	3	3	5	5	7
20-34	377	3.3	4	1	1	3	4	6	7	11
35-49	167	3.8	11	1	1	3	5	6	8	14
50-64	97	4.2	5	1	2	4	5	7	9	12
65+	68	4.4	7	2	2	4	5	7	8	16
B. *Operated*										
0-19 YRS	45	3.5	15	<1	1	2	4	7	8	25
20-34	21	4.7	13	1	1	4	6	9	12	15
35-49	6	3.5	14	1	1	2	3	10	11	11
50-64	4	11.0	117	2	2	8	19	25	25	25
65+	2	14.0	242	3	3	14	25	25	25	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1910	3.1	4	1	1	3	4	5	6	11
20-34	855	3.7	8	1	1	3	5	6	8	15
35-49	519	4.1	9	1	1	3	5	7	9	15
50-64	474	4.4	10	1	2	4	5	8	11	19
65+	733	5.6	18	2	2	5	7	10	14	21
B. *Operated*										
0-19 YRS	52	6.5	48	1	1	4	7	15	17	36
20-34	61	8.2	60	1	2	7	9	17	25	38
35-49	30	9.6	114	2	2	7	12	19	26	57
50-64	37	8.9	61	2	2	7	10	21	29	32
65+	56	10.9	119	2	3	8	13	20	27	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2153	3.0	4	1	1	3	4	5	6	10
B. *Operated*	78	4.5	25	1	1	3	5	9	15	25
2. MULTIPLE DX										
A. *Not Operated*	4491	3.9	9	1	1	3	5	7	9	16
B. *Operated*	236	8.7	79	2	2	6	10	18	26	55
1. SINGLE DX	2231	3.1	5	1	1	3	4	5	6	11
2. MULTIPLE DX	4727	4.1	14	1	1	3	5	7	10	19
A. NOT OPERATED	6644	3.6	8	1	1	3	4	6	8	15
B. OPERATED	314	7.7	69	1	2	5	9	16	25	44
TOTAL 0-19 YRS	3451	3.0	4	1	1	3	4	5	6	10
20-34	1314	3.8	10	1	1	3	5	7	9	17
35-49	722	4.3	15	1	1	3	5	8	10	17
50-64	612	4.7	14	1	2	4	5	8	11	22
65+	859	5.9	26	2	2	5	7	11	15	25
GRAND TOTAL	**6958**	**3.8**	**11**	**1**	**1**	**3**	**4**	**7**	**9**	**17**

13: Rickettsioses and other arthropod-borne diseases (080-088)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	147	3.9	4	1	2	4	5	7	8	9
20-34	60	4.2	7	1	2	3	5	8	10	14
35-49	44	4.0	3	2	2	4	5	6	7	11
50-64	22	6.2	11	2	3	5	9	11	13	15
65+	9	4.4	5	1	1	5	6	8	8	8
B. *Operated*										
0-19 YRS	5	5.0	15	1	1	4	8	10	10	10
20-34	1	5.0		5	5	5	5	5	5	5
35-49	1	11.0		11	11	11	11	11	11	11
50-64										
65+	2	8.0	8	6	6	8	10	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	51	4.5	6	2	2	4	6	8	9	13
20-34	37	4.6	6	1	2	4	6	9	10	10
35-49	26	5.6	7	2	2	5	7	9	11	13
50-64	29	6.2	11	2	2	5	8	11	12	16
65+	18	9.6	48	3	3	7	11	22	27	28
B. *Operated*										
0-19 YRS	6	17.7	910	3	3	5	10	72	79	79
20-34	2	11.0	2	10	10	11	12	12	12	12
35-49	2	7.5	25	4	4	7	11	11	11	11
50-64	6	20.3	575	3	3	10	24	63	67	67
65+	3	14.0	43	8	8	13	19	21	21	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	282	4.2	5	1	2	4	5	7	9	12
B. *Operated*	9	6.3	13	1	1	6	10	11	11	11
2. MULTIPLE DX										
A. *Not Operated*	161	5.6	14	2	2	5	7	10	12	24
B. *Operated*	19	16.2	437	3	3	10	13	50	74	79
1. SINGLE DX	291	4.2	6	1	2	4	5	7	9	12
2. MULTIPLE DX	180	6.7	67	2	2	5	8	11	13	55
A. NOT OPERATED	443	4.7	9	2	2	4	6	8	10	15
B. OPERATED	28	13.0	317	2	3	8	12	23	68	79
TOTAL 0-19 YRS	209	4.5	32	1	2	4	6	7	9	11
20-34	100	4.5	7	1	2	4	5	9	10	13
35-49	73	4.7	6	2	2	4	6	8	11	13
50-64	57	7.7	80	2	3	5	9	12	16	64
65+	32	8.5	39	2	3	7	10	17	25	28
GRAND TOTAL	**471**	**5.2**	**31**	**2**	**2**	**4**	**6**	**9**	**11**	**23**

14: Syphilis and other venereal diseases (090-099)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	77	4.9	8	2	2	4	6	9	11	14
20-34	135	4.5	6	1	2	4	5	7	9	16
35-49	19	3.8	4	1	1	3	5	6	8	10
50-64	3	6.7	21	4	4	4	10	12	12	12
65+	9	7.4	47	1	1	5	11	18	22	22
B. *Operated*										
0-19 YRS	15	3.1	6	<1	<1	2	5	8	8	8
20-34	47	2.5	11	<1	<1	2	3	4	7	23
35-49	17	3.6	22	<1	<1	2	4	8	16	20
50-64	6	2.7	3	1	1	2	3	6	6	6
65+	2	3.0	8	<1	<1	2	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	80	5.7	26	2	2	4	6	9	16	33
20-34	120	5.3	9	2	2	4	7	9	11	16
35-49	25	6.8	33	2	3	5	8	13	19	29
50-64	18	5.4	17	1	1	4	7	13	13	13
65+	32	7.5	20	1	2	7	11	13	15	19
B. *Operated*										
0-19 YRS	15	7.3	20	3	3	5	8	11	18	21
20-34	41	5.0	20	<1	1	4	7	11	15	21
35-49	12	4.6	18	<1	<1	3	8	12	13	13
50-64	16	7.3	34	2	2	5	10	13	21	24
65+	14	7.1	33	2	3	5	9	17	21	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	243	4.7	9	1	2	4	6	8	11	16
B. *Operated*	87	2.8	12	<1	<1	2	3	6	8	22
2. MULTIPLE DX										
A. *Not Operated*	275	5.8	18	2	2	5	7	10	13	19
B. *Operated*	98	6.0	24	<1	1	5	8	12	16	23
1. SINGLE DX	330	4.2	10	1	1	4	5	8	10	17
2. MULTIPLE DX	373	5.8	20	1	2	5	8	11	14	22
A. NOT OPERATED	518	5.3	14	2	2	4	6	10	12	18
B. OPERATED	185	4.5	21	<1	<1	3	6	10	13	23
TOTAL 0-19 YRS	187	5.3	17	2	2	4	7	9	11	20
20-34	343	4.6	10	1	1	4	6	8	10	16
35-49	73	4.9	22	<1	1	4	6	10	13	27
50-64	43	5.8	23	1	1	4	8	13	13	24
65+	57	7.2	26	1	2	6	10	14	18	22
GRAND TOTAL	**703**	**5.1**	**16**	**1**	**1**	**4**	**6**	**10**	**12**	**21**

15: Mycoses (110-118)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	25	4.2	5	1	1	4	6	7	8	9
20-34	10	7.0	50	2	2	4	9	18	25	25
35-49	8	7.6	57	2	2	5	13	20	20	20
50-64	8	5.4	17	1	1	4	7	12	14	14
65+	6	5.8	9	3	3	5	9	10	10	10
B. *Operated*										
0-19 YRS	6	10.8	301	1	1	4	7	42	46	46
20-34	8	14.1	211	<1	1	8	22	37	44	44
35-49	19	9.9	76	1	2	7	17	23	27	29
50-64	19	6.7	23	<1	1	6	8	14	17	18
65+	10	5.4	51	<1	<1	1	8	18	21	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	55	4.5	11	1	1	4	6	9	13	16
20-34	27	6.3	17	2	2	6	8	9	17	19
35-49	45	8.2	67	2	2	6	10	19	38	99+
50-64	54	9.0	44	2	3	7	11	18	21	37
65+	125	10.1	82	3	3	8	12	19	25	60
B. *Operated*										
0-19 YRS	13	26.1	511	3	4	13	46	60	62	63
20-34	28	16.3	173	1	2	15	22	38	44	46
35-49	44	13.9	253	2	3	9	14	31	53	79
50-64	68	18.0	315	2	3	10	23	51	64	94
65+	79	14.8	144	2	3	11	20	29	43	89
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	57	5.5	22	1	2	4	6	10	17	25
B. *Operated*	62	8.9	93	<1	1	6	10	22	26	46
2. MULTIPLE DX										
A. *Not Operated*	306	8.3	59	2	2	6	10	17	21	48
B. *Operated*	232	16.4	242	2	3	11	21	42	58	82
1. SINGLE DX	119	7.3	61	<1	1	5	8	19	22	45
2. MULTIPLE DX	538	11.8	153	2	2	8	14	27	42	69
A. NOT OPERATED	363	7.8	54	2	2	6	9	15	20	41
B. OPERATED	294	14.8	219	1	2	10	19	37	49	75
TOTAL 0-19 YRS	99	7.6	140	1	1	4	7	13	45	61
20-34	73	11.1	121	2	2	7	15	26	39	46
35-49	116	10.6	143	2	2	7	13	24	36	86
50-64	149	12.6	187	2	3	8	16	28	49	71
65+	220	11.5	107	2	3	9	14	24	29	64
GRAND TOTAL	**657**	**11.0**	**140**	**1**	**2**	**7**	**14**	**24**	**38**	**67**

16: Helminthiases (120-129)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	15	3.9	36	1	1	2	3	6	20	25
20-34	2	4.0	2	3	3	4	5	5	5	5
35-49										
50-64	1	7.0		7	7	7	7	7	7	7
65+	1	8.0		8	8	8	8	8	8	8
B. *Operated*										
0-19 YRS	5	4.0	3	3	3	3	5	7	7	7
20-34	4	6.3	16	3	3	5	9	12	12	12
35-49	3	5.0	9	2	2	5	7	8	8	8
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	23	4.7	26	1	1	3	5	11	18	22
20-34	7	3.9	1	2	2	4	5	5	5	5
35-49	13	5.5	24	2	2	4	5	10	19	21
50-64	6	6.0	6	2	2	7	7	9	9	9
65+	10	10.1	62	4	4	7	15	23	28	28
B. *Operated*										
0-19 YRS	6	4.3	5	2	2	4	5	8	8	8
20-34	11	5.0	8	2	2	6	7	8	9	9
35-49	4	9.0	57	3	3	6	13	20	20	20
50-64	3	7.3	9	4	4	8	9	10	10	10
65+	5	12.0	95	3	3	9	19	27	27	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	19	4.3	29	1	1	3	5	8	17	25
B. *Operated*	12	5.0	8	2	2	4	6	9	12	12
2. MULTIPLE DX										
A. *Not Operated*	59	5.8	29	1	2	4	7	13	20	27
B. *Operated*	29	6.9	32	2	2	6	8	14	20	27
1. SINGLE DX	31	4.6	21	1	1	3	5	8	12	25
2. MULTIPLE DX	88	6.2	30	2	2	5	7	14	20	28
A. NOT OPERATED	78	5.4	29	1	1	4	6	10	20	27
B. OPERATED	41	6.3	25	2	2	5	8	11	18	27
TOTAL 0-19 YRS	49	4.3	23	1	1	3	5	8	16	25
20-34	24	4.8	7	2	2	5	6	8	10	12
35-49	20	6.1	27	2	2	5	6	14	20	21
50-64	10	6.5	6	2	3	7	8	9	10	10
65+	16	10.6	64	3	4	7	15	26	28	28
GRAND TOTAL	**119**	**5.7**	**28**	**1**	**2**	**4**	**7**	**10**	**19**	**27**

17: Miscellaneous infective and parasitic diseases (100-104; 130-136)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	13	3.8	7	1	1	3	7	7	8	8
20-34	45	4.7	8	2	2	4	6	10	11	12
35-49	17	4.6	7	1	2	4	6	8	10	11
50-64	9	5.2	15	3	3	4	5	12	15	15
65+	7	5.6	3	4	4	5	6	8	9	9
B. *Operated*										
0-19 YRS	17	5.7	32	1	1	4	7	10	20	25
20-34	137	4.5	19	1	1	3	6	9	13	24
35-49	77	4.6	14	1	2	3	6	10	13	17
50-64	20	6.2	16	1	1	6	8	12	14	15
65+	4	5.3	4	3	3	5	7	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	45	4.0	10	1	1	3	5	7	12	16
20-34	93	6.2	21	1	2	5	8	12	15	26
35-49	74	6.9	26	1	2	6	8	15	18	23
50-64	66	7.2	19	2	2	7	9	13	15	24
65+	40	8.7	54	2	2	7	9	21	23	34
B. *Operated*										
0-19 YRS	17	8.9	68	2	2	8	10	17	30	36
20-34	159	8.1	44	2	2	6	12	18	21	34
35-49	109	8.3	75	2	2	6	10	17	21	52
50-64	54	10.1	106	2	2	7	12	23	28	63
65+	30	13.9	133	2	3	10	18	35	41	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	91	4.7	8	1	2	4	6	8	11	14
B. *Operated*	255	4.8	18	1	1	3	6	10	13	23
2. MULTIPLE DX										
A. *Not Operated*	318	6.6	26	1	2	5	8	13	17	25
B. *Operated*	369	9.0	72	2	2	7	11	19	24	43
1. SINGLE DX	346	4.7	15	1	2	4	6	9	12	18
2. MULTIPLE DX	687	7.8	52	2	2	6	10	16	21	36
A. NOT OPERATED	409	6.1	22	1	2	5	8	12	16	25
B. OPERATED	624	7.2	54	1	2	5	9	15	20	37
TOTAL 0-19 YRS	92	5.2	27	1	1	4	7	10	12	31
20-34	434	6.2	30	1	2	5	8	14	17	26
35-49	277	6.7	43	1	2	5	8	13	18	31
50-64	149	8.0	52	2	2	6	10	15	19	30
65+	81	10.2	84	2	3	8	12	21	33	44
GRAND TOTAL	**1033**	**6.8**	**42**	**1**	**2**	**5**	**8**	**14**	**18**	**33**

18: Late effects of infectious and parasitic diseases (137-139)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34	1	17.0		17	17	17	17	17	17	17
35-49	4	3.8	10	1	1	3	6	8	8	8
50-64	1	5.0		5	5	5	5	5	5	5
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	1	4.0		4	4	4	4	4	4	4
35-49	1	10.0		10	10	10	10	10	10	10
50-64										
65+	5	6.0	10	2	2	6	8	10	10	10
B. *Operated*										
0-19 YRS	2	6.0	2	5	5	6	7	7	7	7
20-34	2	4.5	1	4	4	4	5	5	5	5
35-49	5	6.4	77	1	1	3	8	22	22	22
50-64	4	10.8	41	6	6	8	15	20	20	20
65+	3	8.3	34	4	4	6	13	15	15	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	6	6.2	34	1	1	4	8	16	17	17
2. MULTIPLE DX										
A. *Not Operated*	8	5.8	11	2	2	5	9	10	10	10
B. *Operated*	16	7.6	38	1	2	5	9	19	21	22
1. SINGLE DX	6	6.2	34	1	1	4	8	16	17	17
2. MULTIPLE DX	24	7.0	29	1	2	5	9	15	21	22
A. NOT OPERATED	8	5.8	11	2	2	5	9	10	10	10
B. OPERATED	22	7.2	36	1	2	5	8	18	21	22
TOTAL 0-19 YRS	3	4.7	6	2	2	5	6	7	7	7
20-34	4	7.5	40	4	4	5	11	17	17	17
35-49	10	5.7	42	1	1	3	8	16	22	22
50-64	5	9.6	37	5	5	7	12	20	20	20
65+	8	6.9	17	2	3	6	9	13	15	15
GRAND TOTAL	**30**	**6.8**	**29**	**1**	**2**	**5**	**8**	**16**	**20**	**22**

19: Malignant neoplasm of lip, oral cavity, and pharynx (140-149)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	3.0	3	1	1	3	4	6	6	6
20-34										
35-49	11	5.3	38	1	1	2	7	15	20	21
50-64	30	5.4	19	1	2	4	7	13	14	19
65+	18	6.3	28	<1	1	4	8	15	18	19
B. *Operated*										
0-19 YRS	7	9.4	75	1	1	7	15	23	25	25
20-34	21	3.8	8	1	1	3	5	8	10	11
35-49	64	4.6	15	1	1	3	6	10	12	18
50-64	200	5.6	39	1	1	3	7	12	16	30
65+	216	4.9	25	<1	1	3	6	11	17	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	4.4	16	1	1	3	8	11	11	11
20-34	7	7.0	46	1	1	7	8	18	21	21
35-49	34	7.9	35	2	2	7	10	15	17	32
50-64	100	8.1	47	2	2	6	11	16	18	76
65+	118	8.6	99	2	2	6	9	16	25	64
B. *Operated*										
0-19 YRS	7	8.3	51	1	2	5	15	19	19	19
20-34	11	5.3	18	1	1	4	8	12	12	12
35-49	117	12.3	166	1	2	8	15	28	48	74
50-64	354	11.4	127	2	2	8	15	28	34	56
65+	488	10.9	161	1	2	7	14	24	35	68
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	65	5.4	23	1	1	4	7	13	17	21
B. *Operated*	508	5.1	30	1	1	3	6	11	16	26
2. MULTIPLE DX										
A. *Not Operated*	266	8.2	67	2	2	6	10	16	21	62
B. *Operated*	977	11.2	147	1	2	7	15	25	36	63
1. SINGLE DX	573	5.2	29	1	1	3	6	11	16	25
2. MULTIPLE DX	1243	10.5	132	1	2	7	14	24	33	63
A. NOT OPERATED	331	7.6	60	1	2	6	9	15	19	55
B. OPERATED	1485	9.1	115	1	2	5	11	21	30	56
TOTAL 0-19 YRS	27	6.4	41	1	1	4	8	18	20	25
20-34	39	4.8	18	1	1	3	7	10	12	21
35-49	226	9.1	109	1	1	6	11	20	33	54
50-64	684	8.9	92	1	2	6	11	19	30	51
65+	840	8.9	121	1	2	5	11	21	27	63
GRAND TOTAL	**1816**	**8.8**	**105**	**1**	**2**	**5**	**11**	**20**	**28**	**55**

20: Malignant neoplasm of esophagus (150)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	5	5.8	7	2	2	6	7	9	9	9
50-64	17	5.4	19	1	1	5	6	12	16	18
65+	16	4.9	31	1	1	3	6	9	19	24
B. *Operated*										
0-19 YRS										
20-34	1	6.0		6	6	6	6	6	6	6
35-49	14	10.3	61	<1	2	9	16	22	24	25
50-64	47	10.4	89	1	2	7	14	22	24	53
65+	37	7.9	32	2	3	5	13	18	19	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	2.0		2	2	2	2	2	2	2
35-49	8	9.6	135	2	2	5	11	30	37	37
50-64	55	8.4	86	1	3	6	10	15	19	63
65+	115	8.8	61	2	3	6	11	19	24	42
B. *Operated*										
0-19 YRS	1	18.0		18	18	18	18	18	18	18
20-34	2	13.5	5	12	12	13	15	15	15	15
35-49	30	19.0	315	3	4	15	25	38	43	92
50-64	203	16.0	216	2	3	12	19	36	51	87
65+	214	14.5	150	2	3	11	19	32	41	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	38	5.2	21	1	1	4	6	9	16	24
B. *Operated*	99	9.4	63	2	2	7	13	21	23	40
2. MULTIPLE DX										
A. *Not Operated*	179	8.7	71	2	3	6	10	18	24	47
B. *Operated*	450	15.5	190	2	3	12	19	34	45	71
1. SINGLE DX	137	8.3	55	1	2	5	12	19	22	30
2. MULTIPLE DX	629	13.6	165	2	3	10	18	29	39	70
A. NOT OPERATED	217	8.1	64	2	2	5	9	17	23	42
B. OPERATED	549	14.4	172	2	3	11	18	32	41	70
TOTAL 0-19 YRS	1	18.0		18	18	18	18	18	18	18
20-34	4	8.8	34	2	2	9	13	15	15	15
35-49	57	14.4	220	2	3	10	19	33	38	89
50-64	322	13.3	177	2	3	10	17	27	40	74
65+	382	11.8	117	2	3	8	16	25	34	52
GRAND TOTAL	**766**	**12.6**	**150**	**2**	**3**	**9**	**17**	**27**	**37**	**64**

21: Malignant neoplasm of stomach (151)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	6.3	56	2	2	2	12	15	15	15
35-49	1	12.0		12	12	12	12	12	12	12
50-64	15	4.9	26	1	1	3	6	13	17	19
65+	14	4.0	6	1	2	3	5	8	9	9
B. *Operated*										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	2	13.0	72	7	7	13	19	19	19	19
35-49	13	10.9	29	2	4	11	14	31	85	99+
50-64	47	11.2	29	2	4	11	14	17	23	27
65+	51	12.2	42	3	4	12	15	22	25	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	5.3	5	3	3	5	7	8	8	8
20-34	8	5.3	7	3	3	4	7	9	10	10
35-49	23	6.4	39	1	2	4	7	15	23	26
50-64	52	8.2	48	1	2	6	10	20	24	29
65+	162	8.8	84	2	2	6	11	19	24	57
B. *Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	12	19.2	113	5	8	16	29	34	37	37
35-49	43	14.3	75	4	5	13	18	30	34	36
50-64	208	16.9	119	3	6	15	22	29	40	61
65+	490	16.8	124	4	6	15	22	29	35	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	33	4.8	19	1	2	3	6	12	15	19
B. *Operated*	114	11.6	34	2	4	12	14	20	24	54
2. MULTIPLE DX										
A. *Not Operated*	249	8.3	69	1	2	6	10	18	23	43
B. *Operated*	754	16.7	119	4	6	15	21	29	36	62
1. SINGLE DX	147	10.1	39	2	2	10	14	19	23	30
2. MULTIPLE DX	1003	14.6	120	3	4	12	19	28	34	59
A. NOT OPERATED	282	7.9	64	1	2	5	9	17	23	39
B. OPERATED	868	16.0	111	4	5	14	21	28	35	62
TOTAL 0-19 YRS	6	5.7	4	3	3	5	8	8	8	8
20-34	25	12.7	106	2	3	10	19	32	34	37
35-49	80	11.5	67	2	3	10	15	23	32	80
50-64	322	14.1	105	2	3	12	19	27	31	56
65+	717	14.4	120	3	4	12	19	27	33	60
GRAND TOTAL	**1150**	**14.0**	**112**	**2**	**3**	**12**	**19**	**26**	**33**	**59**

22: Malignant neoplasm of small intestine (152)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	7.0		7	7	7	7	7	7	7
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49	5	9.6	21	5	5	9	12	17	17	17
50-64	2	32.0	882	11	11	32	53	53	53	53
65+	7	14.7	30	10	10	13	18	23	24	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	8	5.1	8	2	2	5	6	10	11	11
65+	6	11.0	152	1	1	5	20	31	32	32
B. *Operated*										
0-19 YRS										
20-34	2	13.5	25	10	10	13	17	17	17	17
35-49	12	14.0	18	9	9	14	17	20	20	20
50-64	31	15.6	100	5	5	12	19	27	32	52
65+	51	17.1	90	6	8	16	22	31	38	99
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	7.0		7	7	7	7	7	7	7
B. *Operated*	14	15.4	144	5	7	11	17	27	47	53
2. MULTIPLE DX										
A. *Not Operated*	14	7.6	72	1	2	5	7	21	30	32
B. *Operated*	96	16.1	83	5	7	15	20	26	34	81
1. SINGLE DX	15	14.8	138	5	7	10	17	24	46	53
2. MULTIPLE DX	110	15.1	89	3	5	13	19	25	34	75
A. NOT OPERATED	15	7.6	67	1	2	5	7	20	29	32
B. OPERATED	110	16.0	89	5	7	15	19	25	34	75
TOTAL 0-19 YRS										
20-34	2	13.5	25	10	10	13	17	17	17	17
35-49	17	12.7	22	6	7	10	16	20	20	20
50-64	42	14.2	131	3	4	11	19	27	40	53
65+	64	16.3	90	4	6	16	21	30	35	94
GRAND TOTAL	**125**	**15.0**	**94**	**4**	**5**	**13**	**19**	**25**	**34**	**69**

23: Malignant neoplasm of colon (153)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	6.5	25	3	3	6	10	10	10	10
35-49	5	4.4	18	1	1	2	8	10	10	10
50-64	18	4.8	18	1	1	3	7	11	14	16
65+	40	6.2	87	1	2	4	6	10	28	47
B. *Operated*										
0-19 YRS										
20-34	5	13.0	7	10	10	13	15	16	16	16
35-49	67	10.9	15	4	8	10	13	17	19	22
50-64	214	11.2	22	3	7	11	13	16	19	29
65+	333	11.8	35	2	5	11	14	18	22	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	4.5	1	4	4	4	5	5	5	5
20-34	15	7.9	90	1	1	6	9	16	33	39
35-49	43	6.3	74	1	1	3	7	13	16	54
50-64	128	7.4	42	2	2	5	10	14	21	35
65+	433	8.5	69	2	2	6	10	17	26	38
B. *Operated*										
0-19 YRS	8	14.6	17	9	9	14	17	21	22	22
20-34	27	12.1	22	6	7	12	13	17	36	99+
35-49	200	13.5	65	4	7	12	16	22	24	58
50-64	911	15.0	83	6	8	13	17	24	31	59
65+	2485	16.6	92	6	8	14	20	27	34	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	65	5.7	60	1	1	3	7	10	16	46
B. *Operated*	619	11.5	28	2	6	11	14	17	20	29
2. MULTIPLE DX										
A. *Not Operated*	621	8.1	64	2	2	6	10	16	24	38
B. *Operated*	3631	16.0	89	6	8	14	19	26	32	55
1. SINGLE DX	684	10.9	34	2	3	10	13	17	20	33
2. MULTIPLE DX	4252	14.8	93	3	5	13	18	25	32	54
A. NOT OPERATED	686	7.8	64	1	2	5	10	16	23	40
B. OPERATED	4250	15.3	82	5	8	13	18	25	31	53
TOTAL 0-19 YRS	10	12.6	32	4	4	13	17	20	22	22
20-34	49	10.7	44	2	2	11	13	16	29	99+
35-49	315	11.8	61	2	3	11	15	19	23	55
50-64	1271	13.4	75	3	5	12	16	22	28	54
65+	3291	14.9	93	3	5	13	18	26	32	50
GRAND TOTAL	**4936**	**14.3**	**86**	**3**	**5**	**12**	**17**	**24**	**31**	**52**

24: Malignant neoplasm of rectum, rectosigmoid junction and anus (154)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	2.0		2	2	2	2	2	2	2
35-49	6	2.8	1	1	1	3	4	4	4	4
50-64	14	6.9	28	1	2	4	11	16	16	16
65+	22	4.2	12	1	2	3	5	9	14	15
B. *Operated*										
0-19 YRS										
20-34	7	10.0	17	4	5	9	12	16	17	17
35-49	57	11.0	28	3	4	11	13	18	20	29
50-64	190	11.8	35	2	3	12	15	19	22	27
65+	268	11.0	50	2	3	10	15	19	22	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	4	8.8	48	4	4	6	13	19	19	19
35-49	30	7.7	42	2	2	6	11	13	17	35
50-64	108	7.8	53	1	2	5	9	18	21	37
65+	242	7.4	50	2	3	6	9	14	17	38
B. *Operated*										
0-19 YRS										
20-34	18	17.0	115	1	3	14	24	32	37	40
35-49	102	14.2	56	3	5	13	18	24	28	38
50-64	444	14.6	92	3	5	12	19	25	32	51
65+	1121	16.8	109	3	6	15	21	30	36	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	43	4.8	17	1	2	4	5	13	15	16
B. *Operated*	522	11.3	42	2	3	11	15	19	22	29
2. MULTIPLE DX										
A. *Not Operated*	384	7.5	50	2	2	6	9	15	20	37
B. *Operated*	1685	16.1	102	3	6	14	20	28	35	57
1. SINGLE DX	565	10.8	43	2	3	11	15	18	21	28
2. MULTIPLE DX	2069	14.5	103	2	4	13	19	26	34	53
A. NOT OPERATED	427	7.3	48	2	2	5	9	15	19	36
B. OPERATED	2207	14.9	92	3	5	13	19	26	33	53
TOTAL 0-19 YRS										
20-34	30	13.8	94	2	3	12	19	29	33	40
35-49	195	11.9	52	2	3	11	16	20	26	34
50-64	756	12.8	77	2	3	12	16	22	27	47
65+	1653	14.3	104	2	3	13	18	26	34	53
GRAND TOTAL	**2634**	**13.7**	**93**	**2**	**3**	**12**	**18**	**25**	**31**	**50**

25: Malignant neoplasm of abdominal cavity, except specified intestinal tract and pancreas (155-156; 158-159)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	25	2.6	7	<1	1	2	2	5	7	14
20-34	1	4.0		4	4	4	4	4	4	4
35-49	3	3.0	4	1	1	3	4	5	5	5
50-64	10	5.0	4	2	2	5	6	7	8	8
65+	24	3.9	11	<1	<1	3	5	9	12	13
B. *Operated*										
0-19 YRS	16	9.9	73	1	2	9	12	17	30	36
20-34	5	8.4	20	1	1	9	11	13	13	13
35-49	9	6.2	16	1	1	6	9	12	13	13
50-64	30	10.4	39	2	2	10	14	18	19	30
65+	60	11.7	45	2	4	11	15	20	23	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	23	3.7	6	1	1	3	4	7	10	11
20-34	5	5.6	23	2	2	4	7	14	14	14
35-49	16	6.3	51	1	1	4	6	15	25	29
50-64	55	9.4	60	1	3	8	12	17	22	45
65+	128	8.6	45	2	2	7	11	17	21	35
B. *Operated*										
0-19 YRS	17	15.1	86	4	6	12	19	32	36	36
20-34	14	15.8	71	8	8	14	16	28	37	39
35-49	54	15.6	76	3	6	14	20	30	34	37
50-64	143	16.7	200	4	6	13	20	28	46	81
65+	311	16.4	133	4	6	14	20	30	40	68
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	63	3.5	8	<1	1	2	5	7	9	14
B. *Operated*	120	10.6	45	1	2	10	14	18	22	34
2. MULTIPLE DX										
A. *Not Operated*	227	8.1	47	1	2	6	11	16	21	35
B. *Operated*	539	16.4	141	4	6	14	20	29	37	68
1. SINGLE DX	183	8.2	44	1	1	7	12	16	19	33
2. MULTIPLE DX	766	13.9	128	2	3	11	17	27	35	65
A. NOT OPERATED	290	7.1	42	1	2	5	9	15	20	34
B. OPERATED	659	15.3	129	3	5	13	19	28	36	68
TOTAL 0-19 YRS	81	7.0	59	1	1	3	10	16	21	36
20-34	25	11.8	68	2	3	10	15	20	30	39
35-49	82	12.3	83	2	3	10	16	26	30	37
50-64	238	13.8	153	2	4	11	17	25	33	69
65+	523	13.4	111	2	3	11	17	25	34	51
GRAND TOTAL	**949**	**12.8**	**117**	**2**	**2**	**11**	**16**	**25**	**33**	**57**

26: Malignant neoplasm of pancreas (157)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	2.0		2	2	2	2	2	2	2
35-49	4	5.8	20	2	2	5	9	11	11	11
50-64	23	5.3	71	1	1	3	4	13	27	39
65+	20	5.4	8	1	2	5	7	9	10	11
B. *Operated*										
0-19 YRS										
20-34	1	19.0		19	19	19	19	19	19	19
35-49	6	14.0	20	7	7	14	18	19	19	19
50-64	25	12.4	73	1	2	10	16	28	29	30
65+	52	15.6	83	3	6	15	19	26	34	51
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	12.0		12	12	12	12	12	12	12
20-34	3	7.0	52	1	1	5	12	15	15	15
35-49	24	6.9	75	1	1	4	9	13	23	42
50-64	149	8.0	40	2	3	6	10	16	21	29
65+	264	8.8	53	2	3	7	12	17	21	36
B. *Operated*										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34	5	18.8	177	11	11	12	24	42	42	42
35-49	47	17.3	152	3	6	18	21	26	33	79
50-64	252	17.3	135	5	6	15	21	32	39	64
65+	504	17.8	136	4	7	15	23	31	38	68
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	48	5.3	38	1	1	4	6	10	12	39
B. *Operated*	84	14.6	76	2	5	14	18	25	30	47
2. MULTIPLE DX										
A. *Not Operated*	441	8.4	50	2	2	6	11	17	21	37
B. *Operated*	809	17.6	136	4	6	15	22	31	39	68
1. SINGLE DX	132	11.2	82	1	2	9	16	22	29	41
2. MULTIPLE DX	1250	14.4	125	3	4	12	19	27	34	58
A. NOT OPERATED	489	8.1	50	2	2	6	10	17	21	38
B. OPERATED	893	17.3	131	4	6	15	22	30	38	67
TOTAL 0-19 YRS	2	11.0	2	10	10	11	12	12	12	12
20-34	10	13.6	138	1	1	12	18	30	42	42
35-49	81	13.4	136	1	2	11	19	24	28	68
50-64	449	13.3	118	2	3	11	17	27	34	57
65+	840	14.6	123	3	4	12	19	28	34	57
GRAND TOTAL	**1382**	**14.1**	**122**	**2**	**3**	**12**	**19**	**27**	**33**	**57**

27: Malignant neoplasm of bronchus, lung, and trachea (162)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	40	3.1	5	1	1	2	4	6	8	10
50-64	147	4.7	24	<1	1	3	6	11	17	27
65+	128	6.1	27	<1	1	5	8	13	15	27
B. *Operated*										
0-19 YRS	3	13.3	17	10	10	12	16	18	18	18
20-34	7	11.1	30	7	7	9	12	21	23	23
35-49	100	8.6	33	1	2	8	12	16	19	27
50-64	446	9.2	41	2	2	8	12	17	21	29
65+	468	8.9	47	1	2	8	12	18	21	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	11.3	24	8	8	9	15	17	17	17
20-34	7	4.4	8	1	1	3	7	8	8	8
35-49	242	7.0	43	1	2	5	9	15	19	34
50-64	1225	8.0	61	1	2	6	10	17	23	41
65+	1645	8.3	51	1	2	6	11	17	21	36
B. *Operated*										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	24	11.8	36	3	5	11	16	21	22	23
35-49	393	12.0	100	2	4	10	14	22	29	58
50-64	2185	12.1	79	2	3	10	16	23	28	48
65+	2995	12.1	87	2	3	10	15	23	29	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	315	5.0	24	<1	1	3	7	11	15	26
B. *Operated*	1024	9.0	43	2	2	8	12	17	21	31
2. MULTIPLE DX										
A. *Not Operated*	3122	8.1	54	1	2	6	10	17	22	38
B. *Operated*	5598	12.1	84	2	3	10	16	23	29	49
1. SINGLE DX	1339	8.1	41	1	2	7	11	17	20	31
2. MULTIPLE DX	8720	10.7	77	2	3	9	14	21	27	45
A. NOT OPERATED	3437	7.8	52	1	2	6	10	16	21	37
B. OPERATED	6622	11.6	79	2	3	10	15	22	28	47
TOTAL 0-19 YRS	7	11.6	19	7	7	10	16	18	18	18
20-34	38	10.3	37	2	3	9	14	20	22	23
35-49	775	9.6	75	1	2	8	12	18	24	39
50-64	4003	10.2	71	2	2	8	14	20	26	42
65+	5236	10.5	74	2	3	9	14	21	26	44
GRAND TOTAL	**10059**	**10.3**	**73**	**2**	**2**	**8**	**14**	**20**	**26**	**43**

28: Other malignant neoplasm of respiratory system and thoracic cavity (160-161; 163-165)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	1.7	1	1	1	1	3	3	3	3
20-34	2	19.0	200	9	9	19	29	29	29	29
35-49	8	2.6	7	1	1	2	3	7	9	9
50-64	19	4.7	76	<1	1	2	4	13	28	37
65+	10	4.2	13	1	1	3	5	10	13	13
B. *Operated*										
0-19 YRS	8	6.9	23	1	1	7	10	13	14	14
20-34	7	9.4	17	4	5	8	13	16	16	16
35-49	42	5.0	30	<1	<1	2	6	13	16	26
50-64	190	5.4	29	<1	1	2	9	14	17	20
65+	171	5.6	41	1	1	2	9	14	16	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	2.7	2	1	1	3	4	4	4	4
20-34	11	6.2	11	2	2	5	8	11	13	13
35-49	19	10.6	127	1	2	7	13	30	40	42
50-64	64	6.2	19	1	1	5	8	14	15	19
65+	64	6.7	36	1	1	4	10	15	22	23
B. *Operated*										
0-19 YRS	7	9.9	36	3	3	8	13	20	21	21
20-34	9	14.9	231	2	4	9	16	40	53	53
35-49	61	14.2	184	2	2	11	19	29	39	69
50-64	268	12.6	142	1	2	10	18	26	31	55
65+	301	10.6	93	1	2	8	16	24	30	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	42	4.7	54	1	1	2	4	10	22	37
B. *Operated*	418	5.6	34	<1	1	2	9	14	17	23
2. MULTIPLE DX										
A. *Not Operated*	161	6.8	39	1	1	5	9	14	18	36
B. *Operated*	646	11.8	124	1	2	9	17	24	32	53
1. SINGLE DX	460	5.5	36	<1	1	2	9	14	17	29
2. MULTIPLE DX	807	10.8	111	1	2	8	15	23	30	49
A. NOT OPERATED	203	6.4	42	1	1	4	8	14	18	37
B. OPERATED	1064	9.3	98	1	1	7	14	21	27	45
TOTAL 0-19 YRS	21	6.5	29	1	1	5	10	14	17	21
20-34	29	10.6	100	2	3	8	11	19	30	53
35-49	130	10.0	133	1	1	6	14	24	33	59
50-64	541	9.0	97	1	1	6	13	20	27	46
65+	546	8.5	74	1	1	5	13	20	24	42
GRAND TOTAL	**1267**	**8.9**	**90**	**1**	**1**	**5**	**13**	**20**	**26**	**44**

29: Malignant neoplasm of bone and connective tissue including peripheral and autonomic nerves (170-171)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	91	3.5	7	1	1	3	4	6	8	18
20-34	16	2.6	1	<1	1	2	3	4	5	5
35-49	4	6.0	2	4	4	6	7	7	7	7
50-64	10	3.8	4	<1	<1	4	5	6	6	6
65+	8	5.1	17	1	1	4	6	12	14	14
B. *Operated*										
0-19 YRS	86	7.3	32	1	2	5	11	14	17	30
20-34	64	7.9	21	1	2	7	11	14	17	18
35-49	52	8.1	43	2	2	7	11	15	19	40
50-64	64	7.3	40	1	2	6	10	14	19	35
65+	71	7.0	35	1	2	5	10	17	21	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	236	4.2	24	1	2	3	5	7	10	22
20-34	50	4.2	9	1	2	3	5	8	10	17
35-49	17	4.7	17	1	1	3	5	13	14	14
50-64	32	6.3	35	1	1	4	8	16	20	22
65+	58	9.1	113	2	2	5	9	25	31	56
B. *Operated*										
0-19 YRS	49	13.6	151	2	2	10	21	29	46	47
20-34	39	12.6	245	1	2	10	14	18	34	97
35-49	31	17.2	330	3	4	14	22	33	41	98
50-64	82	15.9	150	3	4	13	20	30	39	67
65+	147	13.5	136	2	3	11	17	28	36	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	129	3.6	7	1	1	3	4	6	7	16
B. *Operated*	337	7.5	34	1	2	6	10	14	18	27
2. MULTIPLE DX										
A. *Not Operated*	393	5.1	38	1	2	3	5	9	15	34
B. *Operated*	348	14.3	170	2	3	11	18	29	37	70
1. SINGLE DX	466	6.4	29	1	2	5	9	13	17	24
2. MULTIPLE DX	741	9.4	121	1	2	5	12	22	30	51
A. NOT OPERATED	522	4.7	31	1	1	3	5	8	13	31
B. OPERATED	685	11.0	115	2	2	8	14	22	30	48
TOTAL 0-19 YRS	462	5.6	44	1	2	4	6	12	18	39
20-34	169	7.4	78	1	2	5	10	14	17	36
35-49	104	10.2	143	2	2	7	13	20	30	67
50-64	188	10.7	106	1	2	7	15	23	30	47
65+	284	10.8	111	2	2	7	14	26	33	54
GRAND TOTAL	**1207**	**8.3**	**88**	**1**	**2**	**5**	**10**	**18**	**26**	**44**

30: Malignant melanoma of skin, excluding genital organs (172)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	6.5	25	3	3	6	10	10	10	10
35-49	5	4.0	21	1	1	2	5	12	12	12
50-64	5	9.2	178	2	2	4	11	33	33	33
65+	5	6.6	22	1	1	5	11	12	12	12
B. *Operated*										
0-19 YRS	2	5.5	25	2	2	5	9	9	9	9
20-34	63	4.0	5	1	1	4	6	7	8	10
35-49	120	4.2	7	1	2	3	6	8	9	13
50-64	121	5.0	14	<1	1	4	8	10	12	17
65+	99	5.7	28	<1	1	4	7	11	15	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	11.0		11	11	11	11	11	11	11
20-34	9	3.2	3	2	2	2	4	6	7	7
35-49	19	7.3	27	1	2	6	11	16	17	17
50-64	25	7.0	106	1	1	5	7	11	22	54
65+	29	6.2	14	2	2	5	9	12	14	15
B. *Operated*										
0-19 YRS	2	8.5	41	4	4	8	13	13	13	13
20-34	24	6.8	29	1	2	5	10	15	18	19
35-49	69	6.1	22	1	2	4	8	13	17	22
50-64	97	6.6	25	2	2	5	8	13	18	25
65+	144	8.6	64	2	2	6	11	17	25	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	17	6.6	61	1	1	4	10	12	26	33
B. *Operated*	405	4.8	14	1	1	4	6	9	11	20
2. MULTIPLE DX										
A. *Not Operated*	83	6.4	44	1	2	5	8	12	15	42
B. *Operated*	336	7.4	42	2	2	5	10	15	19	31
1. SINGLE DX	422	4.9	16	1	1	4	7	9	11	21
2. MULTIPLE DX	419	7.2	43	2	2	5	9	14	18	32
A. NOT OPERATED	100	6.5	46	1	2	4	9	12	15	43
B. OPERATED	741	6.0	28	1	2	4	8	11	16	27
TOTAL 0-19 YRS	5	7.8	22	2	2	9	11	13	13	13
20-34	98	4.7	12	1	1	4	6	9	11	19
35-49	213	5.1	15	1	2	4	7	10	13	18
50-64	248	5.9	31	1	2	4	8	11	14	27
65+	277	7.3	47	1	2	5	9	14	21	36
GRAND TOTAL	**841**	**6.0**	**31**	**1**	**2**	**4**	**8**	**12**	**16**	**27**

31: Other malignant neoplasm of skin, excluding genital organs (173)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	3.0	8	1	1	3	5	5	5	5
35-49										
50-64										
65+	7	3.3	3	2	2	3	5	6	6	6
B. *Operated*										
0-19 YRS	9	2.6	2	<1	<1	2	3	5	5	5
20-34	23	2.5	3	<1	1	2	3	5	6	8
35-49	80	2.4	4	<1	<1	2	3	4	6	12
50-64	204	2.8	8	<1	<1	2	3	5	7	13
65+	405	3.0	13	<1	<1	2	3	6	9	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	4	7.3	14	2	2	8	10	11	11	11
35-49										
50-64	12	6.4	56	1	1	3	10	18	23	24
65+	33	7.0	59	1	2	5	8	12	21	42
B. *Operated*										
0-19 YRS	3	4.0	12	2	2	2	7	8	8	8
20-34	11	5.5	34	1	1	3	6	13	21	22
35-49	79	3.6	9	<1	1	2	5	8	9	15
50-64	262	4.0	19	1	1	2	4	9	14	22
65+	770	5.2	44	1	1	3	6	11	15	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	3.2	3	1	1	3	5	6	6	6
B. *Operated*	721	2.9	10	<1	<1	2	3	5	8	14
2. MULTIPLE DX										
A. *Not Operated*	50	6.8	52	1	1	5	8	14	22	42
B. *Operated*	1125	4.8	36	1	1	3	5	10	14	31
1. SINGLE DX	730	2.9	10	<1	<1	2	3	5	8	14
2. MULTIPLE DX	1175	4.9	36	1	1	3	6	10	15	32
A. NOT OPERATED	59	6.3	46	1	1	4	8	12	19	40
B. OPERATED	1846	4.0	27	<1	1	2	4	8	12	28
TOTAL 0-19 YRS	13	2.9	4	<1	1	2	3	6	8	8
20-34	40	3.8	15	<1	1	3	5	8	10	22
35-49	159	3.0	7	<1	<1	2	3	7	8	13
50-64	478	3.5	16	<1	1	2	4	7	12	22
65+	1215	4.5	35	<1	1	3	5	9	13	34
GRAND TOTAL	**1905**	**4.1**	**27**	**<1**	**1**	**2**	**4**	**9**	**12**	**28**

32: Malignant neoplasm of breast (female) (male) (174-175)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	7	2.7	4	1	1	2	4	6	6	6
35-49	17	2.7	3	1	1	2	3	5	6	7
50-64	21	4.5	21	1	1	3	5	8	15	22
65+	23	6.9	76	1	2	4	9	13	25	43
B. *Operated*										
0-19 YRS	2	4.0	8	2	2	4	6	6	6	6
20-34	106	5.9	10	1	2	6	8	10	13	14
35-49	672	5.9	8	1	2	6	7	9	11	15
50-64	909	6.3	8	2	3	6	8	9	11	15
65+	994	6.8	12	2	3	7	9	10	12	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	8.3	72	2	2	5	15	18	18	18
20-34	30	6.1	38	1	1	4	8	12	25	26
35-49	140	6.7	55	1	1	4	9	17	21	35
50-64	262	7.6	52	1	2	5	10	16	23	34
65+	254	9.4	81	1	2	7	12	19	28	47
B. *Operated*										
0-19 YRS	4	6.3	13	3	3	5	9	11	11	11
20-34	104	8.1	26	3	3	7	10	13	16	33
35-49	691	7.5	18	2	3	7	9	12	15	22
50-64	1397	8.5	35	3	4	7	10	14	18	35
65+	2096	9.2	36	3	4	8	11	15	19	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	68	4.7	35	1	1	3	5	9	12	39
B. *Operated*	2683	6.4	10	2	3	6	8	10	12	16
2. MULTIPLE DX										
A. *Not Operated*	689	8.0	64	1	1	5	10	18	24	41
B. *Operated*	4292	8.7	33	3	4	8	10	14	18	33
1. SINGLE DX	2751	6.3	10	2	2	6	8	10	12	16
2. MULTIPLE DX	4981	8.6	37	2	3	7	10	14	19	34
A. NOT OPERATED	757	7.7	62	1	1	5	10	17	23	42
B. OPERATED	6975	7.8	25	2	3	7	9	12	15	28
TOTAL 0-19 YRS	9	6.4	27	2	2	5	8	15	18	18
20-34	247	6.8	22	1	2	6	9	12	13	26
35-49	1520	6.7	18	1	2	6	8	11	13	21
50-64	2589	7.6	28	2	3	7	9	12	16	30
65+	3367	8.5	34	2	3	8	10	14	18	32
GRAND TOTAL	**7732**	**7.8**	**29**	**2**	**3**	**7**	**9**	**13**	**16**	**30**

33: Malignant neoplasm of cervix uteri excluding carcinoma in situ (180)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	17	3.2	3	1	1	3	4	4	7	9
35-49	71	3.5	8	1	1	3	4	4	5	19
50-64	80	3.5	6	1	2	3	4	4	6	17
65+	65	4.1	12	2	2	3	4	5	7	25
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	116	5.6	13	1	2	5	8	11	13	14
35-49	135	5.9	29	1	2	4	8	11	15	25
50-64	81	5.2	38	1	2	3	5	9	12	42
65+	58	3.8	4	1	2	3	5	7	8	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	22	7.4	60	1	2	5	9	15	28	34
35-49	85	6.0	60	1	1	4	7	11	13	46
50-64	115	6.1	34	1	2	4	8	13	18	33
65+	123	5.9	36	1	2	4	6	13	15	37
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	105	7.7	31	1	2	6	10	16	17	27
35-49	217	10.3	92	2	3	8	11	20	35	49
50-64	158	9.6	152	1	2	6	10	19	30	75
65+	198	9.8	119	2	2	7	11	21	31	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	233	3.6	8	1	2	3	4	5	7	20
B. *Operated*	391	5.3	23	1	2	4	7	11	13	20
2. MULTIPLE DX										
A. *Not Operated*	345	6.1	43	1	1	4	7	12	16	38
B. *Operated*	679	9.6	105	2	2	7	11	18	29	51
1. SINGLE DX	624	4.7	18	1	2	3	5	9	12	20
2. MULTIPLE DX	1024	8.4	87	1	2	6	10	16	24	49
A. NOT OPERATED	578	5.1	30	1	2	4	5	10	14	35
B. OPERATED	1070	8.0	79	1	2	6	9	15	22	49
TOTAL 0-19 YRS	2	2.0		2	2	2	2	2	2	2
20-34	260	6.4	25	1	2	5	9	13	15	24
35-49	508	7.5	65	1	2	5	9	14	21	47
50-64	434	6.7	78	1	2	4	8	12	20	48
65+	444	7.1	72	2	2	4	8	14	22	49
GRAND TOTAL	**1648**	**7.0**	**64**	**1**	**2**	**4**	**8**	**14**	**20**	**46**

34: Malignant neoplasm of corpus uteri (179; 182)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	4.0		4	4	4	4	4	4	4
35-49	1	3.0		3	3	3	3	3	3	3
50-64	43	3.4	2	1	1	3	4	5	7	8
65+	70	3.3	4	2	2	3	4	4	5	15
B. *Operated*										
0-19 YRS										
20-34	8	4.3	6	1	1	4	6	7	7	7
35-49	34	5.7	5	1	2	6	7	8	9	10
50-64	203	5.8	11	1	1	6	8	10	11	15
65+	198	6.0	17	1	2	6	8	11	12	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	6.0	2	5	5	6	7	7	7	7
20-34	6	6.2	28	4	4	4	4	16	17	17
35-49	7	2.9	3	1	1	3	4	6	6	6
50-64	45	4.6	11	1	1	3	6	10	11	16
65+	127	6.8	75	1	1	4	7	13	21	48
B. *Operated*										
0-19 YRS	2	10.0		10	10	10	10	10	10	10
20-34	13	11.7	196	4	4	5	9	40	45	46
35-49	103	6.9	13	2	2	6	8	11	13	21
50-64	498	8.6	41	2	2	8	10	14	18	35
65+	688	9.5	59	2	3	8	12	17	21	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	115	3.4	3	1	2	3	4	4	5	11
B. *Operated*	443	5.9	13	1	1	6	8	10	12	17
2. MULTIPLE DX										
A. *Not Operated*	187	6.1	55	1	1	4	7	12	17	41
B. *Operated*	1304	9.0	50	2	2	8	11	15	20	40
1. SINGLE DX	558	5.3	12	1	2	5	7	10	11	17
2. MULTIPLE DX	1491	8.6	52	2	2	7	10	15	20	40
A. NOT OPERATED	302	5.1	37	1	2	3	5	10	14	35
B. OPERATED	1747	8.2	43	1	2	7	10	14	18	36
TOTAL 0-19 YRS	4	8.0	6	5	5	8	10	10	10	10
20-34	28	8.1	106	2	2	5	7	16	40	46
35-49	145	6.4	11	2	2	6	8	10	12	18
50-64	789	7.4	32	1	2	7	9	13	16	30
65+	1083	8.2	53	1	2	7	10	15	19	40
GRAND TOTAL	**2049**	**7.7**	**43**	**1**	**2**	**7**	**9**	**14**	**18**	**36**

35: Malignant neoplasm of ovary (183.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	2.1	2	1	1	2	2	4	5	5
20-34	6	2.5	4	<1	<1	2	3	6	6	6
35-49	26	2.8	19	<1	1	1	2	5	10	23
50-64	62	2.0		<1	<1	2	2	4	5	7
65+	52	3.6		1	1	2	4	6	15	22
B. *Operated*										
0-19 YRS	9	7.0	13	4	4	6	7	13	16	16
20-34	20	6.3	7	2	3	6	8	9	11	12
35-49	32	9.2	29	2	4	8	11	18	19	24
50-64	61	9.2	26	2	5	8	11	15	21	28
65+	40	8.8	10	4	6	8	10	13	15	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	6.4	76	2	2	3	8	22	22	22
20-34	14	3.4	4	1	1	3	5	6	7	8
35-49	60	5.0	26	1	1	3	7	11	15	25
50-64	157	4.1	31	1	1	2	5	8	13	35
65+	195	6.5	52	1	2	4	8	16	23	35
B. *Operated*										
0-19 YRS	11	11.0	15	5	6	10	13	16	19	19
20-34	42	8.8	17	3	4	8	12	14	17	19
35-49	141	10.1	43	4	5	8	11	16	23	38
50-64	310	12.7	66	5	6	10	15	22	28	46
65+	364	15.6	94	6	8	13	19	26	35	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	154	2.7	11	<1	<1	2	2	5	7	22
B. *Operated*	162	8.6	20	3	4	8	10	15	18	24
2. MULTIPLE DX										
A. *Not Operated*	431	5.3	40	1	1	3	7	12	18	33
B. *Operated*	868	13.3	76	5	6	11	16	23	29	48
1. SINGLE DX	316	5.7	24	<1	1	5	8	12	16	23
2. MULTIPLE DX	1299	10.7	78	1	2	9	14	21	27	43
A. NOT OPERATED	585	4.6	34	1	1	2	5	10	16	29
B. OPERATED	1030	12.6	70	4	6	10	15	22	28	44
TOTAL 0-19 YRS	33	7.1	29	1	2	6	9	14	19	22
20-34	82	6.8	16	1	2	6	9	12	14	19
35-49	259	8.1	42	1	1	7	10	15	21	35
50-64	590	8.9	65	1	1	7	12	17	24	41
65+	651	11.5	92	2	2	10	16	22	29	46
GRAND TOTAL	**1615**	**9.7**	**71**	**1**	**2**	**8**	**13**	**20**	**26**	**41**

36: Malignant neoplasm of other female genital organs (181; 183.2-183.9; 184)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	4.0		4	4	4	4	4	4	4
35-49	1	2.0		2	2	2	2	2	2	2
50-64	11	2.5	3	<1	<1	1	4	5	5	5
65+	7	4.7	21	2	2	3	4	13	15	15
B. *Operated*										
0-19 YRS										
20-34	7	6.1	37	2	2	3	7	17	19	19
35-49	8	3.3	2	1	1	3	4	5	6	6
50-64	26	7.7	34	2	2	5	10	18	18	19
65+	47	7.2	39	1	2	5	9	16	20	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	2.3	4	1	1	2	3	5	5	5
20-34	2	2.0	2	<1	<1	1	3	3	3	3
35-49	4	6.8	32	3	3	5	10	15	15	15
50-64	14	6.1	49	<1	1	3	10	18	22	23
65+	33	8.5	87	2	3	5	8	21	32	39
B. *Operated*										
0-19 YRS	2	11.0	50	6	6	11	16	16	16	16
20-34	3	16.3	214	3	3	14	27	32	32	32
35-49	30	13.9	313	1	2	9	15	26	41	95
50-64	44	13.1	241	2	2	9	15	30	38	92
65+	124	13.1	155	3	3	10	17	26	31	69
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	20	3.3	10	<1	<1	3	4	5	10	15
B. *Operated*	88	6.9	35	2	2	5	9	16	19	27
2. MULTIPLE DX										
A. *Not Operated*	57	7.1	67	1	1	4	7	19	28	39
B. *Operated*	203	13.2	193	2	3	9	16	27	33	93
1. SINGLE DX	108	6.3	32	1	2	4	8	16	18	27
2. MULTIPLE DX	260	11.9	172	2	2	8	15	25	32	89
A. NOT OPERATED	77	6.1	55	<1	1	3	6	17	22	37
B. OPERATED	291	11.3	154	2	2	8	15	23	31	78
TOTAL 0-19 YRS	6	5.2	33	1	1	3	6	15	16	16
20-34	13	7.7	81	<1	1	3	9	22	30	32
35-49	43	11.0	240	1	2	6	14	20	35	95
50-64	95	9.4	141	1	1	5	12	18	29	70
65+	211	10.8	121	2	2	7	14	24	30	54
GRAND TOTAL	**368**	**10.2**	**137**	**1**	**2**	**7**	**14**	**21**	**30**	**57**

37: Malignant neoplasm of prostate (185)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34										
35-49	1	1.0		1	1	1	1	1	1	1
50-64	21	4.4	11	1	1	4	6	9	11	13
65+	72	6.2	34	1	2	5	7	11	17	32
B. *Operated*										
0-19 YRS	6	6.5	16	2	2	6	10	11	11	11
20-34										
35-49	11	7.3	50	1	1	4	14	18	19	19
50-64	374	6.2	19	1	2	5	8	12	15	21
65+	1120	6.0	15	2	2	5	8	11	13	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	3.4	4	1	1	3	5	6	6	6
20-34	1	8.0		8	8	8	8	8	8	8
35-49	5	15.6	214	4	4	12	23	40	40	40
50-64	135	6.9	60	1	2	5	9	13	19	78
65+	747	7.9	50	2	2	6	10	15	22	41
B. *Operated*										
0-19 YRS	7	8.9	30	2	3	6	13	17	18	18
20-34	3	4.7	9	2	2	4	7	8	8	8
35-49	18	8.1	29	2	3	7	11	14	20	24
50-64	626	8.3	34	2	3	7	11	16	20	31
65+	3506	8.5	39	2	3	7	10	15	20	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	96	5.6	29	1	1	4	7	10	14	32
B. *Operated*	1511	6.0	16	2	2	5	8	11	13	21
2. MULTIPLE DX										
A. *Not Operated*	893	7.8	52	1	2	6	10	15	21	41
B. *Operated*	4160	8.5	38	2	3	7	10	16	20	31
1. SINGLE DX	1607	6.0	17	1	2	5	8	11	13	21
2. MULTIPLE DX	5053	8.3	41	2	3	7	10	15	20	32
A. NOT OPERATED	989	7.6	50	1	2	6	9	14	21	41
B. OPERATED	5671	7.8	33	2	2	6	10	15	18	30
TOTAL 0-19 YRS	20	6.1	22	1	1	5	9	12	16	18
20-34	4	5.5	9	2	2	6	8	8	8	8
35-49	35	8.7	64	1	2	5	12	18	23	40
50-64	1156	7.4	33	2	2	6	9	15	18	28
65+	5445	7.9	36	2	2	6	10	14	19	30
GRAND TOTAL	**6660**	**7.8**	**36**	**2**	**2**	**6**	**10**	**15**	**19**	**30**

38: Malignant neoplasm of male genitalia, except prostate (186-187)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	3.0	3	1	1	3	4	5	5	5
20-34	7	3.7	3	1	1	4	5	6	6	6
35-49	5	5.0	14	2	2	5	7	11	11	11
50-64										
65+	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-19 YRS	14	4.2	10	<1	1	3	5	10	11	11
20-34	105	4.6	11	2	2	3	5	8	11	17
35-49	45	3.5	4	1	1	3	5	6	8	9
50-64	22	4.7	10	1	2	4	6	8	11	16
65+	12	5.9	7	1	2	6	8	9	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	3.7	5	1	1	5	5	5	5	5
20-34	29	6.7	17	1	2	6	8	14	16	16
35-49	16	4.6	2	3	3	4	5	7	8	8
50-64	2	5.0	8	3	3	5	7	7	7	7
65+	4	20.8	614	3	3	11	36	57	57	57
B. *Operated*										
0-19 YRS	8	10.0	49	3	3	9	12	21	25	25
20-34	44	7.3	18	1	3	6	10	14	16	18
35-49	27	6.5	17	2	2	6	9	11	14	20
50-64	21	10.0	73	1	2	8	15	22	28	35
65+	32	9.6	135	2	2	5	10	20	42	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	22	3.7	5	1	1	4	5	6	8	11
B. *Operated*	198	4.4	9	1	2	3	6	8	10	16
2. MULTIPLE DX										
A. *Not Operated*	54	6.9	62	1	3	5	7	14	16	55
B. *Operated*	132	8.3	57	2	2	6	10	16	21	46
1. SINGLE DX	220	4.3	9	1	2	3	5	8	10	16
2. MULTIPLE DX	186	7.9	58	2	3	6	9	15	19	50
A. NOT OPERATED	76	6.0	47	1	2	5	6	11	15	46
B. OPERATED	330	6.0	32	2	2	4	8	11	16	27
TOTAL 0-19 YRS	34	5.2	23	1	1	4	5	11	13	25
20-34	185	5.5	15	2	2	5	7	11	14	17
35-49	93	4.6	9	1	2	4	6	9	10	17
50-64	45	7.2	45	1	2	5	8	16	21	35
65+	49	9.5	141	2	2	6	9	18	44	57
GRAND TOTAL	**406**	**6.0**	**35**	**1**	**2**	**5**	**7**	**11**	**16**	**29**

39: Malignant neoplasm of bladder (188)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	4	6.3	85	1	1	2	11	20	20	20
50-64	4	2.8	6	1	1	2	4	6	6	6
65+	20	4.9	35	1	1	3	6	8	18	28
B. *Operated*										
0-19 YRS	4	6.5	60	2	2	3	11	18	18	18
20-34	12	3.6	3	2	2	3	4	7	8	8
35-49	82	4.1	16	1	1	3	5	7	14	22
50-64	449	4.3	13	1	1	3	5	9	13	17
65+	950	4.6	17	1	2	3	5	9	13	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34										
35-49	4	9.0	17	3	3	10	11	12	12	12
50-64	35	7.0	102	1	1	4	8	12	20	58
65+	157	6.9	61	1	2	5	9	13	19	39
B. *Operated*										
0-19 YRS	4	4.0	10	1	1	3	6	8	8	8
20-34	6	4.8	57	<1	<1	1	4	18	20	20
35-49	62	6.7	39	1	2	5	10	14	23	91
50-64	544	7.7	58	1	2	5	10	17	22	39
65+	1953	7.7	57	2	2	5	9	16	22	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	28	4.8	35	1	1	3	6	8	21	28
B. *Operated*	1497	4.5	15	1	2	3	5	9	13	21
2. MULTIPLE DX										
A. *Not Operated*	197	6.9	67	1	2	5	9	13	19	49
B. *Operated*	2569	7.7	57	2	2	5	9	16	22	39
1. SINGLE DX	1525	4.5	16	1	1	3	5	9	13	21
2. MULTIPLE DX	2766	7.6	58	2	2	5	9	16	22	39
A. NOT OPERATED	225	6.6	63	1	2	4	8	12	19	44
B. OPERATED	4066	6.5	44	1	2	4	8	14	19	35
TOTAL 0-19 YRS	9	4.9	29	1	1	2	6	14	18	18
20-34	18	4.0	19	<1	<1	3	4	7	15	20
35-49	152	5.3	29	1	1	3	7	12	16	35
50-64	1032	6.2	42	1	2	4	7	14	18	31
65+	3080	6.7	47	1	2	5	8	14	19	36
GRAND TOTAL	**4291**	**6.5**	**45**	**1**	**2**	**4**	**8**	**14**	**19**	**35**

40: Malignant neoplasm of kidney and other urinary organs (189)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	5.5	6	2	3	5	7	9	10	10
20-34										
35-49	3	2.3		2	2	2	3	3	3	3
50-64	13	4.1	13	1	1	3	5	11	12	12
65+	13	3.6	6	<1	1	3	6	7	9	9
B. *Operated*										
0-19 YRS	32	9.3	12	2	7	9	11	13	15	21
20-34	4	9.8	1	9	9	10	10	11	11	11
35-49	41	8.9	13	2	4	9	11	14	15	16
50-64	101	10.3	21	2	5	10	12	17	19	23
65+	113	11.1	31	3	4	10	15	18	21	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	49	5.4	20	1	2	4	7	12	15	23
20-34	5	9.0	23	3	3	9	13	15	15	15
35-49	18	12.1	193	2	3	7	14	39	48	48
50-64	84	7.2	38	1	2	5	9	15	20	32
65+	144	7.8	47	1	2	5	10	17	21	31
B. *Operated*										
0-19 YRS	34	10.3	24	3	5	10	11	16	21	25
20-34	5	8.4	33	3	3	8	11	18	18	18
35-49	66	12.8	81	4	4	10	16	24	35	48
50-64	261	12.6	70	4	5	11	15	21	27	56
65+	432	13.7	66	3	5	13	17	23	28	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	41	4.2	8	1	1	3	6	9	10	12
B. *Operated*	291	10.3	23	2	4	9	12	16	19	24
2. MULTIPLE DX										
A. *Not Operated*	300	7.5	50	1	2	5	9	16	21	41
B. *Operated*	798	13.1	67	3	5	11	16	22	27	45
1. SINGLE DX	332	9.5	25	2	3	9	12	16	19	23
2. MULTIPLE DX	1098	11.6	68	2	3	10	15	21	26	45
A. NOT OPERATED	341	7.1	46	1	2	5	9	15	20	38
B. OPERATED	1089	12.3	57	3	5	11	15	21	25	40
TOTAL 0-19 YRS	127	7.7	22	2	2	8	10	13	16	23
20-34	14	9.0	18	3	3	9	11	15	17	18
35-49	128	11.2	76	3	4	9	13	20	26	48
50-64	459	10.8	57	2	3	9	13	19	23	41
65+	702	11.9	62	2	3	11	16	21	25	39
GRAND TOTAL	**1430**	**11.1**	**59**	**2**	**3**	**10**	**14**	**20**	**24**	**40**

41: Malignant neoplasm of eye (190)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	16	1.3	1	<1	<1	1	1	2	3	4
20-34										
35-49										
50-64	1	3.0		3	3	3	3	3	3	3
65+	2	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	10	2.3	2	<1	<1	2	4	5	5	5
20-34	4	3.0	3	1	1	3	4	5	5	5
35-49	3	2.7		2	2	3	3	3	3	3
50-64	10	3.2	2	2	2	3	4	5	5	5
65+	10	4.0	40	1	1	2	3	13	22	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	13.0	494	1	1	3	13	53	62	62
20-34										
35-49	1	3.0		3	3	3	3	3	3	3
50-64	1	8.0		8	8	8	8	8	8	8
65+	3	8.3	46	3	3	6	13	16	16	16
B. *Operated*										
0-19 YRS	15	5.7	35	1	1	3	9	17	18	18
20-34										
35-49	3	6.7	6	4	4	7	8	9	9	9
50-64	5	8.6	33	3	3	6	13	17	17	17
65+	19	5.0	6	2	2	5	6	8	10	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	19	1.5	1	<1	<1	1	2	3	4	4
B. *Operated*	37	3.1	12	<1	1	2	4	5	5	22
2. MULTIPLE DX										
A. *Not Operated*	12	10.6	289	1	1	5	12	30	57	62
B. *Operated*	42	5.8	19	1	1	5	8	12	17	18
1. SINGLE DX	56	2.6	9	<1	<1	2	3	4	5	21
2. MULTIPLE DX	54	6.9	79	1	1	5	8	15	17	60
A. NOT OPERATED	31	5.0	127	<1	<1	1	3	11	16	62
B. OPERATED	79	4.5	17	1	1	3	5	9	15	21
TOTAL 0-19 YRS	48	4.6	90	<1	<1	1	4	11	17	62
20-34	4	3.0	3	1	1	3	4	5	5	5
35-49	7	4.4	7	2	2	3	6	9	9	9
50-64	17	5.1	16	2	2	4	5	11	15	17
65+	34	4.8	19	1	2	3	6	9	15	22
GRAND TOTAL	**110**	**4.7**	**47**	**<1**	**1**	**3**	**5**	**9**	**16**	**38**

42: Malignant neoplasm of brain (191)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	56	5.3	41	1	1	3	6	14	15	40
20-34	7	5.3	17	2	2	5	6	12	14	14
35-49	26	5.9	40	1	2	4	6	10	20	32
50-64	46	7.8	119	<1	1	4	9	19	35	51
65+	31	12.8	233	1	2	8	14	29	45	76
B. *Operated*										
0-19 YRS	68	9.6	40	2	2	9	12	17	21	33
20-34	33	13.9	83	4	6	12	16	27	37	44
35-49	37	12.6	51	5	5	11	16	20	29	36
50-64	65	14.5	62	3	5	14	18	25	28	37
65+	44	15.9	129	3	5	14	18	26	39	58
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	62	6.9	73	1	1	4	9	14	18	50
20-34	[illegible]	8.5	90	<1	1	5	12	21	24	46
35-49	58	6.3	42	1	1	5	7	11	21	36
50-64	97	9.9	106	1	2	6	12	23	29	60
65+	144	11.1	119	2	3	8	12	22	35	67
B. *Operated*										
0-19 YRS	101	19.3	311	3	5	14	22	47	67	95
20-34	36	14.2	72	4	6	13	19	27	38	99+
35-49	58	13.7	110	3	3	11	16	25	37	57
50-64	99	18.9	243	4	6	14	21	40	58	77
65+	103	21.0	295	4	6	16	24	45	70	92
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	166	7.5	103	1	1	4	9	14	26	50
B *Operated*	247	13.1	73	2	4	12	16	24	28	44
2. MULTIPLE DX										
A. *Not Operated*	394	9.2	98	1	2	7	11	19	30	58
B. *Operated*	397	18.3	243	3	5	14	22	39	60	88
1. SINGLE DX	413	10.8	92	1	2	9	14	21	27	48
2. MULTIPLE DX	791	13.8	191	2	2	10	18	29	46	78
A. NOT OPERATED	560	8.7	100	1	2	6	11	18	30	55
B. OPERATED	644	16.3	184	3	5	13	19	32	47	78
TOTAL 0-19 YRS	287	11.6	176	1	2	8	15	23	41	77
20-34	109	11.8	85	1	2	10	16	24	33	68
35-49	179	9.9	77	2	2	8	13	20	28	43
50-64	307	13.5	160	1	2	11	17	27	36	66
65+	322	15.1	204	2	3	11	18	33	51	81
GRAND TOTAL	**1204**	**12.8**	**159**	**2**	**2**	**9**	**16**	**26**	**38**	**73**

43: Malignant neoplasm of other parts of nervous system (192)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	3.3	6	2	2	2	5	7	7	7
20-34										
35-49										
50-64										
65+	2	4.0	18	1	1	4	7	7	7	7
B. *Operated*										
0-19 YRS	7	7.3	13	2	3	8	10	12	13	13
20-34	2	6.0	50	1	1	6	11	11	11	11
35-49	3	11.3	22	6	6	13	14	15	15	15
50-64	2	16.5	61	11	11	16	22	22	22	22
65+	2	5.5	25	2	2	5	9	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	6.2	44	1	1	3	10	17	17	17
20-34										
35-49	2	6.5	41	2	2	6	11	11	11	11
50-64	6	8.2	15	3	3	8	10	14	14	14
65+	7	7.3	26	1	1	7	9	15	17	17
B. *Operated*										
0-19 YRS	13	15.4	88	5	5	12	23	30	32	32
20-34	3	20.0	133	7	7	24	28	29	29	29
35-49	8	18.3	151	3	4	16	27	36	37	37
50-64	1	10.0		10	10	10	10	10	10	10
65+	15	16.6	112	2	3	13	21	35	36	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	3.5	8	1	1	2	7	7	7	7
B. *Operated*	16	8.8	30	1	2	9	12	15	20	22
2. MULTIPLE DX										
A. *Not Operated*	20	7.2	24	1	1	7	10	15	17	17
B. *Operated*	40	16.6	104	3	5	13	23	33	36	37
1. SINGLE DX	22	7.4	29	1	1	7	11	14	18	22
2. MULTIPLE DX	60	13.5	97	2	3	11	19	30	35	37
A. NOT OPERATED	26	6.3	22	1	1	6	9	14	17	17
B. OPERATED	56	14.4	95	2	3	12	20	30	35	37
TOTAL 0-19 YRS	29	10.2	72	2	2	8	13	25	29	32
20-34	5	14.4	138	1	1	11	25	29	29	29
35-49	13	14.8	117	2	3	13	19	35	37	37
50-64	9	10.2	30	3	4	10	12	19	22	22
65+	26	12.3	98	1	2	10	17	29	35	37
GRAND TOTAL	**82**	**11.8**	**85**	**1**	**2**	**10**	**15**	**28**	**33**	**37**

44: Malignant neoplasm of endocrine glands (193-194)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	21	3.1	5	1	1	2	4	7	8	9
20-34	14	2.6	3	1	1	2	4	5	6	7
35-49	7	2.4	1	2	2	2	3	4	4	4
50-64	4	2.3		2	2	2	3	3	3	3
65+	5	4.2	8	2	2	4	5	9	9	9
B. *Operated*										
0-19 YRS	26	13.8	374	2	2	6	12	49	65	74
20-34	47	5.2	16	2	2	4	6	9	12	22
35-49	55	4.5	4	2	2	4	5	7	9	10
50-64	40	4.7	4	2	3	4	5	8	9	11
65+	20	6.2	11	3	4	5	8	11	13	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	33	5.2	45	1	1	3	5	12	17	35
20-34	10	3.6	5	1	1	3	4	7	8	8
35-49	18	5.4	96	1	1	3	4	7	30	44
50-64	22	7.3	72	<1	1	4	10	20	29	31
65+	25	7.1	32	2	2	6	8	12	22	27
B. *Operated*										
0-19 YRS	34	11.8	217	2	3	8	11	20	48	74
20-34	48	5.6	16	2	2	5	7	8	10	25
35-49	78	5.5	10	2	2	5	6	10	12	17
50-64	71	8.7	125	3	3	5	8	17	27	62
65+	66	12.8	150	3	4	9	17	24	36	74
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	51	2.9	4	1	1	2	4	6	7	9
B. *Operated*	188	6.2	67	2	3	4	6	10	12	59
2. MULTIPLE DX										
A. *Not Operated*	108	6.0	52	1	1	4	6	12	21	39
B. *Operated*	297	8.6	101	2	3	5	9	17	25	59
1. SINGLE DX	239	5.5	55	1	2	4	5	9	11	53
2. MULTIPLE DX	405	7.9	89	2	2	5	8	16	24	51
A. NOT OPERATED	159	5.0	38	1	1	3	5	10	17	35
B. OPERATED	485	7.7	89	2	3	5	8	14	21	59
TOTAL 0-19 YRS	114	8.7	178	1	1	5	9	16	41	74
20-34	119	4.9	14	1	2	4	6	8	9	23
35-49	158	5.0	17	2	2	4	6	9	11	17
50-64	137	7.1	81	2	2	5	7	12	24	54
65+	116	10.1	104	2	3	7	12	20	27	59
GRAND TOTAL	**644**	**7.0**	**78**	**1**	**2**	**4**	**7**	**12**	**20**	**52**

45: Malignant neoplasm of ill-defined and secondary sites (195-199)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	36	2.4	1	1	1	2	3	4	5	5
20-34	12	4.6	16	1	1	3	7	11	12	12
35-49	41	7.7	178	1	1	4	6	15	30	80
50-64	105	5.3	29	<1	1	4	7	12	15	29
65+	123	7.1	36	1	2	5	10	16	20	28
B. *Operated*										
0-19 YRS	20	5.7	15	1	1	5	7	12	14	14
20-34	28	5.8	11	1	2	5	8	10	13	15
35-49	61	7.0	45	1	2	5	9	12	16	42
50-64	157	7.1	33	<1	1	6	10	15	18	26
65+	188	7.7	59	1	2	5	10	16	22	39
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	67	4.3	17	<1	1	3	5	9	11	26
20-34	103	6.3	47	1	2	5	8	11	14	44
35-49	605	7.7	70	1	1	5	9	17	25	39
50-64	1628	7.9	56	1	2	6	10	17	22	36
65+	2905	8.7	61	1	2	7	11	18	23	37
B. *Operated*										
0-19 YRS	44	12.0	182	1	2	9	14	20	37	80
20-34	155	8.9	59	1	3	7	10	17	25	41
35-49	664	11.0	100	2	2	8	14	22	30	58
50-64	1812	12.1	117	2	3	9	16	24	34	58
65+	2908	12.0	101	2	3	9	16	24	30	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	317	6.0	49	1	1	4	7	13	18	31
B. *Operated*	454	7.2	44	1	1	5	9	14	19	36
2. MULTIPLE DX										
A. *Not Operated*	5308	8.2	60	1	2	6	10	17	23	37
B. *Operated*	5583	11.8	106	2	3	9	15	24	31	55
1. SINGLE DX	771	6.7	46	1	1	5	9	14	18	34
2. MULTIPLE DX	10891	10.1	87	2	2	8	13	21	27	48
A. NOT OPERATED	5625	8.1	60	1	2	6	10	17	22	37
B. OPERATED	6037	11.5	103	2	3	9	15	23	30	52
TOTAL 0-19 YRS	167	6.1	69	1	1	4	7	14	18	41
20-34	298	7.6	50	1	2	6	9	14	20	40
35-49	1371	9.3	89	1	2	6	12	20	27	48
50-64	3702	9.9	89	1	2	7	13	21	27	49
65+	6124	10.2	82	2	2	8	13	21	27	46
GRAND TOTAL	**11662**	**9.9**	**85**	**1**	**2**	**7**	**13**	**20**	**27**	**47**

46: Hodgkin's disease (201)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	25	2.0	2	<1	1	2	3	4	5	6
20-34	9	3.0	8	<1	<1	1	5	7	9	9
35-49	14	3.4	30	1	1	1	2	10	19	21
50-64	16	4.0	12	1	1	3	7	9	10	10
65+	6	4.8	6	2	2	4	6	9	9	9
B. *Operated*										
0-19 YRS	76	6.7	17	1	2	6	9	13	15	18
20-34	114	6.8	35	1	1	5	9	14	17	30
35-49	48	7.2	31	1	2	6	10	16	17	26
50-64	21	8.8	71	2	2	7	9	22	29	36
65+	13	5.9	13	1	2	6	8	10	13	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	18	6.1	119	1	1	2	4	23	36	41
20-34	47	4.1	19	<1	1	3	5	8	13	23
35-49	19	7.3	47	1	1	5	8	19	23	24
50-64	23	10.2	166	1	2	6	11	29	41	55
65+	28	6.9	45	1	1	5	8	13	25	30
B. *Operated*										
0-19 YRS	16	8.8	59	<1	1	8	11	18	27	31
20-34	72	10.0	47	2	2	8	15	20	22	29
35-49	30	10.5	120	2	2	7	16	20	24	57
50-64	39	8.4	33	1	2	8	12	16	21	22
65+	44	11.9	129	3	3	7	14	28	44	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	70	3.1	11	1	1	2	4	9	9	19
B. *Operated*	272	7.0	31	1	2	6	9	14	17	30
2. MULTIPLE DX										
A. *Not Operated*	135	6.4	69	1	1	4	7	15	25	43
B. *Operated*	201	10.1	74	2	2	8	14	20	25	46
1. SINGLE DX	342	6.2	29	1	1	5	9	13	16	29
2. MULTIPLE DX	336	8.6	75	1	1	6	11	19	25	45
A. NOT OPERATED	205	5.3	51	1	1	3	6	11	21	37
B. OPERATED	473	8.3	52	1	2	7	11	17	21	36
TOTAL 0-19 YRS	135	6.0	36	1	1	4	8	12	17	32
20-34	242	7.1	39	1	1	6	9	16	20	30
35-49	111	7.6	61	1	1	5	10	17	21	38
50-64	99	8.2	70	1	1	6	10	18	23	46
65+	91	9.0	85	2	2	6	11	18	30	46
GRAND TOTAL	**678**	**7.4**	**53**	**1**	**1**	**5**	**9**	**16**	**21**	**36**

47: Lymphoid leukemia (204)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	183	4.6	24	<1	1	3	6	10	13	27
20-34										
35-49	2	4.5	1	4	4	4	5	5	5	5
50-64	6	4.2	16	1	1	2	7	11	11	11
65+	16	5.1	32	1	1	3	7	15	18	19
B. *Operated*										
0-19 YRS	107	7.0	56	1	1	5	9	13	19	44
20-34	7	15.0	228	<1	<1	8	30	36	36	36
35-49	5	5.2	30	2	2	3	6	15	15	15
50-64	14	7.2	80	2	2	3	7	25	29	30
65+	25	5.8	17	1	2	4	7	13	15	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	262	5.4	33	1	1	4	7	11	15	22
20-34	18	11.4	141	<1	1	7	14	34	35	35
35-49	11	10.8	77	1	2	8	17	25	26	26
50-64	68	5.9	40	1	1	4	6	12	18	40
65+	165	7.3	55	1	2	5	9	14	22	41
B. *Operated*										
0-19 YRS	121	14.7	221	1	2	10	17	37	49	83
20-34	23	26.7	379	3	5	25	37	60	62	65
35-49	13	14.0	170	2	3	6	21	36	42	43
50-64	59	12.1	157	1	1	8	16	31	35	60
65+	137	11.1	107	2	3	8	14	24	36	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	207	4.6	24	<1	1	3	6	10	14	26
B. *Operated*	158	7.1	59	1	2	5	9	14	25	42
2. MULTIPLE DX										
A. *Not Operated*	524	6.4	47	1	1	4	8	13	19	35
B. *Operated*	353	13.6	186	2	2	9	17	34	45	65
1. SINGLE DX	365	5.7	41	1	1	4	7	12	18	34
2. MULTIPLE DX	877	9.3	116	1	2	6	11	22	34	58
A. NOT OPERATED	731	5.9	41	1	1	4	7	12	18	33
B. OPERATED	511	11.6	156	1	2	8	14	30	42	61
TOTAL 0-19 YRS	673	7.1	81	1	1	4	8	15	23	50
20-34	48	19.2	311	1	2	13	33	43	60	65
35-49	31	10.8	110	2	2	6	17	25	34	43
50-64	147	8.4	98	1	1	5	10	21	30	47
65+	343	8.6	76	1	2	6	11	17	25	46
GRAND TOTAL	**1242**	**8.2**	**96**	**1**	**1**	**5**	**9**	**18**	**30**	**50**

48: Leukemia, except lymphoid (205-208)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	79	4.8	13	1	1	5	5	8	13	19
20-34	5	11.2	175	2	2	8	16	34	34	34
35-49	27	8.6	104	<1	1	4	9	26	33	39
50-64	24	4.9	16	<1	1	4	8	11	13	14
65+	32	3.5	13	<1	<1	2	4	9	12	15
B. *Operated*										
0-19 YRS	33	13.5	219	<1	2	8	20	34	49	57
20-34	13	14.9	215	1	2	6	31	35	36	36
35-49	27	16.9	252	2	3	11	26	35	48	69
50-64	19	8.4	118	1	1	3	11	28	34	38
65+	27	12.1	281	2	2	5	11	42	57	63
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	145	5.4	62	1	1	4	5	9	16	29
20-34	37	6.4	48	<1	1	6	8	12	21	36
35-49	43	5.8	25	<1	1	4	9	13	16	18
50-64	78	6.9	39	1	1	5	9	14	19	33
65+	239	7.0	51	1	1	5	10	15	20	36
B. *Operated*										
0-19 YRS	52	16.3	286	2	2	9	25	44	54	66
20-34	77	24.4	285	2	2	25	35	44	57	64
35-49	64	21.6	433	2	2	11	32	55	68	77
50-64	92	24.3	323	2	3	19	37	50	60	89
65+	204	16.7	259	2	3	9	25	44	54	87
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	167	5.4	35	<1	1	4	6	10	17	34
B. *Operated*	119	13.3	224	1	2	6	20	35	45	65
2. MULTIPLE DX										
A. *Not Operated*	542	6.4	50	1	1	4	8	13	18	35
B. *Operated*	489	19.9	311	2	3	13	33	46	58	76
1. SINGLE DX	286	8.7	128	1	1	5	9	24	34	57
2. MULTIPLE DX	1031	12.8	219	1	2	7	16	35	46	68
A. NOT OPERATED	709	6.2	47	1	1	4	8	13	18	34
B. OPERATED	608	18.6	300	2	2	11	31	44	56	74
TOTAL 0-19 YRS	309	8.0	123	1	1	4	7	19	30	58
20-34	132	17.9	269	1	2	11	32	40	47	62
35-49	161	14.4	282	1	1	8	20	37	53	74
50-64	213	14.3	241	1	1	8	19	39	49	68
65+	502	11.0	169	1	2	6	13	31	43	64
GRAND TOTAL	**1317**	**11.9**	**202**	**1**	**1**	**6**	**14**	**34**	**43**	**66**

49: Lymphatic and hematopoietic neoplasm, except Hodgkin's disease and leukemia (200; 202-203)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	49	3.5	13	1	1	2	4	6	10	23
20-34	13	2.7	5	1	1	2	4	7	7	7
35-49	69	3.6	17	1	1	2	4	7	11	25
50-64	85	5.0	21	1	1	4	6	10	14	24
65+	84	5.6	40	1	1	3	6	15	17	33
B. *Operated*										
0-19 YRS	37	7.4	54	1	2	6	10	13	25	35
20-34	43	6.4	34	1	2	5	7	11	16	36
35-49	91	6.4	29	1	2	5	9	14	18	26
50-64	198	7.8	54	1	2	5	11	16	25	36
65+	232	7.2	65	1	2	5	9	15	20	44
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	101	4.2	18	1	1	3	4	9	14	23
20-34	29	5.8	25	1	1	6	7	11	18	22
35-49	117	4.9	14	1	1	4	7	10	13	18
50-64	322	7.0	60	1	1	5	9	15	20	39
65+	642	8.2	64	1	1	6	10	18	24	37
B. *Operated*										
0-19 YRS	46	14.1	177	1	2	9	22	31	35	67
20-34	38	13.1	187	1	2	10	16	25	36	77
35-49	124	12.4	144	2	3	9	15	25	40	58
50-64	399	12.5	125	2	3	9	17	28	34	67
65+	842	12.5	92	2	3	10	17	25	32	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	300	4.5	24	1	1	3	5	10	15	25
B. *Operated*	601	7.2	53	1	2	5	9	15	20	37
2. MULTIPLE DX										
A. *Not Operated*	1211	7.2	55	1	1	5	9	16	21	34
B. *Operated*	1449	12.6	110	2	3	10	16	26	33	54
1. SINGLE DX	901	6.3	45	1	1	4	8	14	18	35
2. MULTIPLE DX	2660	10.1	92	1	2	7	13	22	29	48
A. NOT OPERATED	1511	6.6	50	1	1	4	8	15	20	32
B. OPERATED	2050	11.0	99	2	2	8	14	24	31	49
TOTAL 0-19 YRS	233	6.5	69	1	1	3	8	14	26	37
20-34	123	7.9	88	1	1	6	10	16	23	51
35-49	401	7.3	70	1	1	5	9	15	20	46
50-64	1004	9.2	89	1	2	6	12	21	28	47
65+	1800	10.0	82	1	2	7	13	21	28	44
GRAND TOTAL	**3561**	**9.2**	**83**	**1**	**2**	**6**	**12**	**20**	**28**	**45**

50: Benign neoplasm of lip, oral cavity, and pharynx (210)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34										
35-49	1	1.0		1	1	1	1	1	1	1
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65+										
B. *Operated*										
0-19 YRS	34	2.8	2	<1	1	2	3	5	5	8
20-34	99	3.1	2	1	1	3	4	5	5	8
35-49	123	3.0	2	1	2	3	4	5	5	6
50-64	138	3.5	6	1	2	3	4	5	6	13
65+	114	3.3	3	1	2	3	4	5	7	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	1	2.0		2	2	2	2	2	2	2
35-49	1	1.0		1	1	1	1	1	1	1
50-64	1	4.0		4	4	4	4	4	4	4
65+	1	11.0		11	11	11	11	11	11	11
B. *Operated*										
0-19 YRS	11	4.2	11	<1	<1	3	6	10	11	11
20-34	20	2.6	2	1	1	2	4	4	5	5
35-49	45	3.6	6	1	2	3	4	8	9	13
50-64	69	3.9	4	2	2	4	5	7	8	10
65+	130	4.7	15	1	2	4	5	8	11	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	1.3		<1	<1	1	2	2	2	2
B. *Operated*	508	3.2	3	1	2	3	4	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	5	3.8	18	1	1	2	6	11	11	11
B. *Operated*	275	4.2	10	1	2	3	5	8	9	18
1. SINGLE DX	511	3.2	3	1	2	3	4	5	6	8
2. MULTIPLE DX	280	4.2	10	1	2	3	5	8	9	18
A. NOT OPERATED	8	2.9	12	<1	<1	2	3	9	11	11
B. OPERATED	783	3.5	6	1	2	3	4	5	7	12
TOTAL 0-19 YRS	47	3.1	5	<1	1	2	4	5	8	11
20-34	120	3.0	2	1	1	3	4	5	5	7
35-49	170	3.1	3	1	2	3	4	5	5	10
50-64	209	3.6	6	1	2	3	4	6	7	11
65+	245	4.1	10	1	2	3	5	7	9	19
GRAND TOTAL	**791**	**3.5**	**6**	**1**	**2**	**3**	**4**	**5**	**7**	**12**

51: Benign neoplasm of other parts of digestive system (211)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	2.6	2	<1	<1	2	4	5	6	6
20-34	7	2.3	1	1	1	2	3	4	4	4
35-49	21	2.1	2	<1	1	2	3	4	5	5
50-64	35	2.1	2	1	1	2	2	3	5	6
65+	32	1.8	1	1	1	1	2	3	4	7
B. *Operated*										
0-19 YRS	63	3.3	14	<1	1	2	3	8	13	17
20-34	60	4.7	20	<1	1	2	7	12	13	20
35-49	127	3.8	14	<1	1	2	5	10	12	16
50-64	283	3.4	11	<1	1	2	4	9	10	14
65+	315	3.5	10	1	1	2	4	9	11	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	4.7	18	1	1	3	5	11	16	16
20-34	16	4.1	13	1	1	3	4	8	14	16
35-49	43	3.5	6	1	1	3	5	7	8	13
50-64	102	3.5	6	1	1	3	4	6	8	14
65+	191	4.1	13	1	1	3	5	8	11	20
B. *Operated*										
0-19 YRS	43	5.1	23	1	1	4	6	10	14	25
20-34	68	6.9	26	1	2	6	9	13	19	23
35-49	203	5.4	26	1	1	4	8	11	13	28
50-64	705	5.2	29	1	1	3	7	11	15	26
65+	1352	5.9	37	1	1	4	8	13	18	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	105	2.1	2	1	1	2	2	4	5	7
B. *Operated*	848	3.6	12	1	1	2	4	9	11	15
2. MULTIPLE DX										
A. *Not Operated*	362	3.9	10	1	1	3	5	8	10	16
B. *Operated*	2371	5.7	33	1	1	4	8	12	16	28
1. SINGLE DX	953	3.4	11	1	1	2	4	9	11	15
2. MULTIPLE DX	2733	5.4	30	1	1	4	7	12	15	27
A. NOT OPERATED	467	3.5	9	1	1	3	4	7	9	16
B. OPERATED	3219	5.1	28	1	1	3	7	11	15	25
TOTAL 0-19 YRS	126	4.0	17	<1	1	2	5	8	13	21
20-34	151	5.5	23	1	1	4	8	12	15	21
35-49	394	4.5	19	1	1	3	6	10	12	21
50-64	1125	4.5	22	1	1	3	6	10	13	24
65+	1890	5.3	30	1	1	3	7	12	16	27
GRAND TOTAL	**3686**	**4.9**	**26**	**1**	**1**	**3**	**6**	**11**	**14**	**24**

52: Benign neoplasm of respiratory system and intrathoracic organs (212)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	29	1.7	1	1	1	2	2	2	3	4
20-34										
35-49	3	2.7	4	1	1	2	4	5	5	5
50-64	1	5.0		5	5	5	5	5	5	5
65+	2	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	146	2.1	3	1	1	2	2	3	5	11
20-34	40	2.7	6	<1	1	2	3	7	8	12
35-49	48	2.5	7	<1	<1	2	2	4	9	15
50-64	54	4.6	26	1	1	2	7	10	14	29
65+	38	5.7	26	<1	1	4	9	13	18	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	2.1	2	1	1	2	3	4	5	5
20-34	2	4.0	2	3	3	4	5	5	5	5
35-49	1	1.0		1	1	1	1	1	1	1
50-64	1	2.0		2	2	2	2	2	2	2
65+	4	3.0	11	1	1	2	5	8	8	8
B. *Operated*										
0-19 YRS	50	3.3	15	1	1	2	3	6	12	25
20-34	10	3.2	10	<1	<1	2	4	8	11	11
35-49	42	5.6	37	1	1	3	7	12	15	34
50-64	68	6.7	43	<1	1	4	9	16	19	34
65+	59	5.8	37	1	1	3	7	18	20	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	35	1.8	1	1	1	2	2	3	5	5
B. *Operated*	326	3.1	12	<1	1	2	3	7	10	17
2. MULTIPLE DX										
A. *Not Operated*	18	2.4	4	1	1	2	3	5	7	8
B. *Operated*	229	5.4	34	1	1	3	7	12	18	27
1. SINGLE DX	361	3.0	11	<1	1	2	3	7	10	16
2. MULTIPLE DX	247	5.1	32	1	1	3	7	12	18	25
A. NOT OPERATED	53	2.0	2	1	1	2	2	4	5	8
B. OPERATED	555	4.0	22	1	1	2	4	10	13	23
TOTAL 0-19 YRS	235	2.3	5	1	1	2	2	4	5	12
20-34	52	2.8	7	<1	1	2	3	7	9	12
35-49	94	3.9	22	<1	1	2	4	9	12	27
50-64	124	5.8	36	1	1	3	8	13	17	32
65+	103	5.6	31	1	1	3	7	16	19	23
GRAND TOTAL	**608**	**3.8**	**21**	**1**	**1**	**2**	**4**	**9**	**13**	**22**

53: Benign neoplasm of bone, muscle, and connective tissue (213-215)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	1.6		1	1	2	2	2	2	2
20-34	4	2.8	3	1	1	2	4	5	5	5
35-49	6	4.2	8	1	1	3	7	8	8	8
50-64	6	2.8	1	2	2	3	3	4	4	4
65+	3	2.0	1	1	1	2	3	3	3	3
B. *Operated*										
0-19 YRS	469	2.7	4	<1	1	2	3	5	7	11
20-34	411	2.8	5	<1	1	2	3	5	7	13
35-49	533	2.8	5	<1	<1	2	3	5	7	12
50-64	463	2.8	9	<1	1	2	3	5	6	12
65+	220	3.2	11	<1	1	2	4	6	8	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	4.9	26	1	1	2	8	13	16	16
20-34	7	4.1	4	<1	<1	5	5	7	7	7
35-49	12	3.1	6	<1	<1	2	4	7	9	9
50-64	21	4.2	9	1	1	4	6	8	10	12
65+	24	6.3	68	1	1	3	7	11	24	41
B. *Operated*										
0-19 YRS	98	4.3	13	1	1	3	5	9	12	18
20-34	163	3.9	9	1	1	3	5	8	10	16
35-49	318	3.8	15	1	1	3	5	7	9	19
50-64	396	4.5	33	1	2	3	5	9	12	28
65+	291	4.9	16	1	2	3	6	10	13	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	26	2.7	3	1	1	2	3	5	7	8
B. *Operated*	2096	2.8	6	<1	1	2	3	5	7	12
2. MULTIPLE DX										
A. *Not Operated*	76	4.8	30	1	1	3	6	9	12	35
B. *Operated*	1266	4.3	20	1	1	3	5	8	11	19
1. SINGLE DX	2122	2.8	6	<1	1	2	3	5	7	12
2. MULTIPLE DX	1342	4.3	21	1	1	3	5	8	11	19
A. NOT OPERATED	102	4.3	24	1	1	3	5	8	11	28
B. OPERATED	3362	3.4	12	<1	1	2	4	6	9	16
TOTAL 0-19 YRS	586	3.0	6	<1	1	2	4	6	8	14
20-34	585	3.1	6	<1	1	2	4	6	8	14
35-49	869	3.1	9	<1	1	2	4	6	8	15
50-64	886	3.6	20	1	1	3	4	6	10	20
65+	538	4.2	17	1	1	3	5	9	11	19
GRAND TOTAL	**3464**	**3.4**	**12**	**<1**	**1**	**2**	**4**	**6**	**9**	**16**

54: Benign neoplasm of skin, blood vessels, and miscellaneous sites (216; 228-229)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	15	3.1	9	<1	1	2	4	8	10	11
20-34	7	1.9	1	1	1	1	3	4	4	4
35-49	1	4.0		4	4	4	4	4	4	4
50-64	7	2.1	3	1	1	2	2	5	6	6
65+	3	1.3		<1	<1	<1	2	2	2	2
B. *Operated*										
0-19 YRS	550	2.5	7	<1	<1	2	3	5	7	18
20-34	138	2.8	5	<1	<1	2	3	5	8	11
35-49	100	2.8	6	<1	<1	2	3	6	9	12
50-64	105	2.6	3	<1	<1	2	3	5	6	9
65+	65	3.7	19	<1	1	2	4	9	14	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	20	5.6	38	<1	<1	5	6	12	21	28
20-34	5	2.8	1	1	1	3	3	4	4	4
35-49	8	4.9	13	1	1	4	7	10	11	11
50-64	7	5.6	11	3	3	4	7	11	12	12
65+	26	4.7	29	1	1	4	5	10	14	27
B. *Operated*										
0-19 YRS	110	4.7	30	<1	<1	2	5	11	18	26
20-34	93	4.0	18	<1	1	2	5	9	14	23
35-49	101	3.8	18	<1	<1	2	5	9	12	60
50-64	119	5.8	80	<1	1	3	7	11	16	63
65+	106	6.0	36	1	1	4	8	14	22	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	33	2.5	5	<1	<1	2	3	5	8	11
B. *Operated*	958	2.7	7	<1	<1	2	3	5	8	15
2. MULTIPLE DX										
A. *Not Operated*	66	4.9	25	1	1	4	5	10	12	28
B. *Operated*	529	4.9	39	<1	1	3	6	11	16	29
1. SINGLE DX	991	2.7	7	<1	<1	2	3	5	8	15
2. MULTIPLE DX	595	4.9	37	<1	1	3	6	11	16	29
A. NOT OPERATED	99	4.1	20	<1	1	3	5	9	11	28
B. OPERATED	1487	3.5	19	<1	<1	2	4	8	11	23
TOTAL 0-19 YRS	695	3.0	12	<1	<1	2	3	6	9	20
20-34	243	3.2	10	<1	<1	2	4	6	9	17
35-49	210	3.4	12	<1	<1	2	4	8	10	23
50-64	238	4.2	44	<1	<1	2	5	8	11	33
65+	200	5.0	30	<1	1	3	6	12	16	26
GRAND TOTAL	**1586**	**3.5**	**20**	**<1**	**<1**	**2**	**4**	**8**	**11**	**24**

55: Benign neoplasm of breast (217)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	3	1.3		1	1	1	2	2	2	2
50-64	1	2.0		2	2	2	2	2	2	2
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	170	1.8	1	<1	<1	2	2	3	3	6
20-34	316	1.7	1	<1	<1	2	2	2	3	5
35-49	267	2.1	15	<1	<1	2	2	3	4	6
50-64	145	2.1	1	1	1	2	2	3	3	8
65+	93	2.3	2	1	1	2	2	3	4	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	2.0		2	2	2	2	2	2	2
20-34	1	3.0		3	3	3	3	3	3	3
35-49	2	1.5	1	<1	<1	1	2	2	2	2
50-64	4	1.5		<1	<1	1	2	2	2	2
65+	2	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	30	2.2	2	<1	1	2	2	4	4	7
20-34	119	2.1	2	<1	1	2	2	3	5	10
35-49	218	3.0	5	<1	1	2	3	5	8	14
50-64	153	3.3	12	1	2	2	3	7	8	18
65+	129	2.8	2	1	1	2	3	5	6	8
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	1.4		<1	<1	1	2	2	2	2
B. *Operated*	991	2.0	5	<1	<1	2	2	3	3	7
2. MULTIPLE DX										
A. *Not Operated*	11	1.8		<1	<1	2	2	3	3	3
B. *Operated*	649	2.8	6	1	1	2	3	5	7	12
1. SINGLE DX	998	2.0	5	<1	<1	2	2	3	3	7
2. MULTIPLE DX	660	2.8	6	1	1	2	3	5	7	12
A. NOT OPERATED	18	1.7		<1	<1	2	2	2	3	3
B. OPERATED	1640	2.3	5	<1	<1	2	2	3	5	9
TOTAL 0-19 YRS	203	1.9	1	<1	<1	2	2	3	3	6
20-34	437	1.8	1	<1	<1	2	2	3	3	6
35-49	490	2.5	11	<1	<1	2	3	4	5	12
50-64	303	2.7	7	1	1	2	3	4	7	12
65+	225	2.6	2	1	1	2	3	5	6	8
GRAND TOTAL	**1658**	**2.3**	**5**	**<1**	**<1**	**2**	**2**	**3**	**5**	**9**

56: Uterine leiomyoma (218)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	20	3.0	5	1	1	2	4	6	7	8
35-49	18	2.3	3	<1	<1	2	3	3	6	8
50-64	4	1.5		1	1	1	2	2	2	2
65+	6	7.7	134	1	1	3	6	28	31	31
B. *Operated*										
0-19 YRS	3	4.3	1	3	3	5	5	5	5	5
20-34	429	5.8	5	2	3	6	7	8	9	12
35-49	1055	6.0	3	2	4	6	7	8	9	11
50-64	120	5.9	6	1	2	6	7	8	10	12
65+	16	5.1	6	1	1	6	7	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	67	3.2	6	<1	1	2	5	5	8	15
35-49	151	3.4	6	<1	1	3	5	7	8	10
50-64	18	4.6	25	<1	<1	3	5	12	17	20
65+	25	6.4	51	1	2	5	7	9	20	38
B. *Operated*										
0-19 YRS	13	6.8	10	<1	2	7	9	11	12	12
20-34	1680	6.3	6	2	4	6	7	9	10	15
35-49	7024	6.7	6	4	5	6	8	9	10	15
50-64	1163	7.2	11	2	5	7	8	10	12	21
65+	177	9.1	26	3	5	8	10	14	17	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	49	3.2	20	<1	1	2	3	6	8	31
B. *Operated*	1623	5.9	4	2	4	6	7	8	9	11
2. MULTIPLE DX										
A. *Not Operated*	262	3.7	12	<1	1	3	5	7	9	16
B. *Operated*	10057	6.7	7	3	5	6	8	9	11	16
1. SINGLE DX	1672	5.8	5	1	3	6	7	8	9	11
2. MULTIPLE DX	10319	6.7	7	2	4	6	8	9	11	16
A. NOT OPERATED	311	3.6	13	<1	1	3	5	7	8	18
B. OPERATED	11680	6.6	7	3	5	6	7	9	10	16
TOTAL 0-19 YRS	18	5.8	11	<1	<1	6	8	10	11	12
20-34	2196	6.1	6	2	3	6	7	9	10	15
35-49	8248	6.5	6	3	5	6	7	9	10	15
50-64	1305	7.0	11	2	4	7	8	10	12	20
65+	224	8.4	31	2	3	7	10	14	17	34
GRAND TOTAL	**11991**	**6.5**	**7**	**2**	**4**	**6**	**7**	**9**	**10**	**16**

57: Benign neoplasm of uterus, except leiomyoma (219)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	21	4.0	5	<1	<1	5	6	7	7	7
35-49	16	4.0	4	<1	1	4	6	7	7	7
50-64	4	2.0	1	1	1	2	3	3	3	3
65+	4	4.8	10	2	2	5	7	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	2	3.5	5	2	2	3	5	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34	32	5.1	8	1	2	5	6	9	11	12
35-49	64	5.9	6	2	2	6	7	8	10	13
50-64	19	4.8	14	<1	<1	5	7	9	12	14
65+	15	6.1	18	<1	2	6	9	13	14	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	46	3.8	5	<1	1	4	6	7	7	8
2. MULTIPLE DX										
A. *Not Operated*	2	3.5	5	2	2	3	5	5	5	5
B. *Operated*	130	5.5	9	1	2	6	7	9	11	14
1. SINGLE DX	46	3.8	5	<1	1	4	6	7	7	8
2. MULTIPLE DX	132	5.5	9	1	2	6	7	9	11	14
A. NOT OPERATED	2	3.5	5	2	2	3	5	5	5	5
B. OPERATED	176	5.1	8	1	1	5	7	8	10	14
TOTAL 0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	53	4.7	7	<1	1	5	6	8	10	12
35-49	82	5.5	6	2	2	6	7	8	9	13
50-64	23	4.3	12	<1	1	3	7	9	11	14
65+	19	5.8	16	1	2	6	8	12	14	14
GRAND TOTAL	**178**	**5.1**	**8**	**1**	**1**	**5**	**7**	**8**	**10**	**14**

58: Benign neoplasm of ovary (220)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	1.7		1	1	2	2	2	2	2
35-49	1	2.0		2	2	2	2	2	2	2
50-64	2	2.5	5	1	1	2	4	4	4	4
65+										
B. *Operated*										
0-19 YRS	97	5.2	2	3	3	5	6	7	8	8
20-34	317	5.3	2	3	4	5	6	7	8	10
35-49	93	6.2	2	4	5	6	7	8	9	11
50-64	77	7.1	4	4	5	7	8	10	11	14
65+	28	7.8	9	5	5	7	8	12	15	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	2	2.5	1	2	2	2	3	3	3	3
35-49	3	3.7	2	2	2	4	5	5	5	5
50-64	2	2.5	5	1	1	2	4	4	4	4
65+	3	14.0	63	8	8	11	20	23	23	23
B. *Operated*										
0-19 YRS	41	5.6	3	3	4	6	6	8	9	9
20-34	385	6.1	4	4	4	6	7	8	10	13
35-49	346	7.2	6	5	5	7	8	10	11	18
50-64	220	8.7	46	5	5	7	9	12	15	36
65+	174	10.8	38	5	6	9	12	18	21	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	2.0	1	1	1	2	2	4	4	4
B. *Operated*	612	5.7	3	3	4	5	7	8	9	12
2. MULTIPLE DX										
A. *Not Operated*	11	6.0	40	1	1	4	7	16	22	23
B. *Operated*	1166	7.6	20	4	5	7	8	11	14	23
1. SINGLE DX	618	5.7	3	3	4	5	7	8	9	12
2. MULTIPLE DX	1177	7.6	20	4	5	7	8	11	14	23
A. NOT OPERATED	17	4.6	29	1	1	3	4	10	19	23
B. OPERATED	1778	7.0	15	4	4	6	8	10	12	20
TOTAL 0-19 YRS	139	5.3	2	3	3	5	6	7	8	9
20-34	707	5.7	3	3	4	5	6	8	9	12
35-49	443	6.9	6	5	5	6	8	10	11	17
50-64	301	8.2	36	4	5	7	9	11	14	27
65+	205	10.4	35	5	6	9	12	17	21	35
GRAND TOTAL	**1795**	**6.9**	**15**	**4**	**4**	**6**	**8**	**10**	**12**	**21**

59: Benign neoplasm of female genitalia, except uterus and ovary (221)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	3.0		3	3	3	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	2	1.5	1	<1	<1	1	2	2	2	2
20-34	10	3.4	6	<1	<1	3	5	7	9	9
35-49	8	2.4	6	<1	<1	1	3	6	8	8
50-64	6	1.7	1	<1	<1	1	2	3	3	3
65+	8	3.5	5	<1	1	3	5	7	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34										
35-49										
50-64										
65+	1	7.0		7	7	7	7	7	7	7
B. *Operated*										
0-19 YRS	4	3.3	4	1	1	3	5	5	5	5
20-34	15	3.7	4	<1	1	4	6	6	6	6
35-49	9	5.6	5	2	2	6	7	8	8	8
50-64	17	5.8	11	<1	1	6	8	10	11	11
65+	9	5.2	5	1	2	6	6	8	9	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	3.0		3	3	3	3	3	3	3
B. *Operated*	34	2.8	5	<1	<1	2	3	6	8	9
2. MULTIPLE DX										
A. *Not Operated*	2	5.5	5	4	4	5	7	7	7	7
B. *Operated*	54	4.9	7	1	1	5	6	8	10	11
1. SINGLE DX	35	2.8	5	<1	<1	2	3	6	8	9
2. MULTIPLE DX	56	4.9	7	1	1	5	6	8	10	11
A. NOT OPERATED	3	4.7	4	3	3	4	6	7	7	7
B. OPERATED	88	4.1	7	<1	<1	3	6	8	9	11
TOTAL 0-19 YRS	7	2.9	3	<1	<1	2	5	5	5	5
20-34	25	3.6	5	<1	<1	4	5	6	7	9
35-49	18	4.0	7	<1	<1	3	6	8	8	8
50-64	23	4.7	11	<1	<1	3	8	10	11	11
65+	18	4.6	6	<1	1	5	6	8	9	9
GRAND TOTAL	**91**	**4.1**	**7**	**<1**	**<1**	**3**	**6**	**8**	**9**	**11**

60: Benign neoplasm of male genital organ (222)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	1.0		1	1	1	1	1	1	1
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65+										
B. *Operated*										
0-19 YRS	2	2.0	2	1	1	2	3	3	3	3
20-34	13	2.4	2	<1	1	2	3	4	5	5
35-49	12	2.0		1	1	2	2	3	3	3
50-64	13	2.5	1	1	1	2	3	4	4	4
65+	3	2.0	1	1	1	2	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	4	2.8	2	<1	<1	3	4	4	4	4
20-34	4	6.3	43	2	2	3	10	16	16	16
35-49	9	4.9	25	1	1	4	5	13	17	17
50-64	5	3.4	5	2	2	2	5	7	7	7
65+	10	4.6	11	1	1	4	5	9	13	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	1.0		<1	<1	<1	1	1	1	1
B. *Operated*	43	2.3	1	1	1	2	3	3	4	5
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*	32	4.5	16	1	1	4	5	9	16	17
1. SINGLE DX	45	2.2	1	<1	1	2	3	3	4	5
2. MULTIPLE DX	32	4.5	16	1	1	4	5	9	16	17
A. NOT OPERATED	2	1.0		<1	<1	<1	1	1	1	1
B. OPERATED	75	3.2	8	1	1	2	4	5	7	17
TOTAL 0-19 YRS	6	2.5	2	<1	<1	3	3	4	4	4
20-34	17	3.3	12	<1	1	3	3	5	12	16
35-49	22	3.1	12	1	1	2	4	6	11	17
50-64	19	2.6	2	<1	1	2	3	4	6	7
65+	13	4.0	10	1	1	3	5	7	12	13
GRAND TOTAL	**77**	**3.1**	**8**	**1**	**1**	**2**	**4**	**5**	**7**	**17**

61: Benign neoplasm of urinary organ (223)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	4	2.3	2	<1	<1	2	3	4	4	4
35-49	10	5.8	17	2	2	4	8	12	14	14
50-64	21	3.7	10	1	1	2	7	9	9	10
65+	23	4.2	29	<1	1	2	4	9	16	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	1.0		1	1	1	1	1	1	1
35-49										
50-64										
65+	3	5.7	22	2	2	4	9	11	11	11
B. *Operated*										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	3	5.0	21	1	1	4	8	10	10	10
35-49	18	6.3	46	<1	<1	3	9	13	22	28
50-64	25	7.7	42	1	2	6	11	17	20	28
65+	58	6.7	45	1	1	4	8	13	23	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	2.0		2	2	2	2	2	2	2
B. *Operated*	59	4.2	18	<1	1	2	6	9	11	25
2. MULTIPLE DX										
A. *Not Operated*	4	4.5	20	1	1	3	7	11	11	11
B. *Operated*	106	6.7	42	1	1	4	9	14	20	30
1. SINGLE DX	60	4.1	18	<1	1	2	6	9	11	25
2. MULTIPLE DX	110	6.6	42	1	1	4	9	14	19	30
A. NOT OPERATED	5	4.0	17	1	1	2	6	11	11	11
B. OPERATED	165	5.8	35	1	1	4	8	12	17	28
TOTAL 0-19 YRS	3	2.3	2	1	1	2	3	4	4	4
20-34	8	3.1	9	<1	<1	2	4	8	10	10
35-49	29	6.0	34	<1	1	3	8	13	15	28
50-64	46	5.9	31	1	1	4	8	13	17	28
65+	84	6.0	40	1	1	4	7	12	21	31
GRAND TOTAL	**170**	**5.7**	**34**	**1**	**1**	**4**	**8**	**12**	**17**	**28**

62: Benign neoplasm of eye (224)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	26	1.6	1	<1	<1	1	2	2	3	5
20-34										
35-49	2	6.5	41	2	2	6	11	11	11	11
50-64	2	2.0		2	2	2	2	2	2	2
65+	3	2.0	1	1	1	2	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	3.0	1	2	2	3	4	4	4	4
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	4	5.5	50	<1	<1	2	9	16	16	16
20-34	1	4.0		4	4	4	4	4	4	4
35-49										
50-64										
65+	3	2.3	2	1	1	2	3	4	4	4
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	33	1.9	3	<1	<1	2	2	3	5	11
2. MULTIPLE DX										
A. *Not Operated*	3	3.0	1	2	2	3	4	4	4	4
B. *Operated*	8	4.1	24	<1	<1	3	4	12	16	16
1. SINGLE DX	33	1.9	3	<1	<1	2	2	3	5	11
2. MULTIPLE DX	11	3.8	18	<1	1	3	4	9	15	16
A. NOT OPERATED	3	3.0	1	2	2	3	4	4	4	4
B. OPERATED	41	2.4	8	<1	<1	2	2	4	8	16
TOTAL 0-19 YRS	33	2.2	7	<1	<1	2	2	3	5	16
20-34	1	4.0		4	4	4	4	4	4	4
35-49	2	6.5	41	2	2	6	11	11	11	11
50-64	2	2.0		2	2	2	2	2	2	2
65+	6	2.2	1	1	1	2	3	4	4	4
GRAND TOTAL	**44**	**2.4**	**7**	**<1**	**<1**	**2**	**2**	**4**	**7**	**16**

63: Benign neoplasm of central nervous system (225)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	4.5	5	3	3	4	6	6	6	6
20-34	2	2.5	5	1	1	2	4	4	4	4
35-49	4	2.8	4	1	1	3	4	5	5	5
50-64	14	3.8	33	<1	1	2	3	9	20	23
65+	6	2.7	5	1	1	2	3	7	7	7
B. *Operated*										
0-19 YRS	15	8.8	16	<1	2	10	12	13	14	14
20-34	19	8.8	20	2	2	9	11	12	17	21
35-49	45	13.0	39	3	7	12	16	21	27	30
50-64	68	12.1	41	3	4	12	15	21	22	35
65+	26	12.1	59	6	6	10	13	20	30	41
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	4	11.3	116	3	3	7	18	27	27	27
35-49	9	6.2	24	1	1	5	9	14	16	16
50-64	23	6.3	36	1	2	4	8	15	19	27
65+	52	6.9	20	2	2	6	9	14	17	19
B. *Operated*										
0-19 YRS	16	12.4	94	3	4	9	15	24	35	40
20-34	16	16.5	268	3	6	11	15	33	59	70
35-49	46	12.8	59	2	4	11	16	24	29	99+
50-64	80	16.9	183	4	6	14	21	32	40	99
65+	105	19.2	146	5	7	17	23	35	50	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	28	3.4	18	<1	1	2	4	7	9	23
B. *Operated*	173	11.7	40	2	5	11	14	20	22	35
2. MULTIPLE DX										
A. *Not Operated*	89	6.8	28	2	2	5	9	15	17	27
B. *Operated*	263	16.8	150	4	6	14	21	32	43	94
1. SINGLE DX	201	10.5	45	1	2	10	14	20	22	34
2. MULTIPLE DX	352	14.3	138	2	3	11	18	28	36	70
A. NOT OPERATED	117	6.0	28	1	1	4	7	14	17	27
B. OPERATED	436	14.8	112	3	5	12	18	27	35	60
TOTAL 0-19 YRS	34	10.1	56	2	3	9	12	17	24	40
20-34	41	11.7	136	2	3	10	11	23	31	70
35-49	104	11.9	51	2	3	11	16	21	26	69
50-64	185	12.8	119	2	2	11	16	23	32	84
65+	189	14.3	128	2	3	12	18	29	36	55
GRAND TOTAL	**553**	**12.9**	**107**	**2**	**3**	**11**	**16**	**24**	**32**	**58**

64: Benign neoplasm of thyroid glands (226)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	3.0		3	3	3	3	3	3	3
35-49										
50-64	1	4.0		4	4	4	4	4	4	4
65+										
B. *Operated*										
0-19 YRS	22	3.6	8	1	2	3	4	5	9	15
20-34	184	3.4	1	2	2	3	4	5	6	7
35-49	217	3.5	1	2	2	3	4	5	5	7
50-64	155	3.7	2	2	2	4	4	5	5	11
65+	65	4.2	2	2	3	4	5	6	7	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	2	3.0		3	3	3	3	3	3	3
50-64	2	6.5	13	4	4	6	9	9	9	9
65+	3	3.0	1	2	2	3	4	4	4	4
B. *Operated*										
0-19 YRS	2	4.0	2	3	3	4	5	5	5	5
20-34	67	3.9	2	2	2	4	5	6	7	9
35-49	119	4.5	14	2	3	4	4	6	9	22
50-64	124	5.1	6	2	3	4	6	8	10	15
65+	87	6.0	24	2	3	4	7	9	13	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	3.3		3	3	3	4	4	4	4
B. *Operated*	643	3.6	2	2	2	3	4	5	5	8
2. MULTIPLE DX										
A. *Not Operated*	7	4.0	5	2	2	3	4	8	9	9
B. *Operated*	399	4.9	12	2	3	4	5	8	10	18
1. SINGLE DX	646	3.6	2	2	2	3	4	5	5	8
2. MULTIPLE DX	406	4.9	12	2	3	4	5	8	9	18
A. NOT OPERATED	10	3.8	4	2	2	3	4	7	9	9
B. OPERATED	1042	4.1	6	2	2	4	4	6	7	12
TOTAL 0-19 YRS	24	3.6	7	1	2	3	4	5	8	15
20-34	253	3.5	2	2	2	3	4	5	6	8
35-49	338	3.8	6	2	2	4	4	5	6	10
50-64	282	4.3	4	2	2	4	5	7	9	12
65+	155	5.2	15	2	3	4	6	8	10	27
GRAND TOTAL	**1052**	**4.1**	**6**	**2**	**2**	**4**	**4**	**6**	**7**	**12**

65: Benign neoplasm of endocrine glands, except thyroid (227)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	4.0	2	3	3	4	5	5	5	5
20-34	7	3.0	3	1	1	3	4	6	6	6
35-49	4	4.0	3	2	2	4	5	6	6	6
50-64	5	4.4	10	1	1	4	7	9	9	9
65+	2	5.0	8	3	3	5	7	7	7	7
B. *Operated*										
0-19 YRS	4	11.3	16	8	8	11	14	16	16	16
20-34	29	8.9	9	4	5	8	11	13	15	15
35-49	29	8.8	21	3	4	8	10	16	21	21
50-64	34	8.0	12	3	4	8	11	13	14	14
65+	19	5.1	4	2	3	4	7	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	2.6	1	1	1	3	3	4	4	4
20-34	19	5.5	48	1	1	3	5	16	23	28
35-49	13	7.6	158	2	2	4	6	16	43	49
50-64	14	3.9	5	1	2	3	5	7	9	9
65+	7	5.4	5	3	3	7	7	8	8	8
B. *Operated*										
0-19 YRS	9	10.8	41	2	3	10	14	20	24	24
20-34	30	10.2	98	2	3	7	13	16	19	57
35-49	47	10.0	138	3	3	8	11	14	23	75
50-64	91	9.5	65	3	4	7	11	19	27	47
65+	86	13.4	170	3	4	10	17	26	53	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	20	3.9	5	1	1	3	5	7	8	9
B. *Operated*	115	8.1	14	3	4	8	10	13	15	21
2. MULTIPLE DX										
A. *Not Operated*	58	5.3	52	1	2	3	5	8	16	47
B. *Operated*	263	11.0	116	3	4	8	13	21	29	82
1. SINGLE DX	135	7.4	15	2	3	7	10	12	14	21
2. MULTIPLE DX	321	10.0	109	2	3	7	12	19	28	77
A. NOT OPERATED	78	4.9	40	1	2	3	5	8	12	43
B. OPERATED	378	10.1	87	3	4	8	12	17	24	73
TOTAL 0-19 YRS	20	8.2	35	1	2	8	12	15	20	24
20-34	85	8.1	53	1	2	7	11	15	16	47
35-49	93	9.0	98	2	3	7	10	14	20	64
50-64	144	8.5	48	2	3	7	10	14	23	39
65+	114	11.3	141	3	3	8	14	22	40	99+
GRAND TOTAL	**456**	**9.2**	**83**	**2**	**3**	**7**	**11**	**16**	**23**	**66**

66: Carcinoma in situ of cervix (233.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	4	3.0	2	1	1	3	4	4	4	4
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	13	2.6	2	<1	1	2	4	5	5	5
20-34	599	3.7	4	1	1	3	5	7	7	9
35-49	214	4.9	6	1	1	5	6	8	9	12
50-64	51	4.6	9	1	1	4	7	8	10	14
65+	30	5.1	12	1	2	4	7	10	10	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	10	2.1	5	<1	<1	1	2	6	8	8
35-49	6	2.8	8	<1	<1	1	6	7	7	7
50-64	4	1.3		<1	<1	1	2	2	2	2
65+	3	7.3	32	<1	<1	9	11	12	[illegible]	12
B. *Operated*										
0-19 YRS	4	6.0	18	3	3	5	9	12	12	12
20-34	545	5.1	8	1	2	5	6	8	9	11
35-49	316	6.2	10	2	3	6	7	9	10	16
50-64	110	6.9	16	2	2	6	8	11	15	23
65+	77	7.0	17	2	2	7	8	12	16	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	3.0	2	1	1	3	4	4	4	4
B. *Operated*	907	4.0	6	1	1	4	6	7	8	10
2. MULTIPLE DX										
A. *Not Operated*	23	2.8	10	<1	<1	1	4	8	10	12
B. *Operated*	1052	5.8	10	1	2	6	7	9	10	16
1. SINGLE DX	911	4.0	6	1	1	4	6	7	8	10
2. MULTIPLE DX	1075	5.7	11	1	2	6	7	9	10	16
A. NOT OPERATED	27	2.9	9	<1	<1	1	4	8	9	12
B. OPERATED	1959	5.0	9	1	2	5	6	8	9	15
TOTAL 0-19 YRS	17	3.4	7	<1	1	3	4	6	10	12
20-34	1158	4.3	7	1	1	5	6	7	8	11
35-49	536	5.6	9	1	2	6	7	8	10	15
50-64	165	6.0	15	1	2	6	8	10	14	21
65+	110	6.5	17	2	2	6	8	11	15	22
GRAND TOTAL	**1986**	**4.9**	**9**	**1**	**2**	**5**	**6**	**8**	**9**	**15**

67: Carcinoma in situ, except cervix uteri (230-233.0; 233.2-234)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	1	2.0		2	2	2	2	2	2	2
50-64	7	4.7	24	1	1	3	6	13	15	15
65+	2	2.0	2	1	1	2	3	3	3	3
B. *Operated*										
0-19 YRS										
20-34	21	4.3	7	1	2	3	5	9	10	10
35-49	53	4.9	14	1	1	4	7	9	14	16
50-64	85	6.0	78	1	2	4	8	11	14	57
65+	107	4.7	17	1	1	3	6	10	11	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	2	3.5	13	<1	<1	3	6	6	6	6
35-49	3	3.0	1	2	2	3	4	4	4	4
50-64	11	4.5	18	<1	1	3	5	12	14	14
65+	25	7.0	55	1	1	4	8	15	23	34
B. *Operated*										
0-19 YRS										
20-34	31	6.4	38	1	2	4	7	15	19	28
35-49	68	5.3	14	1	2	5	6	11	13	17
50-64	154	7.1	30	1	2	6	10	12	16	25
65+	297	8.1	59	1	2	5	10	16	25	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11	3.6	17	<1	<1	2	3	10	15	15
B. *Operated*	266	5.1	35	1	2	3	7	10	12	16
2. MULTIPLE DX										
A. *Not Operated*	42	5.9	39	<1	1	4	6	14	17	34
B. *Operated*	550	7.4	45	1	2	5	10	15	20	32
1. SINGLE DX	277	5.1	34	1	1	3	7	10	13	16
2. MULTIPLE DX	592	7.3	44	1	2	5	10	15	20	33
A. NOT OPERATED	53	5.4	35	<1	1	3	6	14	15	34
B. OPERATED	816	6.6	43	1	2	5	9	13	17	31
TOTAL 0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	55	5.4	25	1	1	4	6	11	17	28
35-49	125	5.1	13	1	2	4	6	10	13	17
50-64	257	6.6	46	1	2	5	9	12	15	25
65+	431	7.1	50	1	2	5	9	15	23	35
GRAND TOTAL	**869**	**6.6**	**42**	**1**	**2**	**4**	**9**	**13**	**17**	**32**

68: Neoplasms of uncertain behavior and unspecified nature (235-239)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	40	3.3	29	<1	1	2	3	6	7	35
20-34	35	2.7	4	<1	1	2	4	6	6	7
35-49	42	3.6	10	<1	1	3	4	7	8	20
50-64	52	2.8	7	<1	<1	2	3	6	9	14
65+	67	3.5	13	<1	1	3	5	7	8	23
B. *Operated*										
0-19 YRS	120	4.6	16	<1	1	3	6	11	13	17
20-34	165	4.5	13	1	2	4	5	9	12	18
35-49	152	3.7	7	1	1	3	5	7	10	12
50-64	212	5.6	25	1	1	4	8	11	14	23
65+	200	5.1	19	1	1	3	7	12	14	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	67	3.4	7	<1	1	3	4	7	9	13
20-34	40	8.1	179	1	2	4	6	19	34	75
35-49	81	3.9	8	<1	1	3	5	8	10	14
50-64	163	5.1	21	1	1	4	6	9	14	25
65+	335	6.5	36	1	2	5	8	13	16	31
B. *Operated*										
0-19 YRS	83	9.4	58	1	2	7	14	20	27	79
20-34	123	8.0	104	1	2	6	8	14	24	59
35-49	186	7.2	37	1	2	6	9	14	17	31
50-64	329	8.1	69	1	2	6	10	16	23	45
65+	586	9.6	93	2	2	7	13	19	27	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	236	3.2	13	<1	1	2	4	6	7	21
B. *Operated*	849	4.8	17	1	1	3	6	11	13	20
2. MULTIPLE DX										
A. *Not Operated*	686	5.6	36	1	1	4	7	11	15	30
B. *Operated*	1307	8.7	78	1	2	6	11	17	24	51
1. SINGLE DX	1085	4.4	16	1	1	3	6	10	12	20
2. MULTIPLE DX	1993	7.7	66	1	2	5	9	15	21	44
A. NOT OPERATED	922	5.0	31	1	1	4	6	10	14	29
B. OPERATED	2156	7.2	58	1	2	5	9	15	20	39
TOTAL 0-19 YRS	310	5.4	33	1	1	3	7	13	18	31
20-34	363	5.9	65	1	1	4	6	11	15	48
35-49	461	5.1	22	1	1	4	7	10	14	20
50-64	756	6.4	45	1	1	4	8	13	17	37
65+	1188	7.6	64	1	2	5	10	15	21	40
GRAND TOTAL	**3078**	**6.5**	**51**	**1**	**1**	**4**	**8**	**14**	**18**	**37**

69: Simple and nontoxic nodular goiter (240-241)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	11	2.1	1	1	1	2	3	3	3	3
35-49	14	2.9	4	<1	1	2	3	6	7	7
50-64	11	4.1	10	1	1	4	5	9	12	12
65+	5	4.4	1	3	3	5	5	5	5	5
B. *Operated*										
0-19 YRS	27	2.9	1	1	2	3	3	4	4	4
20-34	167	3.6	2	2	2	3	4	5	5	9
35-49	264	3.9	2	2	3	4	4	5	6	10
50-64	234	4.2	3	2	3	4	5	6	7	13
65+	91	4.1	2	2	3	4	5	6	7	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	3.7	1	3	3	3	5	5	5	5
20-34	20	4.6	14	1	1	4	5	11	14	14
35-49	31	4.7	8	1	2	4	6	9	11	13
50-64	43	3.7	5	<1	1	4	5	6	8	11
65+	51	4.6	5	2	2	4	5	8	9	11
B. *Operated*										
0-19 YRS	9	3.7	2	2	2	4	4	6	7	7
20-34	68	4.5	4	3	3	4	5	7	8	13
35-49	152	4.6	6	2	3	4	5	7	8	14
50-64	193	5.2	12	2	3	4	5	8	11	18
65+	172	6.6	29	3	3	5	8	12	14	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	43	3.1	5	1	1	3	4	6	7	12
B. *Operated*	783	3.9	2	2	3	4	4	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	148	4.3	7	1	1	4	5	8	10	14
B. *Operated*	594	5.3	15	2	3	4	6	8	12	17
1. SINGLE DX	826	3.9	2	2	2	4	4	5	6	10
2. MULTIPLE DX	742	5.1	13	2	3	4	6	8	12	17
A. NOT OPERATED	191	4.1	7	1	1	4	5	7	9	13
B. OPERATED	1377	4.5	8	2	3	4	5	7	8	15
TOTAL 0-19 YRS	41	3.1	1	1	2	3	4	4	5	7
20-34	266	3.8	3	2	2	4	4	5	7	13
35-49	461	4.2	4	2	2	4	5	6	7	13
50-64	481	4.5	7	2	3	4	5	7	8	15
65+	319	5.5	18	2	3	5	6	9	12	17
GRAND TOTAL	**1568**	**4.5**	**8**	**2**	**2**	**4**	**5**	**7**	**9**	**14**

70: Other diseases of thyroid gland (242-246)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	43	3.7	6	1	2	3	5	8	10	12
20-34	97	4.3	9	1	2	4	5	8	9	16
35-49	72	4.4	7	1	2	4	6	8	10	14
50-64	79	3.5	3	1	1	3	4	6	7	9
65+	30	6.7	20	2	2	6	8	12	15	23
B. *Operated*										
0-19 YRS	42	5.3	17	2	3	4	5	8	13	25
20-34	171	4.6	4	2	3	4	5	7	8	12
35-49	161	4.2	3	2	2	4	5	7	8	10
50-64	97	4.2	6	2	2	4	5	7	8	15
65+	37	4.6	8	1	2	4	6	7	10	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	40	5.2	53	1	1	3	5	9	25	34
20-34	171	5.1	17	1	2	4	6	8	11	23
35-49	225	5.3	13	2	2	5	7	9	11	18
50-64	256	6.8	51	2	3	5	8	12	15	34
65+	359	8.2	33	2	3	7	11	15	18	31
B. *Operated*										
0-19 YRS	14	5.1	11	2	3	4	6	9	13	14
20-34	92	6.1	24	2	3	4	7	11	18	28
35-49	113	7.0	51	2	3	5	7	13	19	69
50-64	120	7.2	25	3	3	5	9	13	19	26
65+	82	8.3	49	2	3	6	10	17	23	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	321	4.2	8	1	2	4	5	8	9	14
B. *Operated*	508	4.5	5	2	2	4	5	7	8	14
2. MULTIPLE DX										
A. *Not Operated*	1051	6.6	33	2	2	5	8	12	16	29
B. *Operated*	421	7.0	36	2	3	5	8	13	19	39
1. SINGLE DX	829	4.4	6	2	2	4	5	7	9	14
2. MULTIPLE DX	1472	6.8	34	2	2	5	8	12	17	33
A. NOT OPERATED	1372	6.1	28	2	2	5	7	11	15	24
B. OPERATED	929	5.6	21	2	3	4	6	10	14	26
TOTAL 0-19 YRS	139	4.8	24	1	2	4	5	9	11	33
20-34	531	5.0	13	2	2	4	6	8	10	20
35-49	571	5.2	18	2	2	4	6	9	11	20
50-64	552	6.0	33	2	2	5	7	10	14	24
65+	508	7.9	34	2	3	6	10	15	18	31
GRAND TOTAL	**2301**	**5.9**	**25**	**2**	**2**	**5**	**7**	**10**	**15**	**25**

71: Diabetes mellitus without complication (250.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	266	6.1	37	2	2	5	7	10	11	27
20-34	107	5.4	8	2	3	5	7	8	9	16
35-49	121	4.9	4	2	2	5	6	8	8	11
50-64	160	5.8	13	2	3	5	7	10	11	21
65+	83	6.1	14	2	2	6	8	10	12	22
B. *Operated*										
0-19 YRS	2	4.0	18	1	1	4	7	7	7	7
20-34	3	7.7		7	7	8	8	8	8	8
35-49	3	11.0	81	2	2	11	18	20	20	20
50-64	1	2.0		2	2	2	2	2	2	2
65+	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	257	4.9	38	1	1	4	7	9	11	82
20-34	265	5.5	17	2	2	5	7	10	13	20
35-49	522	5.8	10	2	3	5	7	10	12	17
50-64	931	6.3	15	2	3	5	8	11	14	19
65+	815	7.1	25	2	3	6	9	11	15	25
B. *Operated*										
0-19 YRS	6	9.0	89	4	4	6	7	26	28	28
20-34	20	8.6	34	3	3	7	10	14	22	29
35-49	52	9.3	44	2	3	8	13	17	24	32
50-64	105	8.6	37	2	3	8	11	15	19	36
65+	105	11.7	88	3	4	9	15	22	26	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	737	5.7	20	2	3	5	7	9	11	21
B. *Operated*	10	6.9	32	1	1	7	8	15	20	20
2. MULTIPLE DX										
A. *Not Operated*	2790	6.2	20	2	2	5	8	11	13	20
B. *Operated*	288	9.9	59	3	3	8	12	19	24	45
1. SINGLE DX	747	5.8	20	2	2	5	7	9	11	21
2. MULTIPLE DX	3078	6.6	24	2	2	6	8	11	15	24
A. NOT OPERATED	3527	6.1	20	2	2	5	8	10	13	20
B. OPERATED	298	9.8	58	2	3	8	12	19	24	44
TOTAL 0-19 YRS	531	5.6	38	1	1	5	7	9	11	38
20-34	395	5.7	15	2	2	5	7	10	13	21
35-49	698	5.9	13	2	3	5	7	10	13	21
50-64	1197	6.4	17	2	3	5	8	11	14	20
65+	1004	7.5	32	2	3	6	9	12	16	30
GRAND TOTAL	**3825**	**6.4**	**24**	**2**	**2**	**5**	**8**	**11**	**14**	**23**

72: Diabetic acidosis or coma (250.1-250.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	626	4.3	18	1	1	4	5	8	9	15
20-34	354	4.2	5	2	2	4	5	8	8	11
35-49	162	5.0	7	2	2	4	6	9	10	13
50-64	105	5.7	9	2	3	5	7	9	12	15
65+	62	6.3	16	1	3	5	8	11	15	20
B. *Operated*										
0-19 YRS	4	6.3	3	4	4	6	7	8	8	8
20-34	1	4.0		4	4	4	4	4	4	4
35-49	4	7.0	6	4	4	7	9	10	10	10
50-64	1	16.0		16	16	16	16	16	16	16
65+	1	14.0		14	14	14	14	14	14	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	561	4.7	13	1	2	4	6	8	11	23
20-34	669	5.3	16	1	2	4	7	10	12	17
35-49	557	6.8	16	2	3	6	9	12	15	20
50-64	539	8.2	29	2	3	7	10	14	18	30
65+	695	9.3	50	2	3	8	11	17	21	38
B. *Operated*										
0-19 YRS	30	7.1	23	3	3	6	9	13	26	99+
20-34	60	14.4	224	3	4	10	17	30	39	83
35-49	65	14.8	191	4	6	11	18	31	63	95
50-64	65	18.8	219	6	7	13	22	38	52	72
65+	67	18.0	213	5	6	12	22	39	53	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1309	4.6	12	1	2	4	6	8	9	15
B. *Operated*	11	7.9	16	4	4	7	9	15	16	16
2. MULTIPLE DX										
A. *Not Operated*	3021	6.9	29	2	2	6	9	13	16	28
B. *Operated*	287	15.6	201	4	5	11	19	34	52	80
1. SINGLE DX	1320	4.6	13	1	2	4	6	8	9	15
2. MULTIPLE DX	3308	7.6	50	2	2	6	9	14	19	40
A. NOT OPERATED	4330	6.2	25	2	2	5	8	11	15	25
B. OPERATED	298	15.3	196	4	5	11	18	34	50	79
TOTAL 0-19 YRS	1221	4.6	16	1	2	4	6	8	10	19
20-34	1084	5.4	29	2	2	4	7	9	12	24
35-49	788	7.1	34	2	2	6	9	13	15	30
50-64	710	8.8	54	2	3	7	11	15	21	40
65+	825	9.8	67	3	3	8	11	18	24	53
GRAND TOTAL	**4628**	**6.8**	**41**	**2**	**2**	**5**	**8**	**12**	**16**	**35**

73: Other complicated diabetes mellitus (250.4-250.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	270	5.4	9	2	2	5	7	9	11	16
20-34	294	4.7	7	2	2	4	6	8	9	14
35-49	434	5.3	7	2	2	5	7	8	10	15
50-64	555	6.0	11	2	3	5	7	10	12	19
65+	452	5.9	9	2	3	5	7	9	11	14
B. *Operated*										
0-19 YRS	4	7.0	21	2	2	6	10	13	13	13
20-34	9	4.3	3	2	2	4	6	7	7	7
35-49	20	8.0	70	1	2	6	10	15	28	38
50-64	60	5.2	43	1	2	3	5	9	20	37
65+	65	5.0	36	1	1	3	6	11	16	35
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	245	5.0	12	1	2	4	6	9	11	18
20-34	832	5.9	26	2	2	5	7	10	13	20
35-49	1894	6.2	16	2	3	5	8	10	13	23
50-64	3701	6.9	19	2	3	6	8	11	14	23
65+	4906	7.4	23	3	3	6	9	13	16	26
B. *Operated*										
0-19 YRS	18	10.6	77	2	2	7	19	24	28	30
20-34	182	11.4	165	2	3	8	12	21	29	84
35-49	492	11.6	105	2	3	8	14	25	32	56
50-64	1083	13.6	133	2	3	10	17	29	38	62
65+	1410	15.0	172	3	4	11	18	31	41	69
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2005	5.6	9	2	3	5	7	9	11	16
B. *Operated*	158	5.5	41	1	2	3	7	11	17	38
2. MULTIPLE DX										
A. *Not Operated*	11578	6.9	21	2	3	6	8	12	15	24
B. *Operated*	3185	13.7	149	2	3	10	17	29	39	66
1. SINGLE DX	2163	5.6	11	2	2	5	7	9	11	18
2. MULTIPLE DX	14763	8.4	57	2	3	7	10	15	21	42
A. NOT OPERATED	13583	6.7	20	2	3	6	8	11	14	23
B. OPERATED	3343	13.4	147	2	3	10	17	28	38	65
TOTAL 0-19 YRS	537	5.4	13	1	2	5	7	10	12	21
20-34	1317	6.4	45	2	2	5	7	11	14	30
35-49	2840	7.0	35	2	3	6	8	12	16	35
50-64	5399	8.1	49	2	3	6	9	15	21	40
65+	6833	8.9	63	3	3	7	10	16	22	43
GRAND TOTAL	**16926**	**8.0**	**52**	**2**	**3**	**6**	**9**	**14**	**20**	**40**

74: Ovarian dysfunction (256)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	2.0	1	1	1	2	3	4	4	4
20-34	10	4.0	5	1	1	4	5	7	9	9
35-49	1	2.0		2	2	2	2	2	2	2
50-64	1	2.0		2	2	2	2	2	2	2
65+										
B. *Operated*										
0-19 YRS	22	3.5	2	1	1	3	5	5	6	7
20-34	99	3.5	4	<1	1	4	5	6	7	8
35-49	8	4.9	4	<1	1	5	6	8	8	8
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	2.9	4	1	1	2	4	6	7	7
20-34	20	4.2	7	<1	1	4	6	7	9	11
35-49	10	4.7	18	2	2	3	5	11	16	16
50-64	2	4.5	5	3	3	4	6	6	6	6
65+	1	7.0		7	7	7	7	7	7	7
B. *Operated*										
0-19 YRS	19	4.3	11	<1	1	4	5	10	13	13
20-34	210	4.8	6	1	2	5	6	8	8	12
35-49	37	7.1	22	<1	2	6	8	12	15	27
50-64	2	6.0		6	6	6	6	6	6	6
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	19	3.1	4	1	1	2	4	5	7	9
B. *Operated*	129	3.6	3	<1	1	4	5	6	7	8
2. MULTIPLE DX										
A. *Not Operated*	41	4.1	9	1	1	3	6	7	9	16
B. *Operated*	268	5.1	9	1	2	5	6	8	10	13
1. SINGLE DX	148	3.5	4	<1	1	4	5	6	7	8
2. MULTIPLE DX	309	5.0	9	1	2	5	6	8	10	14
A. NOT OPERATED	60	3.8	7	1	1	3	5	7	8	15
B. OPERATED	397	4.6	8	1	1	5	6	7	8	13
TOTAL 0-19 YRS	56	3.5	6	1	1	3	5	5	7	13
20-34	339	4.3	5	1	1	5	6	7	8	11
35-49	56	6.3	20	<1	2	6	8	11	15	26
50-64	5	4.6	4	2	2	6	6	6	6	6
65+	1	7.0		7	7	7	7	7	7	7
GRAND TOTAL	**457**	**4.5**	**8**	**1**	**1**	**4**	**6**	**7**	**8**	**13**

75: Disease of endocrine glands, except thyroid, ovary, and diabetes mellitus (251-255; 257-259)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	202	2.9	11	1	1	2	3	6	8	21
20-34	100	3.5	4	1	1	3	4	7	8	10
35-49	98	3.9	9	1	1	3	5	7	9	18
50-64	77	4.8	18	1	1	4	5	9	15	23
65+	91	4.3	12	1	1	3	5	9	10	21
B. *Operated*										
0-19 YRS	24	4.0	7	<1	1	3	5	9	9	9
20-34	12	6.8	19	2	3	6	9	13	16	17
35-49	21	5.8	14	2	2	5	7	10	14	17
50-64	28	7.0	20	2	3	5	10	13	15	20
65+	14	6.8	40	3	3	4	5	21	22	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	309	3.8	15	1	1	3	4	8	13	22
20-34	312	4.5	17	1	1	4	6	9	11	17
35-49	467	4.8	17	1	2	4	6	9	11	24
50-64	713	5.7	20	1	2	4	7	11	15	25
65+	1721	6.4	31	1	2	5	8	12	15	29
B. *Operated*										
0-19 YRS	38	10.4	121	1	1	6	14	30	36	99+
20-34	44	8.6	54	2	3	6	10	20	24	37
35-49	80	9.6	110	2	3	7	11	21	50	99+
50-64	126	10.6	93	2	3	7	13	22	30	45
65+	183	12.7	121	3	4	9	17	25	30	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	568	3.7	11	1	1	3	4	7	9	21
B. *Operated*	99	6.0	19	2	2	5	8	12	16	22
2. MULTIPLE DX										
A. *Not Operated*	3522	5.6	25	1	2	4	7	11	14	24
B. *Operated*	471	11.0	106	2	3	8	14	24	31	67
1. SINGLE DX	667	4.0	13	1	1	3	5	8	10	21
2. MULTIPLE DX	3993	6.3	37	1	2	5	8	12	17	32
A. NOT OPERATED	4090	5.4	23	1	1	4	7	11	14	24
B. OPERATED	570	10.2	95	2	3	7	12	22	29	61
TOTAL 0-19 YRS	573	3.9	23	1	1	2	4	8	13	29
20-34	468	4.8	19	1	1	4	6	9	12	23
35-49	666	5.2	30	1	2	4	6	10	13	30
50-64	944	6.3	32	1	2	5	8	12	17	31
65+	2009	6.8	42	1	2	5	8	13	18	32
GRAND TOTAL	**4660**	**5.9**	**35**	**1**	**2**	**4**	**7**	**12**	**16**	**30**

76: Nutritional deficiencies (260-269)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	14	6.1	17	1	1	5	10	12	12	12
20-34	1	4.0		4	4	4	4	4	4	4
35-49	1	1.0		<1	<1	<1	<1	<1	<1	<1
50-64	3	6.0	1	5	5	6	7	7	7	7
65+	9	7.7	34	2	2	4	12	17	17	17
B. *Operated*										
0-19 YRS	2	13.0	18	10	10	13	16	16	16	16
20-34	2	2.0	2	1	1	2	3	3	3	3
35-49	3	17.3	233	4	4	14	29	34	34	34
50-64										
65+	2	7.5	41	3	3	7	12	12	12	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	44	10.0	57	2	3	7	14	21	25	31
20-34	19	11.8	98	2	2	8	17	29	32	34
35-49	35	9.6	72	3	3	7	13	20	28	43
50-64	83	10.8	88	3	4	8	12	21	31	49
65+	441	10.3	83	3	3	8	13	19	28	47
B. *Operated*										
0-19 YRS	17	13.3	125	4	4	8	19	26	40	47
20-34	11	12.2	97	2	3	10	16	26	36	37
35-49	21	15.4	62	3	4	16	22	25	28	30
50-64	35	13.8	115	2	3	11	23	30	35	35
65+	112	15.2	130	3	5	12	19	31	39	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	28	6.3	20	1	1	5	9	12	17	17
B. *Operated*	9	10.8	105	1	2	10	14	27	34	34
2. MULTIPLE DX										
A. *Not Operated*	622	10.4	81	3	3	8	13	20	28	47
B. *Operated*	196	14.7	116	3	4	12	19	29	36	54
1. SINGLE DX	37	7.4	42	1	1	5	10	16	17	34
2. MULTIPLE DX	818	11.4	93	3	3	8	14	23	31	48
A. NOT OPERATED	650	10.2	79	3	3	8	13	19	28	46
B. OPERATED	205	14.5	116	3	4	12	19	29	36	53
TOTAL 0-19 YRS	77	10.1	67	2	3	8	14	21	26	43
20-34	33	11.1	93	2	2	8	16	28	33	37
35-49	60	11.9	81	3	3	9	16	24	30	42
50-64	121	11.5	95	3	4	8	14	27	35	48
65+	564	11.2	95	3	3	8	14	22	31	54
GRAND TOTAL	**855**	**11.2**	**91**	**3**	**3**	**8**	**14**	**23**	**31**	**48**

77: Cystic fibrosis (277.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	170	9.2	26	2	3	9	13	15	19	26
20-34	29	10.1	24	2	3	10	13	16	19	21
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	21	16.5	205	2	3	15	19	25	48	71
20-34	2	7.0	18	4	4	7	10	10	10	10
35-49	1	3.0		3	3	3	3	3	3	3
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	305	10.7	44	2	3	10	14	19	21	34
20-34	75	12.6	79	3	5	11	14	22	35	48
35-49	3	11.0	12	9	9	9	14	15	15	15
50-64										
65+										
B. *Operated*										
0-19 YRS	55	16.1	266	2	5	13	17	27	53	90
20-34	21	14.0	50	2	5	12	20	24	25	26
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	199	9.3	26	2	3	10	13	15	19	26
B. *Operated*	24	15.1	193	2	3	13	18	23	42	71
2. MULTIPLE DX										
A. *Not Operated*	383	11.1	51	2	3	10	14	19	22	37
B. *Operated*	76	15.5	206	2	5	12	18	26	41	87
1. SINGLE DX	223	10.0	46	2	3	10	13	17	20	28
2. MULTIPLE DX	459	11.8	79	2	3	11	14	20	25	47
A. NOT OPERATED	582	10.5	43	2	3	10	14	17	21	35
B. OPERATED	100	15.4	201	2	3	12	18	26	38	82
TOTAL 0-19 YRS	551	11.0	71	2	3	10	14	19	22	45
20-34	127	12.1	62	2	4	11	14	22	26	44
35-49	4	9.0	24	3	3	9	12	15	15	15
50-64										
65+										
GRAND TOTAL	**682**	**11.2**	**69**	**2**	**3**	**10**	**14**	**19**	**23**	**44**

78: Obesity of nonendocrine origin (278.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	18	3.8	4	1	2	3	5	7	8	9
20-34	8	2.5	4	1	1	2	3	6	7	7
35-49	4	17.5	842	2	2	3	32	61	61	61
50-64	2	5.0	8	3	3	5	7	7	7	7
65+	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-19 YRS	12	7.8	2	4	5	8	9	9	10	10
20-34	164	7.5	4	4	5	8	9	10	11	13
35-49	127	7.4	4	4	5	7	8	10	10	13
50-64	17	9.3	6	5	6	9	11	13	14	15
65+	1	7.0		7	7	7	7	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	19	3.6	7	1	1	3	4	8	10	10
20-34	40	4.2	9	<1	1	3	5	9	11	12
35-49	51	4.8	46	1	1	4	5	8	11	49
50-64	42	5.9	24	1	2	4	7	13	19	23
65+	13	4.2	26	1	1	2	5	9	18	20
B. *Operated*										
0-19 YRS	11	6.3	7	3	3	6	8	10	12	12
20-34	222	9.1	67	5	5	8	9	12	22	67
35-49	310	9.3	52	5	5	8	10	13	17	43
50-64	85	9.7	32	4	6	8	10	15	21	35
65+	4	8.8	2	7	7	9	10	10	10	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	33	5.2	104	1	1	3	5	7	9	61
B. *Operated*	321	7.6	4	4	5	8	9	10	11	14
2. MULTIPLE DX										
A. *Not Operated*	165	4.8	26	1	1	4	5	9	12	23
B. *Operated*	632	9.2	53	5	5	8	9	13	19	44
1. SINGLE DX	354	7.4	14	3	4	7	8	10	11	14
2. MULTIPLE DX	797	8.3	51	2	3	7	9	12	17	43
A. NOT OPERATED	198	4.8	38	1	1	3	5	8	12	36
B. OPERATED	953	8.7	37	5	5	8	9	12	15	34
TOTAL 0-19 YRS	60	5.0	8	1	2	4	7	9	10	12
20-34	434	7.9	39	3	4	7	9	11	12	36
35-49	492	8.4	46	3	4	7	9	12	15	43
50-64	146	8.5	29	3	3	8	10	14	20	34
65+	19	5.3	21	1	1	4	7	10	15	20
GRAND TOTAL	**1151**	**8.0**	**40**	**2**	**4**	**7**	**9**	**11**	**15**	**34**

79: Miscellaneous metabolic disorders (270-273; 275; 277.1-277.9; 278.1-278.8; 279)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	105	3.0	4	<1	1	3	4	6	7	10
20-34	37	3.8	6	1	1	3	5	7	8	12
35-49	24	3.8	5	1	2	3	4	7	10	11
50-64	22	3.8	7	<1	1	3	5	8	10	12
65+	14	4.3	8	1	1	4	6	9	9	9
B. *Operated*										
0-19 YRS	44	5.3	27	1	2	4	6	12	17	26
20-34	47	3.4	7	<1	1	2	5	8	8	9
35-49	54	3.3	8	<1	<1	2	4	8	10	11
50-64	38	3.5	8	<1	1	3	4	7	10	13
65+	15	4.9	7	2	2	4	6	9	10	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	186	5.7	31	1	1	4	7	13	17	34
20-34	115	5.5	23	1	1	4	7	13	16	26
35-49	164	6.3	41	1	2	4	8	12	14	30
50-64	221	6.9	31	1	2	5	9	13	17	29
65+	302	8.0	44	2	2	6	10	16	21	29
B. *Operated*										
0-19 YRS	76	15.6	463	1	2	7	21	75	80	99+
20-34	114	9.8	101	2	2	7	10	18	36	53
35-49	142	8.6	74	1	2	7	9	17	23	57
50-64	116	10.3	145	2	2	7	11	23	33	67
65+	140	11.2	75	2	3	9	15	22	26	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	202	3.4	5	<1	1	3	4	7	8	11
B. *Operated*	198	3.9	12	<1	1	3	5	8	11	17
2. MULTIPLE DX										
A. *Not Operated*	988	6.7	37	1	2	5	9	14	18	30
B. *Operated*	588	10.7	147	2	2	7	12	23	34	78
1. SINGLE DX	400	3.7	9	<1	1	3	5	7	9	13
2. MULTIPLE DX	1576	8.2	81	1	2	6	10	17	24	57
A. NOT OPERATED	1190	6.2	33	1	2	4	8	13	17	29
B. OPERATED	786	9.0	122	1	2	6	10	19	29	76
TOTAL 0-19 YRS	411	6.8	122	1	1	4	7	14	28	87
20-34	313	6.5	53	1	1	5	8	12	16	45
35-49	384	6.6	50	1	1	5	8	12	18	33
50-64	397	7.4	65	1	2	5	9	14	22	38
65+	471	8.7	54	2	2	7	11	17	22	36
GRAND TOTAL	**1976**	**7.3**	**70**	**1**	**2**	**5**	**9**	**15**	**22**	**50**

80: Gout (274)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	14	4.5	11	1	2	4	4	8	13	15
35-49	31	3.9	5	1	1	3	6	7	7	8
50-64	35	4.7	11	2	2	4	5	10	16	99+
65+	42	4.8	11	2	2	4	5	10	11	16
B. *Operated*										
0-19 YRS										
20-34	2	5.0	2	4	4	5	6	6	6	6
35-49	5	3.8	3	2	2	4	5	6	6	6
50-64	8	4.4	14	1	1	3	6	10	12	12
65+	7	4.7	18	2	2	4	5	12	14	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	13	6.8	34	2	2	5	9	16	21	22
35-49	95	4.6	5	2	2	4	6	8	8	12
50-64	171	5.3	13	1	2	4	7	9	11	23
65+	379	6.4	22	2	2	5	8	12	15	23
B. *Operated*										
0-19 YRS										
20-34										
35-49	20	7.2	48	<1	1	6	10	15	22	29
50-64	30	7.8	36	3	3	7	9	16	20	29
65+	54	11.3	140	2	3	7	14	27	40	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	122	4.5	9	1	2	4	5	9	11	40
B. *Operated*	22	4.4	11	1	2	4	6	8	13	14
2. MULTIPLE DX										
A. *Not Operated*	658	5.9	18	2	2	5	7	10	14	22
B. *Operated*	104	9.5	94	2	2	7	11	21	29	54
1. SINGLE DX	144	4.5	9	1	2	4	5	9	11	22
2. MULTIPLE DX	762	6.4	30	2	2	5	8	11	15	29
A. NOT OPERATED	780	5.7	17	2	2	5	7	10	13	22
B. OPERATED	126	8.6	83	2	2	6	10	18	29	53
TOTAL 0-19 YRS										
20-34	29	5.6	21	2	2	4	6	13	16	22
35-49	151	4.8	11	1	2	4	6	8	9	16
50-64	244	5.5	16	2	2	4	7	10	13	26
65+	482	6.8	37	2	2	5	8	12	16	35
GRAND TOTAL	**906**	**6.1**	**27**	**2**	**2**	**5**	**7**	**11**	**15**	**29**

81: Disorders of fluid, electrolyte, and acid-base balance (276)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	150	2.9	4	1	1	2	3	4	6	13
20-34	52	2.7	1	1	1	3	3	4	5	5
35-49	40	3.4	4	1	1	3	4	6	7	11
50-64	64	5.6	133	1	1	4	6	8	11	83
65+	138	5.4	24	1	2	4	6	9	11	31
B. *Operated*										
0-19 YRS	4	8.8	122	1	1	4	15	25	25	25
20-34	1	2.0		2	2	2	2	2	2	2
35-49	4	4.8	9	2	2	4	7	9	9	9
50-64	4	12.5	30	7	7	11	16	20	20	20
65+	2	5.5	13	3	3	5	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1515	3.4	8	1	1	3	4	6	8	17
20-34	808	3.6	8	1	1	3	4	7	8	15
35-49	954	5.0	19	1	2	4	6	9	12	22
50-64	1766	6.0	23	2	2	5	7	11	15	25
65+	8066	7.6	42	2	3	6	9	14	18	35
B. *Operated*										
0-19 YRS	43	11.2	93	2	2	7	18	29	32	99+
20-34	42	9.1	88	1	2	7	11	19	24	54
35-49	77	8.6	89	1	2	7	10	14	31	55
50-64	159	12.9	166	2	3	9	16	24	45	72
65+	572	14.4	140	3	4	11	18	29	43	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	444	4.1	30	1	1	3	5	7	9	20
B. *Operated*	15	7.8	48	1	2	6	10	20	24	25
2. MULTIPLE DX										
A. *Not Operated*	13109	6.5	34	2	2	5	8	12	16	31
B. *Operated*	893	13.2	139	2	3	10	17	27	42	98
1. SINGLE DX	459	4.2	31	1	1	3	5	7	10	25
2. MULTIPLE DX	14002	6.9	44	2	2	5	8	13	18	36
A. NOT OPERATED	13553	6.4	34	2	2	5	8	12	16	31
B. OPERATED	908	13.2	138	2	3	10	17	27	42	97
TOTAL 0-19 YRS	1712	3.6	12	1	1	3	4	6	8	21
20-34	903	3.8	12	1	1	3	4	7	9	18
35-49	1075	5.2	25	1	2	4	6	9	13	24
50-64	1993	6.5	42	2	2	5	8	13	17	32
65+	8778	8.0	51	2	3	6	10	15	20	41
GRAND TOTAL	**14461**	**6.8**	**44**	**2**	**2**	**5**	**8**	**13**	**18**	**36**

82: Iron deficiency anemia (280)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	40	3.0	5	1	1	3	4	5	7	13
20-34	27	3.3	5	1	1	3	4	6	7	12
35-49	42	3.5	3	1	2	3	4	6	7	8
50-64	35	4.3	6	1	1	4	6	8	9	10
65+	83	4.1	8	1	1	4	5	7	11	14
B. *Operated*										
0-19 YRS	5	4.4	2	3	3	4	6	6	6	6
20-34	7	6.7	39	2	2	5	7	18	20	20
35-49	15	5.7	7	<1	2	6	8	9	9	9
50-64	12	5.1	6	1	2	5	7	8	8	8
65+	11	5.7	10	2	2	4	8	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	94	3.7	5	1	1	3	5	7	8	9
20-34	107	3.9	4	1	2	3	5	7	8	9
35-49	200	4.7	13	1	2	4	6	8	10	22
50-64	297	5.6	30	1	2	5	7	10	12	16
65+	1356	5.8	17	1	2	5	7	10	13	20
B. *Operated*										
0-19 YRS	17	6.2	15	2	3	4	8	12	14	15
20-34	32	6.1	21	1	2	5	7	10	13	26
35-49	88	7.8	44	2	3	7	9	15	16	42
50-64	138	7.5	25	3	3	6	9	13	15	29
65+	466	8.5	36	3	3	7	10	15	18	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	227	3.7	6	1	1	3	5	7	8	13
B. *Operated*	50	5.6	11	2	2	5	8	9	11	20
2. MULTIPLE DX										
A. *Not Operated*	2054	5.4	17	1	2	5	7	10	12	20
B. *Operated*	741	8.1	34	2	3	7	10	14	17	29
1. SINGLE DX	277	4.1	7	1	1	3	5	8	9	13
2. MULTIPLE DX	2795	6.1	23	2	2	5	8	11	14	24
A. NOT OPERATED	2281	5.3	17	1	2	4	7	9	12	19
B. OPERATED	791	7.9	33	2	3	7	10	14	17	28
TOTAL 0-19 YRS	156	3.8	6	1	1	3	5	8	8	13
20-34	173	4.3	9	1	2	4	6	7	9	18
35-49	345	5.4	21	1	2	4	7	9	12	21
50-64	482	6.0	27	2	2	5	7	11	13	25
65+	1916	6.4	23	2	2	5	8	12	15	25
GRAND TOTAL	**3072**	**6.0**	**22**	**1**	**2**	**5**	**7**	**11**	**14**	**23**

83: Sickle-cell anemia and trait (282.5-282.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	578	4.0	6	1	1	3	5	7	9	13
20-34	565	5.0	11	1	2	4	6	9	10	16
35-49	126	4.9	7	2	2	5	6	8	9	15
50-64	12	3.3	2	1	1	3	4	5	6	6
65+	4	8.5	42	3	3	7	13	17	17	17
B. *Operated*										
0-19 YRS	4	10.0	21	5	5	9	13	16	16	16
20-34	7	7.9	24	2	2	7	12	15	15	15
35-49	2	7.5	5	6	6	7	9	9	9	9
50-64	1	2.0		2	2	2	2	2	2	2
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	734	5.1	21	1	1	4	6	10	12	24
20-34	796	6.3	18	2	2	5	8	11	13	20
35-49	231	6.3	14	2	3	5	8	11	14	19
50-64	50	6.3	22	1	2	5	9	13	16	21
65+	14	5.9	11	1	3	5	8	9	13	14
B. *Operated*										
0-19 YRS	34	9.2	115	1	2	6	10	31	35	44
20-34	57	14.2	138	3	3	11	20	30	38	63
35-49	19	14.8	85	2	3	15	22	26	32	35
50-64	3	9.3	20	5	5	9	13	14	14	14
65+	1	4.0		4	4	4	4	4	4	4
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1285	4.5	9	1	2	4	6	8	10	14
B. *Operated*	14	8.0	20	2	2	8	10	15	16	16
2. MULTIPLE DX										
A. *Not Operated*	1825	5.8	19	1	2	5	7	11	13	21
B. *Operated*	114	12.6	122	2	3	9	17	29	35	52
1. SINGLE DX	1299	4.6	9	1	2	4	6	8	10	15
2. MULTIPLE DX	1939	6.2	28	1	2	5	8	12	15	29
A. NOT OPERATED	3110	5.3	15	1	2	4	7	10	12	19
B. OPERATED	128	12.1	113	2	3	9	16	27	34	49
TOTAL 0-19 YRS	1350	4.7	18	1	1	4	6	9	11	22
20-34	1425	6.1	23	2	2	5	8	11	13	24
35-49	378	6.3	20	2	2	5	8	11	15	24
50-64	66	5.8	20	1	2	5	8	13	16	21
65+	19	6.4	16	2	3	5	8	12	16	17
GRAND TOTAL	**3238**	**5.5**	**21**	**1**	**2**	**4**	**7**	**10**	**13**	**24**

84: Anemia, except iron deficiency and sickle-cell (281; 282.0-282.4; 282.7-282.9; 283-285)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	225	2.6	8	<1	<1	2	3	6	8	11
20-34	38	3.5	7	<1	1	2	5	7	9	11
35-49	40	4.7	20	<1	1	3	7	9	11	25
50-64	59	3.9	8	1	1	3	5	8	9	14
65+	253	3.0	7	1	1	2	4	6	7	13
B. *Operated*										
0-19 YRS	39	5.3	30	1	1	5	6	8	12	35
20-34	18	7.1	32	2	2	5	8	19	19	19
35-49	19	5.6	17	1	2	5	8	12	15	16
50-64	30	7.0	41	2	2	6	9	11	16	36
65+	62	6.4	17	1	2	5	9	13	15	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	261	3.4	11	<1	1	2	4	8	10	16
20-34	152	4.8	25	1	1	3	6	9	15	30
35-49	292	5.0	26	1	1	4	7	10	12	25
50-64	655	5.1	26	1	1	4	7	10	14	22
65+	2493	5.2	25	1	1	4	7	10	13	24
B. *Operated*										
0-19 YRS	67	9.7	118	1	2	7	13	22	57	99+
20-34	73	8.2	86	1	2	6	9	15	26	56
35-49	116	8.9	92	1	2	6	9	15	30	51
50-64	243	8.6	60	2	3	7	10	16	22	44
65+	790	9.1	42	2	3	7	12	18	22	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	615	3.1	8	<1	1	2	4	7	8	14
B. *Operated*	168	6.2	26	1	2	5	8	12	16	32
2. MULTIPLE DX										
A. *Not Operated*	3853	5.0	24	1	1	4	7	10	13	24
B. *Operated*	1289	8.9	56	2	3	7	11	17	23	42
1. SINGLE DX	783	3.8	14	1	1	3	5	8	10	19
2. MULTIPLE DX	5142	6.0	35	1	1	4	8	12	16	30
A. NOT OPERATED	4468	4.8	23	1	1	3	6	10	13	23
B. OPERATED	1457	8.6	53	2	3	7	10	17	22	40
TOTAL 0-19 YRS	592	3.9	27	<1	1	2	5	9	13	26
20-34	281	5.7	41	1	1	4	7	11	16	31
35-49	467	6.0	44	1	1	4	7	11	15	38
50-64	987	5.9	36	1	1	4	7	12	16	34
65+	3598	5.9	30	1	1	4	8	12	16	27
GRAND TOTAL	**5925**	**5.7**	**33**	**1**	**1**	**4**	**7**	**12**	**16**	**28**

85: Hemophilia (congenital factor VIII disorder) (286.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	33	5.5	28	1	2	3	7	11	13	27
20-34	17	2.8	3	1	1	3	4	4	6	7
35-49	7	3.6	1	2	2	3	5	5	5	5
50-64	1	3.0		3	3	3	3	3	3	3
65+	2	4.0	2	3	3	4	5	5	5	5
B. *Operated*										
0-19 YRS	4	19.3	137	4	4	20	27	32	32	32
20-34										
35-49	1	21.0		21	21	21	21	21	21	21
50-64										
65+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	85	4.8	28	1	1	3	6	10	12	30
20-34	28	5.3	7	2	2	5	7	9	11	11
35-49	11	5.0	7	1	1	5	7	8	8	8
50-64	10	6.5	16	2	2	5	10	13	15	15
65+	3	5.7	30	2	2	3	10	12	12	12
B. *Operated*										
0-19 YRS	10	19.4	512	3	3	10	23	59	67	67
20-34	7	10.0	41	2	2	10	16	17	17	17
35-49	2	20.0	72	14	14	20	26	26	26	26
50-64	4	17.8	251	5	5	13	29	40	40	40
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	60	4.5	17	1	1	3	5	10	12	26
B. *Operated*	6	16.5	140	1	1	19	23	31	32	32
2. MULTIPLE DX										
A. *Not Operated*	137	5.1	21	1	1	4	6	10	11	28
B. *Operated*	23	16.3	277	2	3	14	18	42	57	67
1. SINGLE DX	66	5.5	39	1	1	3	6	12	21	31
2. MULTIPLE DX	160	6.7	72	1	1	4	7	14	20	51
A. NOT OPERATED	197	4.9	20	1	1	4	6	10	11	28
B. OPERATED	29	16.3	242	2	3	16	21	37	53	67
TOTAL 0-19 YRS	132	6.5	83	1	1	4	6	14	23	55
20-34	52	5.1	15	1	2	4	7	10	15	17
35-49	21	6.7	41	1	2	5	8	17	23	26
50-64	15	9.3	93	2	3	5	10	18	34	40
65+	6	4.3	16	1	1	3	5	11	12	12
GRAND TOTAL	**226**	**6.3**	**62**	**1**	**1**	**4**	**7**	**13**	**21**	**43**

86: Disease of hematopoietic system, except anemia and hemophilia (286.1-286.9; 287-289.0; 289.4-289.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	179	3.2	5	1	1	3	4	6	7	11
20-34	41	3.9	10	<1	1	3	5	7	11	16
35-49	25	5.4	13	1	2	5	7	11	13	16
50-64	38	3.5	9	1	1	2	5	9	10	12
65+	35	3.1	5	1	1	3	4	7	8	10
B. *Operated*										
0-19 YRS	94	4.6	10	1	1	4	7	9	11	15
20-34	41	6.5	13	2	3	6	8	13	14	14
35-49	31	6.9	25	2	3	6	7	13	17	27
50-64	26	6.7	25	2	3	5	8	14	20	21
65+	40	7.7	24	1	2	7	10	15	18	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	307	4.7	21	1	1	4	6	9	11	21
20-34	119	5.4	31	1	2	4	7	10	12	38
35-49	141	5.5	14	1	2	5	7	10	13	21
50-64	353	6.0	26	1	1	5	8	12	15	21
65+	703	6.7	41	1	1	5	9	13	18	30
B. *Operated*										
0-19 YRS	89	9.2	133	2	2	6	10	19	29	70
20-34	79	9.8	90	2	3	7	12	21	30	52
35-49	110	10.9	101	2	3	8	14	22	29	61
50-64	179	10.7	76	2	3	9	13	21	27	47
65+	358	10.5	59	2	3	9	13	20	27	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	318	3.5	7	1	1	3	5	7	9	15
B. *Operated*	232	6.0	18	1	2	5	8	11	14	21
2. MULTIPLE DX										
A. *Not Operated*	1623	6.0	31	1	1	5	8	11	15	27
B. *Operated*	815	10.4	80	2	3	8	13	21	28	49
1. SINGLE DX	550	4.6	13	1	1	4	6	9	12	17
2. MULTIPLE DX	2438	7.4	52	1	2	5	9	15	20	37
A. NOT OPERATED	1941	5.6	28	1	1	4	7	11	14	25
B. OPERATED	1047	9.4	69	2	3	7	12	19	24	46
TOTAL 0-19 YRS	669	4.9	33	1	1	4	6	9	12	28
20-34	280	6.6	46	1	2	5	8	13	16	42
35-49	307	7.6	52	2	2	6	9	14	21	33
50-64	596	7.3	45	1	2	5	9	14	19	32
65+	1136	7.8	49	1	2	6	10	16	20	35
GRAND TOTAL	**2988**	**6.9**	**46**	**1**	**2**	**5**	**9**	**14**	**19**	**34**

87: Nonspecific mesenteric lymphadenitis (289.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	417	2.0	1	1	1	2	2	3	4	6
20-34	107	2.2	1	1	1	2	3	4	4	6
35-49	28	2.6	1	1	1	3	3	4	4	6
50-64	4	2.5	2	1	1	2	3	4	4	4
65+	2	4.5	13	2	2	4	7	7	7	7
B. *Operated*										
0-19 YRS	334	3.5	2	2	2	3	4	5	6	8
20-34	128	4.1	4	2	2	4	5	6	7	14
35-49	19	5.8	38	2	2	4	6	9	21	30
50-64	1	6.0		6	6	6	6	6	6	6
65+	2	10.0	98	3	3	10	17	17	17	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	263	2.4	2	1	1	2	3	4	5	7
20-34	64	2.7	4	1	1	2	3	5	7	10
35-49	19	3.2	6	1	1	2	4	7	9	10
50-64	8	4.5	12	2	2	3	4	10	13	13
65+	2	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-19 YRS	139	4.6	18	2	2	4	5	7	9	24
20-34	76	4.7	8	2	3	4	6	7	8	20
35-49	12	6.8	16	3	3	6	9	12	16	17
50-64	4	9.5	7	7	7	9	11	13	13	13
65+	4	8.8	12	5	5	8	11	13	13	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	558	2.1	1	1	1	2	3	3	4	6
B. *Operated*	484	3.8	4	2	2	3	4	6	6	11
2. MULTIPLE DX										
A. *Not Operated*	356	2.5	3	1	1	2	3	4	6	10
B. *Operated*	235	4.9	15	2	2	4	6	8	10	21
1. SINGLE DX	1042	2.9	3	1	1	3	4	5	6	8
2. MULTIPLE DX	591	3.5	9	1	1	3	4	6	8	14
A. NOT OPERATED	914	2.2	2	1	1	2	3	4	5	7
B. OPERATED	719	4.2	8	2	2	4	5	6	8	15
TOTAL 0-19 YRS	1153	2.8	4	1	1	2	4	5	6	8
20-34	375	3.5	5	1	1	3	4	6	7	12
35-49	78	4.2	16	1	2	3	5	8	10	26
50-64	17	5.3	14	1	2	4	7	12	13	13
65+	10	7.2	23	2	2	6	10	15	17	17
GRAND TOTAL	**1633**	**3.1**	**6**	**1**	**1**	**3**	**4**	**5**	**6**	**11**

88: Lymphatic disease, except acute lymphadenitis and mesenteric adenitis (289.1; 289.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	123	4.0	5	1	2	4	5	7	8	10
20-34	15	3.7	1	2	2	4	4	5	6	6
35-49	7	4.7	4	3	3	4	6	8	8	8
50-64	1	2.0		2	2	2	2	2	2	2
65+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	103	3.1	5	1	1	2	4	7	8	11
20-34	62	3.0	4	<1	1	2	3	6	8	10
35-49	23	2.8	5	<1	1	2	3	6	9	10
50-64	11	3.2	5	1	1	2	4	7	9	9
65+	11	3.1	3	1	1	3	4	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	111	3.9	4	1	1	4	5	7	7	10
20-34	21	4.7	5	1	2	5	5	8	10	11
35-49	12	5.1	13	1	2	4	7	11	13	13
50-64	7	4.7	4	3	3	4	6	8	8	8
65+	8	5.0	10	2	2	4	6	10	12	12
B. *Operated*										
0-19 YRS	52	3.9	18	1	1	3	5	7	9	29
20-34	35	4.7	8	<1	1	5	7	8	11	12
35-49	24	4.9	11	1	2	4	7	9	11	15
50-64	25	5.2	18	1	2	4	6	9	17	18
65+	20	5.1	29	2	2	3	5	12	18	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	147	4.0	4	1	2	4	5	7	8	10
B. *Operated*	210	3.0	5	1	1	2	3	6	8	10
2. MULTIPLE DX										
A. *Not Operated*	159	4.2	5	1	2	4	5	7	8	12
B. *Operated*	156	4.6	16	1	1	3	6	9	11	23
1. SINGLE DX	357	3.4	5	1	1	3	4	7	8	10
2. MULTIPLE DX	315	4.4	10	1	1	4	6	8	10	17
A. NOT OPERATED	306	4.1	5	1	2	4	5	7	8	11
B. OPERATED	366	3.7	10	1	1	3	5	8	9	17
TOTAL 0-19 YRS	389	3.7	7	1	1	3	5	7	8	10
20-34	133	3.8	6	1	1	3	5	7	8	12
35-49	66	4.2	9	1	1	3	6	8	10	15
50-64	44	4.5	13	1	2	4	5	8	12	18
65+	40	4.4	17	2	2	3	5	9	13	23
GRAND TOTAL	**672**	**3.9**	**8**	**1**	**1**	**3**	**5**	**7**	**9**	**13**

89: Transient organic psychotic conditions (293)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	6.7	50	1	1	4	9	19	20	20
20-34	25	6.7	64	1	1	5	8	12	21	41
35-49	11	6.7	26	2	2	5	8	16	18	18
50-64	20	11.4	138	1	3	9	14	19	38	56
65+	43	9.3	62	1	2	7	13	21	25	35
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	2.0		2	2	2	2	2	2	2
65+	1	9.0		9	9	9	9	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	16	10.9	276	1	2	6	15	60	89	99+
20-34	46	8.2	48	1	2	6	12	19	23	29
35-49	27	12.1	218	1	1	7	15	26	36	75
50-64	79	11.8	129	2	2	8	15	34	46	99+
65+	371	9.5	68	2	3	7	12	18	23	39
B. *Operated*										
0-19 YRS	1	19.0		19	19	19	19	19	19	19
20-34										
35-49	6	20.5	417	3	3	16	20	56	60	60
50-64	13	16.8	210	4	5	9	31	39	43	44
65+	24	11.8	63	3	4	10	15	21	30	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	105	8.6	73	1	2	6	12	18	23	48
B. *Operated*	2	5.5	25	2	2	5	9	9	9	9
2. MULTIPLE DX										
A. *Not Operated*	539	9.9	89	2	2	7	13	20	28	69
B. *Operated*	44	14.6	152	3	4	10	18	36	40	60
1. SINGLE DX	107	8.6	72	1	2	6	12	18	22	47
2. MULTIPLE DX	583	10.2	95	2	2	7	13	20	29	66
A. NOT OPERATED	644	9.7	86	2	2	7	12	20	27	56
B. OPERATED	46	14.2	149	3	4	10	18	35	39	60
TOTAL 0-19 YRS	23	10.2	207	1	2	5	15	27	78	99+
20-34	71	7.6	53	1	1	5	10	17	22	38
35-49	44	11.9	204	1	2	7	15	21	38	75
50-64	113	12.2	140	2	2	8	15	34	44	99+
65+	439	9.6	67	2	3	7	12	19	24	38
GRAND TOTAL	**690**	**10.0**	**92**	**2**	**2**	**7**	**13**	**20**	**29**	**58**

90: Chronic organic brain syndrome, except arteriosclerotic dementia (290.0-290.3; 290.8-290.9; 294; 310)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	87	3.7	104	<1	<1	1	2	5	9	65
20-34	77	3.9	14	1	1	3	5	8	9	22
35-49	45	6.8	92	1	1	3	9	13	18	60
50-64	71	8.9	162	1	1	5	11	20	25	82
65+	379	9.1	74	1	2	7	11	18	27	46
B. *Operated*										
0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	2	4.5	13	2	2	4	7	7	7	7
35-49	1	12.0		12	12	12	12	12	12	12
50-64	4	5.3	5	2	2	6	7	7	7	7
65+	12	6.2	39	2	2	4	7	16	22	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	122	5.7	85	<1	1	3	6	14	22	47
20-34	214	7.0	59	1	1	5	8	17	22	33
35-49	146	7.8	52	2	2	5	11	16	21	35
50-64	336	11.3	152	2	3	7	14	25	33	70
65+	2746	10.2	94	2	3	7	13	21	29	56
B. *Operated*										
0-19 YRS	3	2.3	2	1	1	2	3	4	4	4
20-34	15	9.1	79	1	1	6	17	24	25	25
35-49	16	13.8	319	<1	1	8	14	34	61	72
50-64	45	15.6	263	2	3	11	17	33	59	77
65+	227	16.3	179	3	4	13	21	34	45	75
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	659	7.6	86	1	1	5	10	16	24	47
B. *Operated*	21	5.8	26	2	2	4	7	12	17	23
2. MULTIPLE DX										
A. *Not Operated*	3564	9.9	97	2	2	7	12	20	29	57
B. *Operated*	306	15.6	194	2	3	12	20	33	45	74
1. SINGLE DX	680	7.5	84	1	1	5	9	16	23	47
2. MULTIPLE DX	3870	10.3	107	2	2	7	13	21	31	59
A. NOT OPERATED	4223	9.5	96	1	2	7	12	20	28	56
B. OPERATED	327	15.0	189	2	3	11	19	32	45	73
TOTAL 0-19 YRS	214	4.8	91	<1	1	2	4	9	17	62
20-34	308	6.3	50	1	1	4	8	15	21	30
35-49	208	8.1	82	1	2	5	11	16	22	56
50-64	456	11.3	165	1	2	7	14	25	34	70
65+	3364	10.5	100	2	3	7	13	21	30	56
GRAND TOTAL	**4550**	**9.9**	**105**	**1**	**2**	**7**	**12**	**21**	**30**	**58**

91: Arteriosclerotic dementia (290.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+	7	11.9	73	1	1	14	20	22	22	22
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+	2	4.0	2	3	3	4	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	7.0		7	7	7	7	7	7	7
50-64	22	13.1	171	1	2	9	17	32	44	56
65+	231	10.2	89	2	3	8	12	19	28	48
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	53.0		53	53	53	53	53	53	53
65+	23	15.2	116	3	4	14	18	28	37	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	11.9	73	1	1	14	20	22	22	22
B. *Operated*	2	4.0	2	3	3	4	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*	254	10.4	96	2	3	8	13	20	30	56
B. *Operated*	24	16.8	171	4	4	14	21	32	51	53
1. SINGLE DX	9	10.1	67	1	2	6	17	22	22	22
2. MULTIPLE DX	278	11.0	105	2	3	8	14	21	31	55
A. NOT OPERATED	261	10.5	95	2	3	8	13	20	30	55
B. OPERATED	26	15.8	169	3	4	13	18	30	51	53
TOTAL 0-19 YRS										
20-34										
35-49	1	7.0		7	7	7	7	7	7	7
50-64	23	14.9	232	1	2	9	18	39	54	56
65+	263	10.6	92	2	3	8	13	20	29	49
GRAND TOTAL	**287**	**11.0**	**104**	**2**	**3**	**8**	**14**	**21**	**30**	**55**

92: Alcoholic psychoses (291)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	5.2	69	<1	<1	2	7	20	20	20
20-34	75	3.1	5	1	1	3	4	6	7	12
35-49	106	3.7	10	<1	1	3	5	7	9	20
50-64	66	5.1	15	<1	2	4	7	9	14	19
65+	29	6.0	34	2	3	4	6	14	20	28
B. *Operated*										
0-19 YRS										
20-34										
35-49	1	8.0		8	8	8	8	8	8	8
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	8.0	143	1	1	4	8	22	41	44
20-34	349	5.8	33	1	2	4	7	10	15	33
35-49	755	5.8	27	1	2	4	7	12	15	25
50-64	582	7.2	53	1	2	5	8	14	21	37
65+	291	9.5	84	2	3	7	11	18	26	49
B. *Operated*										
0-19 YRS										
20-34	5	6.6	42	2	2	5	8	18	18	18
35-49	32	10.1	85	2	2	7	12	22	25	47
50-64	33	16.2	215	2	3	13	18	44	50	56
65+	23	16.9	143	5	6	16	20	29	44	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	281	4.2	14	<1	1	3	5	7	11	20
B. *Operated*	1	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*	1989	6.8	46	1	2	5	8	13	19	35
B. *Operated*	93	13.7	152	2	3	10	17	28	45	57
1. SINGLE DX	282	4.2	14	<1	1	3	5	7	11	20
2. MULTIPLE DX	2082	7.1	53	1	2	5	8	14	20	41
A. NOT OPERATED	2270	6.4	43	1	2	5	8	13	18	34
B. OPERATED	94	13.7	150	2	3	10	17	27	45	57
TOTAL 0-19 YRS	17	7.2	117	<1	1	4	7	19	36	44
20-34	429	5.3	29	1	1	4	6	10	14	32
35-49	894	5.7	28	1	2	4	7	11	15	25
50-64	681	7.5	61	1	2	5	9	15	22	45
65+	343	9.7	88	2	3	7	11	19	26	49
GRAND TOTAL	**2364**	**6.7**	**49**	**1**	**2**	**5**	**8**	**13**	**19**	**37**

93: Drug psychoses (292)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	22	8.1	372	1	1	3	5	14	50	92
20-34	42	5.0	27	<1	1	3	7	12	15	27
35-49	18	6.9	145	<1	1	3	6	13	37	53
50-64	15	6.7	33	1	2	6	7	12	21	24
65+	19	5.7	20	1	1	4	8	13	16	17
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	3.0		3	3	3	3	3	3	3
65+	1	10.0		10	10	55	99+	99+	99+	99+
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	29	8.6	169	1	1	4	9	17	27	69
20-34	130	7.1	62	1	2	5	9	14	22	44
35-49	56	6.5	25	1	2	5	8	14	16	25
50-64	86	8.7	85	1	2	6	9	18	28	51
65+	192	7.4	33	2	3	6	9	16	20	27
B. *Operated*										
0-19 YRS										
20-34	4	9.5	124	2	2	5	16	26	26	26
35-49										
50-64	6	6.2	18	2	2	5	7	13	14	14
65+	9	14.6	50	8	8	12	17	27	30	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	116	6.2	108	1	1	4	6	12	17	66
B. *Operated*	2	6.5	25	3	3	10	77	99+	99+	99+
2. MULTIPLE DX										
A. *Not Operated*	493	7.5	56	1	2	6	9	15	21	42
B. *Operated*	19	10.8	62	2	3	9	14	24	28	30
1. SINGLE DX	118	6.2	106	1	1	4	7	13	20	94
2. MULTIPLE DX	512	7.7	57	1	2	6	9	15	22	42
A. NOT OPERATED	609	7.3	66	1	2	5	8	15	21	43
B. OPERATED	21	10.4	59	2	3	9	14	27	58	99+
TOTAL 0-19 YRS	51	8.4	251	1	1	3	8	17	25	92
20-34	176	6.7	55	1	1	4	8	14	22	43
35-49	74	6.6	52	1	1	5	8	14	16	46
50-64	108	8.2	74	1	2	6	9	17	25	48
65+	221	7.6	34	2	3	6	10	16	21	32
GRAND TOTAL	**630**	**7.4**	**66**	**1**	**2**	**5**	**9**	**15**	**22**	**44**

94: Paranoid schizophrenia (295.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	52	10.5	76	1	2	9	17	21	24	37
20-34	819	10.0	90	1	2	7	14	21	28	45
35-49	511	11.1	107	1	2	8	15	23	31	47
50-64	191	14.3	138	1	2	13	20	28	37	49
65+	46	13.0	95	1	2	12	17	28	33	39
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	33	23.3	457	1	3	16	45	85	99+	99+
20-34	309	12.3	143	1	2	9	17	28	37	93
35-49	248	12.3	84	2	3	11	16	24	30	59
50-64	163	14.8	87	3	4	13	20	29	34	44
65+	94	16.9	231	2	3	11	25	35	46	71
B. *Operated*										
0-19 YRS										
20-34	12	18.5	262	1	4	12	28	46	51	52
35-49	10	29.7	666	8	9	27	32	66	98	98
50-64	10	20.2	240	3	6	16	27	44	58	58
65+	7	22.3	76	9	11	23	24	35	38	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1619	10.9	102	1	2	8	15	23	30	47
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	847	13.7	142	2	3	11	18	29	37	88
B. *Operated*	39	22.5	322	4	7	18	29	41	55	98
1. SINGLE DX	1619	10.9	102	1	2	8	15	23	30	47
2. MULTIPLE DX	886	14.1	153	2	3	11	19	29	38	89
A. NOT OPERATED	2466	11.9	118	1	2	9	16	25	33	59
B. OPERATED	39	22.5	322	4	7	18	29	41	55	98
TOTAL 0-19 YRS	85	15.5	259	1	2	12	21	49	65	99+
20-34	1140	10.7	108	1	2	8	15	23	30	56
35-49	769	11.7	110	1	2	9	16	24	31	47
50-64	364	14.7	118	2	2	13	20	29	36	48
65+	147	15.9	185	2	3	12	24	33	39	65
GRAND TOTAL	**2505**	**12.1**	**123**	**1**	**2**	**9**	**16**	**25**	**33**	**59**

95: Acute schizophrenic episode (295.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	28	17.6	262	5	5	11	22	46	60	62
20-34	91	9.6	86	2	2	7	12	19	26	54
35-49	24	10.4	70	2	3	7	16	24	26	30
50-64	14	8.5	48	3	4	6	8	20	26	28
65+	5	18.2	144	9	9	12	25	38	38	38
B. *Operated*										
0-19 YRS										
20-34	1	13.0		13	13	13	13	13	13	13
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	22.9	422	4	7	21	56	99+	99+	99+
20-34	39	13.6	129	2	3	12	16	23	36	62
35-49	13	14.4	235	2	4	9	14	34	55	60
50-64	5	11.2	50	4	4	8	17	21	21	21
65+	5	8.8	59	4	4	5	12	22	22	22
B. *Operated*										
0-19 YRS										
20-34	2	11.0	50	6	6	11	16	16	16	16
35-49	1	23.0		23	23	23	23	23	23	23
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	162	11.3	120	2	3	7	14	24	32	62
B. *Operated*	1	13.0		13	13	13	13	13	13	13
2. MULTIPLE DX										
A. *Not Operated*	76	14.9	198	2	4	12	20	44	69	99+
B. *Operated*	3	15.0	73	6	6	16	21	23	23	23
1. SINGLE DX	163	11.3	120	2	3	7	14	24	31	62
2. MULTIPLE DX	79	14.9	192	2	4	12	20	41	67	99+
A. NOT OPERATED	238	12.4	147	2	3	8	16	25	45	99+
B. OPERATED	4	14.5	50	6	6	14	19	23	23	23
TOTAL 0-19 YRS	42	19.4	312	4	5	14	26	62	99+	99+
20-34	133	10.8	100	2	2	8	14	21	27	62
35-49	38	12.1	127	2	3	7	19	24	29	60
50-64	19	9.2	47	3	4	7	10	20	25	28
65+	10	13.5	115	4	4	10	21	30	38	38
GRAND TOTAL	**242**	**12.5**	**146**	**2**	**3**	**9**	**16**	**25**	**44**	**99+**

96: Miscellaneous schizophrenia (295.0-295.2; 295.5-295.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	132	16.5	272	2	2	13	23	41	84	99+
20-34	1349	12.3	164	1	2	9	16	26	36	67
35-49	801	11.7	103	1	2	9	16	24	31	48
50-64	380	13.6	112	2	3	11	18	27	33	53
65+	83	14.8	146	1	2	13	21	33	38	58
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64	3	31.3	329	18	18	24	45	52	52	52
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	81	23.2	535	1	3	18	37	76	96	99+
20-34	712	14.5	197	2	2	10	19	31	45	80
35-49	651	14.5	171	2	3	11	19	29	37	69
50-64	505	14.4	134	2	3	11	19	28	39	55
65+	228	14.6	155	2	4	11	19	31	36	70
B. *Operated*										
0-19 YRS	2	26.5	313	14	14	26	39	39	39	39
20-34	31	28.9	465	2	4	30	39	68	88	99+
35-49	33	18.5	83	5	9	16	25	31	42	99+
50-64	24	25.0	381	3	5	20	34	45	67	89
65+	16	28.8	277	9	12	28	35	53	65	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2745	12.6	145	1	2	9	17	26	35	65
B. *Operated*	3	31.3	329	18	18	24	45	52	52	52
2. MULTIPLE DX										
A. *Not Operated*	2177	14.8	185	2	3	11	20	31	42	76
B. *Operated*	106	24.7	304	4	7	21	34	45	71	99+
1. SINGLE DX	2748	12.6	145	1	2	9	17	27	35	65
2. MULTIPLE DX	2283	15.3	195	2	3	11	20	32	44	81
A. NOT OPERATED	4922	13.6	164	1	2	10	18	28	38	71
B. OPERATED	109	24.9	303	4	7	21	35	48	70	99+
TOTAL 0-19 YRS	215	19.1	379	2	2	14	29	55	89	99+
20-34	2092	13.3	184	1	2	9	17	28	40	77
35-49	1485	13.1	135	1	2	10	18	27	34	64
50-64	912	14.4	135	2	3	11	19	28	37	56
65+	327	15.3	167	2	3	12	21	32	39	70
GRAND TOTAL	**5031**	**13.8**	**170**	**1**	**2**	**10**	**18**	**29**	**39**	**72**

97: Childhood psychosis (299)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	20	8.5	132	<1	1	4	10	19	38	50
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	31	25.5	649	2	2	14	57	99+	99+	99+
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	2	14.0	32	10	10	14	18	18	18	18
20-34										
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	20	8.5	132	<1	1	4	10	19	38	50
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	31	25.5	649	2	2	14	57	99+	99+	99+
B. *Operated*	2	14.0	32	10	10	14	18	18	18	18
1. SINGLE DX	20	8.5	132	<1	1	4	10	19	38	50
2. MULTIPLE DX	33	24.8	617	2	3	14	53	99+	99+	99+
A. NOT OPERATED	51	18.8	510	1	2	11	49	99	99+	99+
B. OPERATED	2	14.0	32	10	10	14	18	18	18	18
TOTAL 0-19 YRS	53	18.6	492	1	2	11	49	98	99+	99+
20-34										
35-49										
50-64										
65+										
GRAND TOTAL	**53**	**18.6**	**492**	**1**	**2**	**11**	**49**	**98**	**99+**	**99+**

98: Major depressive psychoses (296.2-296.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	155	22.4	452	1	3	16	34	58	88	99+
20-34	886	12.8	146	1	2	9	17	28	36	61
35-49	940	13.4	138	2	3	11	17	28	35	66
50-64	686	16.3	152	3	4	14	22	32	40	62
65+	449	18.7	167	3	5	16	26	34	43	68
B. *Operated*										
0-19 YRS										
20-34	2	13.5	13	11	11	13	16	16	16	16
35-49	7	22.3	427	3	4	14	29	57	64	64
50-64	2	28.0	392	14	14	28	42	42	42	42
65+	2	47.0	1568	19	19	47	75	75	75	75
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	253	22.9	579	2	3	14	40	81	98	99+
20-34	1206	14.4	191	2	2	10	20	32	43	71
35-49	1420	14.6	164	2	3	11	20	30	39	69
50-64	1255	15.7	149	3	4	12	21	32	40	57
65+	1269	17.5	205	3	4	13	24	37	46	69
B. *Operated*										
0-19 YRS	8	34.0	379	4	7	50	99+	99+	99+	99+
20-34	78	29.6	509	4	6	24	40	68	85	98
35-49	109	26.4	308	5	8	22	36	52	72	86
50-64	80	24.3	239	6	8	21	31	50	60	91
65+	115	26.4	292	5	8	26	35	56	59	89
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3116	15.1	170	2	3	12	21	31	40	71
B. *Operated*	13	25.6	486	4	8	16	34	66	73	75
2. MULTIPLE DX										
A. *Not Operated*	5403	15.9	199	2	3	12	22	34	45	82
B. *Operated*	390	26.8	331	5	8	24	37	57	73	99+
1. SINGLE DX	3129	15.1	172	2	3	12	21	31	40	71
2. MULTIPLE DX	5793	16.6	215	2	3	12	23	36	47	86
A. NOT OPERATED	8519	15.6	189	2	3	12	21	33	43	76
B. OPERATED	403	26.7	335	5	8	24	37	58	73	99+
TOTAL 0-19 YRS	416	22.9	528	2	3	16	40	74	99+	99+
20-34	2172	14.3	193	1	2	10	19	31	41	72
35-49	2476	14.7	168	2	3	11	20	31	40	72
50-64	2023	16.3	156	3	4	13	22	33	41	63
65+	1835	18.4	207	3	4	14	25	37	47	70
GRAND TOTAL	**8922**	**16.1**	**201**	**2**	**3**	**12**	**22**	**34**	**45**	**80**

99: Other affective psychoses (296.0-296.1; 296.4-296.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	79	17.1	192	3	4	13	21	40	45	65
20-34	589	13.3	143	1	2	11	17	26	34	68
35-49	612	13.1	114	1	2	11	18	26	32	52
50-64	391	14.2	140	1	3	11	19	28	36	62
65+	163	17.1	128	3	6	15	22	30	39	56
B. *Operated*										
0-19 YRS										
20-34	1	17.0		17	17	17	17	17	17	17
35-49	6	20.2	127	7	7	18	29	35	36	36
50-64	1	62.0		62	62	62	62	62	62	62
65+	1	16.0		16	16	16	16	16	16	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	97	20.1	320	2	4	16	25	39	61	89
20-34	467	14.6	195	2	2	11	19	32	46	81
35-49	570	13.2	142	<1	2	10	18	28	36	66
50-64	496	15.4	136	3	4	13	21	30	36	64
65+	349	19.0	185	3	5	16	25	37	51	67
B. *Operated*										
0-19 YRS	6	50.2	551	23	23	51	62	84	86	86
20-34	25	21.2	210	6	11	16	24	37	53	74
35-49	27	25.5	327	4	7	20	34	59	84	99+
50-64	52	27.0	359	8	9	23	37	62	93	99+
65+	29	24.8	173	7	10	25	35	45	56	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1834	13.9	135	2	3	11	18	28	35	61
B. *Operated*	9	24.0	285	7	9	17	31	52	62	62
2. MULTIPLE DX										
A. *Not Operated*	1979	15.4	174	2	3	12	21	31	42	70
B. *Operated*	139	26.2	316	7	9	22	36	59	77	99+
1. SINGLE DX	1843	14.0	136	2	3	11	18	28	35	62
2. MULTIPLE DX	2118	16.2	190	2	3	13	21	33	45	78
A. NOT OPERATED	3813	14.7	156	2	3	12	20	29	39	67
B. OPERATED	148	26.1	313	7	9	22	35	59	74	99+
TOTAL 0-19 YRS	182	19.7	301	3	4	15	25	43	58	85
20-34	1082	14.1	168	2	2	11	18	28	42	73
35-49	1215	13.4	135	1	2	11	18	28	35	64
50-64	940	15.6	160	2	4	12	21	30	39	69
65+	542	18.7	169	3	6	16	25	37	47	67
GRAND TOTAL	**3961**	**15.1**	**166**	**2**	**3**	**12**	**20**	**30**	**42**	**69**

100: Miscellaneous psychoses (297; 298)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	104	13.5	269	1	1	8	15	35	55	76
20-34	319	7.8	62	<1	1	6	11	17	22	36
35-49	205	9.3	83	1	2	7	12	19	25	48
50-64	173	10.4	95	1	2	8	14	21	29	48
65+	151	10.3	102	1	2	8	14	23	27	48
B. *Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34										
35-49	1	9.0		9	9	9	9	9	9	9
50-64	3	3.7	2	2	2	4	5	5	5	5
65+	3	5.7	9	3	3	5	8	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	99	12.2	168	1	1	8	18	33	42	80
20-34	307	10.6	128	1	2	7	14	25	34	52
35-49	254	11.1	116	1	2	8	14	25	32	54
50-64	383	12.2	126	2	2	9	16	29	36	56
65+	926	10.5	103	2	3	7	13	22	31	54
B. *Operated*										
0-19 YRS	3	4.3	12	1	1	4	7	8	8	8
20-34	13	14.0	334	4	4	7	13	34	65	72
35-49	14	22.4	243	3	3	21	29	44	55	58
50-64	30	18.3	211	4	6	14	24	32	54	68
65+	61	17.2	268	3	5	12	18	39	58	82
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	952	9.6	104	1	1	7	13	21	29	56
B. *Operated*	8	5.1	7	2	2	4	7	9	9	9
2. MULTIPLE DX										
A. *Not Operated*	1969	11.0	117	1	2	7	14	25	34	56
B. *Operated*	121	17.4	254	3	4	13	21	35	57	75
1. SINGLE DX	960	9.6	103	1	1	7	12	20	29	56
2. MULTIPLE DX	2090	11.4	127	2	2	8	14	26	35	57
A. NOT OPERATED	2921	10.6	113	1	2	7	14	23	33	56
B. OPERATED	129	16.6	247	3	4	12	20	34	57	75
TOTAL 0-19 YRS	207	12.7	216	1	1	8	16	34	49	76
20-34	639	9.3	101	1	1	6	12	21	31	48
35-49	474	10.6	109	1	2	7	14	24	30	55
50-64	589	11.9	123	1	2	9	16	27	35	56
65+	1141	10.8	114	2	3	7	14	23	32	57
GRAND TOTAL	**3050**	**10.8**	**120**	**1**	**2**	**7**	**14**	**24**	**33**	**57**

101: Anxiety states (300.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	58	3.3	17	<1	1	2	4	7	8	26
20-34	229	5.5	58	1	1	3	6	13	20	46
35-49	199	5.0	24	1	1	3	6	11	16	25
50-64	103	6.3	35	1	2	4	8	16	19	29
65+	62	6.3	70	1	2	4	7	12	16	55
B. *Operated*										
0-19 YRS										
20-34	2	2.0	2	1	1	2	3	3	3	3
35-49	1	5.0		5	5	5	5	5	5	5
50-64	3	4.3	1	3	3	5	5	5	5	5
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	103	5.3	51	1	1	3	5	14	23	35
20-34	455	6.8	62	1	1	4	7	15	25	40
35-49	542	7.1	77	1	1	4	8	16	23	44
50-64	474	6.7	47	1	2	4	8	15	21	39
65+	404	6.1	56	1	2	4	7	12	15	34
B. *Operated*										
0-19 YRS										
20-34	28	11.1	151	1	2	7	14	31	41	51
35-49	22	8.5	39	1	2	6	13	17	22	23
50-64	28	10.8	58	2	3	10	14	18	28	35
65+	16	7.8	26	3	3	6	10	15	20	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	651	5.3	42	1	1	3	6	12	18	30
B. *Operated*	6	3.7	3	1	1	4	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*	1978	6.6	61	1	2	4	8	14	21	40
B. *Operated*	94	9.8	75	2	2	7	13	21	33	78
1. SINGLE DX	657	5.3	42	1	1	3	6	12	17	30
2. MULTIPLE DX	2072	6.8	62	1	2	4	8	15	22	40
A. NOT OPERATED	2629	6.3	57	1	1	4	7	14	21	37
B. OPERATED	100	9.5	73	1	2	7	13	20	30	75
TOTAL 0-19 YRS	161	4.6	39	1	1	3	4	10	21	38
20-34	714	6.5	65	1	1	4	7	15	24	42
35-49	764	6.6	63	1	1	4	7	15	22	40
50-64	608	6.8	46	1	2	4	8	15	20	35
65+	482	6.2	57	1	2	4	7	12	15	35
GRAND TOTAL	**2729**	**6.4**	**57**	**1**	**1**	**4**	**7**	**14**	**21**	**39**

102: Neurotic depression (300.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	159	15.9	269	1	2	10	23	42	62	99+
20-34	708	8.9	78	1	2	6	11	21	27	41
35-49	630	9.7	98	1	2	7	12	21	28	52
50-64	328	9.9	97	<1	1	7	13	21	28	60
65+	136	12.1	109	2	3	8	17	25	35	50
B. *Operated*										
0-19 YRS										
20-34	2	6.0	32	2	2	6	10	10	10	10
35-49	3	14.0	27	8	8	17	17	17	17	17
50-64	4	17.0	122	8	8	13	24	33	33	33
65+	2	12.0	2	11	11	12	13	13	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	234	18.3	383	2	2	12	25	53	85	99+
20-34	996	10.6	117	1	2	7	14	24	30	50
35-49	1086	10.6	96	2	3	7	14	24	30	49
50-64	769	9.9	74	2	3	7	12	22	28	39
65+	707	10.3	78	2	3	8	13	22	28	44
B. *Operated*										
0-19 YRS	10	20.1	252	3	6	23	45	99+	99+	99+
20-34	68	19.7	346	3	4	14	26	47	71	97
35-49	92	19.1	221	4	5	15	25	37	55	70
50-64	69	18.5	276	4	6	14	21	38	55	84
65+	49	15.4	213	4	5	11	15	31	43	85
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1961	10.1	109	1	2	7	13	23	31	58
B *Operated*	11	13.3	62	2	5	12	16	24	32	33
2. MULTIPLE DX										
A. *Not Operated*	3792	10.9	115	2	2	7	14	24	31	57
B. *Operated*	288	18.5	262	3	5	14	24	41	60	94
1. SINGLE DX	1972	10.1	108	1	2	7	13	23	31	58
2. MULTIPLE DX	4080	11.4	129	2	3	8	14	26	33	67
A. NOT OPERATED	5753	10.6	113	1	2	7	14	24	31	58
B. OPERATED	299	18.3	255	3	5	14	23	40	57	92
TOTAL 0-19 YRS	403	17.4	335	1	2	11	25	49	76	99+
20-34	1774	10.2	114	1	2	7	13	24	30	52
35-49	1811	10.7	107	2	2	7	14	24	30	52
50-64	1170	10.4	96	2	3	8	13	22	29	54
65+	894	10.9	91	2	3	8	14	23	30	48
GRAND TOTAL	**6052**	**11.0**	**123**	**2**	**2**	**7**	**14**	**25**	**33**	**64**

103: Miscellaneous neuroses and personality disorders (300.1-300.3; 300.5-300.9; 301-302)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	175	8.3	158	1	1	4	9	23	32	87
20-34	349	8.3	113	1	1	4	11	19	27	60
35-49	166	7.9	92	1	1	4	10	20	29	50
50-64	67	6.1	69	<1	1	4	7	15	25	49
65+	33	7.5	41	1	1	6	11	15	21	28
B. *Operated*										
0-19 YRS										
20-34	3	7.3	37	2	2	6	12	14	14	14
35-49	18	3.9	4	1	2	4	5	7	8	8
50-64	24	3.8	3	1	1	4	5	6	7	8
65+	7	4.7	6	2	2	5	6	8	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	234	15.0	390	1	1	6	22	52	70	99+
20-34	591	9.2	133	1	1	5	11	22	32	67
35-49	425	9.9	139	1	2	6	13	21	31	69
50-64	255	9.3	91	1	2	6	13	23	30	50
65+	225	8.3	80	1	2	5	11	17	24	45
B. *Operated*										
0-19 YRS	8	23.8	1247	<1	1	8	34	86	98	98
20-34	36	12.1	140	1	2	8	14	32	39	47
35-49	34	8.9	48	1	2	7	12	17	25	31
50-64	50	7.9	61	2	2	5	11	16	20	48
65+	28	12.1	244	2	3	8	13	25	33	84
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	790	8.0	112	1	1	4	10	19	28	57
B. *Operated*	52	4.2	5	1	2	4	5	7	8	14
2. MULTIPLE DX										
A. *Not Operated*	1730	10.1	160	1	1	5	12	25	36	77
B. *Operated*	156	10.6	173	1	2	7	13	21	32	82
1. SINGLE DX	842	7.7	106	1	1	4	9	19	28	57
2. MULTIPLE DX	1886	10.1	161	1	2	6	12	25	36	79
A. NOT OPERATED	2520	9.4	145	1	1	5	11	23	33	72
B. OPERATED	208	9.0	139	1	2	5	10	17	28	69
TOTAL 0-19 YRS	417	12.4	319	1	1	5	15	41	63	99+
20-34	979	8.9	126	1	1	5	11	21	31	61
35-49	643	9.2	119	1	1	5	12	21	30	60
50-64	396	8.3	80	1	2	5	10	21	27	49
65+	293	8.5	90	1	2	6	11	17	26	46
GRAND TOTAL	**2728**	**9.4**	**145**	**1**	**1**	**5**	**11**	**23**	**32**	**72**

104: Alcoholic dependence syndrome (303)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	49	10.3	185	<1	<1	2	17	32	39	42
20-34	507	13.0	171	1	1	6	27	30	42	42
35-49	685	10.4	128	1	2	5	16	28	32	42
50-64	420	8.4	91	1	2	4	9	28	29	36
65+	97	10.1	131	1	1	5	14	28	38	42
B. *Operated*										
0-19 YRS										
20-34										
35-49	2	17.0	200	7	7	17	27	27	27	27
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	147	19.6	262	1	1	18	32	42	46	51
20-34	1244	14.9	170	1	2	9	28	34	41	42
35-49	1931	11.3	118	1	2	6	19	28	31	42
50-64	1603	10.8	108	2	2	6	14	28	30	41
65+	768	11.3	102	2	2	7	16	28	30	42
B. *Operated*										
0-19 YRS	2	25.0	288	13	13	25	37	37	37	37
20-34	47	18.8	147	2	3	19	28	33	35	51
35-49	95	14.7	131	2	3	12	20	28	29	63
50-64	93	15.2	164	2	3	11	23	32	40	59
65+	42	18.5	110	4	6	18	28	36	40	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1758	10.6	136	1	1	5	17	29	35	42
B. *Operated*	2	17.0	200	7	7	17	27	27	27	27
2. MULTIPLE DX										
A. *Not Operated*	5693	12.1	132	1	2	7	21	29	35	42
B. *Operated*	279	16.2	144	2	3	13	25	31	37	59
1. SINGLE DX	1760	10.6	136	1	1	5	17	29	35	42
2. MULTIPLE DX	5972	12.3	133	1	2	7	21	29	35	42
A. NOT OPERATED	7451	11.8	133	1	2	6	20	29	35	42
B. OPERATED	281	16.2	143	2	3	13	25	31	37	59
TOTAL 0-19 YRS	198	17.3	257	<1	1	12	30	42	44	51
20-34	1798	14.4	171	1	1	8	28	33	41	42
35-49	2713	11.2	122	1	2	6	18	28	31	42
50-64	2116	10.5	109	1	2	6	14	28	30	42
65+	907	11.5	108	2	2	7	17	28	32	42
GRAND TOTAL	**7732**	**12.0**	**134**	**1**	**2**	**6**	**21**	**29**	**35**	**42**

105: Opioid dependence (304.0; 304.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	10.0	348	1	1	4	5	41	56	56
20-34	95	10.6	103	1	2	7	12	28	31	45
35-49	21	11.6	177	1	2	6	12	42	42	42
50-64	6	24.8	272	4	4	27	42	42	42	42
65+										
B. *Operated*										
0-19 YRS										
20-34	1	16.0		16	16	16	16	16	16	16
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	18.5	421	4	4	18	33	33	33	33
20-34	187	13.9	141	2	3	10	19	31	39	45
35-49	63	12.9	86	3	4	10	17	28	34	42
50-64	21	14.2	118	2	5	9	16	33	41	42
65+	5	8.6	20	5	5	6	13	14	14	14
B. *Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	21	17.1	74	7	9	14	20	28	36	43
35-49	7	24.3	362	8	9	14	36	56	60	60
50-64										
65+	1	7.0		7	7	7	7	7	7	7
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	130	11.4	141	1	2	7	12	29	42	49
B. *Operated*	1	16.0		16	16	16	16	16	16	16
2. MULTIPLE DX										
A. *Not Operated*	278	13.7	125	2	3	10	18	30	39	42
B. *Operated*	30	18.0	147	6	7	14	21	35	43	60
1. SINGLE DX	131	11.4	140	1	2	7	12	29	42	49
2. MULTIPLE DX	308	14.1	128	2	3	11	18	30	40	45
A. NOT OPERATED	408	12.9	131	2	3	9	17	30	41	44
B. OPERATED	31	17.9	142	6	7	14	21	34	43	60
TOTAL 0-19 YRS	11	11.0	302	1	2	4	6	42	55	56
20-34	304	13.1	127	2	3	9	18	29	39	45
35-49	91	13.5	133	3	3	10	17	31	42	53
50-64	27	16.6	163	2	5	11	24	41	42	42
65+	6	8.3	17	5	5	6	13	14	14	14
GRAND TOTAL	**439**	**13.3**	**133**	**2**	**3**	**9**	**18**	**30**	**41**	**47**

106: Drug dependence, except opioid (304.1-304.6; 304.8-304.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	26	21.2	244	2	3	16	36	42	45	56
20-34	98	15.4	178	1	2	9	27	33	42	48
35-49	29	14.4	237	1	1	6	27	41	42	42
50-64	13	11.5	84	<1	2	12	15	23	33	35
65+	5	13.0	80	2	2	15	19	24	24	24
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	50	27.9	329	2	4	30	42	48	49	88
20-34	213	18.0	167	2	3	15	28	36	42	45
35-49	80	17.1	173	3	3	12	28	42	42	50
50-64	36	16.5	188	<1	3	11	25	41	43	44
65+	32	17.8	186	5	6	12	22	42	42	54
B. *Operated*										
0-19 YRS	1	36.0		36	36	36	36	36	36	36
20-34	8	25.9	169	9	10	24	36	44	44	44
35-49	6	15.8	65	8	8	14	19	29	30	30
50-64	3	29.0	507	3	3	42	42	42	42	42
65+	1	22.0		22	22	22	22	22	22	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	171	15.7	191	1	2	10	27	38	42	49
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	411	18.9	201	2	4	14	29	42	42	51
B. *Operated*	19	23.5	176	5	8	20	35	43	44	44
1. SINGLE DX	171	15.7	191	1	2	10	27	38	42	49
2. MULTIPLE DX	430	19.1	200	2	4	15	29	42	42	51
A. NOT OPERATED	582	18.0	200	2	3	14	28	42	42	50
B. OPERATED	19	23.5	176	5	8	20	35	43	44	44
TOTAL 0-19 YRS	77	25.7	304	2	4	28	40	45	49	79
20-34	319	17.4	173	1	3	14	28	36	42	47
35-49	115	16.4	183	2	3	11	27	42	42	49
50-64	52	16.0	184	<1	3	12	23	41	42	44
65+	38	17.3	168	3	5	13	22	41	42	54
GRAND TOTAL	**601**	**18.1**	**200**	**2**	**3**	**14**	**29**	**42**	**42**	**50**

121: Retinal detachment and defects (361)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	1.5	1	<1	<1	1	2	2	2	2
20-34										
35-49	1	1.0		<1	<1	<1	<1	<1	<1	<1
50-64	3	1.3		<1	<1	<1	2	2	2	2
65+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS	31	4.7	4	2	2	4	6	7	8	11
20-34	53	5.1	7	3	3	4	6	8	10	16
35-49	71	4.6	5	2	2	4	6	7	9	13
50-64	197	4.2	4	2	2	4	5	7	8	10
65+	242	4.0	5	1	2	4	5	6	8	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	4	1.0		<1	<1	1	1	1	1	1
35-49	3	5.0	3	4	4	4	6	7	7	7
50-64	7	3.6	6	1	1	2	6	7	7	7
65+	6	1.8	1	<1	<1	1	2	4	4	4
B. *Operated*										
0-19 YRS	39	4.5	5	1	2	4	6	8	9	11
20-34	78	5.1	7	2	3	5	6	8	10	16
35-49	114	5.0	6	2	3	5	6	8	10	14
50-64	281	5.2	12	2	2	4	6	9	11	20
65+	411	5.1	6	2	3	5	6	8	9	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	1.6	1	<1	<1	<1	2	3	3	3
B. *Operated*	594	4.3	5	2	2	4	5	7	8	12
2. MULTIPLE DX										
A. *Not Operated*	22	2.6	4	<1	<1	2	4	6	7	7
B. *Operated*	923	5.1	8	2	3	4	6	8	10	14
1. SINGLE DX	601	4.3	5	2	2	4	5	7	8	12
2. MULTIPLE DX	945	5.0	8	2	3	4	6	8	10	14
A. NOT OPERATED	29	2.4	3	<1	<1	2	3	6	7	7
B. OPERATED	1517	4.8	7	2	2	4	6	8	9	14
TOTAL 0-19 YRS	74	4.4	5	1	2	4	6	7	8	11
20-34	135	5.0	7	2	3	4	6	8	10	16
35-49	189	4.8	5	2	2	4	6	8	9	13
50-64	488	4.7	9	2	2	4	6	8	9	14
65+	660	4.7	6	2	2	4	6	8	9	13
GRAND TOTAL	**1546**	**4.7**	**7**	**2**	**2**	**4**	**6**	**8**	**9**	**14**

122: Open angle and primary closure glaucoma (365.1-365.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	1.0		<1	<1	1	1	1	1	1
20-34										
35-49	8	1.8	1	1	1	2	2	3	3	3
50-64	10	2.1	5	<1	<1	1	2	5	8	8
65+	18	2.2	11	<1	1	1	2	4	11	15
B. *Operated*										
0-19 YRS	8	3.4	7	<1	<1	2	5	7	8	8
20-34	13	3.0	3	1	1	2	3	6	8	8
35-49	18	2.7	6	1	1	2	3	7	9	10
50-64	84	2.8	4	1	1	2	4	5	7	11
65+	133	2.4	2	1	1	2	3	4	5	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	1	2.0		2	2	2	2	2	2	2
35-49	2	12.5	221	2	2	12	23	23	23	23
50-64	7	4.6	27	1	1	3	4	14	16	16
65+	29	3.9	26	1	1	2	4	7	12	28
B. *Operated*										
0-19 YRS	3	1.7		1	1	2	2	2	2	2
20-34	12	3.1	3	1	1	2	4	5	6	6
35-49	11	3.5	3	1	1	3	5	6	6	6
50-64	65	4.5	34	1	1	2	6	8	13	35
65+	205	4.3	20	1	2	3	5	9	11	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	44	1.9	6	<1	1	1	2	3	5	15
B. *Operated*	256	2.6	3	1	1	2	3	5	6	10
2. MULTIPLE DX										
A. *Not Operated*	41	4.3	32	1	1	2	4	9	19	28
B. *Operated*	296	4.3	21	1	1	3	5	8	12	24
1. SINGLE DX	300	2.5	4	1	1	2	3	5	6	10
2. MULTIPLE DX	337	4.3	22	1	1	3	5	8	12	25
A. NOT OPERATED	85	3.0	20	<1	1	2	3	6	12	26
B. OPERATED	552	3.5	14	1	1	2	4	7	10	17
TOTAL 0-19 YRS	21	2.0	4	<1	<1	1	2	5	7	8
20-34	26	3.0	3	1	2	2	4	5	6	8
35-49	39	3.2	15	1	1	2	3	6	9	23
50-64	166	3.5	17	1	1	2	4	7	10	24
65+	385	3.5	14	1	1	2	4	7	10	18
GRAND TOTAL	**637**	**3.4**	**14**	**1**	**1**	**2**	**4**	**6**	**10**	**19**

123: Other glaucoma (365.0; 365.3-365.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	1	4.0		4	4	4	4	4	4	4
35-49	1	9.0		9	9	9	9	9	9	9
50-64	6	3.5	8	1	1	2	6	8	8	8
65+	13	2.5	1	1	1	3	3	4	5	5
B. *Operated*										
0-19 YRS	12	2.5	3	<1	1	2	3	4	7	7
20-34	13	4.1	8	2	2	3	4	7	12	13
35-49	22	3.1	2	1	1	3	4	5	6	8
50-64	24	3.8	13	1	1	2	4	9	12	17
65+	82	2.6	4	1	1	2	3	4	4	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	1.3		<1	<1	1	2	2	2	2
20-34	5	7.2	19	2	2	8	10	13	13	13
35-49	7	3.0	2	1	1	3	4	5	5	5
50-64	15	3.8	6	1	2	3	5	8	9	10
65+	25	4.3	36	1	1	3	5	7	14	31
B. *Operated*										
0-19 YRS	11	3.5	17	1	1	2	4	9	15	15
20-34	15	5.1	21	1	2	4	5	13	17	18
35-49	24	3.7	3	1	2	3	5	6	7	8
50-64	70	4.5	15	<1	1	3	6	9	11	21
65+	129	4.3	24	1	1	3	5	8	11	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	22	3.1	5	1	1	3	3	7	8	9
B. *Operated*	153	3.0	6	1	1	2	3	4	7	17
2. MULTIPLE DX										
A. *Not Operated*	55	4.1	21	1	1	3	5	8	10	30
B. *Operated*	249	4.3	19	1	1	3	5	8	11	25
1. SINGLE DX	175	3.0	6	1	1	3	3	4	8	16
2. MULTIPLE DX	304	4.3	19	1	1	3	5	8	11	26
A. NOT OPERATED	77	3.8	16	1	1	3	4	8	9	26
B. OPERATED	402	3.8	14	1	1	3	4	7	10	21
TOTAL 0-19 YRS	27	2.7	8	<1	1	2	3	5	8	15
20-34	34	5.0	15	2	2	4	5	13	13	18
35-49	54	3.4	3	1	2	3	4	6	8	9
50-64	115	4.2	13	1	1	3	6	8	11	19
65+	249	3.7	18	1	1	3	4	6	9	27
GRAND TOTAL	**479**	**3.8**	**14**	**1**	**1**	**3**	**4**	**7**	**10**	**21**

124: Senile cataract (366.1; 366.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	6	1.3		<1	<1	1	2	2	2	2
65+	29	1.8	1	<1	<1	2	2	3	4	5
B. *Operated*										
0-19 YRS										
20-34										
35-49	330	1.9		<1	1	2	2	3	3	4
50-64	1998	1.9	1	1	1	2	2	3	3	4
65+	8906	2.0	1	1	1	2	2	3	3	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	3	1.3		1	1	1	2	2	2	2
50-64	41	3.0	14	<1	<1	2	3	7	13	17
65+	250	2.1	5	<1	<1	1	2	4	5	14
B. *Operated*										
0-19 YRS										
20-34										
35-49	200	2.4	2	1	1	2	2	4	5	9
50-64	1727	2.3	2	1	1	2	2	3	4	7
65+	8732	2.4	3	1	2	2	2	3	4	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	35	1.7	1	<1	<1	1	2	3	4	5
B. *Operated*	11234	2.0	1	1	1	2	2	3	3	4
2. MULTIPLE DX										
A. *Not Operated*	294	2.2	6	<1	<1	1	2	4	5	15
B. *Operated*	10659	2.4	3	1	2	2	2	3	4	9
1. SINGLE DX	11269	2.0	1	1	1	2	2	3	3	4
2. MULTIPLE DX	10953	2.4	3	1	2	2	2	3	4	9
A. NOT OPERATED	329	2.2	6	<1	<1	1	2	4	5	15
B. OPERATED	21893	2.2	2	1	1	2	2	3	4	7
TOTAL 0-19 YRS										
20-34										
35-49	533	2.1	1	1	1	2	2	3	4	7
50-64	3772	2.1	1	1	1	2	2	3	3	6
65+	17917	2.2	2	1	1	2	2	3	4	7
GRAND TOTAL	**22222**	**2.2**	**2**	**1**	**1**	**2**	**2**	**3**	**4**	**7**

125: Cataract, except senile (366.0; 366.2-366.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	1.7		<1	<1	2	2	2	2	2
20-34										
35-49										
50-64	1	2.0		2	2	2	2	2	2	2
65+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	53	2.1	2	1	1	2	2	3	4	11
20-34	19	2.5	2	1	1	2	3	5	7	7
35-49	39	2.3	1	1	1	2	2	4	4	6
50-64	65	1.9		<1	1	2	2	3	3	4
65+	123	1.8	1	<1	1	2	2	3	3	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	2.8	2	1	1	3	4	4	4	4
20-34	1	2.0		2	2	2	2	2	2	2
35-49	1	1.0		1	1	1	1	1	1	1
50-64	2	1.5	1	1	1	1	2	2	2	2
65+	3	1.3		<1	<1	1	2	2	2	2
B. *Operated*										
0-19 YRS	49	2.5	2	1	1	2	3	4	5	8
20-34	25	2.7	1	1	2	2	3	4	5	6
35-49	36	3.0	2	1	2	2	4	5	7	7
50-64	77	2.4	2	1	1	2	2	4	5	9
65+	130	2.3	2	1	1	2	2	4	5	7
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	1.8		<1	<1	2	2	2	2	2
B. *Operated*	299	2.0	1	<1	1	2	2	3	3	7
2. MULTIPLE DX										
A. *Not Operated*	11	1.9	1	<1	<1	2	2	4	4	4
B. *Operated*	317	2.4	2	1	1	2	3	4	5	8
1. SINGLE DX	304	2.0	1	<1	1	2	2	3	3	7
2. MULTIPLE DX	328	2.4	2	1	1	2	3	4	5	8
A. NOT OPERATED	16	1.9	1	<1	<1	2	2	4	4	4
B. OPERATED	616	2.2	2	1	1	2	2	4	5	7
TOTAL 0-19 YRS	109	2.3	2	1	1	2	3	4	4	9
20-34	45	2.6	2	1	1	2	3	4	6	7
35-49	76	2.6	2	1	2	2	3	4	6	7
50-64	145	2.2	1	1	1	2	2	3	4	8
65+	257	2.0	2	<1	1	2	2	3	4	7
GRAND TOTAL	**632**	**2.2**	**2**	**1**	**1**	**2**	**2**	**4**	**4**	**7**

126: Strabismus (378)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	14	1.9	1	<1	<1	2	2	4	4	4
20-34	6	3.0	1	2	2	3	4	4	4	4
35-49	10	4.0	5	1	1	3	6	7	8	8
50-64	9	3.4	3	2	2	3	4	6	7	7
65+	6	3.3	3	2	2	3	4	6	6	6
B. *Operated*										
0-19 YRS	1223	1.4		<1	<1	1	2	2	2	2
20-34	126	1.9		1	1	2	2	2	3	5
35-49	65	1.9		<1	1	2	2	2	3	3
50-64	40	2.4	3	1	1	2	2	4	6	10
65+	18	2.4	3	1	1	2	3	4	6	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	52	1.4	1	<1	<1	1	1	3	4	7
20-34	14	3.0	5	<1	<1	2	3	7	7	7
35-49	15	4.4	6	1	2	4	6	8	9	10
50-64	19	4.0	6	1	2	3	6	8	10	10
65+	40	5.4	15	2	3	4	6	11	14	18
B. *Operated*										
0-19 YRS	362	1.6	1	<1	<1	2	2	2	3	5
20-34	65	2.0	1	1	1	2	2	3	4	8
35-49	37	2.3	1	1	1	2	3	4	4	6
50-64	50	4.0	56	1	1	2	4	7	8	54
65+	46	3.6	7	1	1	2	5	8	10	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	45	3.0	3	<1	1	3	4	6	7	8
B. *Operated*	1472	1.5		<1	<1	1	2	2	2	3
2. MULTIPLE DX										
A. *Not Operated*	140	3.4	9	<1	<1	3	4	7	10	16
B. *Operated*	560	2.1	7	<1	<1	2	2	3	5	9
1. SINGLE DX	1517	1.5	1	<1	<1	1	2	2	2	4
2. MULTIPLE DX	700	2.3	7	<1	<1	2	2	4	7	10
A. NOT OPERATED	185	3.3	8	<1	<1	3	4	7	9	15
B. OPERATED	2032	1.7	2	<1	<1	2	2	2	3	6
TOTAL 0-19 YRS	1651	1.4		<1	<1	1	2	2	2	3
20-34	211	2.0	1	1	1	2	2	3	4	7
35-49	127	2.5	2	1	1	2	3	4	6	9
50-64	118	3.4	26	1	1	2	3	6	8	24
65+	110	4.0	10	1	2	3	5	8	10	17
GRAND TOTAL	**2217**	**1.8**	**3**	**<1**	**<1**	**2**	**2**	**2**	**4**	**8**

127: Miscellaneous disorders of superficial structures of eye (370-375)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	300	1.7	3	<1	<1	<1	1	4	5	10
20-34	33	3.8	5	1	1	3	5	7	9	10
35-49	24	5.2	57	<1	<1	3	7	9	20	38
50-64	16	5.8	29	1	1	4	8	14	19	21
65+	30	4.6	19	<1	1	3	6	10	14	20
B. *Operated*										
0-19 YRS	221	1.7	1	<1	<1	1	2	3	4	5
20-34	123	2.3	2	<1	<1	2	3	4	5	9
35-49	196	1.8	1	<1	<1	2	2	3	4	6
50-64	209	2.2	5	<1	<1	2	2	3	4	10
65+	414	2.2	3	<1	<1	2	3	4	4	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	148	3.4	6	<1	1	3	4	6	8	14
20-34	25	5.3	20	<1	1	4	7	12	15	18
35-49	35	4.9	22	<1	<1	3	6	11	14	22
50-64	48	4.4	13	<1	1	3	6	8	10	19
65+	98	5.5	20	<1	1	5	7	11	14	24
B. *Operated*										
0-19 YRS	90	3.4	78	<1	<1	2	3	5	6	56
20-34	85	4.0	21	1	1	2	4	10	13	27
35-49	139	2.7	4	<1	1	2	3	5	7	12
50-64	269	3.4	21	1	1	2	4	5	9	31
65+	660	3.2	9	1	1	2	4	5	8	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	403	2.4	10	<1	<1	1	3	5	8	15
B. *Operated*	1163	2.1	3	<1	<1	2	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	354	4.4	14	<1	1	3	6	9	12	19
B. *Operated*	1243	3.3	17	1	1	2	4	5	9	20
1. SINGLE DX	1566	2.2	5	<1	<1	2	2	4	5	10
2. MULTIPLE DX	1597	3.5	17	<1	1	2	4	6	10	19
A. NOT OPERATED	757	3.3	13	<1	<1	2	4	7	10	18
B. OPERATED	2406	2.7	11	<1	<1	2	3	4	6	15
TOTAL 0-19 YRS	759	2.2	12	<1	<1	1	2	4	6	11
20-34	266	3.3	11	<1	1	2	4	6	9	16
35-49	394	2.6	9	<1	<1	2	3	5	7	14
50-64	542	3.1	15	<1	1	2	3	5	8	21
65+	1202	3.1	9	<1	1	2	3	5	8	18
GRAND TOTAL	**3163**	**2.8**	**11**	**<1**	**<1**	**2**	**3**	**5**	**7**	**16**

128: Miscellaneous disorders of deep structures of eye (360; 362-364; 376-377; 379.0-379.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	284	3.7	5	1	1	3	4	6	8	11
20-34	54	3.4	4	1	1	3	4	6	7	11
35-49	39	3.6	8	<1	1	3	5	7	9	15
50-64	41	3.2	4	1	1	3	4	6	7	10
65+	34	2.9	3	1	1	3	4	6	6	6
B. *Operated*										
0-19 YRS	65	3.1	8	<1	<1	2	4	6	8	17
20-34	44	3.2	5	2	2	3	3	5	7	13
35-49	60	2.7	4	1	1	2	3	5	7	12
50-64	189	2.5	4	1	1	2	2	4	7	13
65+	463	2.2	2	<1	1	2	2	3	4	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	305	4.2	6	1	2	4	5	8	9	12
20-34	79	4.0	7	1	1	3	6	8	9	12
35-49	61	5.1	11	1	2	4	6	10	13	15
50-64	101	4.5	11	1	1	3	6	8	11	18
65+	156	4.7	11	1	1	4	6	10	11	19
B. *Operated*										
0-19 YRS	97	5.6	34	1	2	4	7	12	14	33
20-34	80	4.6	17	<1	2	3	5	8	12	25
35-49	102	4.1	9	1	2	3	6	7	10	16
50-64	287	4.3	15	1	2	3	5	8	12	22
65+	776	3.8	16	1	2	2	4	8	11	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	452	3.5	5	1	1	3	4	6	8	11
B. *Operated*	821	2.4	4	<1	1	2	2	4	6	11
2. MULTIPLE DX										
A. *Not Operated*	702	4.4	8	1	1	4	5	8	11	14
B. *Operated*	1342	4.1	17	1	2	3	5	8	11	20
1. SINGLE DX	1273	2.8	4	1	1	2	3	5	7	11
2. MULTIPLE DX	2044	4.2	14	1	2	3	5	8	11	18
A. NOT OPERATED	1154	4.1	7	1	1	3	5	8	10	14
B. OPERATED	2163	3.4	13	1	1	2	4	7	10	17
TOTAL 0-19 YRS	751	4.1	10	1	1	3	5	8	10	14
20-34	257	3.9	9	1	1	3	5	7	9	15
35-49	262	3.9	9	1	1	3	5	8	10	15
50-64	618	3.7	11	1	1	2	4	8	10	17
65+	1429	3.3	12	1	1	2	4	7	10	17
GRAND TOTAL	**3317**	**3.7**	**11**	**1**	**1**	**3**	**4**	**7**	**10**	**15**

129: Other disorders of eye (367-369; 379.5; 379.8-379.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	1.9	1	1	1	2	2	4	5	5
20-34	22	3.0	4	<1	1	2	4	7	8	8
35-49	12	3.3	1	2	2	4	4	5	5	5
50-64	17	2.8	2	<1	1	2	4	5	6	6
65+	10	4.2	13	2	2	3	4	9	14	14
B. *Operated*										
0-19 YRS	12	1.8		<1	1	2	2	2	2	2
20-34	19	2.5	8	1	1	2	2	5	9	13
35-49	20	2.9	25	<1	<1	2	2	3	14	24
50-64	13	3.3	7	1	2	3	3	5	11	12
65+	7	2.1		1	1	2	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	29	3.0	5	1	1	2	4	7	8	8
20-34	28	3.4	5	1	1	3	4	7	8	10
35-49	30	4.0	7	1	1	4	5	8	10	11
50-64	55	3.7	4	1	2	3	5	6	7	12
65+	56	4.9	11	1	1	4	7	9	10	19
B. *Operated*										
0-19 YRS	9	1.8	1	<1	<1	2	2	3	3	3
20-34	28	3.1	4	1	2	3	3	4	8	11
35-49	23	3.5	3	1	2	3	4	6	7	8
50-64	43	3.5	3	2	2	3	4	7	7	8
65+	50	4.9	16	2	2	3	7	10	12	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	73	3.0	4	1	1	2	4	5	7	13
B. *Operated*	71	2.6	10	1	1	2	3	3	5	22
2. MULTIPLE DX										
A. *Not Operated*	198	3.9	7	1	1	3	5	8	9	13
B. *Operated*	153	3.8	8	1	2	3	4	7	9	14
1. SINGLE DX	144	2.8	7	1	1	2	3	4	6	15
2. MULTIPLE DX	351	3.9	7	1	1	3	5	7	9	13
A. NOT OPERATED	271	3.7	7	1	1	3	5	7	8	13
B. OPERATED	224	3.4	9	1	1	2	4	7	9	16
TOTAL 0-19 YRS	62	2.4	3	<1	1	2	2	5	7	8
20-34	97	3.0	5	1	1	2	4	6	8	12
35-49	85	3.5	9	1	1	3	4	5	8	19
50-64	128	3.4	4	1	2	3	4	6	7	12
65+	123	4.7	13	1	2	3	7	9	12	20
GRAND TOTAL	495	3.5	8	1	1	3	4	7	8	14

130: Otitis media, chronic and unspecified (381.1-381.4; 382.1-382.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	555	2.8	3	1	1	2	3	5	6	10
20-34	10	4.4	10	1	1	3	6	9	12	12
35-49	10	3.9	9	1	1	3	6	8	9	9
50-64	4	8.3	22	4	4	7	11	15	15	15
65+	3	3.7	1	3	3	3	5	5	5	5
B. *Operated*										
0-19 YRS	2209	1.2	1	<1	<1	<1	1	2	2	4
20-34	114	1.8	1	<1	1	2	2	3	3	6
35-49	121	2.2	6	1	1	2	2	3	4	14
50-64	84	1.9	1	1	1	2	2	3	3	5
65+	43	2.1	1	<1	1	2	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2135	3.1	4	1	1	3	4	5	7	10
20-34	81	3.9	6	1	1	3	5	7	8	14
35-49	54	4.6	12	1	2	4	6	9	13	15
50-64	60	4.7	11	1	2	4	6	9	11	18
65+	38	5.8	12	1	2	5	7	12	13	14
B. *Operated*										
0-19 YRS	2076	1.8	3	<1	<1	2	2	3	4	8
20-34	226	2.5	3	1	1	2	3	4	5	11
35-49	193	2.3	2	1	1	2	3	3	5	9
50-64	188	3.2	49	1	1	2	3	5	7	18
65+	91	3.9	76	1	1	2	3	6	8	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	582	2.9	4	1	1	3	3	5	6	11
B. *Operated*	2571	1.3	1	<1	<1	1	1	2	2	4
2. MULTIPLE DX										
A. *Not Operated*	2368	3.3	4	1	1	3	4	6	7	12
B. *Operated*	2774	2.1	8	<1	<1	2	2	3	4	9
1. SINGLE DX	3153	1.6	2	<1	<1	1	2	3	4	7
2. MULTIPLE DX	5142	2.6	7	<1	1	2	3	5	6	11
A. NOT OPERATED	2950	3.2	4	1	1	3	4	5	7	11
B. OPERATED	5345	1.7	5	<1	<1	1	2	3	3	8
TOTAL 0-19 YRS	6975	2.1	3	<1	<1	2	3	4	5	9
20-34	431	2.6	4	1	1	2	3	5	7	11
35-49	378	2.7	6	1	1	2	3	5	7	13
50-64	336	3.2	31	1	1	2	3	5	8	16
65+	175	3.9	44	1	1	2	4	7	10	25
GRAND TOTAL	8295	2.2	5	<1	<1	2	3	4	5	10

131: Other inflammation of ear and mastoid (380.0-380.2; 381.0; 381.5; 382.0; 383; 384.0-384.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	79	3.2	3	1	1	3	4	5	7	10
20-34	39	4.3	10	1	2	4	6	7	12	16
35-49	26	4.5	5	2	2	4	6	7	9	11
50-64	25	4.4	5	1	2	5	6	7	8	10
65+	6	3.3	2	<1	<1	3	4	5	5	5
B. *Operated*										
0-19 YRS	173	1.8	3	<1	<1	1	2	4	5	7
20-34	48	3.9	28	1	1	2	5	8	11	35
35-49	28	2.2	1	1	1	2	3	4	4	5
50-64	37	2.9	11	1	1	2	3	5	5	21
65+	16	3.6	12	1	1	2	4	9	12	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	227	4.1	10	1	2	3	5	8	10	14
20-34	72	4.5	7	1	2	4	6	7	9	15
35-49	62	4.6	7	1	2	4	6	8	11	14
50-64	64	6.6	16	2	3	6	8	11	13	25
65+	63	7.2	22	2	3	6	9	12	16	28
B. *Operated*										
0-19 YRS	304	2.8	15	<1	1	2	3	5	10	19
20-34	97	3.1	7	1	1	2	3	6	8	17
35-49	89	4.5	64	<1	1	3	4	8	14	51
50-64	83	4.2	13	1	1	3	6	9	12	18
65+	72	8.8	137	1	2	4	10	23	33	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	175	3.8	5	1	2	3	5	7	8	12
B. *Operated*	302	2.4	9	<1	<1	1	3	5	6	14
2. MULTIPLE DX										
A. *Not Operated*	488	5.0	13	1	2	4	6	9	11	19
B. *Operated*	645	3.9	37	<1	1	2	4	8	13	33
1. SINGLE DX	477	2.9	8	<1	<1	2	4	6	7	13
2. MULTIPLE DX	1133	4.4	27	1	1	3	5	8	12	27
A. NOT OPERATED	663	4.7	11	1	2	4	6	8	11	16
B. OPERATED	947	3.4	29	<1	<1	2	3	7	11	28
TOTAL 0-19 YRS	783	3.0	10	<1	<1	2	4	6	8	14
20-34	256	3.8	12	1	1	3	5	7	9	16
35-49	205	4.2	31	1	1	3	5	7	10	22
50-64	209	4.7	14	1	2	4	6	9	12	19
65+	157	7.4	75	1	2	5	8	15	23	47
GRAND TOTAL	**1610**	**4.0**	**22**	**<1**	**1**	**3**	**5**	**8**	**11**	**22**

132: Vertiginous syndromes (386)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	22	3.0	3	<1	1	3	4	5	6	7
20-34	105	3.4	5	1	1	3	4	5	8	13
35-49	188	3.0	4	1	1	3	4	5	7	10
50-64	263	2.9	3	1	1	2	4	5	6	10
65+	247	3.4	4	1	1	3	4	6	7	11
B. *Operated*										
0-19 YRS	8	2.3	1	<1	<1	2	3	4	4	4
20-34	31	3.5	5	1	1	3	4	7	8	10
35-49	44	3.4	5	1	2	3	4	6	8	14
50-64	47	3.9	5	1	2	3	5	7	8	10
65+	20	3.9	6	1	1	3	5	7	9	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	36	3.2	3	1	1	3	4	5	6	8
20-34	170	3.8	10	1	1	3	4	6	8	14
35-49	350	3.9	6	1	1	3	5	7	9	13
50-64	804	4.2	8	1	2	3	5	8	10	14
65+	1454	4.5	9	2	2	4	6	8	10	16
B. *Operated*										
0-19 YRS	5	4.2	7	2	2	3	6	8	8	8
20-34	23	4.6	15	1	2	3	6	12	13	15
35-49	42	5.2	13	1	2	4	7	12	12	14
50-64	65	5.4	13	2	2	5	7	10	11	19
65+	117	6.9	22	2	3	6	9	12	15	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	825	3.2	4	1	1	3	4	5	7	10
B. *Operated*	150	3.6	5	1	1	3	4	7	8	10
2. MULTIPLE DX										
A. *Not Operated*	2814	4.3	9	1	2	4	5	8	10	15
B. *Operated*	252	6.0	18	2	2	5	8	11	13	25
1. SINGLE DX	975	3.2	4	1	1	3	4	6	7	10
2. MULTIPLE DX	3066	4.4	10	1	2	4	6	8	10	15
A. NOT OPERATED	3639	4.0	8	1	2	3	5	7	9	14
B. OPERATED	402	5.1	15	1	2	4	7	10	12	21
TOTAL 0-19 YRS	71	3.1	3	1	1	3	4	5	6	8
20-34	329	3.7	8	1	1	3	4	7	8	14
35-49	624	3.7	6	1	1	3	5	7	9	13
50-64	1179	4.0	7	1	1	3	5	7	9	14
65+	1838	4.5	10	2	2	4	6	8	10	16
GRAND TOTAL	**4041**	**4.1**	**8**	**1**	**2**	**3**	**5**	**7**	**10**	**15**

133: Otosclerosis (387)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	3.0		3	3	3	3	3	3	3
65+										
B. *Operated*										
0-19 YRS	11	2.5		1	1	3	3	3	3	3
20-34	101	2.2	1	1	1	2	3	3	4	4
35-49	188	2.3	1	1	1	2	3	3	4	5
50-64	121	2.4	1	1	2	2	3	3	4	5
65+	59	2.5	1	1	1	2	3	4	5	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	3	1.0		1	1	1	1	1	1	1
50-64	2	5.0	32	1	1	5	9	9	9	9
65+	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-19 YRS	10	2.3		2	2	2	3	3	3	3
20-34	48	2.5	1	1	1	2	3	4	5	6
35-49	57	2.4	1	1	1	2	3	3	4	6
50-64	74	2.5	2	1	2	2	3	3	4	10
65+	29	2.4	1	1	1	2	3	4	4	5
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	3.0		3	3	3	3	3	3	3
B. *Operated*	480	2.3	1	1	1	2	3	3	4	5
2. MULTIPLE DX										
A. *Not Operated*	7	2.6	9	<1	<1	1	3	8	9	9
B. *Operated*	218	2.5	1	1	1	2	3	4	4	6
1. SINGLE DX	481	2.3	1	1	1	2	3	3	4	5
2. MULTIPLE DX	225	2.5	1	1	1	2	3	4	4	7
A. NOT OPERATED	8	2.6	8	<1	<1	1	3	7	9	9
B. OPERATED	698	2.3	1	1	1	2	3	3	4	5
TOTAL 0-19 YRS	21	2.4		1	2	2	3	3	3	3
20-34	150	2.3	1	1	1	2	3	3	4	5
35-49	248	2.3	1	1	1	2	3	3	4	5
50-64	198	2.4	1	1	2	2	3	3	4	7
65+	89	2.5	1	1	1	2	3	4	4	6
GRAND TOTAL	**706**	**2.4**	**1**	**1**	**1**	**2**	**3**	**3**	**4**	**6**

134: Miscellaneous diseases of ear (380.3-380.9; 381.6-381.9; 384.2-384.9; 385; 388-389)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	15	1.9	7	<1	<1	1	2	2	9	11
20-34	22	3.4	5	<1	1	3	5	6	8	9
35-49	32	3.3	4	1	1	3	4	6	7	10
50-64	23	4.0	7	1	1	4	5	6	9	14
65+	8	3.6	4	1	1	4	5	6	6	6
B. *Operated*										
0-19 YRS	609	1.8	1	<1	<1	2	2	3	3	4
20-34	325	2.1	1	1	1	2	2	3	4	7
35-49	279	2.1	1	1	1	2	2	3	3	6
50-64	205	2.2	2	1	1	2	3	3	4	7
65+	90	2.3	3	1	1	2	3	3	4	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	30	3.2	16	<1	<1	2	4	6	9	22
20-34	19	2.8	7	<1	<1	2	4	5	9	12
35-49	47	3.2	5	1	1	3	4	6	7	11
50-64	58	3.9	7	1	1	3	5	8	9	10
65+	72	5.0	18	1	2	5	6	8	11	29
B. *Operated*										
0-19 YRS	555	1.9	1	<1	1	2	2	3	3	6
20-34	292	2.3	4	1	1	2	3	3	4	13
35-49	313	2.3	2	1	1	2	3	3	4	8
50-64	262	2.7	4	1	1	2	3	4	6	12
65+	157	3.0	4	1	1	2	3	5	8	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	100	3.3	6	<1	1	3	5	6	7	12
B. *Operated*	1508	2.0	1	<1	1	2	2	3	3	6
2. MULTIPLE DX										
A. *Not Operated*	226	3.9	12	1	1	3	5	8	9	14
B. *Operated*	1579	2.3	3	1	1	2	3	3	4	9
1. SINGLE DX	1608	2.1	2	<1	1	2	2	3	4	7
2. MULTIPLE DX	1805	2.5	4	1	1	2	3	4	6	11
A. NOT OPERATED	326	3.7	10	<1	1	3	5	7	9	12
B. OPERATED	3087	2.2	2	1	1	2	2	3	4	9
TOTAL 0-19 YRS	1209	1.9	1	<1	1	2	2	3	3	6
20-34	658	2.3	3	1	1	2	2	3	4	11
35-49	671	2.3	2	1	1	2	3	3	5	8
50-64	548	2.7	4	1	1	2	3	5	6	12
65+	327	3.3	8	1	1	3	4	6	8	12
GRAND TOTAL	**3413**	**2.3**	**3**	**1**	**1**	**2**	**3**	**4**	**5**	**10**

149: Heart failure (428)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	22	8.0	42	1	2	6	11	17	22	28
20-34	9	5.6	11	1	1	5	9	10	10	10
35-49	58	5.0	7	1	2	5	6	9	11	14
50-64	260	6.0	19	1	2	5	8	11	16	20
65+	951	6.2	24	2	2	5	8	11	14	28
B. *Operated*										
0-19 YRS										
20-34	1	10.0		10	10	10	10	10	10	10
35-49	3	2.3	2	1	1	2	3	4	4	4
50-64	8	8.6	42	1	1	7	13	18	20	20
65+	22	9.9	68	1	2	8	12	20	30	37
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	192	5.7	25	1	2	4	8	11	17	25
20-34	133	6.6	33	1	2	5	8	13	17	35
35-49	800	6.5	23	2	2	5	8	11	14	24
50-64	4897	7.4	28	2	3	6	9	13	17	28
65+	22691	8.1	36	2	3	7	10	15	19	32
B. *Operated*										
0-19 YRS	34	9.1	82	2	2	7	10	23	40	99+
20-34	48	7.0	42	1	1	6	9	14	19	33
35-49	139	9.2	67	1	2	6	12	20	26	42
50-64	557	11.8	84	2	3	9	16	23	32	44
65+	1899	14.4	116	4	5	11	18	28	36	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1300	6.1	22	2	2	5	7	11	14	26
B. *Operated*	34	8.9	57	1	2	7	12	18	24	37
2. MULTIPLE DX										
A. *Not Operated*	28713	7.9	35	2	3	6	10	14	18	31
B. *Operated*	2677	13.4	108	3	4	11	17	27	33	52
1. SINGLE DX	1334	6.2	23	2	2	5	8	11	14	27
2. MULTIPLE DX	31390	8.4	43	2	3	7	10	15	20	35
A. NOT OPERATED	30013	7.8	34	2	3	6	10	14	18	30
B. OPERATED	2711	13.4	108	2	4	11	17	27	33	52
TOTAL 0-19 YRS	248	6.4	35	1	2	4	8	13	20	31
20-34	191	6.7	34	1	2	5	8	13	17	34
35-49	1000	6.8	29	2	2	5	8	12	16	27
50-64	5722	7.7	35	2	3	6	9	14	19	31
65+	25563	8.5	45	2	3	7	10	16	21	36
GRAND TOTAL	**32724**	**8.3**	**43**	**2**	**3**	**7**	**10**	**15**	**20**	**35**

150: Miscellaneous diseases of heart
(415.0; 416-420; 422-425; 429.0-429.1; 429.3-429.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	69	4.5	21	1	1	3	5	9	13	25
20-34	166	3.6	6	1	1	3	4	6	8	12
35-49	201	4.2	11	1	2	3	5	7	10	19
50-64	140	4.2	8	1	2	4	5	8	9	16
65+	83	5.4	20	1	2	4	7	10	12	28
B. *Operated*										
0-19 YRS	77	3.9	14	1	1	2	7	9	12	14
20-34	62	5.4	16	1	1	4	9	11	13	15
35-49	133	4.4	15	1	2	2	5	11	13	17
50-64	183	4.4	16	1	2	2	6	12	13	17
65+	73	6.5	38	2	2	3	12	15	17	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	134	5.0	20	1	1	4	6	9	17	40
20-34	447	5.1	25	1	2	4	6	9	13	26
35-49	834	5.7	22	2	2	4	7	10	14	25
50-64	1408	7.1	33	2	2	6	9	14	17	28
65+	2226	7.9	40	2	3	6	10	14	19	32
B. *Operated*										
0-19 YRS	81	7.7	49	1	1	5	11	18	22	29
20-34	151	9.3	135	2	2	6	12	18	31	99
35-49	413	7.3	52	2	2	5	10	18	21	47
50-64	896	8.8	78	2	2	6	12	18	26	48
65+	857	11.4	111	2	2	9	15	23	30	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	659	4.2	11	1	1	3	5	8	10	17
B. *Operated*	528	4.7	19	1	2	2	7	12	14	17
2. MULTIPLE DX										
A. *Not Operated*	5049	7.0	34	2	2	5	9	13	17	30
B. *Operated*	2398	9.5	90	2	2	7	13	20	27	52
1. SINGLE DX	1187	4.5	15	1	1	3	5	10	13	17
2. MULTIPLE DX	7447	7.8	54	2	2	6	10	16	21	38
A. NOT OPERATED	5708	6.7	32	2	2	5	8	13	17	29
B. OPERATED	2926	8.6	81	2	2	6	12	18	24	48
TOTAL 0-19 YRS	361	5.3	27	1	1	3	7	11	17	28
20-34	826	5.6	44	1	2	4	7	11	14	39
35-49	1581	5.8	29	2	2	4	7	11	16	27
50-64	2627	7.3	48	2	2	5	9	15	19	34
65+	3239	8.7	61	2	2	7	11	17	22	40
GRAND TOTAL	**8634**	**7.3**	**50**	**2**	**2**	**5**	**9**	**15**	**20**	**35**

151: Cardiovascular disease, unspecified (429.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	2.0		2	2	2	2	2	2	2
50-64	4	2.3		2	2	2	3	3	3	3
65+	22	4.1	7	1	1	4	6	8	9	9
B. *Operated*										
0-19 YRS										
20-34										
35-49	5	4.0	10	1	1	4	5	9	9	9
50-64	10	3.5	6	2	2	3	3	8	9	9
65+	3	7.3	102	1	1	2	15	19	19	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	2.0		2	2	2	2	2	2	2
35-49	50	5.5	22	2	2	4	6	11	12	30
50-64	284	5.8	17	2	2	4	7	10	13	21
65+	792	7.0	29	2	3	5	8	13	18	26
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34										
35-49	41	5.5	23	2	2	4	8	12	13	25
50-64	124	7.0	50	2	2	5	10	15	19	67
65+	175	8.8	59	2	2	7	11	18	22	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	27	3.8	6	1	1	3	6	8	8	9
B. *Operated*	18	4.3	20	1	1	3	4	9	15	19
2. MULTIPLE DX										
A. *Not Operated*	1127	6.6	26	2	2	5	8	13	16	25
B. *Operated*	341	7.8	52	2	2	6	10	16	20	48
1. SINGLE DX	45	4.0	11	1	1	3	5	8	9	19
2. MULTIPLE DX	1468	6.9	32	2	2	5	9	13	18	30
A. NOT OPERATED	1154	6.5	26	2	2	5	8	13	16	25
B. OPERATED	359	7.6	51	2	2	6	10	16	20	47
TOTAL 0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	1	2.0		2	2	2	2	2	2	2
35-49	97	5.4	21	2	2	4	7	11	13	28
50-64	422	6.1	27	2	2	4	8	11	15	26
65+	992	7.2	35	2	2	6	9	14	19	31
GRAND TOTAL	**1513**	**6.8**	**32**	**2**	**2**	**5**	**9**	**13**	**18**	**30**

152: Subarachnoid hemorrhage without paralysis (430)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	16.0		16	16	16	16	16	16	16
20-34	7	3.6	30	<1	<1	2	2	13	16	16
35-49	5	2.2	2	<1	<1	2	3	4	4	4
50-64	9	12.7	102	1	1	12	18	28	30	30
65+	8	13.0	83	1	2	11	22	25	25	25
B. *Operated*										
0-19 YRS	2	18.5	313	6	6	18	31	31	31	31
20-34	21	14.8	127	2	2	15	21	30	40	42
35-49	40	16.8	157	2	5	13	20	34	44	59
50-64	28	23.1	257	6	9	21	26	50	66	66
65+	10	16.0	95	2	5	16	20	30	37	37
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	8.1	21	3	3	8	10	16	17	17
20-34	7	8.4	44	<1	<1	8	15	16	16	16
35-49	9	16.8	238	<1	<1	17	26	39	45	45
50-64	17	7.8	51	1	1	7	11	16	24	28
65+	40	14.9	162	2	3	11	23	34	43	45
B. *Operated*										
0-19 YRS	2	18.0	72	12	12	18	24	24	24	24
20-34	24	26.4	375	3	8	21	32	62	65	69
35-49	55	23.7	273	5	8	20	29	40	60	91
50-64	79	24.7	185	6	9	22	31	42	49	95
65+	55	29.9	255	9	10	28	38	58	61	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	30	9.0	80	<1	<1	5	16	24	26	30
B. *Operated*	101	18.1	179	2	5	16	22	37	45	66
2. MULTIPLE DX										
A. *Not Operated*	80	12.5	132	1	1	8	17	30	38	45
B. *Operated*	215	25.9	248	6	9	22	33	48	62	87
1. SINGLE DX	131	16.0	170	1	2	14	21	30	42	66
2. MULTIPLE DX	295	22.2	252	2	4	20	30	44	59	80
A. NOT OPERATED	110	11.5	120	1	1	8	16	28	32	45
B. OPERATED	316	23.4	238	4	8	20	30	44	60	78
TOTAL 0-19 YRS	12	12.2	72	3	4	9	16	26	30	31
20-34	59	17.4	269	1	2	15	22	38	62	68
35-49	109	19.6	237	2	3	17	26	37	48	81
50-64	133	21.4	210	2	5	20	28	39	49	87
65+	113	22.2	250	2	4	19	32	44	57	64
GRAND TOTAL	**426**	**20.3**	**234**	**2**	**4**	**18**	**27**	**40**	**51**	**71**

153: Subarachnoid hemorrhage with paralysis (430 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	39.0		39	39	39	39	39	39	39
20-34										
35-49										
50-64	1	3.0		3	3	3	3	3	3	3
65+	5	14.4	55	6	6	15	19	25	25	25
B. *Operated*										
0-19 YRS										
20-34	3	26.3	161	19	19	19	36	41	41	41
35-49	9	44.2	364	18	20	51	60	68	70	70
50-64	9	30.3	326	2	6	30	43	53	59	59
65+	8	45.0	795	16	17	39	67	87	88	88
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	7	16.3	155	3	4	15	23	36	39	39
B. *Operated*	29	38.3	467	11	17	36	51	68	85	88
1. SINGLE DX										
2. MULTIPLE DX	36	34.0	478	4	9	28	47	64	80	88
A. NOT OPERATED	7	16.3	155	3	4	15	23	36	39	39
B. OPERATED	29	38.3	467	11	17	36	51	68	85	88
TOTAL 0-19 YRS	1	39.0		39	39	39	39	39	39	39
20-34	3	26.3	161	19	19	19	36	41	41	41
35-49	9	44.2	364	18	20	51	60	68	70	70
50-64	10	27.6	364	2	2	26	43	52	59	59
65+	13	33.2	722	6	8	25	45	86	88	88
GRAND TOTAL	**36**	**34.0**	**478**	**4**	**9**	**28**	**47**	**64**	**80**	**88**

154: Intracerebral hemorrhage without paralysis (431-432)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	9.7	61	<1	<1	10	16	19	19	19
20-34	1	3.0		3	3	3	3	3	3	3
35-49	5	3.0	8	<1	<1	1	6	6	6	6
50-64	16	7.1	52	1	2	6	8	10	25	32
65+	47	8.1	46	1	2	6	11	15	18	40
B. *Operated*										
0-19 YRS	16	8.1	48	3	3	6	10	17	25	29
20-34	14	7.6	18	1	2	9	10	12	16	17
35-49	18	9.1	22	3	4	8	12	16	17	18
50-64	33	12.1	79	4	5	11	15	21	37	41
65+	44	10.7	80	2	4	8	12	19	27	53
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	18	8.3	33	2	3	8	10	15	22	26
20-34	10	13.0	218	1	1	6	28	36	41	41
35-49	48	11.5	218	1	1	7	12	24	44	73
50-64	112	11.1	125	1	2	8	14	20	29	61
65+	383	13.2	96	3	4	11	16	27	36	50
B. *Operated*										
0-19 YRS	28	13.7	72	3	3	12	18	24	33	34
20-34	22	16.1	223	4	5	12	23	71	99+	99+
35-49	40	16.6	189	5	6	12	20	41	58	99+
50-64	84	20.1	265	3	5	16	27	47	68	99+
65+	221	19.2	237	5	6	15	25	38	57	90
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	75	7.6	46	<1	1	6	10	15	19	38
B. *Operated*	125	10.2	61	2	3	8	12	17	24	44
2. MULTIPLE DX										
A. *Not Operated*	571	12.5	112	2	3	10	16	26	36	51
B. *Operated*	395	18.6	227	4	6	15	24	39	62	99+
1. SINGLE DX	200	9.2	57	1	2	7	12	17	21	41
2. MULTIPLE DX	966	15.0	168	2	4	12	19	32	41	83
A. NOT OPERATED	646	11.9	107	1	3	9	15	24	34	50
B. OPERATED	520	16.6	200	3	5	12	21	36	50	99+
TOTAL 0-19 YRS	68	10.6	60	2	3	9	15	21	26	34
20-34	47	12.6	165	2	2	9	16	37	70	99+
35-49	111	12.6	176	1	3	9	15	25	42	83
50-64	245	14.0	181	2	3	10	17	30	44	83
65+	695	14.6	148	3	4	11	18	31	39	73
GRAND TOTAL	**1166**	**14.0**	**154**	**2**	**3**	**11**	**17**	**30**	**40**	**80**

155: Intracerebral hemorrhage with paralysis (431-432 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	23.5	5	22	22	23	25	25	25	25
35-49	16	22.8	514	3	4	12	32	64	67	69
50-64	40	19.9	274	3	5	14	26	38	57	79
65+	170	18.5	187	5	6	14	26	34	45	83
B. *Operated*										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	1	46.0		46	46	46	46	46	46	46
35-49	10	23.2	711	7	9	14	17	64	97	97
50-64	16	34.6	586	6	9	26	49	92	99	99+
65+	53	21.4	245	8	9	16	27	43	67	99
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	228	19.1	222	4	5	14	26	35	53	80
B. *Operated*	81	24.4	385	7	9	18	31	52	85	99+
1. SINGLE DX										
2. MULTIPLE DX	309	20.5	269	5	6	15	27	41	62	99
A. NOT OPERATED	228	19.1	222	4	5	14	26	35	53	80
B. OPERATED	81	24.4	385	7	9	18	31	52	85	99+
TOTAL 0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	3	31.0	171	22	22	25	41	46	46	46
35-49	26	22.9	565	4	6	13	31	64	75	97
50-64	56	24.1	400	4	6	20	29	50	77	99+
65+	223	19.2	201	5	7	15	26	35	52	89
GRAND TOTAL	**309**	**20.5**	**269**	**5**	**6**	**15**	**27**	**41**	**62**	**99**

156: Precerebral artery occlusion without paralysis (433)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	11.0		11	11	11	11	11	11	11
20-34	3	6.0		6	6	6	6	6	6	6
35-49	2	5.5	25	2	2	5	9	9	9	9
50-64	36	5.4	70	1	1	3	5	11	19	48
65+	35	4.3	13	1	2	3	6	8	11	19
B. *Operated*										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	5	9.6	29	5	5	6	15	16	16	16
35-49	42	5.6	17	1	1	5	7	10	12	23
50-64	362	6.0	11	2	2	5	7	10	12	19
65+	624	6.2	16	2	2	5	7	10	13	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	4	11.0	69	4	4	8	16	23	23	23
35-49	14	4.9	8	1	2	5	7	8	10	10
50-64	104	4.2	7	1	2	4	6	8	10	13
65+	393	6.3	35	2	2	5	7	12	15	25
B. *Operated*										
0-19 YRS	4	5.5	6	3	3	5	7	9	9	9
20-34	8	9.9	62	3	3	8	11	23	28	28
35-49	108	7.9	31	2	2	7	10	13	21	29
50-64	1197	8.0	41	2	3	6	10	14	18	29
65+	2581	8.4	40	2	3	7	10	15	19	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	77	5.0	39	1	1	3	6	10	14	41
B. *Operated*	1034	6.1	14	2	2	5	7	10	13	22
2. MULTIPLE DX										
A. *Not Operated*	515	5.9	30	1	2	4	7	11	14	24
B. *Operated*	3898	8.2	40	2	3	7	10	15	19	32
1. SINGLE DX	1111	6.0	16	2	2	5	7	10	13	22
2. MULTIPLE DX	4413	8.0	40	2	2	6	10	15	18	31
A. NOT OPERATED	592	5.7	31	1	2	4	7	11	14	24
B. OPERATED	4932	7.8	36	2	3	6	10	14	18	30
TOTAL 0-19 YRS	6	6.7	9	3	3	6	9	11	11	11
20-34	20	9.5	42	3	4	7	11	19	25	28
35-49	166	7.0	27	1	2	6	9	12	19	24
50-64	1699	7.2	35	2	2	6	9	13	16	27
65+	3633	7.7	36	2	2	6	9	14	18	31
GRAND TOTAL	**5524**	**7.6**	**36**	**2**	**2**	**6**	**9**	**14**	**18**	**29**

157: Precerebral artery occlusion with paralysis (433 plus 342 or 344)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
(1)	(2)	(3)	(4)	5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	17.0		17	17	17	17	17	17	17
50-64	11	16.1	108	4	5	15	26	31	34	34
65+	28	13.4	132	4	4	8	15	34	37	41
B. *Operated*										
0-19 YRS										
20-34	1	31.0		31	31	31	31	31	31	31
35-49	4	14.0	185	3	3	10	24	32	32	32
50-64	52	13.3	157	3	4	9	18	31	36	72
65+	130	12.7	107	2	3	10	16	25	33	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	40	14.2	121	4	5	9	20	34	36	41
B. *Operated*	187	13.0	122	2	4	10	17	27	34	63
1. SINGLE DX										
2. MULTIPLE DX	227	13.2	122	2	4	10	17	29	34	58
A. NOT OPERATED	40	14.2	121	4	5	9	20	34	36	41
B. OPERATED	187	13.0	122	2	4	10	17	27	34	63
TOTAL 0-19 YRS										
20-34	1	31.0		31	31	31	31	31	31	31
35-49	5	14.6	140	3	3	17	21	32	32	32
50-64	63	13.8	148	3	4	9	18	31	35	69
65+	158	12.8	111	2	4	10	16	26	34	54
GRAND TOTAL	**227**	**13.2**	**122**	**2**	**4**	**10**	**17**	**29**	**34**	**58**

158: Occlusion of cerebral arteries, thrombosis and embolism without paralysis (434)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
(1)	(2)	(3)	(4)	5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	6.3	8	3	3	6	8	10	10	10
20-34	6	7.0	8	3	3	7	9	11	11	11
35-49	29	6.3	22	1	2	5	8	11	13	25
50-64	81	6.0	19	2	2	5	7	10	13	27
65+	281	9.7	75	2	3	8	12	17	26	48
B. *Operated*										
0-19 YRS	2	6.5	5	5	5	6	8	8	8	8
20-34	12	7.7	55	1	2	4	11	19	25	26
35-49	10	5.5	5	2	3	6	6	8	10	10
50-64	23	8.7	25	2	3	8	12	16	18	19
65+	43	7.7	54	2	2	6	10	12	23	39
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	8.8	101	2	3	6	8	19	37	40
20-34	18	6.4	21	2	2	4	8	15	16	16
35-49	139	8.1	34	2	3	7	10	15	23	39
50-64	722	10.0	61	3	3	8	12	18	25	46
65+	3482	10.7	66	3	4	9	13	20	26	42
B. *Operated*										
0-19 YRS	4	12.0	29	7	7	11	16	18	18	18
20-34	9	7.8	33	3	3	5	10	17	19	19
35-49	68	12.7	151	2	4	8	17	27	38	96
50-64	226	11.6	121	2	3	9	13	23	32	62
65+	583	15.0	183	3	4	11	18	31	40	76
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	401	8.6	61	2	3	7	10	16	22	45
B. *Operated*	90	7.7	40	2	2	6	10	14	18	36
2. MULTIPLE DX										
A. *Not Operated*	4373	10.4	65	3	4	8	13	20	26	42
B. *Operated*	890	13.9	165	3	4	10	17	28	39	73
1. SINGLE DX	491	8.5	57	2	3	6	10	15	21	44
2. MULTIPLE DX	5263	11.0	83	3	4	9	13	21	28	50
A. NOT OPERATED	4774	10.3	65	3	3	8	13	19	25	43
B. OPERATED	980	13.3	157	3	4	9	16	27	38	72
TOTAL 0-19 YRS	22	8.7	62	3	4	7	9	16	27	40
20-34	45	7.1	29	2	3	5	9	15	17	26
35-49	246	9.0	69	2	3	7	11	20	26	79
50-64	1052	10.0	72	2	3	8	12	18	25	49
65+	4389	11.2	85	3	4	9	14	21	28	49
GRAND TOTAL	**5754**	**10.8**	**81**	**3**	**3**	**8**	**13**	**21**	**27**	**49**

159: Occlusion of cerebral arteries, thrombosis and embolism with paralysis (434 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	8.0	31	3	3	7	12	14	14	14
20-34	2	36.0	1250	11	11	36	61	61	61	61
35-49	44	15.5	189	3	5	11	16	39	48	68
50-64	265	13.7	145	4	5	10	15	28	37	79
65+	1478	13.8	108	4	5	11	17	26	33	59
B. *Operated*										
0-19 YRS	2	7.0	8	5	5	7	9	9	9	9
20-34	9	20.4	448	9	9	15	18	53	76	76
35-49	25	15.2	186	4	4	9	20	37	46	54
50-64	71	15.9	255	4	4	10	16	40	61	95
65+	230	19.6	238	5	6	16	26	38	53	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	1792	13.8	116	4	5	11	17	26	34	64
B. *Operated*	337	18.5	243	4	5	13	25	38	55	99+
1. SINGLE DX										
2. MULTIPLE DX	2129	14.6	139	4	5	11	18	28	38	75
A. NOT OPERATED	1792	13.8	116	4	5	11	17	26	34	64
B. OPERATED	337	18.5	243	4	5	13	25	38	55	99+
TOTAL 0-19 YRS	5	7.6	18	3	3	7	10	14	14	14
20-34	11	23.3	523	9	9	15	19	67	75	76
35-49	69	15.3	185	4	4	10	18	38	48	65
50-64	336	14.2	168	4	5	10	15	31	41	80
65+	1708	14.6	129	4	5	11	18	28	36	73
GRAND TOTAL	**2129**	**14.6**	**139**	**4**	**5**	**11**	**18**	**28**	**38**	**75**

160: Transient cerebral ischemia without paralysis (435)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	20	3.0	4	<1	<1	3	4	5	7	9
35-49	68	3.4	4	1	1	3	4	6	8	10
50-64	245	3.5	6	1	1	3	4	6	8	11
65+	691	3.8	7	1	1	3	5	7	8	13
B. *Operated*										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	8	5.9	53	1	1	4	6	18	23	23
35-49	34	4.0	7	2	2	3	4	6	11	14
50-64	126	4.0	6	2	2	3	5	8	10	11
65+	147	4.9	12	2	2	4	6	9	11	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	4.2	13	<1	1	3	6	9	13	14
20-34	37	3.9	18	<1	1	3	4	7	12	24
35-49	271	4.6	13	1	2	4	6	8	10	18
50-64	1442	4.8	10	1	2	4	6	8	11	16
65+	7001	5.5	15	2	2	5	7	10	12	20
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	9	4.9	5	2	2	4	6	8	9	9
35-49	116	5.7	18	2	2	5	7	10	14	22
50-64	599	6.7	26	2	2	5	8	13	16	26
65+	1396	7.5	39	2	2	6	10	14	18	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1024	3.7	6	1	1	3	5	7	8	13
B. *Operated*	316	4.5	10	2	2	4	6	9	10	17
2. MULTIPLE DX										
A. *Not Operated*	8764	5.3	14	2	2	4	7	9	12	19
B. *Operated*	2121	7.2	34	2	2	6	9	14	17	28
1. SINGLE DX	1340	3.9	7	1	2	3	5	7	9	14
2. MULTIPLE DX	10885	5.7	19	2	2	5	7	10	13	22
A. NOT OPERATED	9788	5.2	14	2	2	4	6	9	12	19
B. OPERATED	2437	6.8	32	2	2	5	9	13	17	28
TOTAL 0-19 YRS	15	4.3	12	<1	1	3	6	7	12	14
20-34	74	4.0	16	<1	1	3	4	7	9	24
35-49	489	4.6	13	1	2	4	6	8	11	17
50-64	2412	5.1	14	1	2	4	6	9	12	20
65+	9235	5.6	19	2	2	5	7	10	13	22
GRAND TOTAL	**12225**	**5.5**	**18**	**2**	**2**	**4**	**7**	**10**	**13**	**22**

161: Acute, but ill-defined, cerebrovascular disease without paralysis (436)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	12.7	280	3	3	3	25	32	32	32
20-34	8	3.8	10	1	1	3	4	9	11	11
35-49	28	8.5	86	<1	2	6	9	17	26	48
50-64	174	7.9	83	1	2	6	9	15	27	45
65+	646	9.6	74	2	3	7	11	19	26	50
B. *Operated*										
0-19 YRS	4	9.3	56	1	1	9	15	17	17	17
20-34	3	7.3	14	3	3	9	10	10	10	10
35-49	12	10.2	75	2	2	8	15	24	27	28
50-64	28	8.9	33	2	3	7	13	17	20	21
65+	43	9.7	109	2	2	7	10	22	32	54
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	22	8.9	25	2	3	8	13	17	18	18
20-34	23	5.5	15	<1	1	5	8	12	13	14
35-49	153	8.7	73	2	3	7	9	14	22	56
50-64	1043	9.9	108	2	3	7	11	19	26	64
65+	5677	11.1	86	3	4	9	14	21	28	51
B. *Operated*										
0-19 YRS	4	15.8	237	3	3	11	25	38	38	38
20-34	16	10.3	59	2	3	8	15	17	27	31
35-49	49	9.9	49	2	3	9	13	21	27	99+
50-64	274	12.0	156	3	3	9	14	22	35	90
65+	691	16.5	226	3	4	11	21	35	47	83
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	859	9.2	77	2	3	7	11	18	26	48
B. *Operated*	90	9.4	73	2	2	7	12	20	23	48
2. MULTIPLE DX										
A. *Not Operated*	6918	10.9	89	3	3	8	13	21	27	53
B. *Operated*	1034	14.9	201	3	4	10	18	32	45	88
1. SINGLE DX	949	9.2	76	2	2	7	11	18	26	48
2. MULTIPLE DX	7952	11.4	105	3	3	9	14	22	30	58
A. NOT OPERATED	7777	10.7	88	2	3	8	13	20	27	52
B. OPERATED	1124	14.4	193	3	4	10	17	31	44	86
TOTAL 0-19 YRS	33	10.1	67	1	2	9	13	17	30	38
20-34	50	6.9	33	1	1	5	9	14	17	31
35-49	242	9.0	69	2	3	7	11	17	24	56
50-64	1519	10.0	113	2	3	7	11	19	27	64
65+	7057	11.5	102	3	4	9	14	22	30	56
GRAND TOTAL	**8901**	**11.1**	**103**	**2**	**3**	**8**	**13**	**22**	**29**	**56**

162: Acute, but ill-defined, cerebrovascular disease with paralysis (436 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	8.4	37	1	3	7	9	18	23	23
20-34	6	20.5	785	3	3	10	15	71	77	77
35-49	67	9.1	45	3	3	7	12	20	23	89
50-64	420	11.8	108	3	3	9	14	22	32	57
65+	2093	13.4	107	3	4	11	17	26	33	59
B. *Operated*										
0-19 YRS	3	23.0	1143	2	2	5	48	62	62	62
20-34	4	18.0	205	7	7	13	26	39	39	39
35-49	22	15.0	124	4	6	14	23	56	99+	99+
50-64	73	14.2	216	4	4	9	19	32	57	99+
65+	208	18.4	181	5	6	15	25	38	52	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	2597	13.0	108	3	4	10	16	25	32	58
B. *Operated*	310	17.2	193	4	5	13	23	38	56	99+
1. SINGLE DX										
2. MULTIPLE DX	2907	13.5	118	3	4	10	17	27	35	66
A. NOT OPERATED	2597	13.0	108	3	4	10	16	25	32	58
B. OPERATED	310	17.2	193	4	5	13	23	38	56	99+
TOTAL 0-19 YRS	14	11.5	243	1	2	7	9	27	54	62
20-34	10	19.5	506	3	5	12	15	58	77	77
35-49	89	10.5	70	3	3	8	15	23	36	99+
50-64	493	12.2	124	3	4	9	15	25	33	63
65+	2301	13.8	116	3	4	11	17	27	35	64
GRAND TOTAL	**2907**	**13.5**	**118**	**3**	**4**	**10**	**17**	**27**	**35**	**66**

163: Other and ill-defined cerebrovascular disease (437-438)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	3.1	1	2	2	3	4	5	5	5
20-34	19	3.8	4	<1	1	3	6	7	8	8
35-49	64	3.7	7	1	1	3	4	7	9	16
50-64	87	3.7	3	1	2	3	5	7	7	9
65+	170	4.9	14	2	2	4	6	10	12	19
B. *Operated*										
0-19 YRS	5	4.6	34	2	2	2	6	15	15	15
20-34	11	10.0	42	1	2	12	15	18	20	20
35-49	31	10.0	50	2	2	9	14	23	25	99+
50-64	52	7.5	45	2	2	5	11	14	23	31
65+	62	4.7	15	1	2	3	6	11	14	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	19	5.8	26	1	2	5	6	10	18	24
20-34	58	5.1	22	1	2	4	6	9	14	30
35-49	262	5.3	17	1	2	4	7	9	12	16
50-64	633	6.3	35	2	2	5	7	11	16	37
65+	2445	7.6	53	2	2	6	9	14	19	41
B. *Operated*										
0-19 YRS	11	14.2	179	2	2	6	25	33	41	42
20-34	25	11.0	119	2	2	5	14	25	36	47
35-49	75	11.0	149	2	2	7	13	24	35	69
50-64	226	10.2	119	2	2	7	13	23	33	71
65+	464	9.0	71	2	2	7	11	18	25	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	347	4.3	10	1	2	3	5	8	10	16
B. *Operated*	161	7.0	37	2	2	4	11	15	21	31
2. MULTIPLE DX										
A. *Not Operated*	3417	7.1	47	2	2	5	8	13	18	38
B. *Operated*	801	9.7	95	2	2	7	12	21	29	53
1. SINGLE DX	508	5.2	20	1	2	4	6	11	15	24
2. MULTIPLE DX	4218	7.6	57	2	2	6	9	14	21	42
A. NOT OPERATED	3764	6.9	44	2	2	5	8	13	17	37
B. OPERATED	962	9.2	86	2	2	7	11	19	27	52
TOTAL 0-19 YRS	42	7.4	76	2	2	4	6	22	27	42
20-34	113	6.6	49	1	2	4	8	15	20	38
35-49	432	6.4	47	1	2	5	8	12	17	40
50-64	998	7.0	55	2	2	5	8	13	20	41
65+	3141	7.6	53	2	2	6	9	14	20	41
GRAND TOTAL	**4726**	**7.3**	**53**	**2**	**2**	**5**	**9**	**14**	**20**	**41**

164: Atherosclerosis (440)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	3.0		3	3	3	3	3	3	3
35-49	2	7.5	1	7	7	7	8	8	8	8
50-64	10	3.4	5	1	1	2	5	7	7	7
65+	26	3.8	17	1	1	3	4	6	11	22
B. *Operated*										
0-19 YRS	2	6.5	41	2	2	6	11	11	11	11
20-34	1	18.0		18	18	18	18	18	18	18
35-49	16	5.7	22	1	2	4	8	14	15	15
50-64	69	7.1	41	1	2	5	10	14	19	34
65+	99	6.4	46	1	1	4	9	12	16	37
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	3.3	4	<1	<1	4	5	5	5	5
20-34	1	2.0		2	2	2	2	2	2	2
35-49	20	4.9	23	<1	1	4	5	12	17	20
50-64	79	6.1	21	1	1	5	8	14	15	19
65+	388	7.4	34	2	2	6	9	13	18	32
B. *Operated*										
0-19 YRS	6	3.7	3	1	1	4	5	6	6	6
20-34	22	6.3	53	1	2	4	7	13	22	34
35-49	117	9.3	54	2	2	8	13	16	27	32
50-64	609	10.7	90	2	2	9	13	22	28	55
65+	1378	14.0	133	2	3	11	18	29	37	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	39	3.9	13	1	1	3	5	7	8	22
B. *Operated*	187	6.6	42	1	2	4	9	13	18	35
2. MULTIPLE DX										
A. *Not Operated*	491	7.0	32	2	2	5	9	14	17	31
B. *Operated*	2132	12.6	119	2	2	10	16	26	34	59
1. SINGLE DX	226	6.2	38	1	2	4	9	12	17	34
2. MULTIPLE DX	2623	11.6	107	2	2	9	15	24	32	54
A. NOT OPERATED	530	6.8	31	1	2	5	8	13	16	31
B. OPERATED	2319	12.2	115	2	2	10	15	25	33	57
TOTAL 0-19 YRS	11	4.1	8	<1	1	4	5	8	11	11
20-34	25	6.4	54	1	2	3	7	14	22	34
35-49	155	8.3	49	2	2	7	11	16	25	32
50-64	767	9.8	81	2	2	8	13	20	27	49
65+	1891	12.1	117	2	2	9	16	25	34	56
GRAND TOTAL	**2849**	**11.2**	**104**	**2**	**2**	**9**	**14**	**23**	**31**	**53**

165: Aortic aneurysm (441)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49										
50-64	4	5.8	30	1	1	4	10	13	13	13
65+	32	5.2	25	<1	1	4	6	12	16	23
B. *Operated*										
0-19 YRS										
20-34	2	5.0	32	<1	<1	4	9	9	9	9
35-49	9	8.8	108	1	1	4	12	25	34	34
50-64	73	10.4	19	2	6	10	12	17	18	24
65+	143	10.3	29	2	2	11	13	17	19	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	5.0	8	3	3	5	7	7	7	7
35-49	8	3.6	9	<1	<1	3	6	8	9	9
50-64	42	3.8	8	1	1	3	5	8	9	11
65+	284	6.1	37	1	2	4	7	11	17	33
B. *Operated*										
0-19 YRS	6	11.2	24	4	4	11	16	17	17	17
20-34	6	15.8	96	3	3	15	27	27	27	27
35-49	23	13.1	292	2	2	9	17	33	89	99+
50-64	360	13.3	99	2	3	11	15	23	33	74
65+	1068	15.1	105	3	6	13	18	27	34	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	37	5.1	25	<1	1	4	7	13	15	23
B. *Operated*	227	10.2	28	2	2	10	13	17	19	27
2. MULTIPLE DX										
A. *Not Operated*	336	5.8	33	1	1	4	7	11	16	30
B. *Operated*	1463	14.6	106	3	5	12	17	26	33	66
1. SINGLE DX	264	9.5	31	1	2	10	12	17	18	27
2. MULTIPLE DX	1799	13.0	105	2	3	11	16	24	31	61
A. NOT OPERATED	373	5.7	32	1	1	4	7	11	16	29
B. OPERATED	1690	14.0	98	2	4	12	17	24	32	63
TOTAL 0-19 YRS	6	11.2	24	4	4	11	16	17	17	17
20-34	11	10.5	90	<1	<1	8	15	27	27	27
35-49	40	10.3	203	<1	1	7	12	26	56	99+
50-64	479	11.9	86	2	3	10	14	20	27	60
65+	1527	12.8	97	2	3	11	16	23	30	54
GRAND TOTAL	2063	12.5	97	2	2	11	15	23	30	58

166: Aneurysm except aortic (442)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	3	1.7	1	<1	<1	1	2	3	3	3
65+	3	6.7	52	2	2	3	12	15	15	15
B. *Operated*										
0-19 YRS	8	4.5	12	2	2	3	7	10	10	10
20-34	6	3.2	7	1	1	2	6	7	7	7
35-49	16	8.4	27	2	3	8	10	15	21	23
50-64	39	6.9	18	1	2	7	10	12	15	17
65+	33	8.1	58	2	2	7	9	14	17	44
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34										
35-49										
50-64	8	3.8	10	1	1	2	6	9	9	9
65+	26	6.4	23	1	1	6	9	11	16	22
B. *Operated*										
0-19 YRS	7	9.1	59	2	2	5	15	20	21	21
20-34	14	12.2	198	2	3	8	13	20	50	59
35-49	36	9.7	155	1	2	6	14	22	55	99+
50-64	95	12.4	113	2	2	9	16	26	36	53
65+	196	13.7	104	2	4	11	18	26	31	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	4.2	29	<1	<1	2	3	14	15	15
B. *Operated*	102	7.1	32	1	2	6	9	12	16	33
2. MULTIPLE DX										
A. *Not Operated*	35	5.7	21	1	1	5	9	11	13	22
B. *Operated*	348	12.8	115	2	3	10	16	25	35	59
1. SINGLE DX	108	6.9	32	1	2	6	9	13	16	32
2. MULTIPLE DX	383	12.2	110	2	2	9	16	24	31	58
A. NOT OPERATED	41	5.5	21	<1	1	5	8	11	14	22
B. OPERATED	450	11.5	102	2	2	9	15	22	30	57
TOTAL 0-19 YRS	16	6.6	35	2	2	4	10	15	19	21
20-34	20	9.5	156	1	1	7	11	15	37	59
35-49	52	9.3	115	2	2	7	11	21	48	99
50-64	145	10.2	89	1	2	8	13	20	28	45
65+	258	12.2	96	2	3	10	16	23	29	49
GRAND TOTAL	491	11.0	98	2	2	9	15	22	29	55

167: Arterial embolism and thrombosis (444)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	4	12.8	27	8	8	12	17	19	19	19
35-49	12	5.7	15	1	1	5	9	11	12	12
50-64	25	4.4	10	<1	1	3	7	10	10	11
65+	29	6.0	13	1	2	6	8	11	13	15
B. *Operated*										
0-19 YRS	5	7.0	38	1	1	4	13	15	15	15
20-34	14	7.5	48	<1	1	6	10	18	24	26
35-49	95	6.7	18	1	2	6	10	13	15	16
50-64	225	7.8	27	2	2	8	10	14	17	27
65+	201	8.5	55	1	2	7	11	15	21	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	11.0		11	11	11	11	11	11	11
20-34	9	7.4	23	1	1	8	11	14	15	15
35-49	35	6.7	10	2	2	7	9	11	13	15
50-64	88	5.8	29	1	1	4	8	11	15	30
65+	201	7.6	31	1	2	6	10	15	19	27
B. *Operated*										
0-19 YRS	7	5.0	5	2	2	5	7	8	8	8
20-34	37	9.5	84	1	2	8	12	17	25	52
35-49	238	10.1	66	2	3	9	12	17	23	44
50-64	1031	10.6	74	2	2	9	13	18	24	52
65+	1894	12.4	97	2	3	10	15	23	30	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	70	5.8	16	1	1	5	8	11	13	18
B. *Operated*	540	7.9	37	1	2	7	10	14	17	27
2. MULTIPLE DX										
A. *Not Operated*	334	7.0	28	1	2	6	9	14	17	27
B. *Operated*	3207	11.6	88	2	3	10	14	21	28	52
1. SINGLE DX	610	7.6	35	1	2	7	10	14	17	26
2. MULTIPLE DX	3541	11.2	84	2	2	9	14	20	27	50
A. NOT OPERATED	404	6.8	26	1	2	6	9	13	15	27
B. OPERATED	3747	11.0	82	2	2	9	14	20	26	50
TOTAL 0-19 YRS	13	6.2	18	1	2	5	9	13	15	15
20-34	64	9.0	64	1	2	8	11	17	22	48
35-49	380	8.8	50	2	2	8	11	15	20	39
50-64	1369	9.7	65	2	2	9	12	17	22	47
65+	2325	11.6	90	2	2	10	14	22	28	49
GRAND TOTAL	**4151**	**10.6**	**78**	**2**	**2**	**9**	**13**	**19**	**26**	**48**

168: Miscellaneous diseases of arteries (443; 446-448)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	100	5.5	12	1	2	5	7	11	12	18
20-34	16	3.6	3	1	2	3	5	6	7	7
35-49	33	4.7	34	1	1	3	4	8	19	30
50-64	45	3.7	6	<1	1	3	5	7	8	9
65+	52	4.4	13	1	1	3	5	9	12	19
B. *Operated*										
0-19 YRS	22	7.8	69	1	2	7	9	14	29	39
20-34	42	6.6	55	1	2	4	7	14	24	37
35-49	80	6.5	32	2	2	5	8	12	16	33
50-64	200	6.0	31	1	2	4	9	12	16	30
65+	219	6.6	32	1	1	5	9	15	18	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	62	5.4	17	1	1	4	7	12	15	18
20-34	49	4.9	8	2	2	4	7	8	9	15
35-49	109	6.1	28	2	2	4	7	11	21	24
50-64	247	5.8	25	1	2	5	7	13	15	28
65+	621	6.4	26	1	2	5	8	13	17	24
B. *Operated*										
0-19 YRS	37	6.8	63	2	2	3	7	17	25	38
20-34	44	11.6	107	2	2	9	16	24	32	50
35-49	216	8.2	104	2	2	5	10	18	24	56
50-64	730	10.6	115	2	2	8	13	22	33	62
65+	1298	11.9	114	2	2	9	15	24	33	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	246	4.7	14	1	2	4	6	9	11	19
B. *Operated*	563	6.4	35	1	2	4	9	13	17	29
2. MULTIPLE DX										
A. *Not Operated*	1088	6.1	25	1	2	5	8	12	16	24
B. *Operated*	2325	11.1	114	2	2	8	14	23	31	61
1. SINGLE DX	809	5.9	29	1	2	4	8	12	16	27
2. MULTIPLE DX	3413	9.5	91	2	2	7	12	20	27	49
A. NOT OPERATED	1334	5.8	23	1	2	4	7	11	15	24
B. OPERATED	2888	10.1	102	2	2	8	13	22	29	50
TOTAL 0-19 YRS	221	5.9	28	1	2	4	8	11	15	31
20-34	151	7.2	58	1	2	5	8	16	23	39
35-49	438	7.1	68	2	2	4	9	16	21	38
50-64	1222	8.6	85	1	2	6	11	17	25	49
65+	2190	9.6	86	2	2	7	12	20	27	48
GRAND TOTAL	**4222**	**8.8**	**81**	**2**	**2**	**6**	**11**	**19**	**25**	**45**

169: Phlebitis and thrombophlebitis (451)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	40	5.8	10	2	2	6	8	10	12	13
20-34	320	6.4	11	2	3	6	8	11	12	15
35-49	428	7.3	18	2	3	6	9	12	14	20
50-64	446	7.8	17	2	3	7	10	13	15	22
65+	383	7.2	10	3	4	7	9	11	14	17
B. *Operated*										
0-19 YRS	13	7.5	14	1	3	8	10	13	14	14
20-34	118	7.1	13	2	2	7	9	12	13	17
35-49	139	6.6	20	1	2	6	9	12	14	22
50-64	127	7.6	21	2	2	7	11	14	14	22
65+	123	7.9	19	2	2	8	11	13	15	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	33	7.3	19	2	3	6	10	13	16	18
20-34	283	7.9	20	2	3	7	10	13	16	24
35-49	645	8.3	20	3	4	8	10	14	17	23
50-64	1235	8.5	20	3	4	8	10	14	16	24
65+	2037	9.0	27	3	4	8	11	15	18	29
B. *Operated*										
0-19 YRS	7	6.7	22	2	2	5	11	13	13	13
20-34	127	8.6	34	2	2	8	12	15	18	28
35-49	283	8.6	40	2	3	8	11	15	19	31
50-64	387	9.7	43	3	3	8	12	17	21	30
65+	677	10.7	43	3	4	9	13	19	23	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1617	7.2	15	2	3	7	9	12	14	18
B. *Operated*	520	7.3	18	2	2	7	10	13	14	20
2. MULTIPLE DX										
A. *Not Operated*	4233	8.7	24	3	4	8	10	14	17	26
B. *Operated*	1481	9.8	42	2	3	9	12	17	22	31
1. SINGLE DX	2137	7.2	16	2	3	7	9	12	14	19
2. MULTIPLE DX	5714	9.0	29	3	4	8	11	15	18	28
A. NOT OPERATED	5850	8.3	22	3	4	8	10	14	16	25
B. OPERATED	2001	9.2	37	2	3	8	12	16	20	29
TOTAL 0-19 YRS	93	6.6	15	2	2	6	9	12	13	17
20-34	848	7.3	18	2	3	7	9	12	14	20
35-49	1495	7.9	24	2	3	7	10	14	16	25
50-64	2195	8.5	24	3	3	8	11	14	17	25
65+	3220	9.1	29	3	4	8	11	15	19	29
GRAND TOTAL	**7851**	**8.5**	**26**	**3**	**3**	**8**	**10**	**14**	**17**	**26**

170: Varicose veins of lower extremities (454)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	9	6.0	16	1	2	5	10	12	12	12
35-49	19	6.2	28	1	1	5	8	12	18	23
50-64	25	8.6	58	1	2	6	12	19	23	34
65+	46	9.0	51	2	3	8	10	16	23	40
B. *Operated*										
0-19 YRS	24	3.3	2	1	2	3	4	5	6	7
20-34	293	3.7	4	2	2	3	4	5	7	13
35-49	522	4.3	9	2	2	4	5	6	8	16
50-64	404	5.2	27	2	2	4	6	8	12	27
65+	154	8.8	60	2	3	6	11	20	25	36
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	2.7	4	1	1	2	4	5	5	5
20-34	21	9.2	56	1	2	7	13	19	25	31
35-49	64	9.1	65	1	2	8	11	17	21	51
50-64	135	9.3	64	2	3	7	12	16	21	47
65+	488	10.4	65	3	4	8	13	20	25	45
B. *Operated*										
0-19 YRS	3	4.7	21	2	2	2	8	10	10	10
20-34	91	7.2	58	1	2	4	7	18	24	37
35-49	277	6.5	39	1	2	4	7	14	19	29
50-64	347	8.5	52	2	3	6	11	19	24	40
65+	467	14.6	167	3	3	11	19	31	40	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	99	8.1	46	1	2	7	10	15	21	37
B. *Operated*	1397	4.9	21	2	2	4	5	8	12	25
2. MULTIPLE DX										
A. *Not Operated*	711	10.0	65	2	3	8	12	19	24	46
B. *Operated*	1185	10.3	107	2	3	6	14	23	31	50
1. SINGLE DX	1496	5.1	23	2	2	4	5	9	13	27
2. MULTIPLE DX	1896	10.2	91	2	3	7	13	21	28	49
A. NOT OPERATED	810	9.8	63	2	3	8	12	19	23	43
B. OPERATED	2582	7.4	68	2	2	4	8	17	23	43
TOTAL 0-19 YRS	30	3.4	3	1	1	3	4	5	7	10
20-34	414	4.8	21	1	2	4	5	7	13	31
35-49	882	5.3	25	2	2	4	6	10	14	27
50-64	911	7.2	46	2	2	5	8	15	21	35
65+	1155	11.8	111	3	3	9	15	24	32	53
GRAND TOTAL	**3392**	**8.0**	**68**	**2**	**2**	**5**	**10**	**17**	**23**	**43**

171: Hemorrhoids (455)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	17	2.2	1	1	1	2	3	3	4	4
20-34	80	2.5	1	1	1	2	3	4	5	7
35-49	95	2.6	3	1	1	2	3	5	5	9
50-64	80	3.1	4	1	1	3	4	5	8	10
65+	45	2.9	4	<1	<1	2	4	6	7	10
B. *Operated*										
0-19 YRS	15	2.9	3	1	1	2	4	5	6	7
20-34	425	4.2	3	1	2	4	5	6	7	9
35-49	490	4.5	4	2	2	4	5	7	8	10
50-64	274	4.9	4	2	3	4	6	8	9	11
65+	94	5.1	5	2	3	5	6	8	9	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	2.8	2	1	1	3	3	4	6	6
20-34	129	2.7	2	1	1	2	4	5	5	7
35-49	253	3.2	5	1	1	3	4	6	7	11
50-64	307	3.5	5	1	1	3	4	6	8	11
65+	351	4.1	8	1	2	3	5	8	10	14
B. *Operated*										
0-19 YRS	44	4.3	3	2	2	4	5	6	7	10
20-34	1468	4.8	4	2	3	5	6	7	8	12
35-49	2581	5.1	6	2	3	5	6	8	9	14
50-64	1841	5.6	8	2	3	5	6	9	11	16
65+	971	6.2	14	3	3	5	7	10	12	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	317	2.7	3	1	1	2	3	5	6	9
B. *Operated*	1298	4.5	4	2	2	4	5	7	8	11
2. MULTIPLE DX										
A. *Not Operated*	1053	3.5	6	1	1	3	4	6	8	12
B. *Operated*	6905	5.3	7	2	3	5	6	8	10	15
1. SINGLE DX	1615	4.1	4	1	2	4	5	7	8	10
2. MULTIPLE DX	7958	5.1	8	2	2	5	6	8	10	15
A. NOT OPERATED	1370	3.4	5	1	1	3	4	6	8	12
B. OPERATED	8203	5.2	7	2	3	5	6	8	10	14
TOTAL 0-19 YRS	89	3.4	3	1	1	3	5	6	7	9
20-34	2102	4.5	4	1	2	4	5	7	8	11
35-49	3419	4.8	6	2	2	4	6	8	9	13
50-64	2502	5.2	8	2	2	5	6	8	10	15
65+	1461	5.6	12	2	2	5	7	10	12	17
GRAND TOTAL	**9573**	**4.9**	**7**	**2**	**2**	**4**	**6**	**8**	**10**	**14**

172: Miscellaneous diseases of veins and circulatory system (452-453; 456-459)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	34	3.8	14	1	1	2	5	8	14	15
20-34	118	6.6	25	1	2	6	9	12	13	30
35-49	119	6.9	19	1	2	7	9	13	14	22
50-64	139	6.8	23	1	2	6	9	12	15	25
65+	177	7.4	19	1	2	7	10	13	15	20
B. *Operated*										
0-19 YRS	111	2.2	2	1	1	2	2	3	5	9
20-34	264	3.7	13	<1	1	2	5	9	11	17
35-49	129	6.0	47	<1	1	3	8	12	16	40
50-64	112	5.8	18	1	2	5	9	11	13	20
65+	115	7.9	30	1	2	8	10	13	16	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	79	4.5	22	1	1	3	6	9	12	29
20-34	209	5.5	15	1	1	5	8	11	12	17
35-49	410	6.8	34	1	2	5	9	13	17	24
50-64	831	6.8	22	2	2	6	9	12	16	23
65+	1949	6.9	26	2	2	6	9	13	16	27
B. *Operated*										
0-19 YRS	77	7.9	117	1	1	3	10	18	30	53
20-34	308	5.2	33	1	1	3	7	12	14	34
35-49	300	8.3	64	1	2	6	10	17	24	45
50-64	451	10.6	78	2	2	9	14	20	28	47
65+	807	11.3	94	2	3	9	14	21	28	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	587	6.8	22	1	2	6	9	12	14	24
B. *Operated*	731	4.8	24	<1	1	3	7	11	13	23
2. MULTIPLE DX										
A. *Not Operated*	3478	6.7	25	2	2	6	9	12	15	25
B. *Operated*	1943	9.6	82	1	2	8	12	19	25	48
1. SINGLE DX	1318	5.7	24	1	1	4	8	11	13	24
2. MULTIPLE DX	5421	7.8	47	1	2	6	10	15	19	37
A. NOT OPERATED	4065	6.7	25	1	2	6	9	12	15	25
B. OPERATED	2674	8.3	70	1	1	6	11	17	22	46
TOTAL 0-19 YRS	301	4.5	43	1	1	2	4	10	15	40
20-34	899	5.0	23	<1	1	3	7	11	13	21
35-49	958	7.2	44	1	2	6	9	14	18	38
50-64	1533	7.8	41	2	2	7	10	15	19	33
65+	3048	8.2	47	2	2	7	10	15	20	38
GRAND TOTAL	**6739**	**7.4**	**43**	**1**	**2**	**6**	**10**	**14**	**19**	**34**

173: Acute URI except streptococcal (460-465)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1978	2.7	7	1	1	2	3	5	5	8
20-34	434	3.1	2	1	2	3	4	5	6	8
35-49	200	3.4	3	1	1	3	4	6	7	9
50-64	85	4.0	6	1	2	3	5	7	9	12
65+	75	4.7	10	1	2	4	6	8	9	21
B. *Operated*										
0-19 YRS	454	1.9	1	<1	1	2	2	2	3	8
20-34	174	2.3	3	1	1	2	2	4	7	10
35-49	42	3.1	6	1	1	2	4	6	10	10
50-64	17	2.1	1	<1	1	2	3	3	4	4
65+	10	3.0	9	1	1	2	3	7	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4273	3.3	5	1	1	3	4	5	7	10
20-34	1147	3.6	4	1	2	3	4	6	7	12
35-49	719	4.3	7	2	2	4	5	7	9	13
50-64	705	5.4	11	2	2	5	7	10	11	17
65+	911	6.6	28	2	2	5	8	11	15	26
B. *Operated*										
0-19 YRS	565	2.8	11	1	1	2	3	5	8	15
20-34	188	4.4	17	1	1	3	5	9	12	24
35-49	107	5.8	31	1	1	4	7	12	16	29
50-64	110	6.9	72	1	1	5	9	13	16	58
65+	109	9.5	82	2	3	8	10	16	22	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2772	2.9	6	1	1	3	4	5	6	8
B. *Operated*	697	2.1	2	1	1	2	2	3	5	10
2. MULTIPLE DX										
A. *Not Operated*	7755	4.0	9	1	2	3	5	7	9	15
B. *Operated*	1079	4.5	32	1	1	2	5	10	13	27
1. SINGLE DX	3469	2.7	5	1	1	2	3	5	6	9
2. MULTIPLE DX	8834	4.1	12	1	1	3	5	7	10	16
A. NOT OPERATED	10527	3.7	9	1	1	3	4	7	8	14
B. OPERATED	1776	3.5	22	1	1	2	4	8	11	22
TOTAL 0-19 YRS	7270	3.0	6	1	1	3	4	5	6	10
20-34	1943	3.5	5	1	1	3	4	6	7	12
35-49	1068	4.2	9	1	2	4	5	7	9	16
50-64	917	5.4	18	1	2	4	7	10	12	19
65+	1105	6.7	33	2	2	5	8	12	15	27
GRAND TOTAL	**12303**	**3.7**	**11**	**1**	**1**	**3**	**4**	**7**	**9**	**15**

174: Bronchitis and bronchiolitis, acute (466)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2396	3.4	3	1	2	3	4	6	7	9
20-34	299	3.7	3	2	2	3	4	6	7	10
35-49	295	4.3	6	2	2	4	5	7	8	14
50-64	318	5.0	8	2	2	4	6	8	10	13
65+	318	5.2	9	2	2	4	7	9	10	16
B. *Operated*										
0-19 YRS	6	2.8	3	1	1	2	3	6	6	6
20-34	3	2.0	1	1	1	2	3	3	3	3
35-49	11	5.2	9	2	2	4	7	10	11	11
50-64	6	5.7	12	2	2	6	8	10	10	10
65+	6	6.0	18	1	1	6	10	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3143	4.0	6	1	2	3	5	7	8	13
20-34	823	4.5	8	2	2	4	5	8	9	16
35-49	1444	5.5	14	2	3	5	7	9	11	17
50-64	3196	6.5	19	2	3	5	8	11	14	22
65+	6229	7.0	20	2	3	6	9	12	15	24
B. *Operated*										
0-19 YRS	47	10.3	168	2	2	7	10	20	33	79
20-34	44	6.6	19	1	3	6	8	12	17	21
35-49	141	8.0	45	2	3	6	9	16	24	49
50-64	273	9.4	53	2	3	7	12	17	24	39
65+	461	11.2	73	3	4	9	14	21	28	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3626	3.8	5	1	2	3	5	6	8	11
B. *Operated*	32	4.7	10	1	1	4	7	10	11	11
2. MULTIPLE DX										
A. *Not Operated*	14835	6.0	17	2	2	5	7	11	13	21
B. *Operated*	966	9.9	67	2	3	8	12	20	26	43
1. SINGLE DX	3658	3.8	5	1	2	3	5	6	8	11
2. MULTIPLE DX	15801	6.2	21	2	2	5	8	11	14	24
A. NOT OPERATED	18461	5.6	15	2	2	5	7	10	13	20
B. OPERATED	998	9.8	66	2	3	8	12	19	25	43
TOTAL 0-19 YRS	5592	3.8	7	1	2	3	5	6	8	12
20-34	1169	4.4	8	2	2	4	5	7	9	16
35-49	1891	5.5	15	2	2	5	7	9	12	22
50-64	3793	6.6	22	2	3	5	8	12	15	24
65+	7014	7.2	24	2	3	6	9	13	16	26
GRAND TOTAL	**19459**	**5.8**	**19**	**2**	**2**	**5**	**7**	**10**	**13**	**22**

175: Deviated nasal septum (470)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	2	1.0		<1	<1	<1	1	1	1	1
65+										
B. *Operated*										
0-19 YRS	264	1.9	1	1	1	2	2	3	3	4
20-34	655	2.0	1	1	1	2	3	3	4	4
35-49	367	2.1	1	1	1	2	3	3	4	6
50-64	183	2.1	1	1	1	2	3	3	4	6
65+	44	2.2	1	1	1	2	3	3	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	1.4	1	<1	<1	1	2	3	3	3
20-34	17	1.6	1	<1	<1	1	2	3	4	4
35-49	11	1.3		<1	<1	1	1	2	3	3
50-64	18	2.6	6	<1	<1	1	4	6	8	9
65+	3	2.3	5	<1	<1	1	4	5	5	5
B. *Operated*										
0-19 YRS	609	2.0	1	<1	1	2	3	3	4	5
20-34	1838	2.2	1	1	1	2	3	3	4	6
35-49	1319	2.4	2	1	1	2	3	4	5	7
50-64	677	2.5	2	1	1	2	3	4	5	9
65+	176	2.6	2	1	1	2	3	4	5	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	1.0		<1	<1	<1	1	1	1	1
B. *Operated*	1513	2.0	1	1	1	2	3	3	4	4
2. MULTIPLE DX										
A. *Not Operated*	57	1.9	3	<1	<1	1	2	4	5	9
B. *Operated*	4619	2.3	2	1	1	2	3	4	4	7
1. SINGLE DX	1515	2.0	1	1	1	2	3	3	4	4
2. MULTIPLE DX	4676	2.3	2	1	1	2	3	4	4	7
A. NOT OPERATED	59	1.8	3	<1	<1	1	2	4	5	9
B. OPERATED	6132	2.2	1	1	1	2	3	3	4	6
TOTAL 0-19 YRS	881	2.0	1	1	1	2	2	3	4	5
20-34	2510	2.1	1	1	1	2	3	3	4	6
35-49	1697	2.3	2	1	1	2	3	4	4	7
50-64	880	2.4	2	1	1	2	3	4	5	9
65+	223	2.6	2	1	1	2	3	4	5	8
GRAND TOTAL	**6191**	**2.2**	**1**	**1**	**1**	**2**	**3**	**3**	**4**	**6**

176: Nasal polyp (471)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	1.0		<1	<1	<1	1	1	1	1
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	27	2.1	1	<1	1	2	3	3	4	4
20-34	27	2.1	1	<1	<1	2	3	4	4	4
35-49	35	2.3	2	<1	1	2	3	3	4	9
50-64	62	2.4	2	1	1	2	3	4	5	8
65+	26	2.3	1	<1	1	2	3	3	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	2	4.0	8	2	2	4	6	6	6	6
35-49	3	2.3	2	<1	<1	2	3	4	4	4
50-64	1	1.0		1	1	1	1	1	1	1
65+	3	1.7	1	1	1	1	3	3	3	3
B. *Operated*										
0-19 YRS	62	2.8	3	1	1	2	3	5	7	9
20-34	101	2.2	1	<1	1	2	3	4	5	6
35-49	136	2.8	2	1	1	2	3	5	6	8
50-64	148	3.0	3	1	1	3	4	5	6	10
65+	99	3.1	3	1	1	3	4	5	6	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	1.0		<1	<1	<1	1	1	1	1
B. *Operated*	177	2.3	1	<1	1	2	3	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	11	2.2	3	<1	<1	2	3	5	6	6
B. *Operated*	546	2.8	3	1	1	2	3	5	6	8
1. SINGLE DX	179	2.3	1	<1	1	2	3	3	4	7
2. MULTIPLE DX	557	2.8	3	1	1	2	3	5	6	8
A. NOT OPERATED	13	2.0	2	<1	<1	1	2	4	6	6
B. OPERATED	723	2.6	2	1	1	2	3	4	5	8
TOTAL 0-19 YRS	93	2.5	3	1	1	2	3	4	6	9
20-34	130	2.2	1	<1	1	2	3	4	5	6
35-49	174	2.6	2	1	1	2	3	4	6	8
50-64	211	2.8	3	1	1	2	3	5	5	9
65+	128	2.9	2	1	1	3	4	4	5	8
GRAND TOTAL	**736**	**2.6**	**2**	**1**	**1**	**2**	**3**	**4**	**6**	**8**

177: Chronic disease of tonsils and adenoids (474)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	57	1.8	2	<1	<1	1	2	4	5	6
20-34	20	2.5	2	<1	<1	2	3	4	5	6
35-49	8	2.3	1	1	1	2	3	3	3	3
50-64										
65+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	9658	1.8	2	<1	1	2	2	2	3	4
20-34	2622	1.9	1	1	1	2	2	3	3	5
35-49	331	2.1	1	1	1	2	2	3	4	6
50-64	69	2.3	1	1	1	2	3	4	4	6
65+	24	1.9	1	<1	1	2	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	206	1.7	2	<1	<1	1	2	4	4	7
20-34	31	2.1	2	<1	<1	1	3	5	5	6
35-49	5	1.8	1	1	1	2	2	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	7113	1.7	1	<1	1	2	2	2	3	4
20-34	698	2.3	2	1	1	2	3	3	4	7
35-49	167	2.7	5	1	1	2	3	4	6	11
50-64	34	3.2	6	1	1	2	4	7	9	12
65+	17	2.5	4	1	1	2	3	6	7	7
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	86	2.0	2	<1	<1	2	3	4	5	6
B. *Operated*	12704	1.8	1	1	1	2	2	2	3	4
2. MULTIPLE DX										
A. *Not Operated*	242	1.7	2	<1	<1	1	2	4	5	7
B. *Operated*	8029	1.8	1	<1	1	2	2	2	3	5
1. SINGLE DX	12790	1.8	1	1	1	2	2	2	3	4
2. MULTIPLE DX	8271	1.8	1	<1	1	2	2	3	3	5
A. NOT OPERATED	328	1.8	2	<1	<1	1	2	4	5	7
B. OPERATED	20733	1.8	1	<1	1	2	2	2	3	5
TOTAL 0-19 YRS	17034	1.8	1	<1	1	2	2	2	3	4
20-34	3371	2.0	1	1	1	2	2	3	4	5
35-49	511	2.3	2	1	1	2	3	3	4	8
50-64	103	2.6	3	1	1	2	3	4	6	10
65+	42	2.1	2	1	1	2	2	4	6	7
GRAND TOTAL	**21061**	**1.8**	**1**	**<1**	**1**	**2**	**2**	**2**	**3**	**5**

178: Miscellaneous diseases of upper respiratory system (472-473; 475-478)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	419	2.7	3	<1	1	2	3	5	6	9
20-34	308	3.1	2	1	2	3	4	5	6	9
35-49	145	3.1	4	1	1	3	4	6	7	11
50-64	60	3.5	6	1	1	3	4	7	8	14
65+	37	3.2	6	<1	1	3	4	6	7	13
B. *Operated*										
0-19 YRS	553	2.8	14	<1	1	2	3	4	7	16
20-34	741	2.4	3	1	1	2	3	4	5	8
35-49	664	2.4	2	<1	1	2	3	4	5	9
50-64	575	2.4	3	<1	1	2	3	4	5	10
65+	255	2.4	4	1	1	2	3	4	5	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	534	3.8	6	1	1	3	5	7	8	12
20-34	385	3.9	5	1	2	3	5	7	8	12
35-49	323	4.3	7	1	2	4	5	7	9	14
50-64	271	5.3	15	1	2	4	7	9	14	20
65+	232	4.8	12	1	2	4	6	9	11	14
B. *Operated*										
0-19 YRS	621	3.4	13	<1	1	2	4	7	10	21
20-34	894	3.0	7	1	1	2	3	5	7	13
35-49	891	3.4	10	1	1	3	4	6	9	15
50-64	822	3.8	12	1	1	3	4	8	11	19
65+	514	4.6	46	1	1	3	5	8	16	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	969	3.0	3	1	1	3	4	5	6	10
B. *Operated*	2788	2.5	5	<1	1	2	3	4	5	11
2. MULTIPLE DX										
A. *Not Operated*	1745	4.3	8	1	2	4	5	7	10	15
B. *Operated*	3742	3.6	15	1	1	3	4	7	10	19
1. SINGLE DX	3757	2.6	5	<1	1	2	3	4	6	10
2. MULTIPLE DX	5487	3.8	13	1	1	3	4	7	10	18
A. NOT OPERATED	2714	3.8	7	1	1	3	5	7	8	14
B. OPERATED	6530	3.1	11	1	1	2	3	5	8	17
TOTAL 0-19 YRS	2127	3.2	9	1	1	2	4	6	8	15
20-34	2328	3.0	5	1	1	3	4	5	7	11
35-49	2023	3.2	7	1	1	3	4	6	8	13
50-64	1728	3.5	10	1	1	2	4	7	10	18
65+	1038	4.1	28	1	1	3	4	8	12	23
GRAND TOTAL	**9244**	**3.3**	**10**	**1**	**1**	**2**	**4**	**6**	**8**	**15**

179: Pneumonia (480-486)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5709	3.8	5	1	2	3	5	6	8	11
20-34	1136	4.6	6	2	2	4	6	8	9	12
35-49	944	5.2	8	2	3	4	6	8	10	15
50-64	986	6.0	13	2	3	5	7	10	12	17
65+	1471	6.9	16	3	3	6	8	11	13	22
B. *Operated*										
0-19 YRS	42	5.9	17	1	2	5	8	11	14	19
20-34	42	8.1	35	2	2	7	10	18	20	24
35-49	56	9.8	51	2	3	8	12	18	26	37
50-64	107	8.4	25	1	2	8	11	15	20	22
65+	98	9.4	35	2	3	9	12	18	21	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7890	4.6	10	2	2	4	5	8	10	15
20-34	1663	5.9	14	2	3	5	7	10	12	20
35-49	2203	6.7	18	2	3	6	8	12	14	20
50-64	4936	7.7	26	3	3	7	9	13	16	25
65+	16296	9.3	38	3	4	8	11	16	20	32
B. *Operated*										
0-19 YRS	231	10.6	72	2	3	8	14	23	30	45
20-34	168	12.8	91	3	4	10	16	26	33	46
35-49	351	13.6	131	4	5	10	16	24	37	65
50-64	802	13.8	133	3	5	11	17	25	33	71
65+	1865	15.7	117	5	6	13	19	29	37	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10246	4.7	9	2	2	4	6	8	10	15
B. *Operated*	345	8.6	33	2	2	8	11	16	20	27
2. MULTIPLE DX										
A. *Not Operated*	32988	7.6	31	2	3	6	9	14	17	28
B. *Operated*	3417	14.5	120	4	5	12	18	27	35	62
1. SINGLE DX	10591	4.8	10	2	2	4	6	8	10	16
2. MULTIPLE DX	36405	8.3	43	2	3	7	10	15	20	34
A. NOT OPERATED	43234	6.9	27	2	3	6	9	13	16	26
B. OPERATED	3762	14.0	115	3	5	11	17	26	35	62
TOTAL 0-19 YRS	13872	4.4	10	2	2	4	5	7	10	15
20-34	3009	5.8	19	2	2	5	7	10	13	24
35-49	3554	7.0	32	2	3	6	8	12	16	28
50-64	6831	8.2	41	3	3	7	10	14	18	33
65+	19730	9.8	48	3	4	8	12	17	22	37
GRAND TOTAL	**46996**	**7.5**	**38**	**2**	**3**	**6**	**9**	**14**	**18**	**31**

180: Influenza (487)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	247	3.0	2	1	2	3	4	5	6	8
20-34	325	3.5	3	1	2	3	4	6	7	9
35-49	193	4.2	7	2	2	4	5	7	8	12
50-64	163	4.5	8	2	2	4	5	8	10	16
65+	158	5.2	9	2	2	5	7	9	10	15
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64	4	8.5	23	2	2	9	12	13	13	13
65+	2	10.5	13	8	8	10	13	13	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	601	3.3	4	1	2	3	4	6	7	10
20-34	683	3.8	5	1	2	3	4	6	8	11
35-49	492	4.8	8	2	2	4	6	8	10	14
50-64	683	5.3	9	2	2	5	7	9	11	16
65+	1412	6.6	17	2	3	6	8	11	14	22
B. *Operated*										
0-19 YRS	8	10.1	75	1	2	8	12	24	29	29
20-34	17	6.9	27	3	3	4	8	15	18	20
35-49	19	8.8	38	2	3	6	12	18	22	25
50-64	33	9.0	28	4	5	7	12	16	20	27
65+	58	11.8	64	5	5	10	12	21	31	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1086	3.9	6	1	2	3	5	7	8	12
B. *Operated*	6	9.2	17	2	3	10	13	13	13	13
2. MULTIPLE DX										
A. *Not Operated*	3871	5.1	12	2	2	4	6	9	11	18
B. *Operated*	135	10.0	49	3	4	8	12	17	26	40
1. SINGLE DX	1092	3.9	6	1	2	3	5	7	9	13
2. MULTIPLE DX	4006	5.3	14	2	2	4	6	10	12	20
A. NOT OPERATED	4957	4.9	11	2	2	4	6	9	11	17
B. OPERATED	141	10.0	48	3	4	8	12	17	26	40
TOTAL 0-19 YRS	856	3.3	4	1	2	3	4	6	7	11
20-34	1025	3.7	5	1	2	3	4	6	8	11
35-49	704	4.7	9	2	2	4	6	8	10	15
50-64	883	5.3	11	2	2	5	7	9	12	17
65+	1630	6.6	19	2	3	6	8	12	14	24
GRAND TOTAL	**5098**	**5.0**	**13**	**2**	**2**	**4**	**6**	**9**	**11**	**19**

181: Bronchitis, chronic and unspecified (490-491)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	613	3.2	3	1	1	3	4	5	6	9
20-34	132	3.9	4	2	2	3	5	7	8	10
35-49	157	4.4	6	2	2	4	5	8	9	12
50-64	292	5.5	8	2	3	5	7	9	11	16
65+	281	5.8	11	2	2	5	7	10	13	16
B. *Operated*										
0-19 YRS	10	1.9	1	<1	<1	2	3	4	4	4
20-34	22	4.6	29	1	1	3	5	9	16	26
35-49	26	4.2	13	1	1	3	5	9	12	17
50-64	44	3.3	11	<1	1	2	4	6	9	20
65+	28	4.9	11	1	1	4	7	9	12	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	915	4.0	9	1	2	3	5	7	9	14
20-34	330	4.6	9	1	2	4	5	8	10	15
35-49	603	5.6	13	2	2	5	7	10	12	19
50-64	1471	6.6	27	2	3	5	8	11	15	28
65+	2550	7.4	28	2	3	6	9	13	16	29
B. *Operated*										
0-19 YRS	25	7.6	94	2	2	4	8	12	27	50
20-34	47	5.7	15	2	2	4	8	12	14	16
35-49	133	8.2	65	1	2	6	10	16	28	38
50-64	261	7.8	75	2	2	6	9	14	21	47
65+	330	8.7	72	2	2	7	11	16	22	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1475	4.3	7	1	2	4	5	8	9	14
B. *Operated*	130	3.9	14	1	1	3	5	8	11	21
2. MULTIPLE DX										
A. *Not Operated*	5869	6.3	24	2	2	5	8	11	14	26
B. *Operated*	796	8.1	69	2	2	6	10	15	22	46
1. SINGLE DX	1605	4.3	8	1	2	4	5	8	9	14
2. MULTIPLE DX	6665	6.6	29	2	2	5	8	12	15	28
A. NOT OPERATED	7344	5.9	21	2	2	5	7	11	14	24
B. OPERATED	926	7.5	64	1	2	5	9	15	20	45
TOTAL 0-19 YRS	1563	3.7	8	1	2	3	5	6	8	13
20-34	531	4.5	9	1	2	4	5	8	10	15
35-49	919	5.7	20	2	2	4	7	10	13	24
50-64	2068	6.5	30	2	2	5	8	11	15	29
65+	3189	7.4	31	2	3	6	9	13	17	29
GRAND TOTAL	**8270**	**6.1**	**26**	**2**	**2**	**5**	**8**	**11**	**14**	**26**

182: Emphysema (492)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	1	3.0		3	3	3	3	3	3	3
35-49	16	4.4	3	1	2	4	6	7	8	8
50-64	72	5.2	12	2	2	4	7	9	12	18
65+	80	6.5	65	2	2	5	7	10	15	56
B. *Operated*										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	2	10.0		10	10	10	10	10	10	10
35-49	8	8.4	16	3	4	8	10	15	16	16
50-64	7	5.3	10	1	1	6	8	9	9	9
65+	3	4.3	6	2	2	4	6	7	7	.
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	7	4.0	7	1	1	4	6	8	8	8
35-49	76	6.8	21	2	2	5	9	13	16	23
50-64	468	7.4	25	2	3	6	9	13	17	30
65+	881	7.7	31	2	3	6	9	14	18	30
B. *Operated*										
0-19 YRS	2	11.0	98	4	4	11	18	18	18	18
20-34	13	10.3	24	2	4	9	14	17	18	18
35-49	26	13.7	97	3	4	12	20	24	34	44
50-64	47	12.5	160	2	3	9	16	30	48	99+
65+	98	13.7	130	3	4	10	17	28	43	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	170	5.7	36	2	2	4	7	9	14	24
B. *Operated*	21	6.9	13	1	2	7	9	11	14	16
2. MULTIPLE DX										
A. *Not Operated*	1432	7.6	28	2	3	6	9	14	18	29
B. *Operated*	186	13.2	124	3	4	10	17	26	40	64
1. SINGLE DX	191	5.9	34	2	2	5	7	10	14	23
2. MULTIPLE DX	1618	8.2	43	2	3	7	10	15	21	38
A. NOT OPERATED	1602	7.4	29	2	3	6	9	14	17	29
B. OPERATED	207	12.5	117	2	3	9	16	24	36	62
TOTAL 0-19 YRS	4	8.0	47	3	3	5	12	18	18	18
20-34	23	8.0	25	1	2	8	11	16	17	18
35-49	126	8.0	43	2	3	6	10	16	21	34
50-64	594	7.5	36	2	3	6	9	14	18	35
65+	1062	8.2	46	2	3	6	10	15	20	39
GRAND TOTAL	**1809**	**8.0**	**42**	**2**	**3**	**6**	**10**	**15**	**20**	**37**

183: Asthma (493)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5655	3.1	3	1	1	3	4	5	6	9
20-34	1175	3.6	3	1	2	3	4	6	7	9
35-49	1019	4.3	6	1	2	4	5	7	9	13
50-64	993	5.0	10	2	2	4	6	8	10	17
65+	697	5.3	9	2	2	5	7	9	11	15
B. *Operated*										
0-19 YRS	27	3.4	4	1	1	3	4	6	8	9
20-34	12	4.7	7	<1	1	4	6	8	11	11
35-49	16	5.6	25	<1	2	4	6	16	18	18
50-64	19	5.6	16	1	2	5	7	12	15	15
65+	15	8.1	13	1	3	9	9	13	14	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4116	3.7	5	1	2	3	5	6	7	12
20-34	1314	4.5	7	2	2	4	6	8	9	14
35-49	1871	5.4	14	2	2	5	7	9	12	19
50-64	3154	6.3	19	2	3	5	8	11	13	21
65+	3889	7.0	22	2	3	6	8	12	15	25
B. *Operated*										
0-19 YRS	82	9.7	164	2	3	6	9	19	29	82
20-34	46	7.5	21	2	3	6	10	13	18	21
35-49	122	9.3	49	3	3	7	12	19	24	59
50-64	191	12.2	109	3	4	9	15	22	28	65
65+	182	11.8	77	3	4	10	14	20	31	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9539	3.6	5	1	2	3	4	6	8	11
B. *Operated*	89	5.2	14	1	2	4	7	9	14	18
2. MULTIPLE DX										
A. *Not Operated*	14344	5.5	16	2	2	5	7	10	12	20
B. *Operated*	623	10.8	90	3	4	8	13	20	26	57
1. SINGLE DX	9628	3.7	5	1	2	3	4	6	8	12
2. MULTIPLE DX	14967	5.7	20	2	2	5	7	10	13	22
A. NOT OPERATED	23883	4.8	12	1	2	4	6	9	11	18
B. OPERATED	712	10.1	84	2	3	8	12	19	24	56
TOTAL 0-19 YRS	9880	3.4	6	1	2	3	4	6	7	11
20-34	2547	4.1	6	1	2	4	5	7	9	12
35-49	3028	5.2	14	2	2	4	7	9	12	19
50-64	4357	6.3	23	2	2	5	8	11	14	23
65+	4783	7.0	23	2	3	6	8	12	15	25
GRAND TOTAL	**24595**	**4.9**	**15**	**1**	**2**	**4**	**6**	**9**	**11**	**19**

184: Miscellaneous obstructive lung diseases (494-496)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	17	4.3	9	1	1	4	7	9	10	10
20-34	16	4.3	4	<1	2	5	6	7	7	7
35-49	99	5.3	20	1	2	4	6	10	15	25
50-64	616	6.2	21	2	2	5	8	11	14	21
65+	712	6.3	24	2	3	5	8	11	13	21
B. *Operated*										
0-19 YRS	3	5.0	19	2	2	3	8	10	10	10
20-34	9	7.6	69	<1	<1	5	10	22	26	26
35-49	12	7.6	17	2	3	7	11	13	14	14
50-64	31	5.4	20	1	2	4	6	10	13	24
65+	27	6.4	19	1	2	5	9	14	15	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	120	8.4	22	2	3	8	11	14	17	23
20-34	84	6.6	25	2	2	5	9	13	16	25
35-49	520	6.1	23	2	2	5	7	11	14	22
50-64	3292	7.5	37	2	3	6	9	13	18	29
65+	6180	7.8	34	2	3	6	9	14	18	30
B. *Operated*										
0-19 YRS	29	10.4	41	2	2	10	14	22	24	99+
20-34	17	7.4	24	2	2	6	11	14	17	18
35-49	87	9.3	130	2	2	7	10	19	23	72
50-64	404	10.1	81	2	3	8	12	19	26	54
65+	645	11.9	95	3	4	9	15	22	28	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1460	6.1	22	2	2	5	8	11	14	21
B. *Operated*	82	6.2	24	1	2	5	9	13	15	25
2. MULTIPLE DX										
A. *Not Operated*	10196	7.6	35	2	3	6	9	14	18	30
B. *Operated*	1182	11.0	91	2	3	8	14	21	27	60
1. SINGLE DX	1542	6.1	22	2	2	5	8	11	14	21
2. MULTIPLE DX	11378	8.0	42	2	3	6	10	14	19	33
A. NOT OPERATED	11656	7.4	33	2	3	6	9	13	18	29
B. OPERATED	1264	10.7	88	2	3	8	13	20	27	55
TOTAL 0-19 YRS	169	8.3	26	2	2	8	11	15	19	27
20-34	126	6.5	25	1	2	5	8	14	16	25
35-49	718	6.4	36	2	2	5	7	11	15	27
50-64	4343	7.5	40	2	3	6	9	14	18	33
65+	7564	8.0	40	2	3	6	10	15	19	33
GRAND TOTAL	**12920**	**7.7**	**40**	**2**	**3**	**6**	**9**	**14**	**19**	**32**

185: Spontaneous pneumothorax (512)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	51	3.4	6	1	1	3	4	6	11	12
20-34	125	3.3	6	1	1	2	4	6	8	12
35-49	35	3.6	5	1	1	3	4	7	8	10
50-64	11	4.0	3	1	2	4	6	7	7	7
65+	3	2.3		2	2	2	3	3	3	3
B. *Operated*										
0-19 YRS	99	5.7	8	2	3	5	7	10	11	15
20-34	476	5.9	11	3	3	5	7	10	12	19
35-49	170	5.7	13	2	2	5	7	10	12	21
50-64	55	7.7	35	3	3	5	10	14	20	33
65+	38	7.8	32	3	3	5	10	14	19	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	20	5.1	25	1	1	3	5	11	17	22
20-34	50	5.4	18	1	1	5	7	12	14	19
35-49	24	5.2	16	2	2	4	7	9	14	20
50-64	45	7.3	31	2	3	6	8	13	21	28
65+	83	8.1	27	2	3	7	11	15	21	24
B. *Operated*										
0-19 YRS	36	10.9	72	4	4	8	13	22	31	40
20-34	148	9.2	34	3	4	8	11	17	20	28
35-49	126	10.0	61	3	4	8	12	19	26	40
50-64	210	11.4	76	3	3	9	15	23	30	41
65+	280	12.5	102	3	4	10	16	25	35	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	225	3.4	6	1	1	3	4	6	8	12
B. *Operated*	838	6.0	14	2	3	5	7	10	13	21
2. MULTIPLE DX										
A. *Not Operated*	222	6.8	26	1	2	6	8	13	18	24
B. *Operated*	800	11.1	76	3	4	8	14	22	30	44
1. SINGLE DX	1063	5.5	13	2	2	5	7	10	12	20
2. MULTIPLE DX	1022	10.2	69	2	3	8	13	20	27	42
A. NOT OPERATED	447	5.1	18	1	1	4	6	10	13	22
B. OPERATED	1638	8.5	51	3	3	6	10	17	22	39
TOTAL 0-19 YRS	206	6.0	26	1	2	5	7	11	14	30
20-34	799	6.0	18	2	2	5	7	11	15	22
35-49	355	7.0	35	2	2	5	9	13	19	35
50-64	321	9.9	65	2	3	7	12	21	27	38
65+	404	11.1	84	3	3	8	14	22	31	48
GRAND TOTAL	**2085**	**7.8**	**46**	**2**	**2**	**6**	**9**	**16**	**21**	**37**

186: Miscellaneous lung and pleural diseases (500-511; 513-519)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	609	2.9	5	1	1	2	4	5	6	12
20-34	196	3.6	11	1	1	3	4	7	9	20
35-49	189	4.0	7	1	1	3	5	8	9	13
50-64	195	4.7	14	1	2	4	6	9	11	23
65+	280	5.6	15	1	2	5	7	11	13	21
B. *Operated*										
0-19 YRS	97	4.0	20	<1	1	2	5	10	15	21
20-34	103	5.6	42	1	1	4	7	11	16	36
35-49	124	6.9	40	1	1	5	9	15	20	32
50-64	190	6.3	32	1	1	4	9	14	18	28
65+	187	7.0	47	1	2	5	9	15	21	37
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	979	4.3	17	1	1	3	5	8	11	25
20-34	453	5.0	19	1	1	4	6	10	12	22
35-49	770	5.8	23	1	2	4	7	11	14	27
50-64	1947	6.7	30	2	2	5	8	13	16	27
65+	5074	8.2	44	2	3	7	10	15	19	33
B. *Operated*										
0-19 YRS	245	10.0	174	1	1	5	13	24	35	70
20-34	233	9.5	78	1	2	7	12	21	28	50
35-49	469	9.4	72	1	2	7	12	19	26	40
50-64	986	11.0	110	2	2	8	14	23	31	55
65+	1597	12.7	128	2	3	9	17	25	34	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1469	3.9	10	1	1	3	5	7	11	16
B. *Operated*	701	6.2	38	1	1	4	8	14	18	28
2. MULTIPLE DX										
A. *Not Operated*	9223	7.1	37	2	2	6	9	13	18	29
B. *Operated*	3530	11.4	117	2	2	9	15	24	32	56
1. SINGLE DX	2170	4.6	20	1	1	3	6	10	13	23
2. MULTIPLE DX	12753	8.3	63	2	2	6	10	16	22	41
A. NOT OPERATED	10692	6.7	34	1	2	5	8	13	17	28
B. OPERATED	4231	10.5	107	1	2	8	14	22	30	54
TOTAL 0-19 YRS	1930	4.6	38	1	1	3	5	9	14	31
20-34	985	5.8	38	1	1	4	7	12	17	32
35-49	1552	6.7	41	1	2	5	9	14	19	32
50-64	3318	7.9	57	2	2	6	10	15	21	39
65+	7138	9.1	66	2	3	7	11	18	23	42
GRAND TOTAL	**14923**	**7.8**	**58**	**1**	**2**	**6**	**10**	**16**	**21**	**39**

187: Disease of teeth and jaws (520-526)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	34	2.9	3	1	1	3	4	5	6	8
20-34	30	3.8	8	1	1	3	5	7	9	15
35-49	18	5.2	24	<1	1	3	4	14	16	17
50-64	15	2.5	1	<1	1	3	3	4	4	4
65+	6	8.2	85	1	1	3	19	21	21	21
B. *Operated*										
0-19 YRS	1082	2.1	2	<1	<1	2	3	4	4	7
20-34	1016	2.9	3	1	1	3	4	5	5	9
35-49	552	3.0	3	1	1	3	4	5	5	10
50-64	275	2.8	1	1	2	3	3	4	5	6
65+	108	2.8	2	1	1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	126	3.0	5	<1	<1	2	4	6	7	11
20-34	88	3.9	11	1	1	3	5	7	11	17
35-49	71	4.2	23	<1	1	2	6	9	11	30
50-64	63	4.3	14	1	1	3	6	9	11	21
65+	49	5.6	26	1	1	4	6	13	19	25
B. *Operated*										
0-19 YRS	1098	2.4	3	<1	<1	2	3	4	5	8
20-34	893	3.2	7	1	1	3	4	5	7	13
35-49	644	3.3	8	1	2	3	4	5	7	12
50-64	629	3.6	19	1	2	3	4	7	8	21
65+	478	3.5	9	1	2	3	4	6	9	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	103	3.8	14	1	1	3	4	6	14	20
B. *Operated*	3033	2.6	2	<1	1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	397	3.9	14	<1	1	3	5	8	11	20
B. *Operated*	3742	3.1	9	1	1	2	4	5	7	13
1. SINGLE DX	3136	2.7	3	<1	1	2	3	4	5	9
2. MULTIPLE DX	4139	3.2	9	<1	1	2	4	5	7	15
A. NOT OPERATED	500	3.9	14	<1	1	3	5	8	11	20
B. OPERATED	6775	2.9	6	<1	1	2	4	5	6	11
TOTAL 0-19 YRS	2340	2.3	3	<1	<1	2	3	4	5	8
20-34	2027	3.1	5	1	1	3	4	5	6	12
35-49	1285	3.2	7	1	2	3	4	5	7	13
50-64	982	3.4	14	1	2	3	4	6	8	17
65+	641	3.6	10	1	2	3	4	6	9	19
GRAND TOTAL	**7275**	**3.0**	**6**	**<1**	**1**	**2**	**4**	**5**	**6**	**12**

188: Disease of mouth, except dental (527-529)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	78	3.1	3	1	1	3	4	5	7	10
20-34	31	3.7	4	1	1	3	4	7	8	8
35-49	22	4.0	7	1	2	3	5	6	9	14
50-64	17	4.6	13	1	2	4	5	9	14	16
65+	24	5.5	13	1	2	5	7	11	13	15
B. *Operated*										
0-19 YRS	137	3.1	3	<1	1	3	4	5	7	9
20-34	128	3.3	6	<1	1	3	4	5	8	13
35-49	129	2.8	2	1	1	3	3	5	7	8
50-64	111	3.0	4	<1	1	3	4	5	6	12
65+	98	2.8	4	<1	1	2	3	5	7	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	171	3.8	4	1	2	3	5	6	8	11
20-34	51	4.9	11	2	2	4	6	8	14	17
35-49	50	5.3	15	1	1	5	7	10	12	19
50-64	68	5.9	16	1	2	5	8	12	15	18
65+	143	6.7	22	2	2	6	8	12	17	23
B. *Operated*										
0-19 YRS	89	3.6	7	1	1	3	4	6	9	15
20-34	100	4.1	19	1	1	3	4	8	12	25
35-49	134	4.4	20	1	2	3	5	9	13	24
50-64	159	4.3	13	1	2	3	5	8	11	22
65+	224	5.5	67	1	2	3	6	10	15	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	172	3.8	7	1	1	3	5	7	9	15
B. *Operated*	603	3.0	4	1	1	3	4	5	7	11
2. MULTIPLE DX										
A. *Not Operated*	483	5.2	14	1	2	4	6	10	13	19
B. *Operated*	706	4.6	32	1	2	3	5	9	12	24
1. SINGLE DX	775	3.2	5	1	1	3	4	6	7	12
2. MULTIPLE DX	1189	4.8	25	1	2	4	6	9	12	22
A. NOT OPERATED	655	4.8	12	1	2	4	6	9	12	18
B. OPERATED	1309	3.9	19	1	1	3	4	7	10	18
TOTAL 0-19 YRS	475	3.4	4	1	1	3	4	6	7	11
20-34	310	3.9	11	1	1	3	4	7	9	16
35-49	335	3.9	12	1	1	3	4	7	11	17
50-64	355	4.2	11	1	2	3	5	8	11	18
65+	489	5.3	40	1	2	4	7	10	14	25
GRAND TOTAL	**1964**	**4.2**	**17**	**1**	**1**	**3**	**5**	**8**	**11**	**18**

189: Diseases of esophagus (530)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	368	3.1	6	1	1	2	4	6	9	13
20-34	209	3.0	4	1	1	2	4	5	7	12
35-49	332	3.1	4	1	1	3	4	5	7	11
50-64	221	3.4	4	1	1	3	4	6	7	10
65+	172	3.8	9	1	1	3	4	7	9	14
B. *Operated*										
0-19 YRS	179	6.1	49	<1	<1	4	9	13	17	30
20-34	98	4.8	14	<1	1	4	6	9	12	20
35-49	128	5.1	16	<1	1	4	7	10	13	20
50-64	113	5.0	26	1	1	4	7	11	12	63
65+	127	5.1	27	1	1	4	7	10	15	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	476	4.3	11	1	1	3	6	8	10	19
20-34	655	3.9	6	1	2	3	5	7	9	13
35-49	1338	4.1	7	1	2	4	5	7	9	14
50-64	1598	4.5	10	1	2	4	5	8	10	16
65+	1936	5.2	13	1	2	4	6	9	11	20
B. *Operated*										
0-19 YRS	305	12.6	204	1	2	8	16	29	48	75
20-34	288	6.6	39	2	2	5	8	11	16	25
35-49	581	6.2	23	1	2	5	8	11	16	23
50-64	933	6.7	38	1	2	5	8	13	17	32
65+	1337	7.9	61	1	2	6	10	16	21	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1302	3.2	5	1	1	3	4	6	8	12
B. *Operated*	645	5.3	29	<1	1	4	7	11	14	26
2. MULTIPLE DX										
A. *Not Operated*	6003	4.5	10	1	2	4	6	8	10	16
B. *Operated*	3444	7.6	62	1	2	6	9	15	20	42
1. SINGLE DX	1947	3.9	14	1	1	3	5	8	10	18
2. MULTIPLE DX	9447	5.7	31	1	2	4	7	10	14	29
A. NOT OPERATED	7305	4.3	10	1	2	4	5	8	10	16
B. OPERATED	4089	7.2	57	1	2	5	9	14	20	41
TOTAL 0-19 YRS	1328	6.1	72	1	1	3	7	12	19	53
20-34	1250	4.4	16	1	2	3	5	8	11	19
35-49	2379	4.5	12	1	2	4	6	8	10	18
50-64	2865	5.1	21	1	2	4	6	10	12	24
65+	3572	6.1	33	1	2	5	7	11	16	29
GRAND TOTAL	**11394**	**5.4**	**29**	**1**	**2**	**4**	**6**	**10**	**14**	**27**

190: Gastric ulcer without complication (531.30; 531.70; 531.90)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	22	3.3	5	1	1	3	5	7	8	9
20-34	89	4.0	6	1	2	3	5	8	9	11
35-49	172	4.0	5	1	2	4	5	7	8	11
50-64	98	3.9	5	1	2	3	5	7	9	11
65+	78	4.5	6	1	2	4	6	8	9	12
B. *Operated*										
0-19 YRS	11	4.0	2	2	2	4	5	6	6	6
20-34	40	7.1	29	2	3	6	8	15	20	25
35-49	93	6.8	22	1	2	6	8	12	16	26
50-64	93	6.9	27	1	2	5	9	14	17	26
65+	56	5.3	11	1	1	5	7	10	12	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	26	4.0	4	1	2	4	5	7	8	9
20-34	186	5.0	10	2	2	4	6	9	11	16
35-49	370	5.2	13	2	2	4	6	8	12	21
50-64	491	5.6	12	2	2	5	7	10	13	17
65+	765	6.1	15	2	2	5	7	11	13	20
B. *Operated*										
0-19 YRS	8	8.0	23	2	3	6	12	15	15	15
20-34	94	7.2	36	2	2	5	10	12	18	36
35-49	311	7.6	52	2	2	6	10	14	17	31
50-64	457	7.7	30	2	3	7	9	13	17	34
65+	686	8.1	34	2	3	7	10	15	19	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	459	4.1	5	1	2	4	5	7	9	11
B. *Operated*	293	6.5	22	1	2	5	8	12	16	25
2. MULTIPLE DX										
A. *Not Operated*	1838	5.6	13	2	2	5	7	10	13	19
B. *Operated*	1556	7.8	37	2	3	6	10	14	18	33
1. SINGLE DX	752	5.0	13	1	2	4	6	9	11	19
2. MULTIPLE DX	3394	6.6	25	2	2	5	8	12	15	26
A. NOT OPERATED	2297	5.3	12	2	2	4	7	9	12	18
B. OPERATED	1849	7.6	34	2	3	6	9	14	18	30
TOTAL 0-19 YRS	67	4.2	8	1	2	4	5	7	10	15
20-34	409	5.5	18	2	2	4	7	10	13	19
35-49	946	5.9	27	2	2	5	7	11	14	26
50-64	1139	6.4	21	2	2	5	8	12	14	25
65+	1585	6.8	24	2	3	6	8	12	16	26
GRAND TOTAL	**4146**	**6.3**	**23**	**2**	**2**	**5**	**8**	**12**	**15**	**25**

191: Gastric ulcer with hemorrhage or perforation (531.00; 531.10; 531.20; 531.40; 531.50; 531.60)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	3.1	2	2	2	3	4	5	6	6
20-34	48	4.1	3	2	2	4	5	7	7	10
35-49	81	4.6	6	2	2	4	6	8	9	13
50-64	90	5.0	9	2	2	4	6	8	10	18
65+	104	5.3	18	2	3	4	6	8	10	26
B. *Operated*										
0-19 YRS	5	6.2	13	2	2	7	9	10	10	10
20-34	21	7.3	8	3	4	7	9	11	12	13
35-49	61	7.2	14	2	3	7	10	11	15	18
50-64	92	7.1	20	2	3	6	9	12	17	23
65+	74	8.4	23	2	3	8	11	15	17	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	18	5.9	24	2	2	5	6	12	19	22
20-34	70	4.2	5	1	2	4	6	8	8	9
35-49	168	5.7	33	2	2	5	6	9	10	29
50-64	337	5.9	11	2	3	5	7	10	13	18
65+	839	7.5	31	3	3	6	9	13	16	29
B. *Operated*										
0-19 YRS	6	10.3	23	5	5	10	14	17	17	17
20-34	39	7.5	55	2	2	6	10	12	13	47
35-49	141	10.2	58	3	3	8	12	19	28	36
50-64	382	10.0	65	3	3	8	13	18	23	41
65+	877	10.8	71	3	4	8	13	20	27	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	332	4.8	10	2	2	4	6	8	9	13
B. *Operated*	253	7.5	19	2	3	7	10	12	16	20
2. MULTIPLE DX										
A. *Not Operated*	1432	6.7	26	2	3	6	8	11	15	24
B. *Operated*	1445	10.4	68	3	4	8	13	19	26	43
1. SINGLE DX	585	6.0	15	2	2	5	8	10	12	19
2. MULTIPLE DX	2877	8.6	50	3	3	7	10	16	21	40
A. NOT OPERATED	1764	6.4	23	2	3	5	7	11	14	23
B. OPERATED	1698	10.0	62	3	3	8	12	18	25	41
TOTAL 0-19 YRS	38	6.0	21	2	2	5	7	13	16	22
20-34	178	5.2	18	2	2	4	7	9	11	14
35-49	451	7.1	38	2	3	5	8	12	16	33
50-64	901	7.7	39	2	3	6	9	14	18	31
65+	1894	8.9	52	3	3	7	11	17	22	40
GRAND TOTAL	**3462**	**8.1**	**45**	**2**	**3**	**6**	**10**	**15**	**20**	**37**

192: Nongastric peptic ulcer without complication (532.30; 532.70; 532.90; 533.30; 533.70; 533.90; 534.30; 534.70; 534.90)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	146	3.2	4	1	1	3	4	5	7	10
20-34	620	3.3	4	1	1	3	4	6	7	9
35-49	655	3.7	4	1	2	3	5	6	8	11
50-64	364	3.9	5	1	2	3	5	7	8	12
65+	170	4.1	5	2	2	4	5	7	9	11
B. *Operated*										
0-19 YRS	9	6.3	13	<1	1	7	9	11	11	11
20-34	70	7.4	8	3	4	7	8	10	11	19
35-49	115	8.9	24	3	3	8	10	15	19	26
50-64	58	7.3	15	2	3	7	9	11	13	23
65+	25	8.0	34	<1	<1	7		17	22	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	130	4.1	6	1	2	3	5	8	9	12
20-34	767	4.2	6	1	2	4	5	7	9	13
35-49	1240	4.5	8	1	2	4	6	8	10	15
50-64	1292	4.9	10	2	2	4	6	8	10	15
65+	1462	5.7	17	2	2	5	7	10	13	22
B. *Operated*										
0-19 YRS	14	6.4	21	1	1	6	9	13	16	17
20-34	137	8.6	61	2	3	7	10	16	19	51
35-49	295	8.4	34	2	3	7	10	16	20	31
50-64	336	9.2	89	2	3	7	11	16	22	48
65+	274	9.6	48	3	3	8	12	17	22	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1955	3.6	4	1	2	3	4	6	7	11
B. *Operated*	277	8.0	19	2	3	8	10	12	17	24
2. MULTIPLE DX										
A. *Not Operated*	4891	4.9	11	2	2	4	6	9	11	16
B. *Operated*	1056	9.0	59	2	3	7	11	16	21	36
1. SINGLE DX	2232	4.2	8	1	2	3	5	8	9	14
2. MULTIPLE DX	5947	5.6	22	2	2	4	7	10	13	22
A. NOT OPERATED	6846	4.5	9	1	2	4	6	8	10	15
B. OPERATED	1333	8.8	51	2	3	7	11	16	20	32
TOTAL 0-19 YRS	299	3.8	6	1	1	3	5	7	9	13
20-34	1594	4.4	12	1	2	3	5	8	10	17
35-49	2305	5.0	14	1	2	4	6	9	12	20
50-64	2050	5.5	25	2	2	4	7	10	13	22
65+	1931	6.2	22	2	2	5	8	11	14	25
GRAND TOTAL	**8179**	**5.2**	**19**	**2**	**2**	**4**	**6**	**9**	**12**	**21**

193: Nongastric peptic ulcer with hemorrhage or perforation (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	36	4.2	4	2	2	4	6	7	7	10
20-34	226	3.9	4	1	2	4	5	6	7	10
35-49	270	4.4	5	2	2	4	5	7	8	11
50-64	268	4.8	5	2	2	4	6	8	9	12
65+	207	5.5	9	2	3	5	7	9	10	15
B. *Operated*										
0-19 YRS	11	6.9	24	2	2	6	9	14	18	18
20-34	98	7.8	10	4	5	7	9	12	13	22
35-49	114	8.4	12	4	5	8	10	14	15	18
50-64	99	8.8	16	4	5	8	11	15	17	21
65+	59	10.3	40	3	4	9	14	17	20	40
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	38	4.5	4	2	2	4	5	8	9	10
20-34	207	4.8	8	1	2	4	6	8	10	16
35-49	452	5.1	6	2	2	5	6	8	10	14
50-64	671	5.7	12	2	3	5	7	10	12	17
65+	1380	7.2	22	2	3	6	9	13	16	25
B. *Operated*										
0-19 YRS	3	7.0	9	4	4	7	9	10	10	10
20-34	83	9.6	24	4	5	8	11	17	21	25
35-49	145	11.1	101	3	4	9	13	17	26	63
50-64	312	11.4	74	4	4	9	14	21	28	58
65+	622	13.6	114	4	5	11	16	25	32	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1007	4.6	6	2	2	4	6	8	9	12
B. *Operated*	381	8.6	18	4	5	8	10	14	16	22
2. MULTIPLE DX										
A. *Not Operated*	2748	6.2	16	2	3	5	7	11	14	21
B. *Operated*	1165	12.4	97	4	5	10	15	22	29	61
1. SINGLE DX	1388	5.7	12	2	2	5	7	10	12	18
2. MULTIPLE DX	3913	8.1	48	2	3	6	10	15	20	37
A. NOT OPERATED	3755	5.8	14	2	3	5	7	10	13	20
B. OPERATED	1546	11.5	80	4	5	9	13	20	27	50
TOTAL 0-19 YRS	88	4.8	7	2	2	4	6	8	10	16
20-34	614	5.6	13	2	2	5	7	10	12	20
35-49	981	6.2	26	2	2	5	7	11	13	22
50-64	1350	7.1	32	2	3	6	9	12	16	30
65+	2268	8.9	55	3	3	7	10	16	21	38
GRAND TOTAL	**5301**	**7.5**	**40**	**2**	**3**	**6**	**9**	**14**	**18**	**32**

194: Peptic ulcer with obstruction (531-534, with 5th digit of 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	4.3	4	2	2	5	6	6	6	6
20-34	6	5.5	13	1	1	5	8	11	11	11
35-49	12	4.4	3	1	2	4	5	6	8	8
50-64	13	5.1	7	1	2	4	7	9	10	10
65+	16	7.0	15	3	4	6	7	11	17	19
B. *Operated*										
0-19 YRS	2	26.0	18	23	23	26	29	29	29	29
20-34	15	8.2	23	2	3	7	9	14	20	22
35-49	38	11.3	26	4	7	10	14	18	21	27
50-64	34	10.7	20	4	6	10	14	17	20	21
65+	26	12.0	23	5	6	11	15	19	21	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	16	6.3	16	1	1	5	9	12	14	15
35-49	49	7.8	27	3	3	6	10	15	17	30
50-64	69	7.0	15	3	3	6	8	13	14	21
65+	141	8.5	24	3	3	8	10	14	20	26
B. *Operated*										
0-19 YRS	2	8.5	13	6	6	8	11	11	11	11
20-34	30	17.8	200	3	5	11	22	45	47	54
35-49	74	13.0	79	4	6	11	15	21	31	53
50-64	107	16.4	168	5	6	13	19	30	36	76
65+	210	16.3	100	5	7	14	20	31	38	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	50	5.5	9	1	2	5	6	9	11	19
B. *Operated*	115	11.1	28	4	6	10	14	18	22	28
2. MULTIPLE DX										
A. *Not Operated*	276	7.8	22	3	3	7	10	14	18	25
B. *Operated*	423	15.8	121	5	6	13	19	30	38	56
1. SINGLE DX	165	9.4	29	3	4	8	12	17	21	26
2. MULTIPLE DX	699	12.7	97	3	4	10	15	25	32	49
A. NOT OPERATED	326	7.5	21	2	3	7	9	13	17	24
B. OPERATED	538	14.8	105	5	6	12	18	28	36	54
TOTAL 0-19 YRS	8	11.1	93	2	3	7	17	27	29	29
20-34	67	11.8	128	1	3	8	13	26	45	53
35-49	173	10.6	54	3	4	9	13	18	22	45
50-64	223	11.9	108	3	4	9	14	21	30	60
65+	393	12.8	79	3	4	10	16	25	31	43
GRAND TOTAL	**864**	**12.1**	**86**	**3**	**4**	**10**	**15**	**22**	**30**	**47**

195: Gastritis and duodenitis (535)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	524	2.5	2	1	1	2	3	4	5	8
20-34	1070	3.0	4	1	1	3	4	5	6	9
35-49	817	3.3	4	1	1	3	4	6	7	11
50-64	458	3.5	5	1	1	3	4	6	8	12
65+	253	3.6	6	1	1	3	5	6	7	11
B. *Operated*										
0-19 YRS	31	5.4	188	<1	1	3	4	5	6	79
20-34	75	5.2	14	<1	2	4	6	11	14	16
35-49	96	5.8	24	1	2	5	7	10	13	29
50-64	66	5.4	20	<1	1	4	7	11	14	24
65+	31	5.1	13	<1	2	4	7	11	12	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1084	3.0	5	1	1	3	4	5	6	11
20-34	2171	3.7	7	1	2	3	5	6	8	12
35-49	2822	4.2	8	1	2	4	5	7	9	14
50-64	2589	4.7	9	2	2	4	6	8	10	16
65+	3107	5.4	17	2	2	4	7	9	12	19
B. *Operated*										
0-19 YRS	77	4.4	10	1	1	3	6	8	12	16
20-34	393	6.2	28	2	2	5	8	11	15	27
35-49	584	7.4	44	2	2	6	9	14	17	30
50-64	689	7.4	42	2	3	6	9	14	17	37
65+	834	8.0	36	2	3	6	10	15	20	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3122	3.1	4	1	1	3	4	5	7	10
B. *Operated*	299	5.5	36	<1	1	4	7	10	13	25
2. MULTIPLE DX										
A. *Not Operated*	11773	4.5	11	1	2	4	5	8	10	15
B. *Operated*	2577	7.3	38	2	2	6	9	14	17	31
1. SINGLE DX	3421	3.3	7	1	1	3	4	6	7	12
2. MULTIPLE DX	14350	5.0	17	1	2	4	6	9	12	20
A. NOT OPERATED	14895	4.2	9	1	2	3	5	7	9	15
B. OPERATED	2876	7.1	38	2	2	6	9	14	17	30
TOTAL 0-19 YRS	1716	3.0	8	1	1	2	3	5	6	11
20-34	3709	3.8	9	1	1	3	5	7	9	14
35-49	4319	4.5	14	1	2	4	5	8	10	18
50-64	3802	5.1	16	1	2	4	6	9	12	20
65+	4225	5.8	21	2	2	5	7	10	14	23
GRAND TOTAL	**17771**	**4.7**	**15**	**1**	**2**	**4**	**6**	**8**	**11**	**19**

196: Disease of stomach and duodenum, except ulcer and inflammation (536-537)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	167	2.9	4	1	1	2	4	5	7	10
20-34	281	3.2	3	1	1	3	4	6	7	10
35-49	217	3.3	4	1	1	3	4	6	7	10
50-64	93	3.4	4	<1	1	3	4	6	7	11
65+	54	4.1	8	1	2	3	5	7	8	16
B. *Operated*										
0-19 YRS	107	3.7	3	2	2	3	4	6	7	9
20-34	25	7.3	100	1	2	5	8	12	22	53
35-49	20	10.7	33	2	3	10	15	19	20	21
50-64	18	13.8	117	3	5	10	15	29	40	46
65+	24	14.2	110	3	4	12	18	23	38	51
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	231	3.4	7	1	1	3	4	5	7	14
20-34	522	4.2	26	1	2	3	5	7	10	21
35-49	590	4.5	7	2	2	4	6	8	10	14
50-64	545	4.9	12	1	2	4	6	8	11	17
65+	590	5.8	19	1	2	5	7	11	15	22
B. *Operated*										
0-19 YRS	42	5.3	17	2	2	4	7	9	10	25
20-34	97	10.6	86	2	3	8	13	25	33	43
35-49	162	10.4	60	2	3	8	14	21	24	42
50-64	213	12.3	112	2	3	10	15	24	30	76
65+	263	15.0	134	3	4	12	20	30	36	69
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	812	3.3	4	1	1	3	4	6	7	10
B. *Operated*	194	7.1	59	2	2	4	8	15	19	49
2. MULTIPLE DX										
A. *Not Operated*	2478	4.7	15	1	2	4	6	8	11	19
B. *Operated*	777	12.2	106	2	3	10	16	25	32	59
1. SINGLE DX	1006	4.0	17	1	1	3	4	7	10	19
2. MULTIPLE DX	3255	6.5	47	1	2	4	8	13	19	35
A. NOT OPERATED	3290	4.4	13	1	2	3	5	8	10	18
B. OPERATED	971	11.2	101	2	3	9	15	23	30	53
TOTAL 0-19 YRS	547	3.4	6	1	1	3	4	6	7	12
20-34	925	4.7	32	1	2	3	5	8	12	32
35-49	989	5.3	22	1	2	4	6	10	14	23
50-64	869	6.7	49	2	2	5	8	14	19	32
65+	931	8.5	72	2	2	6	10	18	25	43
GRAND TOTAL	**4261**	**5.9**	**41**	**1**	**2**	**4**	**7**	**12**	**17**	**32**

197: Acute appendicitis without peritonitis (540.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	36	2.3	2	<1	1	2	3	4	5	6
20-34	33	2.4	3	<1	1	2	3	4	6	8
35-49	7	4.0	3	2	2	4	6	6	6	6
50-64	4	3.8	14	1	1	3	6	9	9	9
65+	3	7.3	37	2	2	6	12	14	14	14
B. *Operated*										
0-19 YRS	3643	3.2	2	2	2	3	4	5	6	8
20-34	2366	3.5	2	2	2	3	4	5	6	8
35-49	823	4.0	4	2	2	4	5	6	7	11
50-64	282	4.6	5	2	2	4	6	7	9	13
65+	82	5.8	10	2	3	5	6	10	11	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	2.3	3	<1	1	2	3	5	7	7
20-34	6	2.8	9	1	1	2	2	8	9	9
35-49	3	1.7	1	1	1	1	3	3	3	3
50-64	3	4.3	2	3	3	4	5	6	6	6
65+	10	5.9	10	1	2	5	8	10	11	11
B. *Operated*										
0-19 YRS	532	4.7	12	2	2	4	5	8	11	17
20-34	455	4.8	7	2	3	4	6	8	10	15
35-49	217	5.7	14	2	3	5	6	10	14	21
50-64	159	6.5	13	2	3	6	8	11	14	19
65+	131	7.9	14	3	4	7	10	13	15	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	83	2.7	4	<1	1	2	3	5	6	12
B. *Operated*	7196	3.5	3	2	2	3	4	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	35	3.5	8	1	1	2	5	8	10	11
B. *Operated*	1494	5.4	12	2	2	4	6	10	12	19
1. SINGLE DX	7279	3.5	3	2	2	3	4	5	6	9
2. MULTIPLE DX	1529	5.3	12	2	2	4	6	10	11	19
A. NOT OPERATED	118	3.0	6	<1	1	2	4	6	8	12
B. OPERATED	8690	3.8	5	2	2	3	4	6	7	12
TOTAL 0-19 YRS	4224	3.4	3	2	2	3	4	5	6	10
20-34	2860	3.7	3	2	2	3	4	6	7	10
35-49	1050	4.3	6	2	2	4	5	7	8	16
50-64	448	5.3	9	2	3	5	6	10	11	16
65+	226	7.1	13	3	3	6	9	11	15	19
GRAND TOTAL	**8808**	**3.8**	**5**	**2**	**2**	**3**	**4**	**6**	**7**	**12**

198: Acute appendicitis with peritonitis (540.0-540.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	15	6.4	12	<1	2	6	8	11	13	14
20-34	8	3.8	7	1	1	3	6	7	8	8
35-49	8	5.4	6	1	2	6	7	8	8	8
50-64	7	9.0	37	4	4	7	10	20	22	22
65+	3	6.0	3	4	4	7	7	7	7	7
B. *Operated*										
0-19 YRS	815	6.9	12	3	3	6	8	11	13	18
20-34	349	7.1	24	3	3	6	8	12	14	20
35-49	237	7.2	11	3	4	7	9	11	13	21
50-64	167	8.0	10	4	4	8	10	12	14	17
65+	103	8.9	18	4	5	8	10	12	19	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	6.3	15	1	1	7	9	11	12	12
20-34	4	9.3	66	2	2	7	15	20	20	20
35-49	1	8.0		8	8	8	8	8	8	8
50-64	5	7.6	11	4	4	7	9	13	13	13
65+	12	8.6	39	<1	1	8	15	17	18	18
B. *Operated*										
0-19 YRS	399	9.8	34	4	5	8	11	18	21	31
20-34	249	9.5	31	4	5	8	12	15	18	25
35-49	211	10.7	33	4	5	9	13	18	22	33
50-64	283	12.7	75	5	6	11	14	21	27	60
65+	303	14.3	103	6	7	12	16	23	30	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	41	6.1	15	1	1	6	7	10	12	22
B. *Operated*	1671	7.2	15	3	3	7	9	11	13	20
2. MULTIPLE DX										
A. *Not Operated*	29	7.9	28	1	1	7	11	16	18	20
B. *Operated*	1445	11.4	59	5	5	10	13	19	24	47
1. SINGLE DX	1712	7.2	15	3	3	7	9	11	13	20
2. MULTIPLE DX	1474	11.3	59	4	5	9	13	19	24	46
A. NOT OPERATED	70	6.9	21	1	1	6	8	13	16	22
B. OPERATED	3116	9.2	40	3	4	8	11	15	19	32
TOTAL 0-19 YRS	1236	7.8	21	3	3	7	9	13	16	25
20-34	610	8.1	28	3	4	7	10	13	17	22
35-49	457	8.8	25	3	4	8	10	14	18	30
50-64	462	10.9	55	4	5	9	12	17	22	50
65+	421	12.7	86	5	6	10	14	21	27	52
GRAND TOTAL	**3186**	**9.1**	**39**	**3**	**4**	**8**	**11**	**15**	**19**	**32**

199: Disease of appendix, except acute appendicitis (541-543)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	63	2.0	1	1	1	2	2	4	5	7
20-34	37	2.0	1	1	1	2	3	3	4	4
35-49	15	1.9	1	<1	1	2	2	4	4	4
50-64	9	3.4	4	2	2	2	5	7	7	7
65+	5	3.2	5	1	1	2	5	6	6	6
B. *Operated*										
0-19 YRS	354	3.7	3	2	2	3	4	6	7	10
20-34	253	4.1	4	2	2	4	5	7	8	12
35-49	59	4.8	6	2	2	4	7	9	10	11
50-64	23	5.0	7	2	2	5	6	8	11	13
65+	7	5.3	7	2	2	5	7	9	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	34	2.1	1	1	1	2	3	4	4	5
20-34	30	2.9	3	1	1	2	4	6	7	7
35-49	5	3.4	1	2	2	3	4	5	5	5
50-64	9	4.7	9	2	2	4	6	9	11	11
65+	11	6.6	34	1	2	6	8	15	21	22
B. *Operated*										
0-19 YRS	198	4.6	7	2	2	4	6	7	9	13
20-34	165	5.4	7	2	3	5	6	9	10	18
35-49	58	6.7	15	3	3	5	9	11	14	23
50-64	32	7.4	11	2	3	7	9	12	12	18
65+	17	9.1	17	3	3	8	11	15	17	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	129	2.1	2	1	1	2	2	4	5	7
B. *Operated*	696	4.0	4	2	2	4	5	6	8	11
2. MULTIPLE DX										
A. *Not Operated*	89	3.2	8	1	1	3	4	6	7	18
B. *Operated*	470	5.5	10	2	3	5	7	9	11	18
1. SINGLE DX	825	3.7	4	1	2	3	4	6	7	11
2. MULTIPLE DX	559	5.1	10	2	2	4	6	9	11	18
A. NOT OPERATED	218	2.6	5	1	1	2	3	5	6	10
B. OPERATED	1166	4.6	7	2	2	4	5	8	9	14
TOTAL 0-19 YRS	649	3.7	4	1	2	3	5	6	7	11
20-34	485	4.3	6	2	2	4	5	7	9	13
35-49	137	5.2	11	1	2	4	7	9	11	18
50-64	73	5.8	11	2	2	6	7	10	12	17
65+	40	7.0	22	1	2	6	9	13	16	22
GRAND TOTAL	**1384**	**4.3**	**7**	**1**	**2**	**4**	**5**	**7**	**9**	**14**

200: Inguinal hernia without complication (550.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	39	1.4	2	<1	<1	1	1	2	3	9
20-34	21	2.4	2	<1	<1	3	3	5	5	6
35-49	12	2.5	4	<1	<1	2	3	6	6	6
50-64	17	2.5	2	<1	<1	2	4	4	5	6
65+	13	2.3	2	<1	<1	2	3	4	5	5
B. *Operated*										
0-19 YRS	2927	1.8	1	<1	<1	2	2	3	4	5
20-34	2517	3.1	2	1	2	3	4	5	5	7
35-49	2603	3.4	2	1	2	3	4	5	6	8
50-64	3232	3.7	3	2	2	3	4	5	6	8
65+	2325	4.0	3	2	2	4	5	6	7	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	133	1.6	11	<1	<1	1	1	3	4	12
20-34	29	2.1	2	<1	<1	1	3	4	5	6
35-49	34	2.9	4	<1	<1	2	4	6	8	9
50-64	60	2.4	3	<1	<1	2	3	4	6	9
65+	107	4.0	20	<1	<1	3	5	8	11	25
B. *Operated*										
0-19 YRS	1695	2.1	3	<1	<1	2	2	3	4	7
20-34	890	3.8	4	1	2	3	5	6	7	11
35-49	1326	4.2	5	2	2	4	5	6	8	14
50-64	2575	4.6	7	2	2	4	5	7	9	15
65+	3454	5.3	10	2	3	5	6	9	11	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	102	2.0	2	<1	<1	1	3	4	5	8
B. *Operated*	13604	3.2	3	1	1	3	4	5	6	8
2. MULTIPLE DX										
A. *Not Operated*	363	2.6	12	<1	<1	1	3	5	7	14
B. *Operated*	9940	4.3	8	1	2	4	5	7	9	15
1. SINGLE DX	13706	3.2	3	1	1	3	4	5	6	8
2. MULTIPLE DX	10303	4.2	9	1	2	4	5	7	9	15
A. NOT OPERATED	465	2.5	10	<1	<1	1	3	5	6	13
B. OPERATED	23544	3.6	5	1	1	3	4	6	7	12
TOTAL 0-19 YRS	4794	1.9	2	<1	<1	2	2	3	4	6
20-34	3457	3.3	2	1	2	3	4	5	6	8
35-49	3975	3.6	3	1	2	3	4	6	7	10
50-64	5884	4.1	5	2	2	4	5	6	8	12
65+	5899	4.8	8	2	2	4	6	8	10	15
GRAND TOTAL	**24009**	**3.6**	**6**	**1**	**1**	**3**	**4**	**6**	**7**	**12**

201: Inguinal hernia, complicated (550.0-550.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	1.3		<1	<1	1	2	2	2	2
20-34	3	2.7	2	1	1	3	4	4	4	4
35-49	4	1.3		<1	<1	1	2	2	2	2
50-64	4	1.5	1	1	1	1	2	3	3	3
65+	5	1.2		<1	<1	1	1	2	2	2
B. *Operated*										
0-19 YRS	229	2.3	2	1	1	2	3	4	5	7
20-34	99	3.6	4	1	2	3	4	5	8	12
35-49	67	4.0	5	2	2	4	5	6	9	12
50-64	139	4.5	5	2	2	4	6	7	8	14
65+	192	4.9	8	2	2	4	6	8	10	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	1.6		<1	<1	2	2	2	2	2
20-34	1	1.0		1	1	1	1	1	1	1
35-49	2	3.5	1	3	3	3	4	4	4	4
50-64	4	3.3	6	2	2	2	5	7	7	7
65+	34	6.4	33	1	1	4	10	14	17	25
B. *Operated*										
0-19 YRS	176	3.1	8	1	1	2	3	6	8	13
20-34	54	4.4	5	2	2	4	5	7	9	13
35-49	58	5.9	17	1	2	5	7	11	15	19
50-64	144	6.4	19	2	3	5	8	12	15	20
65+	510	8.2	37	3	3	7	10	15	18	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	24	1.5	1	<1	<1	1	2	3	3	4
B. *Operated*	726	3.7	6	1	1	3	5	6	8	11
2. MULTIPLE DX										
A. *Not Operated*	49	5.1	27	1	1	3	6	13	15	25
B. *Operated*	942	6.6	29	1	2	5	8	12	17	28
1. SINGLE DX	750	3.6	6	1	1	3	5	6	8	11
2. MULTIPLE DX	991	6.5	29	1	2	5	8	12	16	28
A. NOT OPERATED	73	3.9	21	<1	1	2	4	11	14	23
B. OPERATED	1668	5.3	21	1	2	4	7	10	14	23
TOTAL 0-19 YRS	421	2.6	5	1	1	2	3	4	6	11
20-34	157	3.8	4	1	2	3	4	6	9	12
35-49	131	4.7	11	1	2	4	6	10	11	16
50-64	291	5.4	13	2	2	4	6	9	12	19
65+	741	7.2	31	2	3	6	9	13	17	31
GRAND TOTAL	**1741**	**5.3**	**21**	**1**	**2**	**4**	**7**	**10**	**14**	**23**

202: Umbilical hernia without complication (553.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	1.6	1	<1	<1	1	2	3	3	3
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49										
50-64	2	2.0	2	1	1	2	3	3	3	3
65+										
B. *Operated*										
0-19 YRS	701	2.0	1	<1	<1	2	2	3	3	5
20-34	169	3.0	3	1	1	3	4	5	6	8
35-49	192	3.1	2	1	1	3	4	5	5	8
50-64	134	3.5	3	1	2	3	4	6	7	9
65+	58	4.3	6	1	2	4	5	7	8	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	31	1.4	1	<1	<1	1	1	3	3	5
20-34	7	1.9	1	1	1	2	3	3	3	3
35-49	9	3.1	3	<1	<1	4	4	5	6	6
50-64	11	3.5	4	<1	<1	4	5	6	7	7
65+	9	3.7	10	1	1	3	4	9	11	11
B. *Operated*										
0-19 YRS	169	2.9	6	<1	1	2	3	5	8	18
20-34	108	3.9	3	2	2	4	5	6	7	10
35-49	147	4.6	11	1	[illegible]	4	6	8	10	21
50-64	173	4.8	7	2	[illegible]	4	6	8	9	14
65+	114	7.2	32	2	3	6	8	12	15	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	1.6	1	<1	<1	1	2	3	3	3
B. *Operated*	1254	2.5	2	<1	1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	67	2.3	4	<1	<1	1	3	5	5	10
B. *Operated*	711	4.5	13	1	2	4	6	8	10	19
1. SINGLE DX	1262	2.5	2	<1	1	2	3	4	5	8
2. MULTIPLE DX	778	4.3	13	1	1	4	5	8	10	18
A. NOT OPERATED	75	2.3	3	<1	<1	1	3	5	5	10
B. OPERATED	1965	3.3	7	1	1	2	4	6	8	13
TOTAL 0-19 YRS	906	2.1	2	<1	<1	2	2	3	4	9
20-34	285	3.3	3	1	1	3	4	6	7	10
35-49	348	3.7	6	1	2	3	4	6	8	13
50-64	320	4.2	6	1	2	4	5	7	9	13
65+	181	6.1	25	1	2	5	7	10	14	29
GRAND TOTAL	**2040**	**3.2**	**7**	**<1**	**1**	**2**	**4**	**6**	**8**	**13**

203: Ventral hernia without complication (553.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	7	3.0	7	<1	<1	2	4	7	8	8
35-49	8	2.1	1	1	1	2	3	3	3	3
50-64	8	2.5	5	1	1	2	3	6	7	7
65+	9	4.1	11	1	1	4	5	9	11	11
B. *Operated*										
0-19 YRS	97	2.2	2	1	1	2	3	4	5	8
20-34	236	4.0	4	1	2	4	5	6	7	11
35-49	471	4.8	6	2	2	4	6	8	9	12
50-64	495	5.3	7	2	3	5	7	8	10	14
65+	346	5.9	7	2	3	5	8	9	11	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	7	1.6	1	1	1	1	2	3	3	3
35-49	38	2.9	4	<1	<1	2	3	6	7	9
50-64	42	3.7	7	<1	<1	3	5	6	7	16
65+	68	4.6	16	1	2	4	6	8	10	26
B. *Operated*										
0-19 YRS	27	4.4	28	1	1	3	4	8	19	25
20-34	188	5.5	34	2	2	5	6	8	10	23
35-49	465	6.8	20	2	3	6	8	11	13	24
50-64	714	7.3	18	3	3	6	9	12	16	25
65+	713	7.9	20	3	3	7	10	12	16	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	32	3.0	6	1	1	2	4	7	8	11
B. *Operated*	1645	4.9	7	2	2	5	6	8	10	13
2. MULTIPLE DX										
A. *Not Operated*	156	3.8	11	<1	1	3	5	7	9	16
B. *Operated*	2107	7.2	21	2	3	6	9	12	15	25
1. SINGLE DX	1677	4.9	7	1	2	4	6	8	10	13
2. MULTIPLE DX	2263	7.0	21	2	3	6	9	12	15	25
A. NOT OPERATED	188	3.6	10	<1	1	3	5	7	8	16
B. OPERATED	3752	6.2	16	2	3	5	8	10	13	21
TOTAL 0-19 YRS	125	2.7	8	1	1	2	3	4	7	20
20-34	438	4.6	18	1	2	4	5	7	8	17
35-49	982	5.6	14	2	2	5	7	10	12	20
50-64	1259	6.4	14	2	3	6	8	11	13	21
65+	1136	7.1	17	2	3	6	9	11	14	24
GRAND TOTAL	**3940**	**6.1**	**16**	**2**	**2**	**5**	**8**	**10**	**12**	**21**

204: Diaphragmatic hernia without complication (553.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	3.0	5	1	1	2	4	6	6	6
20-34	41	2.9	2	1	1	3	4	5	6	6
35-49	173	3.2	3	1	1	3	4	5	6	9
50-64	158	3.5	4	1	2	3	4	6	7	8
65+	109	3.5	5	1	2	3	4	6	6	14
B. *Operated*										
0-19 YRS	8	5.0	6	<1	1	5	7	8	8	8
20-34	14	4.6	6	1	2	5	6	7	9	9
35-49	23	7.2	30	<1	1	6	10	12	20	25
50-64	43	7.7	13	2	3	8	9	12	16	17
65+	22	7.2	17	1	2	7	10	13	14	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	19	4.0	8	1	2	3	5	6	11	14
20-34	283	3.8	5	1	2	3	5	7	9	12
35-49	926	4.0	6	1	2	3	5	7	8	13
50-64	1421	4.2	6	2	2	4	5	7	9	14
65+	1742	4.8	10	2	2	4	6	8	10	18
B. *Operated*										
0-19 YRS	13	8.5	35	1	3	6	11	18	20	20
20-34	131	6.9	18	1	2	7	9	11	15	22
35-49	357	7.6	29	2	2	7	9	13	16	32
50-64	433	8.0	23	2	3	7	10	14	17	25
65+	376	8.8	41	2	3	8	12	17	20	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	485	3.3	3	1	1	3	4	6	6	9
B. *Operated*	110	6.9	17	1	2	7	9	11	15	20
2. MULTIPLE DX										
A. *Not Operated*	4391	4.4	8	2	2	4	5	8	9	15
B. *Operated*	1310	8.0	29	2	3	7	10	14	18	27
1. SINGLE DX	595	4.0	8	1	2	3	5	7	9	15
2. MULTIPLE DX	5701	5.2	15	2	2	4	6	10	12	20
A. NOT OPERATED	4876	4.3	7	2	2	4	5	7	9	15
B. OPERATED	1420	7.9	29	2	2	7	10	14	18	27
TOTAL 0-19 YRS	44	5.4	19	1	2	5	6	9	17	20
20-34	469	4.6	11	1	2	4	6	9	10	16
35-49	1479	4.8	14	1	2	4	6	9	11	20
50-64	2055	5.0	12	2	2	4	6	9	12	18
65+	2249	5.4	17	2	2	4	6	10	13	21
GRAND TOTAL	**6296**	**5.1**	**14**	**2**	**2**	**4**	**6**	**9**	**12**	**20**

205: Other hernia of abdominal cavity without complication (553.0; 553.8-553.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	3.0	4	<1	<1	3	4	5	5	5
35-49	3	3.0	1	2	2	3	4	4	4	4
50-64	1	1.0		1	1	1	1	1	1	1
65+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS	20	3.8	59	<1	1	2	3	4	20	36
20-34	42	3.5	2	1	2	3	4	6	6	6
35-49	80	3.8	4	1	2	3	5	6	8	13
50-64	62	4.3	4	1	2	4	5	8	8	11
65+	60	4.2	6	1	1	4	5	7	8	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	3	6.7	12	3	3	7	9	10	10	10
35-49	10	4.4	6	2	2	3	6	8	10	10
50-64	12	4.6	5	<1	1	5	6	7	8	8
65+	25	5.2	10	1	2	5	7	10	12	14
B. *Operated*										
0-19 YRS	6	2.0		2	2	2	2	2	2	2
20-34	30	5.4	20	2	2	4	5	10	17	23
35-49	48	5.9	35	2	2	4	7	9	15	39
50-64	72	7.0	13	3	3	6	9	12	14	18
65+	106	6.1	9	3	3	5	8	10	11	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	2.8	2	<1	<1	3	4	5	5	5
B. *Operated*	264	3.9	8	1	1	4	5	6	8	14
2. MULTIPLE DX										
A. *Not Operated*	52	4.9	8	1	2	4	6	9	10	14
B. *Operated*	262	6.1	17	2	3	5	7	11	13	22
1. SINGLE DX	272	3.9	8	1	1	4	5	6	8	13
2. MULTIPLE DX	314	5.9	15	2	3	5	7	10	13	21
A. NOT OPERATED	60	4.6	8	1	1	4	6	8	10	14
B. OPERATED	526	5.0	14	1	2	4	6	9	11	19
TOTAL 0-19 YRS	28	3.2	42	1	1	2	2	4	8	36
20-34	78	4.3	10	2	2	4	5	6	9	21
35-49	141	4.5	16	2	2	4	5	7	10	23
50-64	147	5.6	11	1	2	5	7	10	12	16
65+	192	5.4	9	2	3	5	7	9	11	15
GRAND TOTAL	**586**	**5.0**	**13**	**1**	**2**	**4**	**6**	**9**	**11**	**18**

206: Complicated hernia of abdominal cavity, except inguinal (551-552)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	4	3.5		3	3	3	4	4	4	4
35-49	6	3.5	5	1	1	3	5	7	7	7
50-64	7	4.3	6	2	2	3	5	8	9	9
65+	17	3.7	4	1	1	3	5	7	7	7
B. *Operated*										
0-19 YRS	65	2.6	5	1	1	2	3	4	7	14
20-34	93	3.8	9	1	2	3	4	8	11	15
35-49	168	4.4	7	1	2	4	5	8	10	13
50-64	173	5.6	12	2	2	5	7	10	13	18
65+	175	7.3	16	2	3	7	9	13	14	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	4	1.5		1	1	1	2	2	2	2
35-49	11	4.5	16	1	1	3	4	11	15	15
50-64	39	4.5	10	1	1	4	6	10	12	12
65+	112	5.7	15	2	2	5	7	10	13	21
B. *Operated*										
0-19 YRS	19	9.1	210	2	2	4	7	22	48	63
20-34	50	5.7	13	2	2	5	7	12	13	16
35-49	173	7.1	16	2	3	7	9	12	14	18
50-64	320	8.7	41	3	3	7	11	16	20	34
65+	665	10.5	61	3	4	9	13	20	25	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	35	3.7	4	1	1	3	5	7	7	9
B. *Operated*	674	5.2	13	1	2	4	7	10	13	17
2. MULTIPLE DX										
A. *Not Operated*	168	5.2	14	1	2	4	7	10	12	17
B. *Operated*	1227	9.4	52	3	3	7	12	17	22	35
1. SINGLE DX	709	5.1	12	1	2	4	7	9	12	17
2. MULTIPLE DX	1395	8.8	49	2	3	7	11	16	21	35
A. NOT OPERATED	203	4.9	13	1	2	4	6	9	12	17
B. OPERATED	1901	7.9	42	2	2	6	10	15	19	34
TOTAL 0-19 YRS	87	4.0	55	1	1	2	3	7	11	51
20-34	151	4.4	11	1	2	3	5	9	13	16
35-49	358	5.7	13	2	2	5	8	10	13	16
50-64	539	7.3	31	2	3	6	9	14	18	32
65+	969	9.3	51	2	3	7	12	17	22	35
GRAND TOTAL	**2104**	**7.6**	**40**	**2**	**2**	**6**	**10**	**14**	**19**	**33**

207: Intestinal obstruction without mention of hernia (560.0-560.2; 560.8-560.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	151	2.9	6	1	1	2	3	5	8	12
20-34	186	4.2	7	1	2	4	5	7	9	13
35-49	306	4.4	8	1	2	4	5	8	11	13
50-64	351	4.9	9	1	2	4	6	9	10	14
65+	454	5.0	11	1	2	4	6	9	11	15
B. *Operated*										
0-19 YRS	136	6.6	16	2	3	6	8	11	14	26
20-34	128	9.6	22	5	5	8	11	15	20	27
35-49	198	10.5	32	4	5	9	13	16	20	36
50-64	208	11.0	45	5	6	10	13	17	22	53
65+	200	11.9	38	5	6	10	14	21	26	37
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	116	3.3	5	1	1	3	4	6	8	12
20-34	219	5.4	29	1	2	4	7	9	11	30
35-49	465	5.7	15	1	2	5	7	11	14	20
50-64	869	6.3	25	2	2	5	8	11	14	30
65+	2373	7.2	35	2	2	6	9	13	17	30
B. *Operated*										
0-19 YRS	167	9.9	35	4	5	9	12	17	22	34
20-34	216	11.7	57	4	6	10	13	20	26	44
35-49	409	14.5	124	5	6	11	16	29	38	73
50-64	681	15.7	106	6	7	13	19	28	37	51
65+	1496	16.6	118	6	7	14	20	29	39	69
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1448	4.5	9	1	2	4	6	8	11	14
B. *Operated*	870	10.2	35	4	5	9	12	17	21	33
2. MULTIPLE DX										
A. *Not Operated*	4042	6.7	30	2	2	5	8	12	16	28
B. *Operated*	2969	15.4	110	5	7	12	19	28	37	63
1. SINGLE DX	2318	6.7	27	1	2	5	9	13	16	27
2. MULTIPLE DX	7011	10.4	83	2	3	8	13	20	27	48
A. NOT OPERATED	5490	6.1	26	1	2	5	8	11	14	25
B. OPERATED	3839	14.2	98	5	6	11	17	26	34	61
TOTAL 0-19 YRS	570	5.9	25	1	1	5	8	11	15	25
20-34	749	7.6	40	2	2	6	10	14	18	32
35-49	1378	8.7	66	2	2	7	11	16	22	45
50-64	2109	9.6	71	2	3	7	12	18	26	41
65+	4523	10.3	81	2	3	8	13	21	27	48
GRAND TOTAL	**9329**	**9.4**	**71**	**2**	**3**	**7**	**12**	**19**	**25**	**44**

208: Noninfectious gastroenteritis and colitis (558)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3836	2.7	3	1	1	2	3	4	5	8
20-34	1939	2.6	3	1	1	2	3	4	5	8
35-49	975	3.1	6	1	1	3	4	5	7	10
50-64	627	3.3	5	1	1	3	4	6	7	12
65+	520	3.5	5	1	1	3	4	6	8	12
B. *Operated*										
0-19 YRS	115	3.7	7	1	1	3	4	7	7	16
20-34	114	4.4	7	1	2	4	6	7	9	15
35-49	78	5.7	11	2	2	5	7	9	13	16
50-64	49	8.2	88	1	2	7	9	12	37	46
65+	22	6.3	20	1	2	5	8	14	16	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7526	3.3	5	1	1	3	4	6	7	12
20-34	3042	3.3	6	1	1	3	4	6	7	11
35-49	2236	4.3	10	1	2	3	5	8	10	16
50-64	2514	4.6	9	1	2	4	6	8	10	16
65+	4647	5.5	21	2	2	4	7	10	13	22
B. *Operated*										
0-19 YRS	165	9.2	174	2	2	5	9	16	39	77
20-34	221	6.1	16	2	2	5	8	11	14	22
35-49	300	7.4	31	2	3	6	9	13	17	29
50-64	317	8.7	64	2	3	7	10	16	23	46
65+	505	11.2	100	3	4	9	13	21	29	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7897	2.8	4	1	1	2	3	5	6	10
B. *Operated*	378	5.1	21	1	2	4	6	9	11	19
2. MULTIPLE DX										
A. *Not Operated*	19965	4.1	11	1	2	3	5	7	9	16
B. *Operated*	1508	9.0	78	2	3	7	10	17	23	46
1. SINGLE DX	8275	2.9	5	1	1	2	4	5	6	10
2. MULTIPLE DX	21473	4.4	17	1	2	3	5	8	10	20
A. NOT OPERATED	27862	3.7	9	1	1	3	4	7	9	15
B. OPERATED	1886	8.2	69	2	3	6	9	15	22	44
TOTAL 0-19 YRS	11642	3.2	7	1	1	3	4	5	7	12
20-34	5316	3.2	6	1	1	3	4	6	7	11
35-49	3589	4.2	12	1	2	3	5	8	10	17
50-64	3507	4.8	16	1	2	4	6	8	11	20
65+	5694	5.9	29	2	2	4	7	11	14	26
GRAND TOTAL	**29748**	**4.0**	**14**	**1**	**1**	**3**	**5**	**7**	**9**	**18**

209: Diverticula of intestine (562)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	5.0	2	4	4	5	6	6	6	6
20-34	51	3.9	4	1	2	4	5	6	8	10
35-49	378	4.9	7	2	2	4	6	8	10	15
50-64	737	4.5	8	1	2	4	6	8	9	13
65+	806	4.6	8	1	2	4	6	8	10	14
B. *Operated*										
0-19 YRS	2	7.0	2	6	6	7	8	8	8	8
20-34	37	8.1	9	3	4	8	10	12	14	15
35-49	96	9.6	15	4	5	9	11	15	17	24
50-64	160	10.1	21	3	4	10	13	16	17	24
65+	110	10.5	40	3	4	10	13	17	20	37
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	1.8	1	1	1	2	2	3	3	3
20-34	49	4.5	9	2	2	3	6	9	11	14
35-49	513	5.1	9	2	2	4	7	9	11	15
50-64	1837	5.1	11	1	2	4	6	9	11	17
65+	5035	5.9	19	2	2	5	7	10	13	22
B. *Operated*										
0-19 YRS	2	12.0		12	12	12	12	12	12	12
20-34	39	9.1	25	3	4	8	11	16	23	99+
35-49	266	11.8	54	3	5	10	14	20	24	41
50-64	814	12.2	76	3	4	10	15	22	29	47
65+	1545	13.2	91	3	4	11	17	24	31	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1974	4.6	7	1	2	4	6	8	10	14
B. *Operated*	405	9.9	24	3	4	9	12	15	17	25
2. MULTIPLE DX										
A. *Not Operated*	7438	5.7	16	2	2	5	7	10	12	21
B. *Operated*	2666	12.7	82	3	4	11	16	23	30	49
1. SINGLE DX	2379	5.5	14	1	2	5	7	10	13	17
2. MULTIPLE DX	10104	7.5	43	2	2	6	9	15	19	33
A. NOT OPERATED	9412	5.4	14	2	2	5	7	9	12	19
B. OPERATED	3071	12.3	75	3	4	11	15	22	29	47
TOTAL 0-19 YRS	10	5.5	17	1	1	5	8	12	12	12
20-34	176	6.1	16	2	2	5	8	11	14	25
35-49	1253	6.8	26	2	2	5	9	12	16	25
50-64	3548	6.9	35	2	2	5	9	13	17	30
65+	7496	7.4	42	2	2	6	9	14	19	32
GRAND TOTAL	**12483**	**7.1**	**38**	**2**	**2**	**5**	**9**	**14**	**18**	**31**

210: Anal fissure, fistula, and abscess (565-566)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	30	2.3	4	1	1	2	2	5	8	9
20-34	45	2.5	2	<1	1	2	3	4	5	6
35-49	42	3.2	5	<1	1	3	4	5	8	12
50-64	25	3.5	4	<1	1	3	4	7	8	9
65+	11	3.6	5	1	1	3	6	7	8	8
B. *Operated*										
0-19 YRS	159	2.6	2	1	1	2	3	4	5	8
20-34	953	3.1	3	1	1	3	4	5	6	9
35-49	910	3.3	6	1	1	3	4	5	7	10
50-64	401	3.5	5	1	1	3	4	6	7	12
65+	144	3.7	5	1	2	3	5	6	8	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	34	3.4	8	1	1	3	5	7	10	12
20-34	61	2.9	4	1	1	2	4	6	7	11
35-49	91	3.6	6	1	1	3	5	7	8	13
50-64	83	5.6	22	1	2	4	7	11	14	26
65+	77	7.5	78	1	2	5	9	13	30	49
B. *Operated*										
0-19 YRS	96	4.1	9	1	1	3	5	8	10	17
20-34	782	4.0	8	1	2	4	5	6	9	15
35-49	1157	4.5	13	2	2	4	5	7	9	18
50-64	820	5.2	22	2	2	4	6	9	13	22
65+	456	6.1	22	2	2	5	7	11	16	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	153	2.9	4	<1	1	2	4	5	7	9
B. *Operated*	2567	3.2	4	1	1	3	4	5	7	10
2. MULTIPLE DX										
A. *Not Operated*	346	4.8	28	1	1	3	6	10	12	31
B. *Operated*	3311	4.8	15	2	2	4	5	8	11	20
1. SINGLE DX	2720	3.2	4	1	1	3	4	5	7	10
2. MULTIPLE DX	3657	4.8	17	1	2	4	6	8	11	21
A. NOT OPERATED	499	4.2	22	1	1	3	5	8	11	27
B. OPERATED	5878	4.1	11	1	2	3	5	7	9	17
TOTAL 0-19 YRS	319	3.1	6	1	1	3	4	6	8	11
20-34	1841	3.5	5	1	1	3	4	6	7	11
35-49	2200	4.0	10	1	2	3	5	7	8	15
50-64	1329	4.7	17	1	2	4	5	8	11	21
65+	688	5.7	26	2	2	4	7	10	15	28
GRAND TOTAL	**6377**	**4.1**	**12**	**1**	**2**	**3**	**5**	**7**	**9**	**17**

211: Miscellaneous diseases of intestine and peritoneum (555-557; 560.3; 564; 567-569)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	698	3.0	6	1	1	2	4	5	7	14
20-34	1030	4.1	9	1	1	3	5	7	10	16
35-49	819	4.1	11	1	1	3	5	7	9	17
50-64	507	4.1	9	1	1	3	5	8	10	17
65+	419	4.2	10	1	1	3	6	8	10	16
B. *Operated*										
0-19 YRS	268	5.4	38	1	1	4	6	11	15	30
20-34	471	6.3	28	1	2	5	8	12	16	27
35-49	393	7.2	46	1	2	5	9	15	20	32
50-64	283	7.0	38	1	2	6	9	14	20	32
65+	238	7.2	36	1	2	6	9	15	18	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	809	4.0	18	1	1	3	5	7	10	19
20-34	1670	4.5	12	1	2	4	6	8	10	19
35-49	2103	4.9	13	1	2	4	6	9	11	20
50-64	2125	5.1	17	1	2	4	6	9	12	21
65+	4007	5.7	21	1	2	4	7	11	14	24
B. *Operated*										
0-19 YRS	360	9.1	109	1	2	6	11	21	29	67
20-34	1103	8.7	82	2	2	6	10	17	24	50
35-49	1308	9.4	73	2	3	7	11	19	25	45
50-64	1405	10.3	85	2	3	7	13	22	29	47
65+	2010	12.2	134	2	3	9	15	25	36	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3473	3.9	9	1	1	3	5	7	9	16
B. *Operated*	1653	6.6	37	1	2	5	9	13	18	30
2. MULTIPLE DX										
A. *Not Operated*	10714	5.1	17	1	2	4	6	9	12	22
B. *Operated*	6186	10.4	101	2	3	7	13	21	29	52
1. SINGLE DX	5126	4.8	20	1	1	3	6	9	12	23
2. MULTIPLE DX	16900	7.0	55	1	2	5	8	14	20	39
A. NOT OPERATED	14187	4.8	16	1	2	4	6	9	12	21
B. OPERATED	7839	9.6	90	2	2	7	12	20	27	50
TOTAL 0-19 YRS	2135	4.7	36	1	1	3	5	9	14	30
20-34	4274	5.7	35	1	2	4	7	11	15	29
35-49	4623	6.2	37	1	2	4	7	12	17	31
50-64	4320	6.8	46	1	2	5	8	14	20	37
65+	6674	7.6	64	1	2	5	9	15	22	44
GRAND TOTAL	**22026**	**6.5**	**47**	**1**	**2**	**4**	**8**	**13**	**18**	**36**

212: Alcoholic liver disease (571.0-571.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	25	10.0	91	1	2	6	14	28	28	28
35-49	38	6.4	33	1	2	4	8	12	20	29
50-64	39	6.5	25	2	3	5	9	13	14	27
65+	5	12.8	45	3	3	15	17	21	21	21
B. *Operated*										
0-19 YRS										
20-34	3	1.7		1	1	2	2	2	2	2
35-49	11	6.1	31	1	1	5	8	14	19	20
50-64	23	4.8	15	1	1	3	7	11	13	13
65+	5	7.8	52	1	1	5	15	16	16	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	125	10.0	70	2	2	7	13	26	28	34
35-49	397	10.7	105	2	3	7	13	22	30	49
50-64	518	9.8	62	2	3	8	12	19	24	40
65+	262	9.6	44	2	3	8	12	17	24	33
B. *Operated*										
0-19 YRS										
20-34	24	10.8	145	2	3	7	12	27	36	57
35-49	137	10.3	64	1	2	8	15	21	27	34
50-64	182	11.8	86	2	3	10	15	23	29	46
65+	94	12.3	78	3	3	10	17	28	30	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	107	7.6	46	2	2	5	10	15	27	29
B. *Operated*	42	5.3	23	1	1	3	7	13	15	20
2. MULTIPLE DX										
A. *Not Operated*	1302	10.1	72	2	3	8	12	20	28	41
B. *Operated*	437	11.4	80	2	3	9	16	23	29	42
1. SINGLE DX	149	6.9	41	1	2	4	10	14	24	28
2. MULTIPLE DX	1739	10.4	75	2	3	8	13	21	28	41
A. NOT OPERATED	1409	9.9	71	2	3	7	12	20	28	40
B. OPERATED	479	10.9	78	1	2	8	15	22	28	40
TOTAL 0-19 YRS										
20-34	177	10.0	82	2	2	6	13	27	28	35
35-49	583	10.3	90	2	3	7	13	22	28	45
50-64	762	10.0	67	2	3	8	12	19	25	41
65+	366	10.3	54	2	3	8	14	20	27	34
GRAND TOTAL	**1888**	**10.1**	**73**	**2**	**3**	**8**	**13**	**21**	**28**	**41**

213: Other cirrhosis and chronic liver disease (571.4-571.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	3.0	3	<1	<1	3	4	6	6	6
20-34	15	5.9	15	<1	1	6	8	12	13	13
35-49	30	5.7	30	<1	2	4	6	12	18	27
50-64	32	6.2	19	1	2	5	8	12	13	22
65+	19	7.9	38	2	3	6	9	17	24	27
B. *Operated*										
0-19 YRS	32	2.5	7	<1	1	2	2	5	9	14
20-34	69	2.5	5	1	1	2	3	5	6	14
35-49	69	2.8	7	1	1	2	3	7	9	12
50-64	63	4.0	24	1	1	2	5	9	13	25
65+	49	5.4	28	1	1	3	7	11	18	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	22	5.7	13	1	2	5	9	11	13	14
20-34	36	5.9	26	1	2	4	7	10	19	25
35-49	151	7.1	27	1	2	6	9	14	16	26
50-64	279	8.1	37	2	2	7	10	17	20	28
65+	366	9.7	60	3	4	8	11	18	24	46
B. *Operated*										
0-19 YRS	26	8.8	115	1	2	4	11	20	29	51
20-34	71	6.3	58	2	2	4	7	13	26	37
35-49	143	7.8	79	1	2	5	11	15	20	62
50-64	302	7.9	69	1	2	6	10	17	23	50
65+	277	11.2	107	2	2	8	15	23	32	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	104	6.0	24	1	2	5	7	12	15	27
B. *Operated*	282	3.4	15	1	1	2	4	8	10	23
2. MULTIPLE DX										
A. *Not Operated*	854	8.5	46	2	3	7	10	16	21	39
B. *Operated*	819	8.9	87	1	2	6	11	19	26	51
1. SINGLE DX	386	4.1	19	1	1	2	5	9	12	24
2. MULTIPLE DX	1673	8.7	66	2	2	7	11	18	24	45
A. NOT OPERATED	958	8.2	44	2	3	7	10	16	21	36
B. OPERATED	1101	7.5	74	1	1	4	10	17	24	48
TOTAL 0-19 YRS	88	5.2	46	1	1	3	6	12	16	41
20-34	191	4.8	32	1	1	3	5	10	14	29
35-49	393	6.5	46	1	1	5	8	13	17	33
50-64	676	7.6	51	1	2	6	10	17	21	36
65+	711	10.0	77	2	2	8	12	19	26	47
GRAND TOTAL	**2059**	**7.8**	**60**	**1**	**2**	**6**	**10**	**16**	**22**	**41**

214: Miscellaneous diseases of liver (570; 572-573)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	58	4.1	7	1	1	4	5	6	11	13
20-34	169	5.3	12	2	2	4	7	10	13	17
35-49	72	5.4	14	1	2	4	7	11	14	18
50-64	58	6.9	22	2	2	6	8	12	17	24
65+	39	5.9	16	1	1	5	8	10	12	23
B. *Operated*										
0-19 YRS	26	9.9	123	1	1	5	17	22	33	47
20-34	23	5.4	40	<1	1	2	6	14	19	27
35-49	30	5.1	36	1	1	4	6	8	10	34
50-64	34	6.2	38	1	1	4	8	15	17	26
65+	18	8.3	52	<1	1	7	11	19	24	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	75	3.8	8	1	1	3	4	8	10	15
20-34	165	6.6	29	2	2	5	7	13	18	25
35-49	241	8.4	62	2	3	6	9	18	27	42
50-64	426	8.4	53	2	3	6	10	17	23	37
65+	480	8.8	49	2	3	7	11	16	21	35
B. *Operated*										
0-19 YRS	32	11.1	137	1	1	7	17	28	32	50
20-34	54	8.8	65	1	2	6	14	18	24	42
35-49	100	8.1	64	1	2	6	10	16	25	45
50-64	161	11.7	115	2	2	9	15	27	35	49
65+	145	12.3	102	2	2	9	17	25	34	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	396	5.5	14	1	2	5	7	11	13	21
B. *Operated*	131	6.9	58	1	1	4	8	17	22	36
2. MULTIPLE DX										
A. *Not Operated*	1387	8.1	49	2	2	6	10	15	22	36
B. *Operated*	492	10.8	99	1	2	8	14	24	31	47
1. SINGLE DX	527	5.8	25	1	2	5	7	12	15	26
2. MULTIPLE DX	1879	8.8	64	2	2	6	11	18	25	43
A. NOT OPERATED	1783	7.5	43	2	2	6	9	14	20	33
B. OPERATED	623	10.0	93	1	2	7	13	23	29	47
TOTAL 0-19 YRS	191	6.0	53	1	1	4	6	14	21	41
20-34	411	6.3	28	2	2	5	7	13	16	26
35-49	443	7.6	54	2	2	5	9	14	24	38
50-64	679	8.9	67	2	2	7	11	18	26	43
65+	682	9.4	61	2	3	7	12	19	24	45
GRAND TOTAL	**2406**	**8.1**	**57**	**2**	**2**	**6**	**10**	**17**	**24**	**42**

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	39	2.5	2	<1	1	2	3	4	5	8
20-34	313	2.7	2	1	1	2	3	5	6	9
35-49	286	2.9	4	1	1	2	4	5	7	9
50-64	291	3.2	4	1	1	3	4	6	7	11
65+	261	4.4	7	2	2	4	6	8	9	14
B. *Operated*										
0-19 YRS	261	5.8	4	4	4	5	7	8	10	13
20-34	2868	6.1	5	3	4	6	7	9	10	13
35-49	2576	6.4	5	4	4	6	7	9	11	14
50-64	2132	7.0	7	4	4	6	8	10	12	16
65+	1116	8.3	11	4	5	8	10	12	15	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	45	3.3	6	<1	1	3	5	6	7	13
20-34	341	3.5	5	1	1	3	4	6	8	12
35-49	475	3.8	7	1	1	3	5	7	9	14
50-64	809	4.6	13	1	2	4	6	9	11	19
65+	2052	5.8	17	2	2	5	7	10	13	21
B. *Operated*										
0-19 YRS	191	8.5	24	3	4	7	10	14	15	31
20-34	2153	7.5	11	4	4	7	9	11	13	20
35-49	2799	8.1	20	4	5	7	9	12	15	22
50-64	3785	9.2	23	4	5	8	11	15	17	28
65+	5048	11.7	43	5	6	10	14	19	23	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1190	3.2	5	1	1	3	4	6	8	11
B. *Operated*	8953	6.7	7	4	4	6	8	10	11	16
2. MULTIPLE DX										
A. *Not Operated*	3722	5.0	15	1	2	4	6	9	12	19
B. *Operated*	13976	9.6	30	4	5	8	11	16	19	31
1. SINGLE DX	10143	6.3	8	2	3	6	7	9	11	15
2. MULTIPLE DX	17698	8.6	31	2	4	8	11	15	18	29
A. NOT OPERATED	4912	4.6	13	1	2	4	6	9	11	18
B. OPERATED	22929	8.5	23	4	5	7	10	14	17	27
TOTAL 0-19 YRS	536	6.3	15	2	3	6	7	10	13	20
20-34	5675	6.3	9	2	3	6	7	10	11	17
35-49	6136	6.8	14	2	3	6	8	11	13	18
50-64	7017	7.8	20	2	4	7	9	13	15	23
65+	8477	9.6	38	3	4	8	12	16	20	33
GRAND TOTAL	**27841**	**7.8**	**24**	**2**	**3**	**7**	**9**	**13**	**16**	**26**

216: Gallbladder disease without mention of calculus (575)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	19	2.7	3	1	1	3	3	6	7	7
20-34	202	3.2	4	1	1	3	4	6	7	9
35-49	157	3.5	4	1	1	3	4	6	8	10
50-64	126	3.7	6	1	1	3	5	6	8	13
65+	128	4.9	8	2	2	4	6	9	10	14
B. *Operated*										
0-19 YRS	16	7.7	16	3	4	6	9	14	17	18
20-34	310	6.7	8	4	4	6	8	10	12	16
35-49	367	7.0	8	4	4	6	8	10	12	18
50-64	199	7.9	11	4	4	7	10	12	15	18
65+	102	9.9	18	5	6	9	11	14	19	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	25	3.8	3	1	2	3	5	6	7	8
20-34	224	4.2	9	1	1	4	5	8	10	16
35-49	258	4.7	9	2	2	4	6	8	11	17
50-64	362	5.0	10	2	2	4	6	9	11	15
65+	712	6.8	24	2	2	6	8	12	15	25
B. *Operated*										
0-19 YRS	26	7.2	39	2	2	6	7	15	21	30
20-34	402	7.8	19	3	4	7	9	13	14	20
35-49	574	9.0	36	4	5	8	10	14	17	29
50-64	564	10.5	56	4	5	9	12	17	20	46
65+	621	12.8	59	5	6	11	15	22	27	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	632	3.7	6	1	1	3	5	7	8	12
B. *Operated*	994	7.4	10	4	4	7	9	11	13	19
2. MULTIPLE DX										
A. *Not Operated*	1581	5.6	17	2	2	5	7	10	12	20
B. *Operated*	2187	10.2	48	4	5	9	12	17	22	39
1. SINGLE DX	1626	6.0	12	2	2	5	8	10	12	18
2. MULTIPLE DX	3768	8.3	40	2	3	7	10	15	18	32
A. NOT OPERATED	2213	5.1	14	1	2	4	6	9	12	18
B. OPERATED	3181	9.3	38	4	5	8	11	15	19	33
TOTAL 0-19 YRS	86	5.3	20	1	2	4	6	10	14	26
20-34	1138	6.0	14	1	2	5	8	10	13	17
35-49	1356	7.0	24	2	3	6	9	12	14	22
50-64	1251	7.8	37	2	3	7	10	14	17	28
65+	1563	9.2	46	2	3	8	11	16	22	37
GRAND TOTAL	**5394**	**7.6**	**33**	**2**	**3**	**6**	**9**	**13**	**17**	**29**

217: Diseases of bile ducts with calculus (574.3-574.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	1.6	2	1	1	1	2	4	4	4
20-34	16	3.7	4	1	1	3	5	7	8	8
35-49	21	3.0	3	1	1	3	4	5	7	8
50-64	23	4.2	4	1	2	4	5	7	8	10
65+	19	6.1	11	2	2	6	9	11	11	11
B. *Operated*										
0-19 YRS	18	7.2	8	2	4	7	9	10	12	13
20-34	112	7.6	12	4	5	7	9	11	13	21
35-49	89	7.8	12	3	4	7	10	12	13	20
50-64	89	8.3	14	3	3	8	11	14	15	17
65+	119	10.2	37	2	3	10	12	17	22	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	4.5	1	4	4	4	5	5	5	5
20-34	20	4.0	9	1	1	3	5	8	11	13
35-49	23	4.3	7	2	2	3	5	8	10	13
50-64	47	4.7	5	2	2	4	7	8	8	10
65+	147	6.6	17	1	2	6	9	12	16	20
B. *Operated*										
0-19 YRS	19	10.3	27	3	5	10	13	16	21	24
20-34	121	9.4	15	4	5	9	12	15	17	23
35-49	113	11.4	73	5	5	10	13	19	25	53
50-64	200	12.2	50	4	6	11	14	20	27	35
65+	633	14.3	66	4	7	13	17	23	28	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	84	4.1	7	1	1	4	5	8	10	11
B. *Operated*	427	8.5	20	2	4	8	10	13	16	26
2. MULTIPLE DX										
A. *Not Operated*	239	5.8	14	1	2	5	7	11	13	18
B. *Operated*	1086	13.0	60	5	6	12	16	21	26	43
1. SINGLE DX	511	7.8	21	2	3	7	10	13	15	24
2. MULTIPLE DX	1325	11.7	60	2	4	10	15	20	25	40
A. NOT OPERATED	323	5.3	13	1	2	4	7	10	12	18
B. OPERATED	1513	11.7	53	3	5	10	14	20	24	38
TOTAL 0-19 YRS	44	7.8	22	1	1	7	10	13	16	24
20-34	269	7.9	16	2	4	7	10	13	15	21
35-49	246	8.7	47	2	3	7	11	14	19	33
50-64	359	9.7	41	2	3	8	12	17	21	34
65+	918	12.4	63	2	4	11	16	21	26	43
GRAND TOTAL	**1836**	**10.6**	**52**	**2**	**3**	**9**	**13**	**18**	**23**	**35**

218: Diseases of bile ducts without mention of calculus (576)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	7.9	17	1	3	7	10	14	16	16
20-34	22	4.3	11	1	1	4	5	7	11	16
35-49	19	6.9	30	2	2	5	9	11	19	26
50-64	31	3.8	5	1	1	3	5	7	9	10
65+	46	5.3	9	2	2	5	7	10	11	14
B. *Operated*										
0-19 YRS	6	8.2	47	1	1	6	15	18	18	18
20-34	18	10.4	110	2	2	7	13	28	37	39
35-49	21	8.8	50	1	2	8	11	17	26	30
50-64	25	9.6	37	1	2	9	14	19	19	20
65+	18	9.3	31	2	3	10	13	17	19	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	8.4	34	1	2	7	13	17	18	18
20-34	34	6.7	49	1	1	5	8	14	26	30
35-49	58	7.3	37	2	3	6	8	12	16	42
50-64	87	7.1	18	2	2	6	9	13	15	21
65+	296	7.4	23	2	3	6	9	13	17	22
B. *Operated*										
0-19 YRS	15	15.5	201	1	2	12	18	44	47	48
20-34	39	8.4	36	2	2	8	12	15	16	34
35-49	87	12.8	97	3	3	11	16	25	30	56
50-64	133	13.6	107	2	3	11	18	25	36	71
65+	279	14.9	107	3	5	12	19	27	35	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	129	5.2	13	1	2	4	7	10	11	18
B. *Operated*	88	9.4	52	2	2	8	13	19	21	37
2. MULTIPLE DX										
A. *Not Operated*	487	7.3	26	2	3	6	9	13	17	26
B. *Operated*	553	13.8	105	2	4	11	18	25	34	61
1. SINGLE DX	217	6.9	33	1	2	5	10	14	18	31
2. MULTIPLE DX	1040	10.8	78	2	3	9	14	21	28	45
A. NOT OPERATED	616	6.9	24	2	2	6	9	12	16	24
B. OPERATED	641	13.2	100	2	3	11	17	24	33	57
TOTAL 0-19 YRS	44	10.7	96	1	2	7	15	18	31	48
20-34	113	7.4	49	1	2	5	10	15	20	36
35-49	185	10.0	72	2	3	8	12	20	27	43
50-64	276	10.1	74	2	2	9	13	20	25	53
65+	639	10.6	73	2	3	8	14	20	26	43
GRAND TOTAL	**1257**	**10.1**	**73**	**2**	**3**	**8**	**13**	**20**	**26**	**44**

219: Diseases of pancreas (577)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	64	5.6	15	1	2	5	7	10	13	20
20-34	421	5.1	10	2	2	5	6	8	10	18
35-49	455	5.7	17	2	2	5	7	10	14	22
50-64	298	5.6	12	2	2	5	7	9	11	20
65+	175	5.5	10	2	2	5	7	10	12	16
B. *Operated*										
0-19 YRS	7	8.7	30	1	2	7	13	17	17	17
20-34	48	10.8	41	4	4	10	13	18	26	32
35-49	57	9.5	77	1	1	7	13	19	29	42
50-64	53	11.8	85	1	2	11	15	21	35	43
65+	34	8.1	59	1	2	6	10	13	17	44
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	71	6.1	16	2	2	5	8	12	14	19
20-34	941	6.2	19	2	2	5	8	11	13	21
35-49	1392	7.0	29	2	3	6	9	12	17	29
50-64	1123	6.8	22	2	3	6	8	12	15	25
65+	1294	7.9	30	2	3	7	10	14	18	30
B. *Operated*										
0-19 YRS	32	20.1	380	3	6	11	29	50	66	81
20-34	158	14.6	153	3	4	11	19	32	41	71
35-49	382	16.1	156	3	5	12	22	35	44	91
50-64	318	14.3	168	2	4	11	18	30	42	87
65+	380	17.8	259	3	5	13	20	38	55	90
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1413	5.5	13	2	2	5	7	9	12	20
B. *Operated*	199	10.2	66	1	2	9	13	18	27	43
2. MULTIPLE DX										
A. *Not Operated*	4821	7.0	26	2	3	6	9	12	16	27
B. *Operated*	1270	16.1	197	3	4	12	20	34	47	86
1. SINGLE DX	1612	6.0	22	2	2	5	7	11	14	24
2. MULTIPLE DX	6091	8.9	75	2	3	6	10	17	23	49
A. NOT OPERATED	6234	6.7	23	2	3	6	8	12	15	24
B. OPERATED	1469	15.3	183	2	4	11	19	33	44	85
TOTAL 0-19 YRS	174	8.6	112	2	2	6	9	15	28	64
20-34	1568	6.9	38	2	2	5	8	12	17	34
35-49	2286	8.3	61	2	3	6	10	17	23	45
50-64	1792	8.1	57	2	3	6	9	15	21	41
65+	1883	9.7	92	2	3	7	11	17	24	56
GRAND TOTAL	**7703**	**8.3**	**65**	**2**	**3**	**6**	**10**	**16**	**22**	**46**

220: Gastrointestinal hemorrhage (578)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	96	2.8	2	1	1	3	4	5	6	8
20-34	119	3.0	4	1	1	3	4	6	6	10
35-49	147	3.5	5	1	1	3	5	6	7	13
50-64	140	3.8	5	1	1	3	5	7	8	11
65+	228	5.0	7	2	2	5	7	9	10	13
B. *Operated*										
0-19 YRS	7	7.0	28	1	1	7	9	15	17	17
20-34	6	6.8	12	2	2	7	10	11	11	11
35-49	15	4.1	9	1	1	3	6	8	10	11
50-64	22	11.0	101	3	3	8	16	19	33	48
65+	37	9.3	40	2	3	7	12	17	25	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	186	3.6	10	1	1	3	4	7	8	19
20-34	496	4.1	11	1	1	3	5	7	9	15
35-49	673	5.0	11	1	2	4	6	9	11	18
50-64	1287	5.6	16	2	2	5	7	10	13	19
65+	3960	6.7	24	2	3	6	8	12	16	25
B. *Operated*										
0-19 YRS	31	6.8	30	1	2	5	10	15	20	21
20-34	89	8.3	113	2	2	6	9	15	19	71
35-49	193	8.5	55	2	3	6	10	16	20	40
50-64	392	9.0	48	2	3	7	11	18	23	37
65+	1059	10.6	83	3	4	8	13	20	27	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	730	3.9	6	1	1	3	5	7	9	12
B. *Operated*	87	8.5	51	2	2	7	11	17	23	40
2. MULTIPLE DX										
A. *Not Operated*	6602	6.0	21	2	2	5	7	11	14	23
B. *Operated*	1764	9.8	73	2	3	7	12	19	25	43
1. SINGLE DX	817	4.4	13	1	1	3	6	8	10	17
2. MULTIPLE DX	8366	6.8	34	2	2	5	8	13	17	29
A. NOT OPERATED	7332	5.8	20	2	2	5	7	10	13	23
B. OPERATED	1851	9.8	72	2	3	7	12	19	25	43
TOTAL 0-19 YRS	320	3.7	11	1	1	3	4	7	10	19
20-34	710	4.5	25	1	1	3	5	8	11	19
35-49	1028	5.4	21	1	2	4	7	10	13	23
50-64	1841	6.2	26	2	2	5	7	12	16	24
65+	5284	7.5	38	2	3	6	9	14	18	31
GRAND TOTAL	**9183**	**6.6**	**33**	**2**	**2**	**5**	**8**	**12**	**17**	**28**

221: Intestinal malabsorption (579)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	52	4.0	14	1	2	3	5	7	9	26
20-34	6	4.8	17	2	2	3	5	12	13	13
35-49	6	3.5	4	2	2	3	4	7	7	7
50-64	3	8.0	9	5	5	8	10	11	11	11
65+	4	7.3	42	1	1	6	12	16	16	16
B. *Operated*										
0-19 YRS	9	10.1	331	1	1	1	11	42	55	55
20-34	4	8.5	22	4	4	7	11	15	15	15
35-49	6	6.8	17	3	3	5	11	13	13	13
50-64	5	7.2	33	<1	<1	6	11	16	16	16
65+	3	3.7	8	2	2	2	6	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	92	6.0	57	1	1	4	7	12	22	78
20-34	22	7.8	89	1	1	5	9	16	32	43
35-49	46	6.0	9	2	3	6	8	11	11	13
50-64	53	7.8	25	2	3	7	10	15	18	24
65+	75	8.4	38	2	3	7	9	16	21	34
B. *Operated*										
0-19 YRS	18	11.2	98	2	2	8	22	67	99+	99+
20-34	14	8.4	41	3	4	6	9	21	23	23
35-49	32	11.8	52	3	4	9	16	22	26	29
50-64	38	12.4	89	1	3	11	18	27	37	99+
65+	43	14.0	127	3	4	11	18	27	37	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	71	4.4	15	1	2	3	5	8	11	24
B. *Operated*	27	7.9	117	1	1	5	9	16	27	55
2. MULTIPLE DX										
A. *Not Operated*	288	7.1	41	1	2	5	9	14	21	42
B. *Operated*	145	12.2	89	3	3	9	18	26	31	99+
1. SINGLE DX	98	5.3	45	1	1	4	6	11	15	41
2. MULTIPLE DX	433	8.8	63	2	2	7	11	21	26	60
A. NOT OPERATED	359	6.6	37	1	2	5	8	13	18	40
B. OPERATED	172	11.5	95	2	3	8	16	26	31	99+
TOTAL 0-19 YRS	171	6.2	65	1	1	4	7	17	27	99+
20-34	46	7.7	58	2	2	5	9	15	23	43
35-49	90	8.0	33	2	3	7	10	16	21	28
50-64	99	9.6	54	2	3	7	12	20	25	71
65+	125	10.2	75	2	3	8	12	21	26	49
GRAND TOTAL	**531**	**8.2**	**61**	**1**	**2**	**6**	**10**	**18**	**25**	**54**

222: Chronic glomerulonephritis and nephrotic syndrome (581-583)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	152	4.1	9	1	1	3	5	8	9	17
20-34	14	4.0	4	1	2	4	5	8	8	8
35-49	12	3.2	2	1	1	3	4	5	5	5
50-64	7	3.7	1	2	2	4	5	5	5	5
65+	8	12.3	49	1	2	13	15	22	25	25
B. *Operated*										
0-19 YRS	76	3.0	4	1	2	2	3	7	8	11
20-34	40	3.1	3	1	2	3	4	6	7	7
35-49	18	3.8	5	1	2	3	6	7	8	8
50-64	17	4.7	14	2	2	3	6	10	14	16
65+	3	6.0	48	2	2	2	11	14	14	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	172	5.0	23	1	1	4	6	11	15	27
20-34	43	5.3	11	2	2	5	6	9	13	16
35-49	44	6.4	24	2	2	5	9	13	16	24
50-64	72	6.5	21	1	2	6	8	12	15	23
65+	118	8.9	32	3	3	7	11	16	22	28
B. *Operated*										
0-19 YRS	62	12.4	254	2	2	5	16	33	40	82
20-34	56	6.6	18	2	2	6	10	14	14	17
35-49	61	6.9	36	2	2	5	9	17	20	29
50-64	66	8.4	69	2	2	7	10	13	23	49
65+	89	11.7	94	2	3	9	16	22	36	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	193	4.4	12	1	1	3	5	8	11	18
B. *Operated*	154	3.4	6	1	2	2	4	7	8	14
2. MULTIPLE DX										
A. *Not Operated*	449	6.4	26	1	2	5	8	13	16	26
B. *Operated*	334	9.4	100	2	2	6	11	20	30	48
1. SINGLE DX	347	3.9	10	1	2	3	5	8	9	16
2. MULTIPLE DX	783	7.7	60	1	2	5	10	16	21	39
A. NOT OPERATED	642	5.8	23	1	2	4	7	12	15	25
B. OPERATED	488	7.5	78	2	2	5	9	16	24	44
TOTAL 0-19 YRS	462	5.4	54	1	1	3	6	10	16	36
20-34	153	5.1	13	2	2	4	6	11	14	16
35-49	135	6.0	26	2	2	4	7	13	18	25
50-64	162	7.0	40	2	2	5	9	12	18	36
65+	218	10.1	60	2	3	8	13	20	26	42
GRAND TOTAL	**1130**	**6.6**	**47**	**1**	**2**	**4**	**8**	**14**	**18**	**36**

223: Miscellaneous nephritis and functional disorders (580; 587; 593.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	59	4.2	6	1	2	4	6	7	8	15
20-34	7	4.3	10	<1	<1	3	6	9	10	10
35-49	3	4.3		4	4	4	5	5	5	5
50-64	2	4.5	13	2	2	4	7	7	7	7
65+	3	7.0	13	4	4	6	10	11	11	11
B. *Operated*										
0-19 YRS	5	4.6	13	2	2	3	6	11	11	11
20-34	1	7.0		7	7	7	7	7	7	7
35-49	4	4.5	11	2	2	4	7	9	9	9
50-64	3	8.3	104	1	1	4	16	20	20	20
65+	2	2.5	1	2	2	2	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	50	5.6	12	1	2	5	8	10	13	15
20-34	11	5.1	11	1	1	5	7	10	11	11
35-49	11	7.7	35	2	2	7	9	15	23	24
50-64	8	6.0	8	3	3	5	8	10	11	11
65+	36	9.1	33	3	4	7	11	17	21	30
B. *Operated*										
0-19 YRS	10	8.1	41	2	2	5	16	17	18	18
20-34	14	9.0	26	2	3	8	11	18	18	18
35-49	7	9.1	38	3	3	7	14	18	19	19
50-64	10	11.2	77	3	3	9	13	25	31	31
65+	17	14.6	87	3	7	11	20	27	34	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	74	4.4	6	1	2	4	6	7	8	15
B. *Operated*	15	5.2	25	1	2	3	6	11	18	20
2. MULTIPLE DX										
A. *Not Operated*	116	6.9	22	2	2	6	9	12	16	26
B. *Operated*	58	10.9	60	2	3	9	16	20	26	37
1. SINGLE DX	89	4.5	9	1	2	4	6	7	10	18
2. MULTIPLE DX	174	8.2	38	2	2	7	10	17	20	31
A. NOT OPERATED	190	5.9	18	2	2	5	7	11	14	23
B. OPERATED	73	9.7	57	2	2	8	13	19	24	36
TOTAL 0-19 YRS	124	5.1	12	1	2	4	7	9	13	17
20-34	33	6.6	20	1	2	6	10	12	17	18
35-49	25	7.2	29	2	2	6	9	16	20	24
50-64	23	8.4	51	2	3	6	12	20	24	31
65+	58	10.4	54	2	3	8	12	21	26	37
GRAND TOTAL	**263**	**7.0**	**31**	**2**	**2**	**5**	**9**	**14**	**18**	**30**

224: Chronic renal failure (585)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	15	5.0	19	<1	<1	4	8	13	14	14
20-34	3	6.3	1	5	5	7	7	7	7	7
35-49	5	2.8	6	<1	<1	2	3	7	7	7
50-64	9	4.0	3	2	2	4	6	6	6	6
65+	12	5.8	17	<1	1	4	9	12	13	13
B. *Operated*										
0-19 YRS	33	11.9	150	1	2	8	14	28	44	52
20-34	27	6.3	28	<1	1	4	11	15	16	18
35-49	26	8.0	49	<1	1	5	15	21	22	22
50-64	36	5.4	15	<1	1	4	8	11	12	16
65+	27	6.5	35	1	2	4	8	13	18	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	113	4.4	92	<1	1	2	4	9	14	52
20-34	48	4.0	11	1	2	3	4	8	10	20
35-49	86	4.9	20	1	1	4	6	10	15	24
50-64	145	6.7	27	2	2	5	9	14	17	23
65+	407	9.1	47	2	3	7	11	18	23	35
B. *Operated*										
0-19 YRS	113	16.1	253	2	2	10	23	39	48	76
20-34	210	12.9	201	2	2	8	18	29	45	96
35-49	315	12.5	185	2	2	8	17	31	47	99+
50-64	385	10.9	135	1	2	7	14	25	37	57
65+	397	12.4	149	2	3	9	16	24	33	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	44	4.8	13	<1	1	4	6	11	13	14
B. *Operated*	149	7.7	61	<1	1	5	11	16	22	46
2. MULTIPLE DX										
A. *Not Operated*	799	7.2	49	1	2	5	9	15	20	32
B. *Operated*	1420	12.4	171	2	2	8	16	28	39	74
1. SINGLE DX	193	7.0	51	<1	1	4	9	15	21	39
2. MULTIPLE DX	2219	10.5	133	1	2	7	13	23	33	66
A. NOT OPERATED	843	7.1	47	1	2	5	9	15	19	32
B. OPERATED	1569	11.9	162	2	2	8	16	27	39	72
TOTAL 0-19 YRS	274	10.2	190	1	1	5	13	25	40	66
20-34	288	10.7	164	2	2	6	14	26	35	88
35-49	432	10.6	152	2	2	6	14	26	39	82
50-64	575	9.4	103	2	2	6	11	20	30	50
65+	843	10.5	98	2	3	8	13	21	28	54
GRAND TOTAL	**2412**	**10.2**	**127**	**1**	**2**	**7**	**13**	**23**	**32**	**65**

225: Other renal failure (584; 586)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	7.5	143	1	1	3	7	28	36	36
20-34	5	4.8	17	1	1	3	8	11	11	11
35-49	6	4.7	17	1	1	3	7	11	12	12
50-64	7	6.6	44	1	1	5	8	18	20	20
65+	14	6.8	28	1	1	6	10	14	18	19
B. *Operated*										
0-19 YRS	2	8.5	1	8	8	8	9	9	9	9
20-34	2	6.5	25	3	3	6	10	10	10	10
35-49	4	26.8	1080	9	9	11	44	76	76	76
50-64	10	10.3	74	3	3	6	19	24	28	28
65+	11	7.0	68	1	1	5	9	18	29	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	8.3	39	1	1	8	14	17	19	19
20-34	32	6.0	17	1	2	5	8	12	14	18
35-49	54	8.6	50	2	3	7	11	14	24	40
50-64	154	9.0	55	1	2	7	11	19	27	41
65+	785	10.7	71	3	4	8	13	20	25	46
B. *Operated*										
0-19 YRS	14	16.6	204	2	2	14	17	35	53	58
20-34	37	15.4	384	2	3	10	17	26	65	98
35-49	53	13.1	180	2	2	10	16	28	47	58
50-64	115	15.9	191	2	3	12	21	32	48	65
65+	287	15.8	110	3	5	14	21	29	37	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	40	6.3	47	1	1	4	9	12	19	36
B. *Operated*	29	10.9	208	2	2	6	10	24	32	76
2. MULTIPLE DX										
A. *Not Operated*	1038	10.2	67	2	3	8	13	19	25	43
B. *Operated*	506	15.5	157	3	3	13	20	30	41	68
1. SINGLE DX	69	8.3	118	1	1	5	10	19	28	68
2. MULTIPLE DX	1544	11.9	103	2	3	9	15	23	31	58
A. NOT OPERATED	1078	10.0	66	2	3	8	13	19	25	43
B. OPERATED	535	15.3	161	2	3	12	19	30	40	69
TOTAL 0-19 YRS	37	11.3	132	1	1	9	15	21	35	58
20-34	76	10.5	216	1	2	7	11	18	25	94
35-49	117	11.0	147	2	2	7	12	22	37	64
50-64	286	11.8	121	1	3	9	14	27	32	62
65+	1097	12.0	86	3	4	9	15	23	30	51
GRAND TOTAL	**1613**	**11.8**	**104**	**2**	**3**	**9**	**15**	**23**	**31**	**58**

226: Acute pyelonephritis (590.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	305	3.8	2	2	2	4	4	6	7	9
20-34	480	3.9	4	2	2	4	5	6	7	9
35-49	166	4.2	4	2	2	4	5	7	8	11
50-64	83	4.7	3	2	3	4	6	7	8	9
65+	74	5.6	5	3	3	5	7	9	10	11
B. *Operated*										
0-19 YRS	18	4.4	3	1	2	4	6	6	7	8
20-34	18	5.4	6	3	3	5	7	10	11	11
35-49	13	5.5	10	2	2	5	7	10	12	12
50-64	8	6.4	12	3	3	5	7	12	14	14
65+	4	9.8	5	8	8	9	11	13	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	468	4.3	4	2	2	4	5	7	8	11
20-34	831	4.4	4	2	2	4	5	7	8	11
35-49	404	5.5	7	2	3	5	7	9	11	14
50-64	490	6.3	14	2	3	6	8	10	13	24
65+	1301	7.5	24	3	3	7	9	12	15	29
B. *Operated*										
0-19 YRS	49	6.5	21	3	3	5	7	12	19	23
20-34	100	8.0	24	3	3	7	10	14	18	26
35-49	81	8.3	19	3	4	7	10	15	17	22
50-64	110	10.5	35	4	5	9	13	19	22	34
65+	209	12.1	47	4	5	11	16	21	25	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1108	4.1	4	2	2	4	5	6	7	11
B. *Operated*	61	5.5	8	2	3	5	7	9	11	14
2. MULTIPLE DX										
A. *Not Operated*	3494	5.9	15	2	3	5	7	10	12	20
B. *Operated*	549	10.0	38	3	4	8	12	18	22	30
1. SINGLE DX	1169	4.2	4	2	2	4	5	7	8	11
2. MULTIPLE DX	4043	6.5	20	2	3	5	8	11	14	24
A. NOT OPERATED	4602	5.5	13	2	2	5	7	9	11	18
B. OPERATED	610	9.5	36	3	4	8	12	17	22	30
TOTAL 0-19 YRS	840	4.2	5	2	2	4	5	6	8	12
20-34	1429	4.5	6	2	2	4	5	7	9	14
35-49	664	5.5	9	2	3	5	7	9	11	15
50-64	691	6.7	19	2	3	6	8	11	15	25
65+	1588	8.0	28	3	4	7	10	14	17	30
GRAND TOTAL	**5212**	**6.0**	**17**	**2**	**3**	**5**	**7**	**10**	**13**	**23**

227: Miscellaneous kidney infections (590.0; 590.2-590.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	334	3.7	3	1	2	3	5	6	7	10
20-34	470	3.9	3	1	2	4	5	6	7	10
35-49	136	4.2	5	1	2	4	5	7	8	13
50-64	85	4.8	5	2	2	4	6	7	9	13
65+	64	5.3	7	2	3	5	6	9	11	14
B. *Operated*										
0-19 YRS	28	4.4	10	1	1	4	6	7	12	14
20-34	38	5.3	8	1	2	5	7	9	10	15
35-49	25	7.7	43	2	2	6	11	13	21	32
50-64	24	7.0	17	3	3	6	9	11	17	21
65+	21	8.6	23	2	2	10	12	15	16	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	392	4.4	6	2	2	4	5	7	8	13
20-34	653	4.5	5	2	2	4	5	7	9	12
35-49	358	5.6	12	2	3	5	7	9	11	21
50-64	356	6.6	16	3	3	6	8	12	14	20
65+	727	7.6	26	3	3	6	9	13	17	26
B. *Operated*										
0-19 YRS	94	6.9	36	2	2	6	8	12	18	32
20-34	166	8.0	41	2	3	6	10	14	23	46
35-49	123	9.1	33	2	3	8	11	17	20	28
50-64	141	10.5	60	3	4	8	12	21	25	38
65+	224	13.0	95	3	4	10	17	27	32	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1089	4.1	4	2	2	4	5	6	8	12
B. *Operated*	136	6.4	21	2	2	5	8	12	15	23
2. MULTIPLE DX										
A. *Not Operated*	2486	5.8	16	2	3	5	7	10	13	22
B. *Operated*	748	10.0	64	2	3	8	12	20	27	38
1. SINGLE DX	1225	4.3	6	2	2	4	5	7	9	14
2. MULTIPLE DX	3234	6.8	30	2	3	5	8	12	17	30
A. NOT OPERATED	3575	5.3	13	2	2	4	6	9	11	19
B. OPERATED	884	9.5	59	2	3	7	11	19	25	38
TOTAL 0-19 YRS	848	4.4	9	2	2	4	5	7	9	15
20-34	1327	4.8	11	2	2	4	6	8	10	17
35-49	642	6.0	18	2	2	5	7	11	15	22
50-64	606	7.3	28	2	3	6	9	13	17	27
65+	1036	8.6	45	3	3	7	10	16	22	36
GRAND TOTAL	**4459**	**6.1**	**25**	**2**	**2**	**5**	**7**	**11**	**15**	**27**

228: Calculus of kidney (592.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	70	2.3	3	1	1	2	3	4	4	13
20-34	451	2.1	4	<1	1	2	3	4	5	8
35-49	514	2.1	2	<1	1	2	3	4	5	8
50-64	284	2.4	2	1	1	2	3	4	5	8
65+	95	2.9	9	1	1	2	3	5	7	19
B. *Operated*										
0-19 YRS	26	5.2	7	1	1	5	7	9	10	11
20-34	279	6.1	10	2	2	6	8	10	12	14
35-49	400	6.3	14	2	2	6	8	11	13	20
50-64	357	6.6	13	2	2	6	8	11	13	18
65+	137	7.1	16	2	2	7	9	12	14	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	39	2.8	3	1	1	3	4	5	6	7
20-34	319	2.8	4	1	1	2	4	5	7	10
35-49	459	3.0	5	1	1	2	4	5	7	12
50-64	413	3.4	8	1	1	3	4	6	8	14
65+	353	4.3	11	1	1	3	5	8	11	16
B. *Operated*										
0-19 YRS	43	9.5	61	1	2	6	13	23	25	32
20-34	271	7.9	41	2	3	7	9	12	17	30
35-49	406	8.1	37	2	2	7	10	14	18	28
50-64	440	8.7	31	2	2	8	11	15	18	30
65+	460	10.3	72	2	3	9	13	18	24	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1414	2.2	3	<1	1	2	3	4	5	8
B. *Operated*	1199	6.4	13	2	2	6	8	11	13	18
2. MULTIPLE DX										
A. *Not Operated*	1583	3.3	7	1	1	3	4	6	8	13
B. *Operated*	1620	8.9	47	2	2	8	11	16	21	33
1. SINGLE DX	2613	4.1	12	1	1	3	6	9	11	15
2. MULTIPLE DX	3203	6.1	35	1	1	4	8	12	16	29
A. NOT OPERATED	2997	2.8	6	1	1	2	3	5	7	12
B. OPERATED	2819	7.8	34	2	2	7	10	14	17	29
TOTAL 0-19 YRS	178	4.6	26	1	1	3	6	10	15	26
20-34	1320	4.3	18	1	1	3	6	9	11	20
35-49	1779	4.6	19	1	1	3	6	10	12	20
50-64	1494	5.5	21	1	1	4	8	11	14	23
65+	1045	7.2	47	1	2	6	9	14	18	35
GRAND TOTAL	**5816**	**5.2**	**26**	**1**	**1**	**4**	**7**	**11**	**14**	**24**

229: Calculus of ureter (592.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	287	1.9	1	1	1	2	2	3	4	4
20-34	2072	1.9	1	<1	1	2	2	3	4	6
35-49	2521	1.9	1	<1	1	2	2	3	4	6
50-64	1348	2.0	2	<1	1	2	3	4	5	7
65+	370	2.5	2	1	1	2	3	4	5	9
B. *Operated*										
0-19 YRS	170	4.4	8	2	2	4	6	8	10	14
20-34	1391	4.5	7	1	2	4	6	8	10	14
35-49	1872	4.8	9	1	2	4	6	9	10	15
50-64	1222	5.3	12	2	2	5	7	10	11	16
65+	395	5.6	12	2	2	5	8	10	12	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	88	2.4	4	1	1	2	3	5	5	13
20-34	701	2.3	2	1	1	2	3	4	5	7
35-49	1041	2.4	3	1	1	2	3	4	6	8
50-64	888	2.8	4	1	1	2	3	5	6	10
65+	558	3.4	8	1	1	3	4	6	8	15
B. *Operated*										
0-19 YRS	62	6.0	12	2	2	5	8	11	12	17
20-34	583	5.9	19	2	2	5	8	10	13	21
35-49	952	6.0	17	2	2	5	8	11	13	20
50-64	1086	7.0	25	2	2	6	9	13	16	23
65+	870	8.8	38	2	3	7	11	16	20	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6598	1.9	2	<1	1	2	2	3	4	6
B. *Operated*	5050	4.9	10	2	2	4	6	9	11	15
2. MULTIPLE DX										
A. *Not Operated*	3276	2.7	4	1	1	2	3	5	6	9
B. *Operated*	3553	7.0	26	2	2	6	9	13	16	24
1. SINGLE DX	11648	3.2	7	1	1	2	4	7	9	13
2. MULTIPLE DX	6829	4.9	20	1	1	3	6	10	13	21
A. NOT OPERATED	9874	2.2	2	1	1	2	3	4	5	8
B. OPERATED	8603	5.7	18	2	2	5	7	11	13	20
TOTAL 0-19 YRS	607	3.1	6	1	1	2	4	6	9	13
20-34	4747	3.2	8	1	1	2	4	7	8	13
35-49	6386	3.4	9	1	1	2	4	7	9	14
50-64	4544	4.2	15	1	1	3	6	9	11	17
65+	2193	5.8	27	1	1	4	8	12	15	24
GRAND TOTAL	**18477**	**3.8**	**13**	**1**	**1**	**3**	**5**	**8**	**10**	**17**

230: Miscellaneous diseases of kidney and ureter (588-589; 591; 593.0-593.5; 593.7; 593.8-593.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	38	3.6	18	<1	1	3	4	7	14	22
20-34	39	2.0	3	1	1	2	2	3	5	10
35-49	35	3.3	15	1	1	2	4	5	7	24
50-64	31	3.4	6	1	1	2	5	7	7	10
65+	20	3.7	4	1	1	3	5	6	7	8
B. *Operated*										
0-19 YRS	320	6.0	13	<1	1	6	8	10	11	17
20-34	141	6.3	17	1	2	6	8	11	15	18
35-49	149	5.9	15	1	1	5	8	11	12	17
50-64	117	5.7	27	1	1	4	8	12	16	29
65+	83	6.0	41	1	1	4	8	15	18	36
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	113	4.0	14	1	1	3	5	8	14	19
20-34	92	3.5	5	1	1	3	5	6	7	12
35-49	89	4.9	13	1	1	4	7	10	13	15
50-64	140	5.3	16	1	2	4	7	9	13	20
65+	322	7.5	40	2	2	6	9	15	19	34
B. *Operated*										
0-19 YRS	479	6.9	26	1	1	7	9	13	15	26
20-34	287	7.5	25	1	2	7	10	14	16	25
35-49	306	7.9	34	2	2	7	9	15	17	32
50-64	426	8.7	57	1	2	7	11	17	22	36
65+	552	10.0	64	2	2	8	13	21	26	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	163	3.1	10	1	1	2	4	6	7	21
B *Operated*	810	6.0	19	1	1	6	8	11	13	19
2. MULTIPLE DX										
A. *Not Operated*	756	5.8	27	1	2	4	7	11	15	26
B. *Operated*	2050	8.3	45	1	2	7	11	16	21	34
1. SINGLE DX	973	5.5	18	1	1	5	8	10	12	20
2. MULTIPLE DX	2806	7.7	41	1	2	6	10	15	19	33
A. NOT OPERATED	919	5.3	25	1	1	4	7	11	15	25
B. OPERATED	2860	7.7	39	1	2	7	10	15	19	32
TOTAL 0-19 YRS	950	6.1	21	1	1	6	8	11	14	23
20-34	559	6.2	22	1	1	5	8	12	15	24
35-49	579	6.6	27	1	2	5	9	12	16	26
50-64	714	7.3	45	1	2	5	9	15	19	31
65+	977	8.7	55	2	2	7	11	18	23	37
GRAND TOTAL	**3779**	**7.1**	**36**	**1**	**2**	**6**	**9**	**14**	**18**	**29**

231: Urinary calculus, except kidney and ureter (592.9; 594)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	16	2.4	4	1	1	2	3	5	7	8
20-34	88	2.3	3	1	1	2	3	4	6	9
35-49	108	2.0	1	1	1	2	3	4	4	6
50-64	62	1.7	1	<1	1	1	2	3	4	5
65+	19	2.4	2	<1	<1	2	3	5	6	6
B. *Operated*										
0-19 YRS	9	5.2	17	1	1	4	7	12	13	13
20-34	35	5.4	14	1	1	5	7	11	13	16
35-49	55	4.3	9	1	1	3	6	8	11	15
50-64	48	4.6	15	1	1	3	6	11	13	19
65+	60	4.1	9	1	1	3	6	8	9	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	37	2.8	3	<1	1	2	3	6	7	8
35-49	64	2.6	3	1	1	2	3	5	6	9
50-64	53	3.3	5	1	1	3	4	6	9	10
65+	38	3.6	6	1	2	3	4	6	10	11
B. *Operated*										
0-19 YRS	13	6.4	30	1	1	4	10	15	16	16
20-34	63	6.3	22	2	2	5	8	11	16	24
35-49	59	6.3	29	2	2	5	8	11	15	31
50-64	109	5.8	17	1	2	5	7	11	15	20
65+	262	7.1	33	2	2	6	9	13	18	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	293	2.1	2	1	1	2	3	4	5	7
B. *Operated*	207	4.5	12	1	1	3	6	9	12	15
2. MULTIPLE DX										
A. *Not Operated*	194	3.0	4	1	1	2	4	6	7	11
B. *Operated*	506	6.6	27	2	2	5	8	13	16	25
1. SINGLE DX	500	3.1	7	1	1	2	4	7	8	14
2. MULTIPLE DX	700	5.6	24	1	2	4	8	11	15	23
A. NOT OPERATED	487	2.5	3	1	1	2	3	5	6	10
B. OPERATED	713	6.0	24	1	2	5	8	12	15	23
TOTAL 0-19 YRS	40	4.3	17	1	1	3	5	11	14	16
20-34	223	4.0	13	1	1	3	6	8	11	20
35-49	286	3.5	12	1	1	2	4	8	9	15
50-64	272	4.2	13	1	1	3	5	9	12	18
65+	379	6.0	27	1	2	5	8	12	16	24
GRAND TOTAL	**1200**	**4.6**	**18**	**1**	**1**	**3**	**6**	**9**	**13**	**21**

232: Cystitis (595)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	70	2.5	3	1	1	2	3	4	5	10
20-34	74	2.9	3	1	1	2	4	5	6	7
35-49	42	2.9	2	1	1	3	4	5	6	8
50-64	25	3.6	4	1	2	3	4	6	7	11
65+	28	3.6	4	1	1	4	5	7	7	8
B. *Operated*										
0-19 YRS	79	2.0	1	<1	1	2	2	3	5	7
20-34	168	2.8	3	<1	1	2	3	5	6	9
35-49	147	2.7	4	1	1	2	3	5	6	10
50-64	158	3.1	7	1	1	2	3	6	8	15
65+	180	3.0	4	1	1	2	3	5	6	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	87	2.8	3	1	1	2	3	4	6	10
20-34	128	4.1	16	1	1	3	5	7	9	18
35-49	112	4.4	7	1	2	4	6	8	10	13
50-64	132	5.0	11	1	2	4	6	10	12	18
65+	423	6.4	14	2	3	6	8	11	14	19
B. *Operated*										
0-19 YRS	158	2.4	3	<1	1	2	3	5	6	8
20-34	323	3.8	10	1	1	3	5	7	10	15
35-49	405	4.3	13	1	1	3	5	9	11	17
50-64	464	4.7	15	1	2	3	6	9	13	20
65+	874	5.8	31	1	2	4	7	11	14	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	239	2.9	3	1	1	2	4	5	6	9
B. *Operated*	732	2.8	4	1	1	2	3	5	6	12
2. MULTIPLE DX										
A. *Not Operated*	882	5.2	13	1	2	4	7	10	12	18
B. *Operated*	2224	4.8	20	1	1	3	6	10	12	21
1. SINGLE DX	971	2.8	4	1	1	2	3	5	6	11
2. MULTIPLE DX	3106	4.9	18	1	2	4	6	10	12	20
A. NOT OPERATED	1121	4.8	12	1	2	4	6	9	11	18
B. OPERATED	2956	4.3	17	1	1	3	5	9	11	19
TOTAL 0-19 YRS	394	2.4	3	<1	1	2	3	4	6	8
20-34	693	3.5	9	1	1	3	4	6	9	13
35-49	706	3.9	10	1	1	3	5	8	10	15
50-64	779	4.4	13	1	1	3	5	9	12	18
65+	1505	5.6	24	1	2	4	7	11	13	24
GRAND TOTAL	**4077**	**4.4**	**16**	**1**	**1**	**3**	**6**	**9**	**11**	**18**

233: Urethral stricture (598)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	1.7	1	<1	<1	1	3	3	3	3
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	3	1.0		1	1	1	1	1	1	1
50-64	6	3.2	3	<1	<1	3	4	6	6	6
65+	8	3.6	16	1	1	2	4	11	13	13
B. *Operated*										
0-19 YRS	482	1.6	2	<1	<1	1	2	2	3	8
20-34	198	2.7	5	<1	1	2	3	5	6	12
35-49	137	3.1	8	<1	1	2	4	6	9	16
50-64	133	2.7	3	<1	1	2	4	5	6	8
65+	165	3.5	6	<1	1	3	4	6	9	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	21	1.8	3	<1	<1	1	2	4	6	8
20-34	5	4.4	16	<1	<1	3	8	10	10	10
35-49	14	3.4	8	1	1	3	4	8	10	11
50-64	20	3.9	6	<1	<1	4	5	7	9	10
65+	41	4.0	11	1	1	3	4	10	12	15
B. *Operated*										
0-19 YRS	440	2.0	3	<1	1	2	2	3	5	10
20-34	370	3.4	7	1	1	2	4	7	8	15
35-49	335	3.8	14	<1	1	3	5	7	9	21
50-64	454	4.4	15	1	1	3	5	8	11	20
65+	766	5.4	21	1	2	4	7	10	13	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	24	2.6	7	<1	<1	2	3	5	8	13
B. *Operated*	1115	2.4	4	<1	<1	2	3	5	6	12
2. MULTIPLE DX										
A. *Not Operated*	101	3.4	9	<1	1	3	4	8	10	13
B. *Operated*	2365	4.0	15	1	1	3	5	8	11	18
1. SINGLE DX	1139	2.4	4	<1	<1	2	3	5	6	12
2. MULTIPLE DX	2466	4.0	15	1	1	3	5	8	11	18
A. NOT OPERATED	125	3.3	9	<1	1	2	4	7	10	13
B. OPERATED	3480	3.5	12	<1	1	2	4	7	10	16
TOTAL 0-19 YRS	949	1.8	2	<1	<1	1	2	3	4	9
20-34	574	3.1	6	<1	1	2	4	6	8	14
35-49	489	3.6	12	<1	1	3	4	7	9	18
50-64	613	4.0	12	<1	1	3	5	8	10	18
65+	980	5.0	19	1	2	4	6	10	12	22
GRAND TOTAL	**3605**	**3.5**	**12**	**<1**	**1**	**2**	**4**	**7**	**10**	**16**

234: Miscellaneous urinary diseases (596-597; 599)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	623	3.1	5	1	1	3	4	5	6	9
20-34	362	3.1	3	1	1	3	4	5	7	9
35-49	194	3.4	3	1	1	3	4	6	7	9
50-64	149	3.8	4	1	1	4	5	6	7	10
65+	306	4.5	8	1	1	4	6	8	9	14
B. *Operated*										
0-19 YRS	484	2.4	4	<1	<1	2	3	5	6	9
20-34	310	3.0	8	<1	1	2	4	5	8	14
35-49	362	3.3	15	<1	1	2	4	6	8	14
50-64	339	3.2	8	<1	1	2	4	6	8	15
65+	373	3.8	7	1	1	3	5	7	9	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1482	3.9	6	1	2	3	5	7	9	13
20-34	1210	4.3	12	1	2	4	5	7	10	15
35-49	895	5.2	13	2	2	4	7	10	11	18
50-64	1533	6.0	18	2	2	5	7	10	13	22
65+	6822	7.5	29	2	3	6	9	13	17	28
B. *Operated*										
0-19 YRS	737	3.8	16	<1	1	2	5	8	12	18
20-34	733	4.9	26	1	1	3	6	10	13	26
35-49	848	5.3	27	1	1	4	7	11	13	29
50-64	1233	5.9	29	1	2	4	8	12	15	23
65+	3030	8.1	55	2	2	6	10	16	21	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1634	3.4	5	1	1	3	4	6	7	10
B. *Operated*	1868	3.1	6	<1	1	2	4	6	8	14
2. MULTIPLE DX										
A. *Not Operated*	11942	6.4	24	2	2	5	8	12	15	25
B. *Operated*	6581	6.5	41	1	1	5	8	13	17	33
1. SINGLE DX	3502	3.3	7	1	1	3	4	6	8	12
2. MULTIPLE DX	18523	6.4	30	1	2	5	8	12	16	28
A. NOT OPERATED	13576	6.0	22	1	2	5	8	11	14	24
B. OPERATED	8449	5.7	36	1	1	4	7	12	16	30
TOTAL 0-19 YRS	3326	3.5	8	1	1	3	4	7	8	13
20-34	2615	4.1	15	1	1	3	5	8	10	18
35-49	2299	4.8	18	1	1	4	6	9	11	22
50-64	3254	5.6	21	1	2	4	7	10	14	22
65+	10531	7.5	36	2	2	6	9	14	18	32
GRAND TOTAL	**22025**	**5.9**	**28**	**1**	**2**	**5**	**7**	**11**	**15**	**27**

235: Hyperplasia of prostate (600)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
(1)	(2)	(3)	(4)	5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	3.0	4	1	1	3	4	5	5	5
35-49	4	4.5	6	2	2	4	6	7	7	7
50-64	13	3.5	3	<1	1	3	5	6	7	7
65+	26	4.3	33	<1	1	2	4	10	19	26
B. *Operated*										
0-19 YRS	2	7.0		7	7	7	7	7	7	7
20-34	4	3.0	2	<1	<1	3	4	4	4	4
35-49	111	3.5	5	1	1	3	5	7	8	10
50-64	1421	4.9	6	1	2	5	6	7	9	12
65+	2438	5.6	10	2	2	5	7	9	10	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	4	3.5	14	1	1	2	6	9	9	9
35-49	12	3.4	3	<1	1	3	4	6	6	6
50-64	113	3.8	7	1	1	3	4	7	9	14
65+	427	5.1	24	1	1	4	7	10	13	21
B. *Operated*										
0-19 YRS	7	6.7	9	2	3	6	9	11	11	11
20-34	18	4.7	7	1	2	4	5	9	10	11
35-49	187	5.0	10	1	1	5	6	8	11	16
50-64	2794	6.1	11	2	3	5	7	10	12	19
65+	7960	7.5	24	2	4	6	9	13	16	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	46	4.0	20	<1	1	3	5	7	11	26
B. *Operated*	3976	5.3	9	1	2	5	6	8	10	14
2. MULTIPLE DX										
A. *Not Operated*	556	4.8	20	1	1	4	6	9	12	19
B. *Operated*	10966	7.1	21	2	3	6	8	12	15	24
1. SINGLE DX	4022	5.3	9	1	2	5	6	8	10	14
2. MULTIPLE DX	11522	7.0	21	2	3	6	8	12	15	24
A. NOT OPERATED	602	4.7	20	1	1	3	6	9	12	19
B. OPERATED	14942	6.6	19	2	3	6	8	11	14	23
TOTAL 0-19 YRS	9	6.8	6	2	3	7	8	10	11	11
20-34	29	4.1	7	1	1	3	5	9	9	11
35-49	314	4.4	8	1	1	4	6	8	9	15
50-64	4341	5.6	10	2	2	5	7	9	11	17
65+	10851	7.0	22	2	3	6	8	12	15	24
GRAND TOTAL	**15544**	**6.5**	**19**	**2**	**3**	**6**	**8**	**11**	**14**	**23**

236: Diseases of the prostate, except hypertrophy (601-602)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
(1)	(2)	(3)	(4)	5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	14	2.8	1	2	2	3	3	4	5	5
20-34	84	3.3	4	1	1	3	4	5	6	12
35-49	81	3.8	7	1	2	3	4	6	8	18
50-64	88	4.0	3	1	2	4	5	7	7	9
65+	21	3.8	4	1	2	3	6	7	7	8
B. *Operated*										
0-19 YRS	11	2.3	3	<1	<1	2	3	5	6	6
20-34	81	2.7	4	<1	<1	2	3	5	7	10
35-49	110	2.6	4	<1	<1	2	4	5	6	10
50-64	72	2.9	5	1	1	2	3	5	7	13
65+	50	3.4	5	1	1	3	5	6	8	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	17	3.9	5	1	1	3	5	8	9	9
20-34	137	4.1	6	1	2	4	5	7	9	12
35-49	180	4.6	7	2	2	4	6	8	10	15
50-64	289	4.7	6	2	2	4	6	8	9	13
65+	238	5.2	11	2	2	5	7	8	10	19
B. *Operated*										
0-19 YRS	21	2.9	5	1	1	2	4	5	8	11
20-34	142	3.5	7	1	1	3	4	7	9	12
35-49	234	3.8	7	1	1	3	5	8	9	11
50-64	319	5.0	16	1	2	4	7	10	12	22
65+	264	6.8	40	1	2	5	8	13	17	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	288	3.7	5	1	2	3	5	6	7	11
B. *Operated*	324	2.8	4	<1	<1	2	4	5	7	11
2. MULTIPLE DX										
A. *Not Operated*	861	4.7	8	2	2	4	6	8	10	13
B. *Operated*	980	4.9	20	1	1	4	6	10	12	22
1. SINGLE DX	612	3.2	5	<1	1	3	4	6	7	11
2. MULTIPLE DX	1841	4.8	14	1	2	4	6	9	11	19
A. NOT OPERATED	1149	4.5	7	1	2	4	5	8	9	13
B. OPERATED	1304	4.4	17	1	1	3	6	9	11	19
TOTAL 0-19 YRS	63	3.0	4	1	1	3	4	5	7	11
20-34	444	3.5	6	1	1	3	4	6	8	11
35-49	605	3.8	7	1	1	3	5	7	9	11
50-64	768	4.6	10	1	2	4	6	8	10	17
65+	573	5.7	25	1	2	5	7	10	13	28
GRAND TOTAL	**2453**	**4.4**	**12**	**1**	**1**	**4**	**5**	**8**	**10**	**18**

237: Hydrocele (603)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	1.2		<1	<1	1	1	2	2	2
20-34	1	2.0		2	2	2	2	2	2	2
35-49	5	4.0	8	<1	<1	5	6	7	7	7
50-64	1	1.0		1	1	1	1	1	1	1
65+	1	5.0		5	5	5	5	5	5	5
B. *Operated*										
0-19 YRS	303	1.7	1	<1	<1	2	2	3	3	5
20-34	89	2.5	2	1	1	2	3	4	5	7
35-49	99	2.6	2	1	1	2	3	4	5	9
50-64	163	3.0	2	1	1	3	4	5	6	8
65+	133	3.1	4	1	1	3	4	5	6	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	16	1.8	3	<1	1	1	2	3	7	8
20-34	4	2.3	1	<1	<1	2	3	3	3	3
35-49	1	6.0		6	6	6	6	6	6	6
50-64	2	2.0	2	1	1	2	3	3	3	3
65+	10	4.3	5	<1	1	4	6	7	8	8
B. *Operated*										
0-19 YRS	225	2.4	21	<1	1	2	2	3	4	19
20-34	47	3.4	10	1	1	3	4	5	8	22
35-49	94	3.2	2	1	1	3	4	5	5	6
50-64	165	4.1	8	1	2	4	5	7	9	12
65+	194	4.4	10	2	2	4	5	8	10	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	14	2.5	5	<1	<1	1	5	6	7	7
B. *Operated*	787	2.4	2	<1	1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	33	2.8	5	<I	1	2	4	6	8	8
B. *Operated*	725	3.5	13	1	1	3	4	6	8	13
1. SINGLE DX	801	2.4	2	<1	1	2	3	4	5	8
2. MULTIPLE DX	758	3.5	12	1	1	3	4	6	8	13
A. NOT OPERATED	47	2.7	5	<1	<1	2	4	6	7	8
B. OPERATED	1512	2.9	7	<1	1	2	4	5	6	10
TOTAL 0-19 YRS	550	2.0	9	<1	<1	2	2	3	4	7
20-34	141	2.8	5	1	1	3	3	5	6	9
35-49	199	3.0	2	1	1	3	4	5	6	8
50-64	331	3.5	6	1	2	3	4	6	7	10
65+	338	3.9	8	1	2	3	5	7	9	14
GRAND TOTAL	**1559**	**2.9**	**7**	**<1**	**1**	**2**	**4**	**5**	**6**	**10**

238: Orchitis and epididymitis (604)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	97	3.9	7	1	1	3	5	8	10	12
20-34	203	4.0	5	1	2	4	5	7	8	12
35-49	123	4.6	5	1	2	4	6	8	9	11
50-64	69	5.2	3	2	3	5	6	7	8	9
65+	52	5.9	15	2	3	6	7	8	10	26
B. *Operated*										
0-19 YRS	38	2.9	4	1	1	2	4	6	8	9
20-34	83	3.5	6	1	1	3	5	6	8	14
35-49	60	3.9	7	1	1	3	5	7	9	12
50-64	50	4.4	9	1	2	4	6	8	9	15
65+	31	3.8	7	1	1	3	4	7	9	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	33	3.8	5	1	1	3	5	7	9	10
20-34	84	4.4	7	1	2	4	5	7	9	17
35-49	87	4.9	9	1	2	4	6	9	11	14
50-64	125	5.5	5	2	3	5	7	8	10	12
65+	170	6.0	10	2	3	5	7	10	12	18
B. *Operated*										
0-19 YRS	33	3.7	7	1	1	3	4	8	9	14
20-34	59	5.4	33	2	2	4	6	9	11	39
35-49	85	5.1	9	1	2	4	7	9	11	13
50-64	102	6.4	18	1	2	6	8	12	14	21
65+	116	7.9	41	2	3	5	11	17	20	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	544	4.5	6	1	2	4	6	7	9	12
B. *Operated*	262	3.7	7	1	1	3	5	7	9	14
2. MULTIPLE DX										
A. *Not Operated*	499	5.3	8	2	2	5	7	9	11	15
B. *Operated*	395	6.2	26	1	2	5	8	12	16	22
1. SINGLE DX	806	4.2	7	1	2	4	6	7	9	13
2. MULTIPLE DX	894	5.7	16	2	2	5	7	10	13	21
A. NOT OPERATED	1043	4.9	7	1	2	4	6	8	10	14
B. OPERATED	657	5.2	20	1	2	4	6	10	13	21
TOTAL 0-19 YRS	201	3.7	6	1	1	3	5	7	9	12
20-34	429	4.2	10	1	2	4	5	7	8	15
35-49	355	4.7	7	1	2	4	6	8	10	13
50-64	346	5.5	9	2	2	5	7	9	11	18
65+	369	6.4	22	2	3	5	7	12	16	22
GRAND TOTAL	**1700**	**5.0**	**12**	**1**	**2**	**4**	**6**	**9**	**11**	**19**

239: Redundant prepuce and phimosis (605)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	295	1.5		<1	<1	1	2	2	2	4
20-34	87	1.9		<1	1	2	2	3	3	4
35-49	31	1.9	1	1	1	2	2	3	3	3
50-64	24	1.9	1	<1	1	2	2	3	4	5
65+	10	1.8	1	1	1	2	2	3	3	3
B. *Operated*										
0-19 YRS	540	1.4		<1	<1	1	2	2	2	3
20-34	147	1.9	1	<1	1	2	2	3	3	5
35-49	80	1.8	1	<1	<1	2	2	3	3	4
50-64	38	2.0	1	<1	1	2	2	3	3	7
65+	27	2.5	3	1	1	2	2	3	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	96	1.6	1	<1	<1	1	2	2	3	7
20-34	48	2.3	2	<1	<1	2	2	4	4	8
35-49	46	2.2	1	<1	1	2	3	4	4	7
50-64	21	2.3	4	<1	1	2	3	4	7	10
65+	29	4.6	80	<1	<1	2	4	7	9	50
B. *Operated*										
0-19 YRS	223	1.7	1	<1	<1	1	2	3	4	6
20-34	113	2.2	2	<1	1	2	2	4	5	8
35-49	132	2.3	2	<1	1	2	3	4	5	8
50-64	77	2.6	4	1	1	2	3	5	8	9
65+	123	3.3	7	1	1	2	4	7	9	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	447	1.6		<1	<1	2	2	2	3	4
B. *Operated*	832	1.6	1	<1	<1	1	2	2	3	4
2. MULTIPLE DX										
A. *Not Operated*	240	2.3	12	<1	<1	2	2	4	5	9
B. *Operated*	668	2.3	3	<1	1	2	2	4	6	9
1. SINGLE DX	1279	1.6	1	<1	<1	1	2	2	3	4
2. MULTIPLE DX	908	2.3	5	<1	<1	2	2	4	5	9
A. NOT OPERATED	687	1.8	4	<1	<1	2	2	3	3	7
B. OPERATED	1500	1.9	2	<1	<1	2	2	3	4	8
TOTAL 0-19 YRS	1154	1.5	1	<1	<1	1	2	2	3	5
20-34	395	2.0	1	<1	1	2	2	3	4	6
35-49	289	2.1	1	<1	1	2	2	4	4	7
50-64	160	2.3	3	1	1	2	2	3	6	9
65+	189	3.3	17	1	1	2	3	7	8	14
GRAND TOTAL	**2187**	**1.9**	**3**	**<1**	**<1**	**2**	**2**	**3**	**4**	**8**

240: Miscellaneous diseases of male genital organs (606-608)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	63	1.6	1	<1	<1	1	2	3	3	6
20-34	49	2.2	2	1	1	2	3	4	5	7
35-49	44	1.9	1	<1	<1	2	2	3	4	4
50-64	29	2.7	4	<1	1	2	3	5	8	9
65+	16	2.9	6	<1	1	2	3	4	9	11
B. *Operated*										
0-19 YRS	572	1.9	2	<1	1	2	2	3	4	7
20-34	367	2.4	4	1	1	2	3	4	5	11
35-49	290	3.0	6	<1	1	2	3	6	7	12
50-64	332	3.7	8	1	1	3	5	6	7	11
65+	149	3.9	9	1	1	3	4	7	9	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	60	2.3	2	<1	<1	2	3	4	5	6
20-34	55	3.1	10	<1	1	2	3	6	8	21
35-49	60	2.8	3	1	1	2	4	5	6	10
50-64	73	4.1	10	1	1	3	6	9	10	16
65+	67	5.1	13	1	1	5	7	10	12	15
B. *Operated*										
0-19 YRS	232	2.8	15	<1	1	2	3	5	7	17
20-34	279	3.3	9	<1	1	2	4	6	9	14
35-49	296	4.3	17	1	1	3	5	8	12	24
50-64	496	4.6	10	2	2	4	5	8	10	17
65+	297	5.5	41	1	2	4	6	10	14	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	201	2.1	2	<1	<1	2	3	4	4	8
B. *Operated*	1710	2.7	5	<1	1	2	3	5	6	10
2. MULTIPLE DX										
A. *Not Operated*	315	3.5	9	<1	1	2	5	7	10	15
B. *Operated*	1600	4.2	18	1	1	3	5	8	10	22
1. SINGLE DX	1911	2.6	5	<1	1	2	3	5	6	10
2. MULTIPLE DX	1915	4.1	17	1	1	3	5	8	10	21
A. NOT OPERATED	516	3.0	7	<1	1	2	4	6	8	14
B. OPERATED	3310	3.4	12	1	1	3	4	6	9	17
TOTAL 0-19 YRS	927	2.1	5	<1	1	2	2	4	5	9
20-34	750	2.8	6	1	1	2	3	5	7	12
35-49	690	3.5	11	1	1	2	4	6	9	18
50-64	930	4.1	9	1	2	4	5	7	9	15
65+	529	4.9	28	1	2	4	6	9	12	26
GRAND TOTAL	**3826**	**3.4**	**11**	**1**	**1**	**2**	**4**	**6**	**8**	**16**

241: Benign mammary dysplasia (610)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	2.5	1	2	2	2	3	4	4	4
20-34	10	2.2	2	<1	<1	2	2	5	5	5
35-49	13	1.2		<1	<1	1	1	2	2	2
50-64	2	3.5	1	3	3	3	4	4	4	4
65+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	86	1.6		<1	<1	2	2	2	3	4
20-34	631	2.1	2	<1	<1	2	2	3	5	7
35-49	1786	2.2	2	<1	<1	2	2	4	5	7
50-64	932	2.3	1	<1	1	2	3	4	5	7
65+	396	2.2	1	<1	1	2	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	3.8	4	1	1	4	5	5	5	5
20-34	17	2.8	4	<1	<1	2	4	7	7	7
35-49	39	3.0	6	<1	1	2	4	5	6	15
50-64	28	3.5	8	1	1	3	4	6	12	13
65+	16	2.9	2	1	1	3	4	5	6	6
B. *Operated*										
0-19 YRS	18	2.2	1	1	1	2	2	4	4	4
20-34	349	3.3	10	<1	1	2	4	6	8	21
35-49	1129	3.2	5	1	1	2	4	6	7	11
50-64	802	3.1	6	1	1	2	4	6	7	12
65+	503	3.3	6	1	2	2	4	6	8	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	30	1.9	1	<1	<1	2	2	4	5	5
B. *Operated*	3831	2.2	2	<1	<1	2	2	3	5	7
2. MULTIPLE DX										
A. *Not Operated*	104	3.1	6	1	1	2	4	6	7	14
B. *Operated*	2801	3.2	6	1	1	2	4	6	7	12
1. SINGLE DX	3861	2.2	2	<1	<1	2	2	3	5	7
2. MULTIPLE DX	2905	3.2	6	1	1	2	4	6	7	12
A. NOT OPERATED	134	2.9	5	<1	1	2	4	5	6	13
B. OPERATED	6632	2.6	4	<1	1	2	3	5	6	9
TOTAL 0-19 YRS	112	1.8	1	<1	<1	2	2	3	4	5
20-34	1007	2.6	5	<1	<1	2	3	5	6	9
35-49	2967	2.6	3	<1	1	2	3	5	6	9
50-64	1764	2.7	4	1	1	2	3	5	6	10
65+	916	2.8	4	1	1	2	3	5	6	10
GRAND TOTAL	**6766**	**2.6**	**4**	**<1**	**1**	**2**	**3**	**5**	**6**	**10**

242: Miscellaneous diseases of breast (611)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	29	3.8	5	<1	1	3	5	6	7	12
20-34	34	3.2	3	1	1	3	4	5	7	8
35-49	21	3.5	7	1	1	3	4	8	9	10
50-64	13	2.6	3	<1	<1	2	3	6	6	6
65+	9	1.9	3	<1	<1	1	2	5	6	6
B. *Operated*										
0-19 YRS	358	2.6	2	1	1	2	3	4	5	7
20-34	548	2.9	2	<1	1	3	4	5	6	7
35-49	402	2.8	2	1	1	2	4	5	5	7
50-64	270	2.6	2	<1	1	2	3	5	5	7
65+	163	2.6	3	<1	1	2	3	4	6	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	16	4.3	6	1	2	5	6	8	8	8
20-34	34	3.2	3	<1	1	3	5	6	6	8
35-49	57	3.8	10	<1	1	3	5	8	9	18
50-64	43	3.9	9	<1	1	3	6	8	9	12
65+	47	4.3	11	1	1	3	6	9	10	17
B. *Operated*										
0-19 YRS	92	3.2	4	1	1	3	4	5	7	12
20-34	321	3.5	9	1	1	3	4	6	7	13
35-49	494	3.7	5	1	1	3	5	6	9	12
50-64	371	4.1	10	1	2	3	5	7	9	19
65+	262	3.9	12	1	2	3	5	7	10	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	106	3.2	4	<1	1	3	4	6	7	11
B. *Operated*	1741	2.7	2	<1	1	2	4	5	5	7
2. MULTIPLE DX										
A. *Not Operated*	197	3.9	9	<1	1	3	6	8	9	15
B. *Operated*	1540	3.8	8	1	1	3	5	6	9	15
1. SINGLE DX	1847	2.8	2	<1	1	2	4	5	5	7
2. MULTIPLE DX	1737	3.8	8	1	1	3	5	7	9	15
A. NOT OPERATED	303	3.7	7	<1	1	3	5	7	9	12
B. OPERATED	3281	3.2	5	1	1	3	4	5	7	12
TOTAL 0-19 YRS	495	2.8	3	1	1	3	4	5	6	8
20-34	937	3.1	5	1	1	3	4	5	6	10
35-49	974	3.3	5	1	1	3	4	6	7	10
50-64	697	3.5	7	1	1	3	4	6	8	14
65+	481	3.5	9	1	1	3	4	6	8	16
GRAND TOTAL	**3584**	**3.3**	**5**	**1**	**1**	**3**	**4**	**6**	**7**	**12**

243: Ovarian cyst (620.0-620.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	285	2.4	5	<1	1	2	3	4	5	8
20-34	557	2.2	2	1	1	2	3	4	5	7
35-49	146	2.5	2	1	1	2	3	4	5	8
50-64	7	2.6	2	1	1	3	4	4	4	4
65+	3	3.0	7	1	1	2	5	6	6	6
B. *Operated*										
0-19 YRS	371	3.9	4	1	2	4	5	6	8	9
20-34	1110	4.5	5	1	1	5	6	7	9	11
35-49	345	5.6	5	2	3	5	7	8	10	12
50-64	52	7.1	7	4	5	7	8	11	13	15
65+	14	7.4	2	5	5	7	8	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	218	2.8	3	1	1	2	4	5	6	9
20-34	442	3.0	4	1	1	2	4	6	7	10
35-49	149	3.4	4	1	1	3	4	6	7	10
50-64	22	4.2	3	2	2	4	5	6	7	9
65+	8	4.8	5	1	1	6	6	7	7	7
B. *Operated*										
0-19 YRS	352	4.8	7	1	2	5	6	8	9	14
20-34	2522	5.6	8	1	2	5	7	9	10	16
35-49	1366	6.8	11	3	4	6	8	10	12	18
50-64	139	7.4	7	4	5	7	8	11	12	17
65+	102	10.4	56	5	5	8	12	15	20	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	998	2.3	3	1	1	2	3	4	5	7
B. *Operated*	1892	4.7	5	1	2	5	6	7	9	12
2. MULTIPLE DX										
A. *Not Operated*	839	3.1	4	1	1	3	4	5	7	10
B. *Operated*	4481	6.1	11	2	3	6	7	9	11	18
1. SINGLE DX	2890	3.9	6	1	1	4	5	7	8	11
2. MULTIPLE DX	5320	5.6	11	1	2	5	7	9	11	17
A. NOT OPERATED	1837	2.7	3	1	1	2	3	5	6	9
B. OPERATED	6373	5.7	10	1	2	5	7	9	11	16
TOTAL 0-19 YRS	1226	3.6	6	1	1	3	5	6	8	10
20-34	4631	4.7	8	1	1	5	6	8	9	13
35-49	2006	6.0	11	2	2	6	7	9	11	17
50-64	220	6.9	8	2	4	7	8	10	12	16
65+	127	9.5	49	4	5	8	11	14	18	41
GRAND TOTAL	**8210**	**5.0**	**10**	**1**	**2**	**5**	**6**	**8**	**10**	**15**

244: Pelvic inflammatory disease (614)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	849	4.0	4	2	2	4	5	7	8	11
20-34	2061	4.1	3	2	2	4	5	7	7	10
35-49	238	4.7	6	1	2	4	6	8	9	13
50-64	21	4.6	5	1	1	5	6	8	8	9
65+	10	5.0	12	2	2	4	7	10	12	12
B. *Operated*										
0-19 YRS	150	4.8	7	1	2	5	6	8	10	16
20-34	885	4.9	8	1	1	5	6	8	10	13
35-49	264	5.8	9	1	2	6	7	9	12	14
50-64	38	6.4	15	2	2	6	7	14	15	17
65+	9	9.0	43	3	4	7	10	20	25	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	545	4.6	6	2	2	4	6	8	10	13
20-34	1695	4.7	6	2	2	4	6	8	9	12
35-49	361	5.5	9	2	2	5	7	9	11	17
50-64	52	5.9	17	2	2	5	7	12	14	23
65+	29	10.8	156	2	4	8	11	19	29	69
B. *Operated*										
0-19 YRS	345	6.4	14	2	3	6	8	11	13	21
20-34	3393	5.9	11	1	2	6	7	9	12	18
35-49	1339	7.3	15	2	4	7	8	12	14	21
50-64	159	7.9	24	3	4	7	9	13	17	23
65+	51	9.8	36	2	3	8	12	20	24	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3179	4.1	4	2	2	4	5	7	8	10
B. *Operated*	1346	5.1	9	1	2	5	7	9	11	14
2. MULTIPLE DX										
A. *Not Operated*	2682	4.9	8	2	2	4	6	8	9	14
B. *Operated*	5287	6.4	14	2	2	6	8	10	13	20
1. SINGLE DX	4525	4.4	5	1	2	4	6	7	9	12
2. MULTIPLE DX	7969	5.9	12	2	2	5	7	9	12	18
A. NOT OPERATED	5861	4.5	6	2	2	4	5	7	9	12
B. OPERATED	6633	6.1	13	1	2	6	7	10	12	19
TOTAL 0-19 YRS	1889	4.7	8	2	2	4	6	8	10	14
20-34	8034	5.1	8	1	2	5	6	8	10	15
35-49	2202	6.6	14	2	3	6	8	11	13	19
50-64	270	7.1	21	2	3	6	8	13	15	22
65+	99	9.5	70	2	3	8	10	19	24	48
GRAND TOTAL	**12494**	**5.3**	**10**	**2**	**2**	**5**	**7**	**9**	**11**	**17**

245: Endometriosis (617)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	2.6	1	1	1	3	3	4	4	4
20-34	48	3.0	4	<1	1	2	4	6	7	10
35-49	8	2.8	2	1	1	2	4	5	5	5
50-64	1	2.0		2	2	2	2	2	2	2
65+										
B. *Operated*										
0-19 YRS	36	2.8	4	<1	1	2	4	6	6	10
20-34	815	4.6	5	1	1	5	6	7	8	10
35-49	500	5.5	4	1	2	6	7	7	8	11
50-64	20	7.2	14	<1	2	7	8	13	15	16
65+	5	5.0	10	2	2	5	6	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	3.3	2	1	1	3	4	5	6	6
20-34	84	3.4	5	1	1	3	4	6	8	11
35-49	26	3.8	8	<1	1	4	5	7	11	12
50-64										
65+										
B. *Operated*										
0-19 YRS	79	4.4	6	1	1	5	6	8	9	11
20-34	3427	5.6	6	1	2	6	7	8	9	13
35-49	3463	6.5	6	4	5	6	7	9	10	15
50-64	305	7.3	6	5	5	7	8	10	11	15
65+	40	8.8	23	2	3	8	10	17	18	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	62	2.9	3	<1	1	2	4	5	6	10
B. *Operated*	1376	5.0	5	1	1	5	6	7	8	11
2. MULTIPLE DX										
A. *Not Operated*	120	3.5	6	1	1	3	4	6	8	12
B. *Operated*	7314	6.1	6	2	3	6	7	8	10	14
1. SINGLE DX	1438	4.9	5	1	1	5	6	7	8	11
2. MULTIPLE DX	7434	6.1	6	2	3	6	7	8	10	14
A. NOT OPERATED	182	3.3	5	1	1	3	4	6	8	12
B. OPERATED	8690	5.9	6	1	2	6	7	8	10	14
TOTAL 0-19 YRS	130	3.8	6	1	1	3	5	7	8	10
20-34	4374	5.4	6	1	2	6	7	8	9	12
35-49	3997	6.4	6	2	4	6	7	9	10	14
50-64	326	7.3	7	4	5	7	8	10	12	16
65+	45	8.4	23	2	3	8	10	17	18	22
GRAND TOTAL	8872	5.9	6	1	2	6	7	8	9	14

246: Inflammatory disease of cervix uteri (616.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	5.0	2	4	4	5	6	6	6	6
20-34	6	2.5	3	1	1	2	4	5	5	5
35-49	2	2.5	5	1	1	2	4	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	3	2.0	1	1	1	2	3	3	3	3
20-34	90	3.1	6	<1	1	2	4	6	8	12
35-49	34	3.1	5	<1	1	2	4	7	8	9
50-64	17	1.9		<1	<1	2	2	3	3	3
65+	7	3.4	10	1	1	2	4	9	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	5.0	9	2	2	5	7	9	10	10
20-34	13	3.2	2	<1	1	3	4	5	5	5
35-49	7	2.9	4	<1	<1	3	5	6	6	6
50-64	1	6.0		6	6	6	6	6	6	6
65+	4	3.8	3	2	2	3	5	6	6	6
B. *Operated*										
0-19 YRS	20	3.1	3	1	2	3	3	5	7	8
20-34	495	4.6	7	1	2	5	6	8	9	13
35-49	363	5.4	9	1	2	6	7	9	10	14
50-64	125	5.3	12	1	2	5	7	9	12	17
65+	56	4.6	18	1	2	3	6	11	13	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10	3.0	3	1	1	3	4	5	6	6
B. *Operated*	151	2.9	5	<1	1	2	4	6	8	11
2. MULTIPLE DX										
A. *Not Operated*	32	3.7	4	<1	1	3	5	6	7	10
B. *Operated*	1059	4.9	9	1	2	5	7	8	10	14
1. SINGLE DX	161	3.0	5	<1	1	2	4	6	8	11
2. MULTIPLE DX	1091	4.9	9	1	2	5	7	8	10	14
A. NOT OPERATED	42	3.5	4	<1	1	3	5	6	7	10
B. OPERATED	1210	4.7	9	1	1	5	6	8	10	14
TOTAL 0-19 YRS	32	3.5	4	1	2	3	4	7	8	10
20-34	604	4.3	7	1	1	4	6	7	9	12
35-49	406	5.2	9	1	1	5	7	8	10	14
50-64	143	4.9	12	1	1	5	7	9	11	17
65+	67	4.4	16	1	1	3	6	10	12	21
GRAND TOTAL	1252	4.6	9	1	1	5	6	8	10	14

247: Inflammatory disease of vulva, vagina, and uterus, except cervix (615; 616.1-616.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	41	2.9	4	<1	1	2	3	5	6	12
20-34	112	3.3	3	1	1	3	4	6	7	10
35-49	27	3.9	5	1	2	3	5	7	8	10
50-64	6	4.0	5	<1	<1	4	6	7	7	7
65+	3	2.0	1	1	1	2	3	3	3	3
B. *Operated*										
0-19 YRS	55	2.0	2	<1	<1	2	3	3	5	7
20-34	383	2.2	3	<1	<1	2	3	4	5	8
35-49	230	2.4	2	<1	1	2	3	4	6	8
50-64	69	2.1	1	<1	<1	2	3	3	4	7
65+	19	2.6	3	1	1	2	3	5	7	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	62	3.9	3	1	2	4	5	6	7	8
20-34	229	4.4	5	1	2	4	5	7	9	12
35-49	61	4.5	7	1	1	4	6	7	10	14
50-64	22	6.1	16	2	3	5	7	13	15	16
65+	36	6.8	22	2	2	6	8	13	18	22
B. *Operated*										
0-19 YRS	44	4.9	17	1	2	4	6	11	14	19
20-34	331	4.1	9	1	1	3	6	7	9	16
35-49	206	4.6	37	1	1	3	6	8	10	13
50-64	78	4.4	13	1	2	3	5	8	11	18
65+	68	5.7	20	1	2	4	8	13	15	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	189	3.3	4	<1	1	3	4	6	7	10
B. *Operated*	756	2.2	2	<1	<1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	410	4.7	8	1	2	4	6	8	9	15
B. *Operated*	727	4.5	19	1	1	3	6	8	11	18
1. SINGLE DX	945	2.4	3	<1	1	2	3	4	6	8
2. MULTIPLE DX	1137	4.5	15	1	1	4	6	8	10	17
A. NOT OPERATED	599	4.2	7	1	2	4	5	7	9	14
B. OPERATED	1483	3.3	12	<1	1	2	4	6	8	16
TOTAL 0-19 YRS	202	3.4	7	<1	1	3	4	6	8	15
20-34	1055	3.4	6	<1	1	3	5	6	8	12
35-49	524	3.6	18	<1	1	3	5	7	8	12
50-64	175	3.7	10	<1	1	3	4	7	11	17
65+	126	5.5	19	1	2	4	7	12	15	21
GRAND TOTAL	**2082**	**3.6**	**10**	**<1**	**1**	**3**	**5**	**7**	**9**	**15**

248: Genital prolapse (618)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	5	4.2	10	<1	<1	3	7	8	8	8
35-49	6	4.5	10	1	1	4	7	9	9	9
50-64	7	3.6	6	1	1	5	6	6	6	6
65+	5	2.6	3	1	1	2	4	5	5	5
B. *Operated*										
0-19 YRS	6	6.2	6	3	3	6	8	10	10	10
20-34	386	5.7	4	3	4	6	7	8	9	13
35-49	616	6.2	6	3	4	6	7	9	10	13
50-64	689	6.8	6	4	4	6	8	10	11	14
65+	540	7.2	8	4	5	7	8	10	11	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	20	2.1	2	<1	<1	1	3	5	5	5
35-49	48	3.2	8	<1	1	2	4	7	9	12
50-64	45	4.2	9	<1	<1	3	7	9	9	10
65+	87	3.5	5	1	1	3	5	7	7	10
B. *Operated*										
0-19 YRS	15	5.5	6	1	2	6	8	8	9	9
20-34	1735	6.2	4	4	4	6	7	9	10	13
35-49	2828	6.9	6	4	5	7	8	10	11	15
50-64	2001	7.6	8	4	5	7	9	11	12	18
65+	1874	8.3	12	4	5	8	9	12	14	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	23	3.7	7	<1	1	4	6	7	8	9
B. *Operated*	2237	6.5	6	3	4	6	8	9	11	14
2. MULTIPLE DX										
A. *Not Operated*	200	3.5	6	<1	1	3	5	7	9	11
B. *Operated*	8453	7.2	8	4	5	7	8	10	12	17
1. SINGLE DX	2260	6.5	6	3	4	6	8	9	11	14
2. MULTIPLE DX	8653	7.1	8	4	4	7	8	10	12	17
A. NOT OPERATED	223	3.5	6	<1	1	3	5	7	8	11
B. OPERATED	10690	7.1	8	4	4	7	8	10	12	17
TOTAL 0-19 YRS	21	5.7	6	1	2	6	8	9	9	10
20-34	2146	6.1	4	3	4	6	7	8	10	13
35-49	3498	6.7	[illegible]	4	4	6	8	9	11	15
50-64	2742	7.3	8	4	5	7	8	10	12	17
65+	2506	7.9	12	4	5	7	9	11	13	21
GRAND TOTAL	**10913**	**7.0**	**8**	**4**	**4**	**7**	**8**	**10**	**12**	**16**

249: Metrorrhagia (626.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	6	2.0	1	<1	<1	2	2	4	4	4
35-49	1	4.0		4	4	4	4	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	10	2.4	3	1	1	2	3	5	7	7
20-34	59	2.0	3	<1	<1	1	2	5	6	8
35-49	68	2.4	5	<1	<1	1	3	6	7	12
50-64	10	1.6		<1	<1	1	2	3	3	3
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	3.0		3	3	3	3	3	3	3
20-34	12	2.8	3	<1	<1	3	4	5	5	5
35-49	7	2.7	2	1	1	2	4	5	5	5
50-64	1	1.0		1	1	1	1	1	1	1
65+										
B. *Operated*										
0-19 YRS	11	3.4	3	1	1	4	5	6	6	6
20-34	162	4.0	8	1	1	3	6	8	9	15
35-49	199	4.2	8	1	1	4	6	8	9	11
50-64	26	4.8	13	<1	1	5	7	9	12	13
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	2.3	1	<1	<1	2	3	4	4	4
B. *Operated*	147	2.2	4	<1	<1	1	2	5	7	10
2. MULTIPLE DX										
A. *Not Operated*	24	2.8	2	<1	1	3	3	5	5	5
B. *Operated*	398	4.1	8	1	1	4	6	8	9	12
1. SINGLE DX	155	2.2	4	<1	<1	1	2	5	7	10
2. MULTIPLE DX	422	4.1	8	1	1	3	6	8	9	12
A. NOT OPERATED	32	2.6	2	<1	1	3	3	5	5	5
B. OPERATED	545	3.6	8	<1	1	2	6	7	9	12
TOTAL 0-19 YRS	26	2.9	3	1	1	3	4	6	6	7
20-34	239	3.4	7	<1	1	2	5	7	8	12
35-49	275	3.7	7	<1	1	2	6	8	9	11
50-64	37	3.9	11	<1	<1	2	6	9	11	13
65+										
GRAND TOTAL	**577**	**3.6**	**7**	**<1**	**1**	**2**	**6**	**7**	**9**	**12**

250: Other disorders of menstruation (626.0-626.5; 626.7-626.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	68	1.8	1	<1	<1	2	2	3	3	4
20-34	154	2.0	1	<1	1	2	3	3	5	6
35-49	55	1.9	2	<1	1	2	2	4	5	6
50-64	5	2.6		2	2	3	3	3	3	3
65+										
B. *Operated*										
0-19 YRS	184	1.8	1	<1	<1	2	2	3	3	5
20-34	1784	2.2	3	<1	<1	2	2	5	6	8
35-49	1617	2.3	5	<1	<1	2	2	5	7	9
50-64	181	1.9	3	<1	<1	1	2	3	6	9
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	108	2.4	2	1	1	2	3	4	6	8
20-34	281	2.7	3	<1	1	2	4	5	6	9
35-49	186	2.7	4	<1	<1	2	3	6	7	9
50-64	23	2.4	1	<1	1	3	3	3	4	5
65+										
B. *Operated*										
0-19 YRS	225	2.6	4	<1	1	2	3	5	6	10
20-34	3823	4.5	7	1	1	5	6	7	8	12
35-49	5229	4.9	8	1	1	5	7	8	9	13
50-64	449	4.5	10	1	1	4	7	8	9	14
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	282	2.0	1	<1	1	2	3	3	4	6
B. *Operated*	3766	2.2	4	<1	<1	2	2	5	6	8
2. MULTIPLE DX										
A. *Not Operated*	598	2.6	3	<1	1	2	3	5	6	9
B. *Operated*	9726	4.6	8	1	1	5	6	8	9	12
1. SINGLE DX	4048	2.2	4	<1	<1	2	2	5	6	8
2. MULTIPLE DX	10324	4.5	8	1	1	5	6	8	9	12
A. NOT OPERATED	880	2.4	3	<1	1	2	3	5	6	8
B. OPERATED	13492	4.0	8	<1	1	3	6	7	8	12
TOTAL 0-19 YRS	585	2.2	3	<1	1	2	3	4	5	8
20-34	6042	3.7	7	<1	1	3	6	7	8	11
35-49	7087	4.2	9	<1	1	4	6	7	9	12
50-64	658	3.7	9	<1	1	2	6	8	9	14
65+										
GRAND TOTAL	**14372**	**3.9**	**8**	**<1**	**1**	**3**	**6**	**7**	**8**	**12**

251: Menopausal and postmenopausal disorders (627)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	10	3.4	8	1	1	2	6	8	9	9
50-64	9	2.1	1	<1	<1	2	2	4	5	5
65+	7	2.9	3	1	1	2	4	6	6	6
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	4	4.3	3	2	2	4	5	6	6	6
35-49	184	1.8	2	<1	<1	1	2	3	6	6
50-64	634	1.8	1	<1	<1	2	2	2	4	7
65+	261	2.1	2	<1	1	2	2	3	5	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	2.0		2	2	2	2	2	2	2
35-49	32	3.4	5	<1	1	3	4	6	7	12
50-64	50	3.4	20	1	1	2	4	5	9	32
65+	58	4.1	7	<1	1	3	6	8	9	12
B. *Operated*										
0-19 YRS	2	3.5	13	1	1	3	6	6	6	6
20-34	20	4.5	8	1	1	4	6	8	10	11
35-49	251	3.7	8	<1	1	2	6	8	9	13
50-64	1150	3.4	8	<1	1	2	5	8	9	12
65+	638	3.9	16	1	1	2	5	8	12	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	26	2.8	4	<1	1	2	4	6	7	9
B. *Operated*	1084	1.9	1	<1	<1	2	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	141	3.7	11	<1	1	3	5	7	9	14
B. *Operated*	2061	3.6	11	1	1	2	5	8	9	15
1. SINGLE DX	1110	1.9	2	<1	<1	2	2	3	4	7
2. MULTIPLE DX	2202	3.6	11	1	1	2	5	8	9	15
A. NOT OPERATED	167	3.5	10	<1	1	3	5	7	9	12
B. OPERATED	3145	3.0	8	<1	1	2	3	7	8	13
TOTAL 0-19 YRS	3	3.0	7	1	1	2	5	6	6	6
20-34	25	4.3	7	1	2	4	6	8	9	11
35-49	477	2.9	6	<1	<1	2	4	6	8	12
50-64	1843	2.8	7	<1	<1	2	3	7	8	12
65+	964	3.4	12	1	1	2	4	7	9	16
GRAND TOTAL	**3312**	**3.0**	**8**	**<1**	**1**	**2**	**3**	**7**	**8**	**13**

252: Miscellaneous diseases of female genitalia (619; 620.3-620.9; 621-624; 629)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	42	2.3	2	<1	<1	2	3	5	5	6
20-34	98	2.0	2	<1	<1	2	3	3	5	7
35-49	29	3.2	4	<1	1	3	4	6	7	7
50-64	7	2.9	2	1	1	3	3	5	6	6
65+	11	4.6	17	<1	<1	4	6	12	12	12
B. *Operated*										
0-19 YRS	140	2.8	6	<1	<1	2	3	6	8	14
20-34	1431	3.1	4	<1	1	2	5	6	7	9
35-49	779	3.3	7	<1	<1	2	5	7	8	11
50-64	368	3.2	6	<1	1	2	5	7	8	11
65+	144	3.2	7	<1	1	2	4	6	8	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	50	3.2	18	1	1	2	3	6	6	30
20-34	132	3.2	17	<1	<1	2	3	6	9	26
35-49	70	3.7	11	<1	1	3	5	8	9	19
50-64	46	3.2	5	1	1	3	4	6	8	11
65+	70	4.7	11	1	1	4	6	9	11	16
B. *Operated*										
0-19 YRS	124	4.2	10	<1	1	3	5	8	11	16
20-34	2002	4.7	10	1	1	5	6	8	9	14
35-49	2086	5.5	11	1	2	6	7	8	10	17
50-64	1128	5.7	23	1	1	6	7	9	12	21
65+	637	6.6	37	1	2	5	9	14	17	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	187	2.4	3	<1	<1	2	3	5	6	10
B. *Operated*	2862	3.1	5	<1	1	2	5	6	7	10
2. MULTIPLE DX										
A. *Not Operated*	368	3.5	13	<1	1	2	4	7	9	21
B. *Operated*	5977	5.4	16	1	1	5	7	9	11	19
1. SINGLE DX	3049	3.1	5	<1	1	2	5	6	7	10
2. MULTIPLE DX	6345	5.2	16	1	1	5	7	9	11	19
A. NOT OPERATED	555	3.2	10	<1	1	2	4	6	9	16
B. OPERATED	8839	4.6	14	1	1	4	6	8	10	17
TOTAL 0-19 YRS	356	3.3	9	<1	1	2	4	6	9	15
20-34	3663	3.9	9	<1	1	3	6	7	8	12
35-49	2964	4.8	10	1	1	5	7	8	9	14
50-64	1549	5.0	20	1	1	5	7	9	11	19
65+	862	5.9	31	1	2	4	8	13	16	27
GRAND TOTAL	**9394**	**4.6**	**14**	**1**	**1**	**4**	**6**	**8**	**10**	**17**

253: Signs and symptoms referable to female genital organs (625; 628)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	176	2.0	2	<1	1	2	2	4	5	9
20-34	242	2.5	4	<1	1	2	3	5	6	11
35-49	42	2.6	4	<1	<1	2	3	5	7	10
50-64	6	1.8	1	<1	<1	2	2	3	3	3
65+	2	4.0	8	2	2	4	6	6	6	6
B. *Operated*										
0-19 YRS	99	3.1	7	1	1	2	4	6	8	17
20-34	910	3.4	5	<1	<1	2	5	6	8	10
35-49	527	6.0	7	1	2	6	8	9	10	13
50-64	308	7.3	9	3	4	7	9	10	12	20
65+	136	7.7	7	4	5	8	9	10	12	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	130	2.4	2	1	1	2	3	4	5	7
20-34	416	2.8	4	1	1	2	4	5	7	9
35-49	123	3.0	5	<1	1	2	4	6	7	11
50-64	25	4.2	8	1	1	4	5	8	10	14
65+	40	4.1	5	1	1	3	5	7	8	12
B. *Operated*										
0-19 YRS	138	3.2	5	<1	1	3	5	6	8	10
20-34	3109	5.0	8	1	1	5	6	8	9	14
35-49	1891	6.4	7	2	3	6	8	9	11	15
50-64	587	7.9	20	3	5	8	9	11	13	18
65+	339	8.6	14	3	5	8	10	13	16	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	468	2.3	3	<1	1	2	3	4	6	10
B. *Operated*	1980	5.0	10	<1	1	5	7	9	10	13
2. MULTIPLE DX										
A. *Not Operated*	734	2.9	4	1	1	2	4	5	7	9
B. *Operated*	6064	5.9	10	1	2	6	7	9	11	16
1. SINGLE DX	2448	4.5	10	<1	1	4	7	8	9	13
2. MULTIPLE DX	6798	5.6	11	1	1	6	7	9	11	16
A. NOT OPERATED	1202	2.7	4	<1	1	2	3	5	7	9
B. OPERATED	8044	5.7	10	1	1	6	7	9	11	16
TOTAL 0-19 YRS	543	2.6	4	<1	1	2	3	5	6	10
20-34	4677	4.4	8	<1	1	5	6	7	8	12
35-49	2583	6.1	8	1	2	6	7	9	10	15
50-64	926	7.6	17	2	4	7	9	11	12	18
65+	517	8.0	13	2	4	8	9	13	15	21
GRAND TOTAL	**9246**	**5.3**	**11**	**1**	**1**	**5**	**7**	**9**	**10**	**15**

254: Ectopic pregnancy (633)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	1.8	2	<1	<1	1	2	4	4	4
20-34	34	2.3	3	<1	1	2	3	5	7	8
35-49	2	5.0	2	4	4	5	6	6	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	93	4.6	3	2	3	4	5	6	8	10
20-34	1280	4.7	3	3	3	5	5	6	7	9
35-49	105	4.8	3	3	3	5	5	6	7	11
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	2.5	5	<1	<1	2	4	4	4	4
20-34	19	3.1	4	<1	<1	2	4	6	8	8
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	84	5.0	2	3	4	5	5	6	7	12
20-34	1315	5.2	3	3	3	5	6	7	8	12
35-49	206	5.4	3	3	4	5	6	7	8	11
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	41	2.3	3	<1	1	2	3	5	6	8
B. *Operated*	1478	4.7	3	3	3	5	5	6	7	9
2. MULTIPLE DX										
A. *Not Operated*	21	3.0	4	<1	<1	2	4	6	7	8
B. *Operated*	1605	5.2	3	3	3	5	6	7	8	12
1. SINGLE DX	1519	4.6	3	2	3	4	5	6	7	9
2. MULTIPLE DX	1626	5.2	3	3	3	5	6	7	8	12
A. NOT OPERATED	62	2.6	4	<1	<1	2	4	5	7	8
B. OPERATED	3083	4.9	3	3	3	5	6	7	8	11
TOTAL 0-19 YRS	184	4.7	3	2	3	5	5	6	8	11
20-34	2648	4.9	3	3	3	5	6	7	8	11
35-49	313	5.2	3	3	3	5	6	7	8	11
50-64										
65+										
GRAND TOTAL	**3145**	**4.9**	**3**	**3**	**3**	**5**	**6**	**7**	**8**	**11**

255: Legally induced abortion (635)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	19	1.8	1	<1	1	2	2	3	5	6
20-34	23	2.0	1	1	1	2	2	3	4	6
35-49	4	1.5		1	1	1	2	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS	309	1.8	1	<1	1	2	2	3	3	5
20-34	550	1.7	1	<1	<1	1	2	3	4	6
35-49	56	1.4	1	<1	<1	<1	2	2	3	4
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	2.0	1	1	1	2	3	4	4	4
20-34	26	3.0	7	<1	1	2	3	7	9	12
35-49	2	3.0	8	1	1	3	5	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	134	2.3	2	<1	<1	2	3	4	6	9
20-34	547	2.5	5	<1	<1	2	3	5	6	13
35-49	139	2.7	4	<1	<1	2	4	6	7	8
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	46	1.9	1	1	1	2	2	3	4	6
B. *Operated*	915	1.7	1	<1	<1	1	2	3	3	6
2. MULTIPLE DX										
A. *Not Operated*	36	2.8	5	1	1	2	3	5	8	12
B. *Operated*	820	2.5	4	<1	<1	2	3	5	6	10
1. SINGLE DX	961	1.7	1	<1	<1	1	2	3	3	6
2. MULTIPLE DX	856	2.5	5	<1	<1	2	3	5	6	10
A. NOT OPERATED	82	2.3	3	1	1	2	2	4	6	11
B. OPERATED	1735	2.1	3	<1	<1	2	2	4	5	8
TOTAL 0-19 YRS	470	1.9	1	<1	1	2	2	3	4	6
20-34	1146	2.1	3	<1	<1	2	2	4	6	9
35-49	201	2.3	3	<1	<1	2	3	5	6	8
50-64										
65+										
GRAND TOTAL	**1817**	**2.1**	**3**	**<1**	**<1**	**2**	**2**	**4**	**5**	**8**

256: Other induced abortion (636)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	3	2.0	1	1	1	2	3	3	3	3
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	4	2.0	1	1	1	2	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*	1	6.0		6	6	6	6	6	6	6
B. *Operated*										
1. SINGLE DX	4	2.0	1	1	1	2	3	3	3	3
2. MULTIPLE DX	1	6.0		6	6	6	6	6	6	6
A. NOT OPERATED	1	6.0		6	6	6	6	6	6	6
B. OPERATED	4	2.0	1	1	1	2	3	3	3	3
TOTAL 0-19 YRS	2	4.0	8	2	2	4	6	6	6	6
20-34	3	2.0	1	1	1	2	3	3	3	3
35-49										
50-64										
65+										
GRAND TOTAL	**5**	**2.8**	**4**	**1**	**1**	**2**	**4**	**6**	**6**	**6**

257: Spontaneous and unspecified abortion (634; 637)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	219	1.6	1	<1	<1	1	2	3	3	5
20-34	641	1.7	1	<1	<1	1	2	3	4	5
35-49	52	1.8	1	1	1	1	2	3	4	6
50-64										
65+										
B. *Operated*										
0-19 YRS	1324	1.5	1	<1	<1	1	2	2	3	5
20-34	6342	1.5	2	<1	<1	1	2	2	3	5
35-49	789	1.4	1	<1	<1	1	1	2	3	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	49	2.2	2	<1	<1	2	3	5	5	6
20-34	156	2.6	4	1	1	2	3	5	6	11
35-49	20	2.4	2	<1	1	2	3	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	222	2.2	2	<1	1	2	3	4	5	8
20-34	1225	2.3	4	<1	1	2	3	5	6	9
35-49	241	2.5	6	<1	1	2	3	5	6	12
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	912	1.7	1	<1	1	1	2	3	4	5
B. *Operated*	8455	1.5	2	<1	<1	1	2	2	3	5
2. MULTIPLE DX										
A. *Not Operated*	225	2.5	3	1	1	2	3	5	6	10
B. *Operated*	1688	2.3	4	<1	1	2	3	5	6	10
1. SINGLE DX	9367	1.5	2	<1	<1	1	2	2	3	5
2. MULTIPLE DX	1913	2.4	4	<1	1	2	3	5	6	10
A. NOT OPERATED	1137	1.8	2	<1	1	1	2	3	4	6
B. OPERATED	10143	1.6	2	<1	<1	1	2	3	4	7
TOTAL 0-19 YRS	1814	1.6	1	<1	<1	1	2	3	3	5
20-34	8364	1.6	3	<1	<1	1	2	3	4	7
35-49	1102	1.7	2	<1	<1	1	2	3	4	7
50-64										
65+										
GRAND TOTAL	**11280**	**1.6**	**2**	**<1**	**<1**	**1**	**2**	**3**	**4**	**7**

258: Other pregnancy with abortive outcome (630-632; 638-639)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	53	2.7	3	<1	1	2	3	5	7	7
20-34	173	2.3	3	<1	1	2	3	4	6	10
35-49	20	2.9	4	1	1	2	3	6	8	9
50-64										
65+										
B. *Operated*										
0-19 YRS	164	2.1	3	<1	<1	2	2	4	5	11
20-34	1272	1.7	1	<1	<1	1	2	3	4	6
35-49	154	1.5	1	<1	<1	1	2	3	4	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	16	2.7	5	1	1	2	4	6	7	8
20-34	55	3.2	8	1	1	2	4	5	10	15
35-49	4	2.8	2	1	1	3	4	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	57	3.0	6	1	1	2	4	5	8	13
20-34	315	3.0	10	<1	1	2	3	6	9	17
35-49	56	3.1	9	<1	1	2	4	6	11	13
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	246	2.4	3	<1	1	2	3	4	6	9
B. *Operated*	1590	1.7	2	<1	<1	1	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	75	3.1	7	1	1	2	4	5	9	14
B. *Operated*	428	3.0	9	<1	1	2	4	6	9	13
1. SINGLE DX	1836	1.8	2	<1	<1	1	2	3	4	8
2. MULTIPLE DX	503	3.0	9	<1	1	2	4	6	9	14
A. NOT OPERATED	321	2.6	4	<1	1	2	3	5	7	10
B. OPERATED	2018	2.0	3	<1	<1	1	2	3	5	10
TOTAL 0-19 YRS	290	2.4	4	<1	1	2	3	5	6	11
20-34	1815	2.0	4	<1	<1	1	2	4	5	10
35-49	234	2.0	4	<1	<1	1	2	4	5	12
50-64										
65+										
GRAND TOTAL	**2339**	**2.1**	**4**	**<1**	**<1**	**1**	**2**	**4**	**5**	**10**

259: Threatened abortion (640.00; 640.03)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	182	2.0	1	<1	<1	2	2	4	5	6
20-34	886	2.3	2	1	1	2	3	4	5	8
35-49	64	2.1	1	<1	1	2	3	4	4	7
50-64										
65+										
B. *Operated*										
0-19 YRS	3	2.7	2	1	1	3	4	4	4	4
20-34	24	1.9	1	1	1	2	2	3	4	5
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	44	3.1	5	1	1	3	4	5	5	16
20-34	259	3.0	5	1	1	2	4	6	7	14
35-49	22	2.3	5	1	1	2	3	5	8	10
50-64										
65+										
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	20	3.7	8	1	1	3	5	8	10	12
35-49	4	1.8	1	1	1	2	2	3	3	3
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1132	2.2	2	<1	1	2	3	4	5	7
B. *Operated*	28	2.0	1	1	1	2	3	4	4	5
2. MULTIPLE DX										
A. *Not Operated*	325	3.0	5	1	1	2	4	5	6	14
B. *Operated*	25	3.3	7	1	1	2	4	6	10	12
1. SINGLE DX	1160	2.2	2	<1	1	2	3	4	5	7
2. MULTIPLE DX	350	3.0	5	1	1	2	4	6	7	14
A. NOT OPERATED	1457	2.4	3	<1	1	2	3	4	5	8
B. OPERATED	53	2.6	4	1	1	2	3	5	6	12
TOTAL 0-19 YRS	230	2.2	2	<1	1	2	3	4	5	6
20-34	1189	2.5	3	1	1	2	3	4	5	10
35-49	91	2.1	2	1	1	2	3	4	4	9
50-64										
65+										
GRAND TOTAL	1510	2.4	3	1	1	2	3	4	5	9

260: Other early pregnancy hemorrhage (640.8-640.9 with 5th digit 0 or 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	14	2.0	1	<1	<1	2	3	3	4	4
20-34	53	2.5	4	<1	1	2	3	4	8	10
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	2.4	1	1	1	2	3	4	4	4
20-34	20	2.9	3	<1	1	3	4	6	7	8
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34	2	16.5	5	15	15	16	18	18	18	18
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	68	2.4	3	<1	1	2	3	4	7	10
B. *Operated*	2	1.5	1	1	1	1	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*	29	2.7	3	1	1	2	3	4	7	8
B. *Operated*	2	16.5	5	15	15	16	18	18	18	18
1. SINGLE DX	70	2.3	3	<1	1	2	3	4	7	10
2. MULTIPLE DX	31	3.6	14	1	1	2	4	7	15	18
A. NOT OPERATED	97	2.5	3	<1	1	2	3	4	7	9
B. OPERATED	4	9.0	77	1	1	8	16	18	18	18
TOTAL 0-19 YRS	22	2.1	1	<1	1	2	3	4	4	4
20-34	77	2.9	9	<1	1	2	3	6	8	17
35-49	2	2.0		2	2	2	2	2	2	2
50-64										
65+										
GRAND TOTAL	101	2.7	7	<1	1	2	3	4	8	16

261: Hypertension complicating pregnancy, childbirth, and the puerperium not delivered this admission (642 with 5th digit 3 or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	269	3.2	3	1	1	3	4	6	7	10
20-34	1154	3.3	5	1	1	3	4	6	7	13
35-49	102	3.3	5	1	1	3	4	6	8	13
50-64										
65+										
B. *Operated*										
0-19 YRS	24	4.0	8	1	2	3	5	8	10	14
20-34	60	3.7	6	1	2	3	5	7	10	12
35-49	6	3.3	2	2	2	3	4	6	6	6
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	64	3.4	5	1	1	3	4	6	8	13
20-34	316	4.1	10	1	2	3	5	7	10	17
35-49	55	4.3	11	1	2	3	5	7	8	21
50-64										
65+										
B. *Operated*										
0-19 YRS	10	4.9	21	<1	<1	4	6	12	15	15
20-34	52	4.7	14	<1	1	3	6	10	14	15
35-49	7	5.6	3	3	3	5	6	8	9	9
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1525	3.3	5	1	1	3	4	6	7	12
B. *Operated*	90	3.8	6	1	2	3	4	7	10	13
2. MULTIPLE DX										
A. *Not Operated*	435	4.0	10	1	2	3	5	7	9	17
B. *Operated*	69	4.8	14	<1	1	4	6	10	14	15
1. SINGLE DX	1615	3.3	5	1	1	3	4	6	7	13
2. MULTIPLE DX	504	4.1	10	1	1	3	5	8	10	16
A. NOT OPERATED	1960	3.4	6	1	1	3	4	6	8	14
B. OPERATED	159	4.2	10	1	1	3	5	9	11	15
TOTAL 0-19 YRS	367	3.3	5	1	1	3	4	6	8	11
20-34	1582	3.5	6	1	1	3	4	6	8	15
35-49	170	3.7	7	1	2	3	5	7	8	14
50-64										
65+										
GRAND TOTAL	**2119**	**3.5**	**6**	**1**	**1**	**3**	**4**	**6**	**8**	**14**

262: Excessive vomiting in pregnancy (643 with 5th digit 0 or 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	317	3.4	5	1	2	3	4	6	7	12
20-34	1615	3.7	5	1	2	3	4	6	8	12
35-49	40	3.9	5	1	2	3	5	7	8	12
50-64										
65+										
B. *Operated*										
0-19 YRS	2	2.0	2	1	1	2	3	3	3	3
20-34	5	13.8	262	1	1	3	31	32	32	32
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	133	3.5	4	1	2	3	4	6	8	9
20-34	658	4.0	7	1	2	3	5	7	9	15
35-49	25	4.8	7	1	2	4	7	8	9	12
50-64										
65+										
B. *Operated*										
0-19 YRS	8	4.9	16	2	2	3	6	12	14	14
20-34	27	7.4	26	2	3	7	8	12	22	23
35-49	1	10.0		10	10	10	10	10	10	10
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1972	3.6	5	1	2	3	4	6	8	12
B. *Operated*	8	9.3	189	1	1	2	17	32	32	32
2. MULTIPLE DX										
A. *Not Operated*	816	3.9	7	1	2	3	5	7	9	14
B. *Operated*	36	6.9	24	2	2	6	8	12	20	23
1. SINGLE DX	1980	3.6	6	1	2	3	4	6	8	13
2. MULTIPLE DX	852	4.0	8	1	2	3	5	7	9	15
A. NOT OPERATED	2788	3.7	5	1	2	3	4	6	8	13
B. OPERATED	44	7.3	51	1	2	5	8	15	25	32
TOTAL 0-19 YRS	460	3.4	4	1	2	3	4	6	8	11
20-34	2305	3.8	7	1	2	3	5	6	8	14
35-49	67	4.3	6	1	2	4	5	8	9	12
50-64										
65+										
GRAND TOTAL	**2832**	**3.8**	**6**	**1**	**2**	**3**	**4**	**6**	**8**	**14**

263: False labor (644.10; 644.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	792	1.2	1	<1	<1	1	1	2	2	5
20-34	2671	1.2	1	<1	<1	1	1	2	3	5
35-49	152	1.3	1	<1	<1	1	1	2	3	5
50-64										
65+										
B. *Operated*										
0-19 YRS	65	1.3	1	<1	<1	<1	1	2	3	9
20-34	210	1.2		<1	<1	1	1	2	3	4
35-49	7	1.0		<1	<1	<1	1	1	1	1
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	119	1.7	1	<1	<1	1	2	4	4	6
20-34	387	1.7	2	<1	<1	1	2	3	4	9
35-49	23	1.6	1	<1	<1	1	2	3	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	14	1.5	1	<1	<1	1	2	3	3	3
20-34	41	1.9	4	<1	<1	1	2	4	5	12
35-49	3	2.3	1	<1	<1	3	3	3	3	3
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3615	1.2	1	<1	<1	1	1	2	3	5
B. *Operated*	282	1.2	1	<1	<1	1	1	2	3	4
2. MULTIPLE DX										
A. *Not Operated*	529	1.7	2	<1	<1	1	2	3	4	8
B. *Operated*	58	1.8	3	<1	<1	1	2	3	4	11
1. SINGLE DX	3897	1.2	1	<1	<1	1	1	2	3	5
2. MULTIPLE DX	587	1.7	2	<1	<1	1	2	3	4	8
A. NOT OPERATED	4144	1.3	1	<1	<1	1	1	2	3	5
B. OPERATED	340	1.3	1	<1	<1	1	1	2	3	5
TOTAL 0-19 YRS	990	1.3	1	<1	<1	1	1	2	3	6
20-34	3309	1.3	1	<1	<1	1	1	2	3	5
35-49	185	1.3	1	<1	<1	1	1	2	3	5
50-64										
65+										
GRAND TOTAL	**4484**	**1.3**	**1**	**<1**	**<1**	**1**	**1**	**2**	**3**	**5**

264: Placenta previa without delivery (641.03-641.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	42	2.5	5	<1	<1	1	3	5	6	13
20-34	301	3.4	10	<1	1	3	4	6	9	18
35-49	33	2.6	3	<1	1	2	4	6	6	7
50-64										
65+										
B. *Operated*										
0-19 YRS	3	2.0	3	1	1	1	3	4	4	4
20-34	29	2.3	2	<1	1	2	3	4	5	7
35-49	6	3.2	3	<1	<1	3	5	5	5	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	16	4.1	26	<1	<1	3	4	9	17	21
20-34	73	5.1	29	1	1	3	6	11	17	27
35-49	15	6.9	178	<1	1	2	6	10	43	54
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34	10	3.8	13	1	1	2	4	10	13	13
35-49	2	5.0		5	5	5	5	5	5	5
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	376	3.2	9	<1	1	2	4	6	8	18
B. *Operated*	38	2.4	2	<1	1	2	3	5	5	7
2. MULTIPLE DX										
A. *Not Operated*	104	5.2	49	1	1	3	6	11	19	40
B. *Operated*	12	4.0	11	1	1	3	5	9	12	13
1. SINGLE DX	414	3.1	8	<1	1	2	4	6	7	18
2. MULTIPLE DX	116	5.1	45	1	1	3	5	11	17	37
A. NOT OPERATED	480	3.6	18	<1	1	3	4	6	10	22
B. OPERATED	50	2.8	4	<1	1	2	3	5	7	13
TOTAL 0-19 YRS	61	2.9	11	<1	<1	2	4	6	8	20
20-34	413	[illegible]	13	<1	1	3	4	6	11	22
35-49	56	3.9	51	<1	1	2	4	6	8	51
50-64										
65+										
GRAND TOTAL	**530**	**3.5**	**17**	**<1**	**1**	**2**	**4**	**6**	**10**	**22**

265: Other antepartum hemorrhage without delivery (641.2-641.9 with 5th digit 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	99	1.9	1	<1	1	2	2	3	5	6
20-34	439	2.2	2	<1	1	2	3	4	5	8
35-49	20	2.2	3	<1	<1	2	2	5	6	7
50-64										
65+										
B. *Operated*										
0-19 YRS	8	1.0		<1	<1	1	1	1	1	1
20-34	22	2.3	2	<1	1	2	3	4	5	5
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	36	2.5	2	<1	1	2	3	4	5	7
20-34	153	2.6	4	<1	1	2	3	5	6	11
35-49	9	3.4	5	1	1	2	5	7	8	8
50-64										
65+										
B. *Operated*										
0-19 YRS	2	2.0		2	2	2	2	2	2	2
20-34	19	3.5	15	<1	1	2	4	7	13	18
35-49	4	3.3	2	2	2	3	4	5	5	5
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	558	2.1	2	<1	1	2	3	4	5	8
B. *Operated*	31	2.0	2	<1	1	1	3	4	5	5
2. MULTIPLE DX										
A. *Not Operated*	198	2.6	3	<1	1	2	3	5	6	10
B. *Operated*	25	3.4	12	<1	1	2	4	6	10	18
1. SINGLE DX	589	2.1	2	<1	1	2	3	4	5	8
2. MULTIPLE DX	223	2.7	4	<1	1	2	3	5	6	11
A. NOT OPERATED	756	2.3	3	<1	1	2	3	4	5	8
B. OPERATED	56	2.6	7	<1	1	2	3	5	6	17
TOTAL 0-19 YRS	145	2.0	2	<1	1	2	2	4	5	6
20-34	633	2.3	3	<1	1	2	3	4	5	9
35-49	34	2.6	3	<1	1	2	4	5	7	8
50-64										
65+										

266: Infections of pregnancy without delivery (646.53-646.54; 646.63-646.64; 658.40; 658.43; 659.20; 659.23; 659.33)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	271	3.2	3	<1	1	3	4	6	6	8
20-34	586	3.0	3	1	1	3	4	5	6	8
35-49	15	3.1	2	<1	1	3	4	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	11	2.5	6	<1	<1	1	4	7	8	8
20-34	26	3.4	8	<1	<1	2	5	8	9	11
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	391	3.8	4	1	2	3	5	6	7	12
20-34	746	3.6	5	1	1	3	5	6	7	12
35-49	19	3.7	3	1	2	4	5	6	7	7
50-64										
65+										
B. *Operated*										
0-19 YRS	28	4.3	14	1	1	3	6	11	12	14
20-34	53	4.2	9	<1	1	4	6	8	11	13
35-49	1	3.0		3	3	3	3	3	3	3
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	872	3.1	3	<1	1	3	4	5	6	8
B. *Operated*	37	3.1	7	<1	<1	2	4	8	9	11
2. MULTIPLE DX										
A. *Not Operated*	1156	3.7	4	1	1	3	5	6	7	12
B. *Operated*	82	4.2	10	<1	1	3	6	9	11	14
1. SINGLE DX	909	3.1	3	<1	1	3	4	5	6	8
2. MULTIPLE DX	1238	3.7	5	1	1	3	5	6	8	12
A. NOT OPERATED	2028	3.4	4	1	1	3	4	6	7	10
B. OPERATED	119	3.9	9	<1	<1	3	6	9	11	13
TOTAL 0-19 YRS	701	3.6	4	1	1	3	4	6	7	12
20-34	1411	3.4	4	1	1	3	4	6	7	11
35-49	35	3.4	2	1	2	3	4	5	6	7
50-64										
65+										

267: Maternal conditions classifiable elsewhere but complicating pregnancy without delivery (647-648 with 5th digit 3 or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	74	3.3	11	1	1	3	3	6	8	23
20-34	482	3.8	10	1	1	3	5	7	9	15
35-49	61	4.9	10	1	2	4	6	10	11	16
50-64										
65+										
B. *Operated*										
0-19 YRS	3	3.7	1	3	3	3	5	5	5	5
20-34	24	3.9	7	<1	1	3	5	9	9	9
35-49	2	12.5	85	6	6	12	19	19	19	19
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	244	3.2	8	1	1	3	4	6	7	10
20-34	1252	4.0	13	1	1	3	5	8	10	16
35-49	129	4.4	7	1	2	3	6	8	10	12
50-64										
65+										
B. *Operated*										
0-19 YRS	22	4.0	10	<1	<1	3	6	9	10	11
20-34	100	5.0	30	1	1	4	6	10	13	32
35-49	11	4.1	9	<1	1	3	7	8	9	9
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	617	3.9	10	1	1	3	5	7	10	16
B. *Operated*	29	4.5	14	1	1	3	5	9	10	19
2. MULTIPLE DX										
A. *Not Operated*	1625	3.9	12	1	1	3	5	8	10	15
B. *Operated*	133	4.8	25	<1	1	3	6	9	11	29
1. SINGLE DX	646	3.9	10	1	1	3	5	7	10	17
2. MULTIPLE DX	1758	4.0	13	1	1	3	5	8	10	16
A. NOT OPERATED	2242	3.9	11	1	1	3	5	7	10	15
B. OPERATED	162	4.7	23	<1	1	3	6	9	11	28
TOTAL 0-19 YRS	343	3.3	9	1	1	3	4	7	8	11
20-34	1858	4.0	13	1	1	3	5	8	10	17
35-49	203	4.6	9	1	2	4	6	9	10	15
50-64										
65+										
GRAND TOTAL	**2404**	**4.0**	**12**	**1**	**1**	**3**	**5**	**8**	**10**	**16**

268: Miscellaneous complications of pregnancy without delivery (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	728	2.5	8	<1	<1	2	3	4	6	17
20-34	2572	2.6	8	<1	<1	2	3	5	7	15
35-49	124	2.7	5	<1	<1	2	3	5	8	11
50-64										
65+										
B. *Operated*										
0-19 YRS	136	2.5	4	<1	<1	2	3	5	7	10
20-34	926	2.8	7	<1	<1	2	3	5	6	14
35-49	71	3.1	5	<1	<1	3	4	6	8	12
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	361	3.4	14	<1	<1	2	4	6	8	26
20-34	1350	3.4	17	<1	<1	2	4	6	9	24
35-49	96	4.1	20	<1	1	3	5	8	13	26
50-64										
65+										
B. *Operated*										
0-19 YRS	75	3.6	23	<1	1	2	4	6	10	32
20-34	408	3.7	25	<1	<1	3	4	7	9	25
35-49	32	3.3	7	<1	1	2	4	8	9	11
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3424	2.6	8	<1	<1	2	3	5	7	15
B. *Operated*	1133	2.8	6	<1	<1	2	3	5	6	13
2. MULTIPLE DX										
A. *Not Operated*	1807	3.4	17	<1	<1	2	4	6	9	25
B. *Operated*	515	3.7	24	<1	<1	3	4	7	9	25
1. SINGLE DX	4557	2.6	8	<1	<1	2	3	5	7	15
2. MULTIPLE DX	2322	3.5	19	<1	<1	2	4	7	9	25
A. NOT OPERATED	5231	2.9	11	<1	<1	2	3	5	7	20
B. OPERATED	1648	3.0	12	<1	<1	2	4	6	7	15
TOTAL 0-19 YRS	1300	2.8	10	<1	<1	2	3	5	7	20
20-34	5256	2.9	12	<1	<1	2	3	5	7	18
35-49	323	3.2	10	<1	1	2	4	7	9	16
50-64										
65+										
GRAND TOTAL	**6879**	**2.9**	**12**	**<1**	**<1**	**2**	**3**	**5**	**7**	**18**

269: Maternal conditions classifiable elsewhere but complicating pregnancy with delivery (647-648 with 5th digit 0, 1 or 2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
(1)	(2)	(3)	(4)	5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	103	2.7	1	1	2	3	3	4	4	6
20-34	358	2.6	1	1	2	2	3	4	4	6
35-49	24	2.7	1	1	2	3	3	4	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	47	3.3	2	2	2	3	4	5	7	7
20-34	221	4.3	23	2	2	4	5	6	7	16
35-49	17	5.1	4	2	2	6	6	7	8	9
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	135	2.8	2	1	2	3	3	4	4	10
20-34	495	3.1	7	1	2	3	3	4	6	11
35-49	36	3.4	2	2	2	3	4	6	7	7
50-64										
65+										
B. *Operated*										
0-19 YRS	176	5.7	66	2	2	3	5	9	18	45
20-34	1155	4.9	25	2	2	4	5	7	11	27
35-49	148	4.6	5	2	2	4	6	7	8	15
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	485	2.6	1	1	2	2	3	4	4	6
B. *Operated*	285	4.2	18	2	2	4	5	6	7	13
2. MULTIPLE DX										
A. *Not Operated*	666	3.1	6	1	2	3	3	4	6	10
B. *Operated*	1479	4.9	28	2	2	4	5	7	11	33
1. SINGLE DX	770	3.2	8	1	2	3	4	5	6	8
2. MULTIPLE DX	2145	4.4	22	2	2	3	5	7	9	24
A. NOT OPERATED	1151	2.9	4	1	2	3	3	4	5	8
B. OPERATED	1764	4.8	27	2	2	4	5	7	10	29
TOTAL 0-19 YRS	461	3.9	28	2	2	3	4	6	8	33
20-34	2229	4.1	18	2	2	3	5	6	8	20
35-49	225	4.2	5	2	2	4	5	7	7	13
50-64										
65+										
GRAND TOTAL	**2915**	**4.1**	**18**	**2**	**2**	**3**	**4**	**6**	**8**	**20**

270: Normal delivery (650)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
(1)	(2)	(3)	(4)	5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7524	2.4	1	1	1	2	3	3	4	5
20-34	31177	2.5	1	1	1	2	3	4	4	5
35-49	1473	2.6	1	1	1	3	3	4	4	5
50-64										
65+										
B. *Operated*										
0-19 YRS	1005	2.6	1	1	2	3	3	4	4	5
20-34	4886	2.6	1	1	2	3	3	4	4	5
35-49	270	2.7	1	1	1	3	3	4	5	6
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	349	2.8	1	1	2	3	3	4	5	6
20-34	1292	2.9	2	1	2	3	3	4	5	8
35-49	98	2.9	2	1	2	3	4	5	5	8
50-64										
65+										
B. *Operated*										
0-19 YRS	209	2.9	1	2	2	3	3	4	4	5
20-34	6797	3.1	1	2	2	3	4	4	5	6
35-49	715	3.2	1	2	2	3	4	4	5	6
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	40174	2.5	1	1	1	2	3	4	4	5
B. *Operated*	6161	2.6	1	1	2	3	3	4	4	5
2. MULTIPLE DX										
A. *Not Operated*	1739	2.9	2	1	2	3	3	4	5	8
B. *Operated*	7721	3.1	1	2	2	3	4	4	5	6
1. SINGLE DX	46335	2.5	1	1	1	2	3	4	4	5
2. MULTIPLE DX	9460	3.1	1	2	2	3	4	4	5	6
A. NOT OPERATED	41913	2.5	1	1	1	2	3	4	4	5
B. OPERATED	13882	2.9	1	1	2	3	3	4	5	6
TOTAL 0-19 YRS	9087	2.5	1	1	1	2	3	3	4	5
20-34	44152	2.6	1	1	2	3	3	4	4	5
35-49	2556	2.8	1	1	2	3	3	4	5	6
50-64										
65+										
GRAND TOTAL	**55795**	**2.6**	**1**	**1**	**2**	**3**	**3**	**4**	**4**	**5**

271: Placenta previa, delivered (641.00-641.01; 641.10-641.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	2.0	1	1	1	2	2	3	3	3
20-34	20	2.4	1	<1	<1	2	3	4	5	6
35-49	3	1.3		1	1	1	2	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS	15	5.5	15	3	3	5	5	8	16	19
20-34	135	6.1	42	3	3	5	6	8	10	44
35-49	11	5.1	4	1	2	5	6	7	8	8
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	3.7	8	1	1	3	6	8	8	8
20-34	29	4.3	42	1	1	3	3	7	12	36
35-49	1	4.0		4	4	4	4	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	31	4.9	3	2	3	5	6	7	8	9
20-34	320	9.5	150	3	3	5	8	19	40	68
35-49	54	8.0	62	4	4	6	7	16	20	51
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	32	2.2	1	<1	1	2	3	3	4	6
B. *Operated*	161	6.0	37	3	3	5	6	8	10	43
2. MULTIPLE DX										
A. *Not Operated*	37	4.2	34	1	1	3	4	8	10	36
B. *Operated*	405	8.9	128	3	3	5	7	17	33	66
1. SINGLE DX	193	5.4	33	2	2	4	6	7	9	41
2. MULTIPLE DX	442	8.5	122	2	3	5	7	16	31	65
A. NOT OPERATED	69	3.2	19	1	1	2	3	5	8	31
B. OPERATED	566	8.1	104	3	3	5	7	15	30	62
TOTAL 0-19 YRS	62	4.5	7	1	2	4	6	7	8	18
20-34	504	8.0	113	2	3	5	7	14	31	63
35-49	69	7.2	51	2	3	5	6	15	17	48
50-64										
65+										
GRAND TOTAL	**635**	**7.6**	**97**	**2**	**3**	**5**	**7**	**12**	**29**	**61**

272: Other antepartum and intrapartum hemorrhage, delivered (640.01; 640.81; 640.91; 641.2-641.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	33	2.0	1	<1	1	2	3	3	4	4
20-34	149	2.6	2	1	1	2	3	4	5	7
35-49	9	3.3	4	1	1	3	4	6	8	8
50-64										
65+										
B. *Operated*										
0-19 YRS	25	5.2	12	1	2	5	6	8	11	18
20-34	167	4.2	4	1	2	4	5	6	7	9
35-49	10	4.9	2	3	3	5	6	7	7	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	29	2.1	1	1	1	2	3	3	4	7
20-34	111	2.8	10	1	1	2	3	5	6	17
35-49	10	2.9	4	1	1	3	3	6	8	8
50-64										
65+										
B. *Operated*										
0-19 YRS	84	5.3	32	2	2	4	6	7	9	40
20-34	444	4.8	14	2	2	4	5	7	9	13
35-49	58	5.1	12	2	3	5	6	8	11	23
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	191	2.5	2	1	1	2	3	4	5	7
B. *Operated*	202	4.4	5	1	2	4	5	7	8	12
2. MULTIPLE DX										
A. *Not Operated*	150	2.7	8	1	1	2	3	4	6	8
B. *Operated*	586	4.9	16	2	2	4	5	7	9	20
1. SINGLE DX	393	3.5	4	1	1	3	4	6	7	9
2. MULTIPLE DX	736	4.5	15	1	2	4	5	7	8	19
A. NOT OPERATED	341	2.6	4	1	1	2	3	4	5	8
B. OPERATED	788	4.8	13	2	2	4	5	7	8	18
TOTAL 0-19 YRS	171	4.1	20	1	1	3	5	7	8	24
20-34	871	4.1	10	1	2	4	5	6	8	14
35-49	87	4.7	9	2	2	4	6	7	8	20
50-64										
65+										
GRAND TOTAL	**1129**	**4.1**	**11**	**1**	**2**	**4**	**5**	**6**	**8**	**15**

273: Retained placenta (666.00; 666.02; 666.04; 667.0-667.1 with 5th digit 0, 2, or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	5.3	34	2	2	3	8	14	14	14
20-34	27	2.7	1	1	2	3	3	4	4	4
35-49	2	3.5	1	3	3	3	4	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	52	2.5	1	1	1	2	3	4	4	5
20-34	292	2.6	1	1	1	3	3	4	5	7
35-49	14	2.6	1	1	1	3	3	4	5	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	2.6	1	1	1	3	3	4	4	4
20-34	11	3.0	2	2	2	3	4	5	6	6
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS	31	2.8	3	1	1	3	3	5	7	8
20-34	200	3.3	6	1	2	3	4	5	6	14
35-49	21	3.4	2	1	1	3	4	5	6	6
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	33	3.1	5	1	2	3	3	4	4	14
B. *Operated*	358	2.6	1	1	1	3	3	4	5	6
2. MULTIPLE DX										
A. *Not Operated*	17	2.8	1	1	2	3	3	4	5	6
B. *Operated*	252	3.3	5	1	2	3	4	5	6	13
1. SINGLE DX	391	2.6	2	1	1	3	3	4	5	7
2. MULTIPLE DX	269	3.2	5	1	2	3	4	5	6	13
A. NOT OPERATED	50	3.0	3	1	2	3	3	4	4	14
B. OPERATED	610	2.9	3	1	1	3	3	4	5	8
TOTAL 0-19 YRS	92	2.7	3	1	1	2	3	4	5	11
20-34	530	2.9	3	1	1	3	3	4	5	9
35-49	38	3.1	2	1	1	3	4	5	5	6
50-64										
65+										
GRAND TOTAL	**660**	**2.9**	**3**	**1**	**1**	**3**	**3**	**4**	**5**	**9**

274: Other postpartum hemorrhage (1st 24 hours) (666.10; 666.12; 666.14; 666.30; 666.32; 666.34)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	27	2.7		2	2	3	3	4	4	4
20-34	116	2.6	1	1	2	3	3	4	4	5
35-49	1	4.0		4	4	4	4	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	16	2.8	1	2	2	3	3	4	5	5
20-34	69	2.7	1	1	1	3	3	4	4	5
35-49	3	6.0	4	4	4	6	7	8	8	8
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	16	3.4	1	2	2	3	4	4	6	7
20-34	52	2.9	1	1	2	3	3	4	6	6
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	19	3.4	1	2	2	3	4	5	5	5
20-34	103	3.4	2	2	2	3	4	5	6	10
35-49	9	4.9	27	1	1	4	5	13	18	18
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	144	2.6	1	1	2	3	3	4	4	5
B. *Operated*	88	2.9	1	1	1	3	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	68	3.0	1	1	2	3	3	4	6	7
B. *Operated*	131	3.5	4	2	2	3	4	5	5	13
1. SINGLE DX	232	2.7	1	1	2	3	3	4	4	6
2. MULTIPLE DX	199	3.3	3	1	2	3	4	5	6	10
A. NOT OPERATED	212	2.8	1	1	2	3	3	4	4	6
B. OPERATED	219	3.2	3	1	2	3	4	5	5	9
TOTAL 0-19 YRS	78	3.0	1	2	2	3	3	4	5	7
20-34	340	2.9	1	1	2	3	3	4	5	6
35-49	13	5.1	19	1	1	4	5	10	16	18
50-64										
65+										
GRAND TOTAL	**431**	**3.0**	**2**	**1**	**2**	**3**	**3**	**4**	**5**	**7**

275: Multiple pregnancy, delivered (651 with 5th digit 0 or 1; 652.60-652.61; 660.50-660.51)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	3.2	1	2	2	3	3	4	5	5
20-34	78	3.5	11	1	2	3	4	4	7	24
35-49	8	3.1	2	1	1	3	4	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	9	3.4	3	1	1	3	5	6	6	6
20-34	54	4.4	3	2	2	4	6	7	7	10
35-49	2	3.5	1	3	3	3	4	4	4	4
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	3.0	4	1	1	2	4	6	7	7
20-34	71	4.6	19	2	2	3	5	8	11	27
35-49	5	3.0	1	2	2	3	4	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	47	6.3	43	2	2	4	6	11	20	34
20-34	533	5.9	39	2	3	5	6	8	14	34
35-49	48	6.1	72	2	2	5	6	7	13	58
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	98	3.5	9	1	2	3	4	4	6	21
B. *Operated*	65	4.2	3	2	2	4	6	7	7	10
2. MULTIPLE DX										
A. *Not Operated*	84	4.3	17	1	2	3	5	7	10	27
B. *Operated*	628	6.0	42	2	2	5	6	9	14	34
1. SINGLE DX	163	3.8	7	1	2	3	4	6	7	12
2. MULTIPLE DX	712	5.8	39	2	2	5	6	9	13	34
A. NOT OPERATED	182	3.9	13	1	2	3	4	6	9	27
B. OPERATED	693	5.8	38	2	2	5	6	8	13	34
TOTAL 0-19 YRS	76	5.1	29	2	2	4	5	9	12	34
20-34	736	5.4	32	2	2	4	6	8	12	32
35-49	63	5.4	56	2	2	4	5	7	10	54
50-64										
65+										
GRAND TOTAL	**875**	**5.4**	**34**	**2**	**2**	**4**	**6**	**8**	**12**	**33**

276: Breech presentation, delivered (652.20-652.21; 669.60-669.61)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	27	2.0	1	1	1	2	2	3	3	4
20-34	136	2.6	1	1	1	2	3	4	5	6
35-49	9	3.0	1	1	1	3	4	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	253	4.5	2	2	3	4	5	6	7	10
20-34	1408	4.4	2	2	3	4	5	6	6	7
35-49	84	4.3	2	2	2	4	5	6	7	8
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	2.3	2	1	1	2	3	4	5	5
20-34	46	3.1	5	1	1	3	3	5	7	13
35-49	4	2.0	1	1	1	2	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	254	4.9	4	2	3	5	6	7	9	12
20-34	1650	5.1	6	3	3	5	6	7	8	13
35-49	166	5.0	4	2	3	5	6	7	7	14
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	172	2.5	1	1	1	2	3	4	5	6
B. *Operated*	1745	4.4	2	2	3	4	5	6	6	8
2. MULTIPLE DX										
A. *Not Operated*	58	2.9	4	1	1	2	3	5	7	13
B. *Operated*	2070	5.1	5	2	3	5	6	7	8	13
1. SINGLE DX	1917	4.3	2	2	2	4	5	6	6	8
2. MULTIPLE DX	2128	5.0	5	2	3	5	6	7	8	13
A. NOT OPERATED	230	2.6	2	1	1	2	3	4	5	7
B. OPERATED	3815	4.8	4	2	3	5	5	6	7	11
TOTAL 0-19 YRS	542	4.5	3	2	2	4	5	6	8	10
20-34	3240	4.7	4	2	3	5	5	6	7	11
35-49	263	4.7	3	2	3	5	5	6	7	13
50-64										
65+										
GRAND TOTAL	**4045**	**4.7**	**4**	**2**	**3**	**5**	**5**	**6**	**7**	**11**

277: Other fetal dystocia, delivered (652.0-652.1, 652.3-652.5, 652.7-652.9, 660.0, 660.3-660.4, 660.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	48	2.5	1	1	2	2	3	4	4	4
20-34	259	2.7	1	1	2	3	3	4	4	6
35-49	16	2.4	1	1	1	2	3	3	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	164	3.6	2	2	2	3	4	6	7	8
20-34	820	3.7	2	2	2	4	5	5	6	8
35-49	45	4.4	2	2	2	4	5	7	7	8
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	29	2.3	1	<1	<1	2	3	4	4	6
20-34	121	3.0	2	1	2	3	3	4	5	9
35-49	10	2.8	1	1	1	3	4	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	402	3.9	3	2	2	4	5	6	7	9
20-34	2346	4.4	3	2	2	4	5	6	7	11
35-49	203	4.9	5	2	3	5	6	7	9	14
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	323	2.6	1	1	2	3	3	4	4	6
B. *Operated*	1029	3.7	2	2	2	3	5	6	6	8
2. MULTIPLE DX										
A. *Not Operated*	160	2.9	2	1	1	3	3	4	5	8
B. *Operated*	2951	4.3	3	2	2	4	5	6	7	11
1. SINGLE DX	1352	3.5	2	2	2	3	4	5	6	8
2. MULTIPLE DX	3111	4.3	3	2	2	4	5	6	7	11
A. NOT OPERATED	483	2.7	1	1	2	3	3	4	4	6
B. OPERATED	3980	4.2	3	2	2	4	5	6	7	10
TOTAL 0-19 YRS	643	3.7	3	2	2	3	5	6	6	9
20-34	3546	4.0	3	2	2	4	5	6	7	9
35-49	274	4.6	4	2	2	4	6	7	8	14
50-64										
65+										
GRAND TOTAL	**4463**	**4.0**	**3**	**2**	**2**	**4**	**5**	**6**	**7**	**10**

278: Fetopelvic disproportion, delivered (653, 660.1 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	2.0	1	<1	<1	2	2	3	3	3
20-34	30	3.2	1	2	2	3	4	5	5	5
35-49	4	3.3	1	2	2	3	4	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	574	4.9	2	3	4	5	5	6	7	10
20-34	2405	4.8	1	3	4	5	5	6	7	8
35-49	88	5.4	3	4	4	5	6	7	7	13
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	4.2	8	1	1	5	6	8	9	9
20-34	21	3.5	4	1	1	3	5	6	7	8
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS	1020	5.5	4	4	4	5	6	8	9	13
20-34	4305	5.3	4	3	4	5	6	7	8	11
35-49	272	5.7	9	3	4	5	6	7	9	21
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	39	3.1	1	2	2	3	4	5	5	5
B. *Operated*	3067	4.9	1	3	4	5	5	6	7	9
2. MULTIPLE DX										
A. *Not Operated*	33	3.7	5	1	1	3	5	7	8	9
B. *Operated*	5597	5.3	4	3	4	5	6	7	8	11
1. SINGLE DX	3106	4.8	1	3	4	5	5	6	7	9
2. MULTIPLE DX	5630	5.3	4	3	4	5	6	7	8	11
A. NOT OPERATED	72	3.4	3	1	2	3	4	6	7	9
B. OPERATED	8664	5.2	3	3	4	5	6	7	8	11
TOTAL 0-19 YRS	1610	5.3	3	3	4	5	6	7	8	12
20-34	6761	5.1	3	3	4	5	6	7	7	10
35-49	365	5.6	8	3	4	5	6	7	8	18
50-64										
65+										
GRAND TOTAL	**8736**	**5.1**	**3**	**3**	**4**	**5**	**6**	**7**	**8**	**11**

279: Uterine inertia, delivered (661.0-661.2 with 5th digit 0 or 1; 662.0-662.3 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	84	2.9	1	2	2	3	3	4	5	5
20-34	327	2.9	1	2	2	3	3	4	4	6
35-49	15	2.5	1	1	1	3	3	3	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	143	4.1	3	2	2	4	5	6	7	9
20-34	696	3.9	2	2	2	4	5	6	6	7
35-49	33	4.4	3	2	2	4	5	7	8	8
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	51	2.7	2	1	2	2	3	4	5	8
20-34	191	3.0	1	1	2	3	3	4	5	7
35-49	16	2.7	2	<1	1	3	3	4	6	7
50-64										
65+										
B. *Operated*										
0-19 YRS	427	4.1	4	1	2	4	5	6	8	10
20-34	1971	4.4	4	2	2	4	5	6	7	11
35-49	174	5.1	6	2	3	5	6	7	9	15
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	426	2.9	1	2	2	3	3	4	4	6
B. *Operated*	872	3.9	2	2	2	4	5	6	6	8
2. MULTIPLE DX										
A. *Not Operated*	258	2.9	2	1	2	3	3	4	5	7
B. *Operated*	2572	4.4	4	2	2	4	5	6	8	11
1. SINGLE DX	1298	3.6	2	2	2	3	5	5	6	7
2. MULTIPLE DX	2830	4.3	4	2	2	4	5	6	7	11
A. NOT OPERATED	684	2.9	1	1	2	3	3	4	5	7
B. OPERATED	3444	4.3	4	2	2	4	5	6	7	10
TOTAL 0-19 YRS	705	3.9	4	1	2	4	5	6	7	10
20-34	3185	4.1	3	2	2	4	5	6	7	9
35-49	238	4.7	5	1	2	4	6	7	8	12
50-64										
65+										
GRAND TOTAL	**4128**	**4.1**	**4**	**2**	**2**	**4**	**5**	**6**	**7**	**10**

280: Other prolonged labor, delivered (654.0-654.1, 654.3-654.9 with 5th digit 0, 1 or 2; 660.2, 660.6-660.8, 661.4-661.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	2.6		2	2	3	3	3	3	3
20-34	94	3.4	38	1	2	3	3	4	4	37
35-49	12	2.8	2	<1	<1	3	4	5	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	49	4.3	3	2	2	4	5	6	6	9
20-34	345	4.2	3	2	2	4	5	6	7	8
35-49	20	8.7	318	2	3	4	6	9	47	84
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	2.6	1	1	1	3	3	4	4	4
20-34	66	2.8	1	1	1	3	3	4	5	7
35-49	4	2.8	1	2	2	3	3	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	116	5.1	7	2	2	5	6	7	8	17
20-34	930	5.2	17	2	3	5	6	7	8	12
35-49	112	5.1	3	2	3	5	6	7	9	10
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	114	3.3	32	1	2	3	3	4	4	26
B. *Operated*	414	4.5	18	2	2	4	5	6	7	9
2. MULTIPLE DX										
A. *Not Operated*	80	2.7	1	1	1	3	3	4	4	7
B. *Operated*	1158	5.2	14	2	3	5	6	7	8	13
1. SINGLE DX	528	4.2	21	2	2	4	5	6	7	9
2. MULTIPLE DX	1238	5.0	14	2	3	5	6	7	8	12
A. NOT OPERATED	194	3.0	19	1	2	3	3	4	4	7
B. OPERATED	1572	5.0	15	2	3	5	6	7	8	12
TOTAL 0-19 YRS	183	4.6	6	2	2	4	6	7	8	15
20-34	1435	4.7	15	2	2	4	6	7	8	12
35-49	148	5.3	46	2	2	5	6	7	9	12
50-64										
65+										
GRAND TOTAL	**1766**	**4.8**	**16**	**2**	**2**	**4**	**6**	**7**	**8**	**12**

281: Uterine scar from previous surgery (654.20-654.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	3.1	2	2	2	3	4	5	6	6
20-34	72	2.9	2	1	2	3	3	5	6	7
35-49	5	2.8	2	<1	<1	3	4	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	367	4.9	1	3	4	5	6	6	7	8
20-34	4657	5.0	1	3	4	5	6	6	7	8
35-49	260	5.4	2	3	4	5	6	7	8	10
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	1.0		1	1	1	1	1	1	1
20-34	44	3.7	4	1	2	3	5	6	7	13
35-49	4	3.0	5	1	1	2	4	6	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	295	5.1	3	3	4	5	6	7	8	11
20-34	6351	5.3	3	3	4	5	6	7	8	11
35-49	572	5.8	11	4	4	5	6	7	8	17
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	88	2.9	2	1	2	3	3	5	6	7
B. *Operated*	5284	5.0	1	3	4	5	6	6	7	8
2. MULTIPLE DX										
A. *Not Operated*	51	3.5	5	1	1	3	5	6	6	13
B. *Operated*	7218	5.3	3	3	4	5	6	7	8	11
1. SINGLE DX	5372	5.0	1	3	4	5	6	6	7	8
2. MULTIPLE DX	7269	5.3	3	3	4	5	6	7	8	11
A. NOT OPERATED	139	3.1	3	1	1	3	4	5	6	8
B. OPERATED	12502	5.2	3	3	4	5	6	7	7	10
TOTAL 0-19 YRS	676	4.9	2	3	4	5	6	6	7	10
20-34	11124	5.2	2	3	4	5	6	7	7	10
35-49	841	5.6	8	3	4	5	6	7	8	13
50-64										
65+										
GRAND TOTAL	**12641**	**5.2**	**3**	**3**	**4**	**5**	**6**	**7**	**7**	**10**

282: Premature or prolonged rupture of membranes (658.11; 658.2-658.3 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	165	2.8	1	1	2	3	3	4	5	7
20-34	828	3.2	6	1	2	3	4	4	5	8
35-49	32	3.7	4	2	2	3	4	6	7	12
50-64										
65+										
B. *Operated*										
0-19 YRS	102	3.1	2	2	2	3	3	5	6	8
20-34	583	3.3	2	1	2	3	4	5	6	8
35-49	26	3.7	2	2	2	3	4	6	7	8
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	140	3.2	3	1	2	3	4	5	6	10
20-34	555	3.4	3	1	2	3	4	5	7	11
35-49	30	4.3	13	1	1	3	6	8	13	17
50-64										
65+										
B. *Operated*										
0-19 YRS	398	4.4	22	2	2	3	5	7	8	19
20-34	2236	4.3	9	2	2	4	5	6	8	13
35-49	219	4.9	26	2	2	4	5	7	9	20
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1025	3.1	6	1	2	3	4	4	5	8
B. *Operated*	711	3.3	2	2	2	3	4	5	6	8
2. MULTIPLE DX										
A. *Not Operated*	725	3.4	4	1	2	3	4	5	7	11
B. *Operated*	2853	4.4	12	2	2	4	5	7	8	13
1. SINGLE DX	1736	3.2	4	2	2	3	4	5	6	8
2. MULTIPLE DX	3578	4.2	10	2	2	4	5	6	8	13
A. NOT OPERATED	1750	3.3	5	1	2	3	4	5	6	9
B. OPERATED	3564	4.1	10	2	2	4	5	6	8	13
TOTAL 0-19 YRS	805	3.7	12	2	2	3	4	6	7	13
20-34	4202	3.8	7	2	2	3	5	6	7	12
35-49	307	4.6	21	2	2	4	5	7	9	17
50-64										
65+										
GRAND TOTAL	**5314**	**3.8**	**9**	**2**	**2**	**3**	**5**	**6**	**7**	**12**

283: Umbilical cord complication (663 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	312	2.5	1	1	2	2	3	3	4	5
20-34	1850	2.6	1	1	2	3	3	4	4	6
35-49	111	2.8	1	1	2	3	3	4	4	5
50-64										
65+										
B. *Operated*										
0-19 YRS	190	2.7	1	1	2	3	3	4	5	7
20-34	1066	2.8	1	1	2	3	3	4	5	6
35-49	44	2.9	1	1	2	3	3	4	5	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	108	2.7	1	1	2	3	3	4	4	7
20-34	478	2.6	1	1	2	3	3	4	4	5
35-49	35	2.7	1	<1	1	2	3	5	5	6
50-64										
65+										
B. *Operated*										
0-19 YRS	245	3.4	17	1	2	3	3	5	6	9
20-34	1865	3.1	2	1	2	3	4	5	6	8
35-49	154	3.4	2	1	2	3	4	5	5	8
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2273	2.6	1	1	2	3	3	4	4	5
B. *Operated*	1300	2.8	1	1	2	3	3	4	5	6
2. MULTIPLE DX										
A. *Not Operated*	621	2.6	1	1	2	3	3	4	4	6
B. *Operated*	2264	3.2	4	1	2	3	4	5	6	8
1. SINGLE DX	3573	2.7	1	1	2	3	3	4	4	6
2. MULTIPLE DX	2885	3.1	3	1	2	3	4	5	5	8
A. NOT OPERATED	2894	2.6	1	1	2	3	3	4	4	5
B. OPERATED	3564	3.0	3	1	2	3	3	5	5	8
TOTAL 0-19 YRS	855	2.8	6	1	2	3	3	4	5	7
20-34	5259	2.8	2	1	2	3	3	4	5	7
35-49	344	3.0	1	1	2	3	4	5	5	6
50-64										
65+										
GRAND TOTAL	**6458**	**2.8**	**2**	**1**	**2**	**3**	**3**	**4**	**5**	**7**

284: Delivery with first and second degree perineal laceration (664.00-664.01; 664.10-664.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	142	2.3	1	1	1	2	3	3	4	4
20-34	583	2.4	1	1	1	2	3	3	4	4
35-49	25	2.6	1	1	1	3	3	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	971	2.4	1	1	1	2	3	3	4	4
20-34	4546	2.4	1	1	1	2	3	3	4	5
35-49	361	2.5	1	1	1	2	3	4	4	6
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	53	2.6	1	1	2	3	3	4	4	6
20-34	198	2.8	2	1	2	3	3	4	5	9
35-49	12	3.1	4	1	1	3	3	7	8	8
50-64										
65+										
B. *Operated*										
0-19 YRS	435	2.8	1	1	2	3	3	4	5	8
20-34	2955	2.9	5	1	2	3	3	4	5	7
35-49	292	3.1	2	1	2	3	4	5	6	9
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	750	2.4	1	1	1	2	3	3	4	4
B. *Operated*	5878	2.4	1	1	1	2	3	3	4	5
2. MULTIPLE DX										
A. *Not Operated*	263	2.8	2	1	2	3	3	4	5	8
B. *Operated*	3682	2.9	4	1	2	3	3	4	5	7
1. SINGLE DX	6628	2.4	1	1	1	2	3	3	4	5
2. MULTIPLE DX	3945	2.9	4	1	2	3	3	4	5	7
A. NOT OPERATED	1013	2.5	1	1	1	2	3	3	4	6
B. OPERATED	9560	2.6	2	1	1	3	3	4	4	6
TOTAL 0-19 YRS	1601	2.5	1	1	2	2	3	4	4	5
20-34	8282	2.6	2	1	1	3	3	4	4	6
35-49	690	2.8	2	1	1	3	3	4	5	8
50-64										
65+										
GRAND TOTAL	**10573**	**2.6**	**2**	**1**	**1**	**3**	**3**	**4**	**4**	**6**

285: Perineal laceration, except first and second degree (664.2-664.4 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	92	2.7	1	1	2	2	3	4	5	7
20-34	235	2.6	1	1	1	3	3	4	4	5
35-49	7	2.6		2	2	3	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	1123	2.6	1	1	2	3	3	4	4	5
20-34	3438	2.9	1	2	2	3	3	4	4	6
35-49	110	3.0	1	1	2	3	3	5	5	6
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	36	3.1	1	2	2	3	4	4	4	8
20-34	78	2.8	1	2	2	3	3	4	5	5
35-49	3	2.7		2	2	3	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	590	3.2	7	2	2	3	4	4	6	10
20-34	2284	3.1	4	2	2	3	4	4	5	8
35-49	102	3.4	2	2	2	3	4	5	6	8
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	334	2.6	1	1	2	3	3	4	4	5
B. *Operated*	4671	2.8	1	2	2	3	3	4	4	6
2. MULTIPLE DX										
A. *Not Operated*	117	2.9	1	2	2	3	3	4	4	6
B. *Operated*	2976	3.2	4	2	2	3	4	4	5	8
1. SINGLE DX	5005	2.8	1	1	2	3	3	4	4	6
2. MULTIPLE DX	3093	3.2	4	2	2	3	4	4	5	8
A. NOT OPERATED	451	2.7	1	1	2	3	3	4	4	5
B. OPERATED	7647	3.0	2	2	2	3	3	4	5	6
TOTAL 0-19 YRS	1841	2.8	3	2	2	3	3	4	4	7
20-34	6035	3.0	2	2	2	3	3	4	5	6
35-49	222	3.2	1	2	2	3	4	5	5	7
50-64										
65+										
GRAND TOTAL	**8098**	**2.9**	**2**	**2**	**2**	**3**	**3**	**4**	**5**	**6**

286: Other obstetrical trauma (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	67	2.4	1	1	1	2	3	3	4	6
20-34	190	2.5	1	1	1	2	3	3	4	7
35-49	8	3.0	2	1	1	3	3	5	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	379	2.6	1	1	2	3	3	4	4	5
20-34	1283	2.7	1	1	2	3	3	4	4	6
35-49	54	2.9	1	1	2	3	3	4	5	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	27	2.7		1	2	3	3	3	4	4
20-34	72	2.6	1	1	1	3	3	4	4	6
35-49	3	3.3	1	2	2	4	4	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	222	3.1	3	2	2	3	3	5	6	11
20-34	1080	3.2	3	2	2	3	4	4	5	8
35-49	52	3.7	3	2	2	3	4	6	7	10
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	265	2.5	1	1	1	2	3	3	4	6
B. *Operated*	1716	2.7	1	1	2	3	3	4	4	6
2. MULTIPLE DX										
A. *Not Operated*	102	2.7	1	1	1	3	3	4	4	5
B. *Operated*	1354	3.2	3	2	2	3	4	5	5	9
1. SINGLE DX	1981	2.6	1	1	2	3	3	4	4	6
2. MULTIPLE DX	1456	3.1	3	2	2	3	4	4	5	9
A. NOT OPERATED	367	2.5	1	1	1	2	3	3	4	6
B. OPERATED	3070	2.9	2	1	2	3	3	4	5	7
TOTAL 0-19 YRS	695	2.7	1	1	2	3	3	4	4	7
20-34	2625	2.9	2	1	2	3	3	4	5	7
35-49	117	3.3	2	2	2	3	4	5	6	9
50-64										
65+										
GRAND TOTAL	**3437**	**2.8**	**2**	**1**	**2**	**3**	**3**	**4**	**5**	**7**

287: Miscellaneous complications of delivery (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1199	2.8	3	1	1	3	3	4	5	9
20-34	4185	2.8	3	1	1	3	3	4	5	8
35-49	208	2.8	3	1	1	3	3	4	5	10
50-64										
65+										
B. *Operated*										
0-19 YRS	3166	3.1	2	1	2	3	3	5	6	9
20-34	14069	3.2	3	2	2	3	4	5	6	8
35-49	693	3.5	5	1	2	3	4	5	6	10
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	787	3.2	8	1	1	3	4	5	7	12
20-34	2524	3.1	5	1	1	3	3	5	6	12
35-49	161	3.6	9	1	1	3	4	6	8	22
50-64										
65+										
B. *Operated*										
0-19 YRS	3313	4.2	11	1	2	3	5	7	9	16
20-34	16527	4.3	11	2	2	4	5	7	8	17
35-49	1494	4.8	16	2	2	4	5	7	10	24
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5592	2.8	3	1	1	3	3	4	5	8
B. *Operated*	17928	3.2	3	2	2	3	4	5	6	8
2. MULTIPLE DX										
A. *Not Operated*	3472	3.1	6	1	1	3	4	5	7	12
B. *Operated*	21334	4.3	12	2	2	4	5	7	9	17
1. SINGLE DX	23520	3.1	3	1	2	3	4	5	5	8
2. MULTIPLE DX	24806	4.1	11	2	2	3	5	7	8	16
A. NOT OPERATED	9064	2.9	4	1	1	3	3	4	6	10
B. OPERATED	39262	3.8	8	2	2	3	4	6	7	14
TOTAL 0-19 YRS	8465	3.5	7	1	2	3	4	6	7	12
20-34	37305	3.6	7	1	2	3	4	6	7	13
35-49	2556	4.2	12	2	2	3	5	7	8	18
50-64										
65+										
GRAND TOTAL	**48326**	**3.6**	**7**	**1**	**2**	**3**	**4**	**6**	**7**	**13**

288: Major puerperal infections (670.00; 670.04; 672.00; 672.04)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	38	3.1	2	1	2	3	3	5	6	7
20-34	131	3.7	4	2	2	3	4	6	7	11
35-49	4	4.8	18	2	2	3	7	11	11	11
50-64										
65+										
B. *Operated*										
0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	14	4.4	10	1	2	4	5	8	12	13
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	4.1	6	1	2	3	5	8	10	10
20-34	63	4.3	5	2	2	4	5	6	9	13
35-49	3	5.3	16	3	3	3	8	10	10	10
50-64										
65+										
B. *Operated*										
0-19 YRS	5	2.8	3	1	1	2	4	5	5	5
20-34	21	8.5	209	1	2	5	7	14	39	69
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	173	3.6	4	1	2	3	4	6	7	11
B. *Operated*	16	4.2	9	1	2	4	5	8	11	13
2. MULTIPLE DX										
A. *Not Operated*	80	4.3	5	2	2	4	5	6	10	13
B. *Operated*	27	7.2	167	1	2	4	6	14	23	69
1. SINGLE DX	189	3.6	4	1	2	3	4	6	7	12
2. MULTIPLE DX	107	5.0	47	2	2	4	5	8	12	38
A. NOT OPERATED	253	3.8	4	2	2	3	4	6	8	12
B. OPERATED	43	6.1	109	1	2	4	6	12	14	69
TOTAL 0-19 YRS	59	3.3	3	1	2	3	4	6	7	10
20-34	229	4.3	24	2	2	4	5	6	9	14
35-49	8	4.6	13	2	2	3	7	11	11	11
50-64										
65+										
GRAND TOTAL	**296**	**4.1**	**20**	**2**	**2**	**3**	**5**	**6**	**9**	**14**

289: Puerperal hemorrhage (after 24 hrs.) (666.24)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	15	1.8		<1	1	2	2	3	3	3
20-34	47	1.8	1	<1	<1	2	2	3	3	8
35-49	4	2.0		2	2	2	2	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS	29	1.7	1	<1	1	1	2	3	4	4
20-34	169	1.8	3	<1	<1	1	2	3	4	7
35-49	8	2.3	3	<1	<1	2	3	5	6	6
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	1.6	1	<1	<1	1	2	3	3	3
20-34	40	2.3	1	<1	1	2	3	4	4	7
35-49	2	3.0		3	3	3	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	26	3.0	8	<1	1	2	3	6	9	15
20-34	84	2.8	7	1	1	2	3	6	8	14
35-49	6	2.3	1	1	1	2	3	4	4	4
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	66	1.8	1	<1	<1	2	2	3	3	7
B. *Operated*	206	1.8	3	<1	1	1	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	49	2.2	1	<1	1	2	3	4	4	7
B. *Operated*	116	2.8	7	1	1	2	3	6	7	15
1. SINGLE DX	272	1.8	2	<1	<1	1	2	3	4	7
2. MULTIPLE DX	165	2.6	5	1	1	2	3	5	7	14
A. NOT OPERATED	115	2.0	1	<1	1	2	2	3	4	7
B. OPERATED	322	2.2	4	<1	1	2	2	4	6	11
TOTAL 0-19 YRS	77	2.1	3	<1	1	2	2	3	4	13
20-34	340	2.1	4	<1	1	2	2	4	6	9
35-49	20	2.3	1	<1	1	2	3	4	5	6
50-64										
65+										
GRAND TOTAL	**437**	**2.1**	**4**	**<1**	**1**	**2**	**2**	**4**	**6**	**9**

290: Other puerperal complications (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	15	4.0	7	1	2	3	5	8	10	11
20-34	71	4.2	9	1	1	3	5	8	10	15
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	28	4.7	17	1	1	3	6	10	13	17
20-34	91	3.8	15	<1	1	2	4	10	13	19
35-49	8	3.0	4	1	1	2	4	6	7	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	3.2	4	1	2	3	4	7	8	8
20-34	57	5.2	28	<1	1	4	6	12	18	27
35-49	8	5.5	11	2	2	4	8	11	11	11
50-64										
65+										
B. *Operated*										
0-19 YRS	25	3.1	6	1	1	2	3	5	9	11
20-34	90	5.3	29	1	1	3	6	12	16	30
35-49	10	6.8	23	2	2	5	12	14	15	15
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	86	4.2	9	1	2	3	5	8	10	15
B. *Operated*	127	4.0	14	1	1	3	4	10	13	18
2. MULTIPLE DX										
A. *Not Operated*	79	4.9	22	<1	1	4	6	11	15	26
B. *Operated*	125	5.0	25	1	1	3	6	12	15	25
1. SINGLE DX	213	4.1	12	1	1	3	5	9	12	16
2. MULTIPLE DX	204	5.0	24	1	1	3	6	11	15	24
A. NOT OPERATED	165	4.5	15	1	1	3	5	9	12	20
B. OPERATED	252	4.5	20	1	1	3	5	10	14	21
TOTAL 0-19 YRS	82	3.8	10	1	1	3	4	9	11	16
20-34	309	4.6	20	1	1	3	5	10	14	21
35-49	26	5.2	15	1	2	4	7	12	13	15
50-64										
65+										
GRAND TOTAL	**417**	**4.5**	**18**	**1**	**1**	**3**	**5**	**10**	**14**	**20**

291: Cellulitis and abscess, except digit (682)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	668	4.0	5	2	2	3	5	7	8	11
20-34	548	3.9	4	1	2	3	5	6	8	11
35-49	343	4.8	10	2	2	4	6	9	10	19
50-64	295	5.5	16	2	2	5	7	10	13	24
65+	249	5.9	13	2	3	5	7	11	14	18
B. *Operated*										
0-19 YRS	349	4.6	17	1	1	4	6	8	11	21
20-34	335	5.0	17	1	2	4	6	9	12	22
35-49	202	5.9	18	2	2	5	7	11	14	21
50-64	135	6.3	26	1	2	5	8	11	15	32
65+	82	7.5	42	2	2	6	9	13	25	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	804	4.5	10	2	2	4	5	8	10	17
20-34	776	5.3	13	2	2	4	6	9	12	18
35-49	936	6.1	18	2	3	5	7	11	14	22
50-64	1199	7.1	23	2	3	6	8	12	16	27
65+	2224	7.7	27	3	3	7	9	13	16	28
B. *Operated*										
0-19 YRS	342	6.6	30	2	2	5	8	14	19	29
20-34	445	8.0	56	2	2	6	9	15	21	43
35-49	512	10.0	107	2	3	7	12	20	27	58
50-64	623	11.1	94	2	3	8	14	21	29	50
65+	791	12.2	97	3	4	9	15	24	31	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2103	4.5	9	2	2	4	5	8	10	16
B. *Operated*	1103	5.4	21	1	2	4	7	10	13	26
2. MULTIPLE DX										
A. *Not Operated*	5939	6.6	22	2	3	5	8	12	15	24
B. *Operated*	2713	10.2	87	2	3	7	13	20	27	46
1. SINGLE DX	3206	4.8	13	1	2	4	6	9	11	20
2. MULTIPLE DX	8652	7.7	45	2	3	6	9	14	19	35
A. NOT OPERATED	8042	6.0	19	2	2	5	7	11	14	23
B. OPERATED	3816	8.8	72	2	2	6	11	18	24	42
TOTAL 0-19 YRS	2163	4.7	13	1	2	4	6	8	10	21
20-34	2104	5.4	23	2	2	4	6	10	13	27
35-49	1993	6.9	43	2	2	5	8	13	17	32
50-64	2252	8.0	46	2	3	6	9	15	20	35
65+	3346	8.6	47	3	3	7	10	15	21	36
GRAND TOTAL	**11858**	**6.9**	**38**	**2**	**2**	**5**	**8**	**13**	**18**	**32**

292: Miscellaneous infections of skin and subcutaneous tissue (680-681; 683-684; 686)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	197	3.8	5	1	2	3	5	7	8	12
20-34	105	4.2	7	2	2	4	5	7	10	54
35-49	62	5.0	10	1	2	4	7	10	12	14
50-64	45	5.4	12	2	2	5	7	9	10	22
65+	20	7.5	20	3	3	6	9	13	17	21
B. *Operated*										
0-19 YRS	180	3.7	10	<1	1	3	4	8	11	16
20-34	109	4.5	14	<1	1	4	6	8	9	20
35-49	79	5.1	18	1	1	5	6	11	15	21
50-64	61	5.5	27	1	2	4	6	13	19	23
65+	41	5.9	33	1	2	3	7	12	22	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	284	4.4	7	2	2	4	5	7	9	15
20-34	155	5.2	15	2	2	4	6	9	11	27
35-49	150	6.4	18	2	2	5	8	12	15	19
50-64	230	7.0	29	2	3	6	8	12	15	43
65+	345	7.9	23	3	3	7	10	14	17	22
B. *Operated*										
0-19 YRS	146	5.1	27	1	1	4	6	9	12	23
20-34	157	5.5	19	1	2	5	7	10	11	27
35-49	138	7.6	59	1	2	6	9	13	22	47
50-64	208	9.5	59	2	2	8	12	19	22	37
65+	226	11.2	120	2	3	8	13	21	40	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	429	4.4	8	1	2	4	5	8	10	16
B. *Operated*	470	4.5	17	<1	1	3	6	9	12	22
2. MULTIPLE DX										
A. *Not Operated*	1164	6.3	20	2	2	5	8	11	15	22
B. *Operated*	875	8.2	68	1	2	6	10	16	22	48
1. SINGLE DX	899	4.5	13	1	1	4	6	8	11	21
2. MULTIPLE DX	2039	7.1	42	2	2	5	9	13	17	40
A. NOT OPERATED	1593	5.8	18	2	2	5	7	11	14	21
B. OPERATED	1345	6.9	53	1	2	5	8	14	19	44
TOTAL 0-19 YRS	807	4.2	11	1	1	4	5	8	9	16
20-34	526	4.9	15	1	2	4	6	9	11	28
35-49	429	6.3	31	1	2	5	7	12	15	28
50-64	544	7.6	41	2	2	6	10	15	20	34
65+	632	8.9	61	2	3	7	11	15	21	49
GRAND TOTAL	**2938**	**6.3**	**34**	**1**	**2**	**5**	**8**	**12**	**16**	**31**

293: Pilonidal cyst (685)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	3.7	2	1	1	4	5	5	5	5
20-34	6	2.0	1	<1	<1	2	3	3	3	3
35-49	2	3.0		3	3	3	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	685	3.2	3	1	1	3	4	5	6	9
20-34	1054	3.2	3	1	1	3	4	5	6	9
35-49	169	3.4	3	1	2	3	4	5	6	10
50-64	29	3.9	4	2	2	3	5	6	7	13
65+	11	3.6	2	2	2	4	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	4.0	1	3	3	4	5	5	5	5
20-34	11	3.2	6	1	1	3	4	7	9	9
35-49	4	5.8	3	4	4	5	7	8	8	8
50-64	3	4.0	7	2	2	3	6	7	7	7
65+	1	7.0		7	7	7	7	7	7	7
B. *Operated*										
0-19 YRS	80	4.2	7	1	2	3	5	7	10	16
20-34	187	4.0	6	1	2	4	5	7	9	14
35-49	80	4.3	5	1	2	4	5	8	9	12
50-64	22	6.8	128	1	2	4	6	10	30	56
65+	12	7.7	17	3	3	7	11	14	14	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	14	2.9	2	<1	<1	3	4	5	5	5
B. *Operated*	1948	3.2	3	1	1	3	4	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	22	4.0	5	1	1	4	5	7	8	9
B. *Operated*	381	4.4	14	1	2	4	5	8	10	14
1. SINGLE DX	1962	3.2	3	1	1	3	4	5	6	9
2. MULTIPLE DX	403	4.4	13	1	2	4	5	8	10	14
A. NOT OPERATED	36	3.6	4	<1	1	3	5	7	8	9
B. OPERATED	2329	3.4	5	1	2	3	4	5	7	11
TOTAL 0-19 YRS	774	3.3	4	1	2	3	4	5	7	10
20-34	1258	3.3	3	1	1	3	4	5	6	10
35-49	255	3.7	4	1	2	3	4	6	8	11
50-64	54	5.1	55	2	2	3	5	7	11	54
65+	24	5.8	13	2	2	5	8	11	14	14
GRAND TOTAL	**2365**	**3.4**	**5**	**1**	**2**	**3**	**4**	**5**	**7**	**11**

294: Sebaceous cyst (706.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	4	2.8	8	1	1	2	4	7	7	7
35-49	3	1.7		1	1	2	2	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS	133	1.4	1	<1	<1	1	2	2	2	5
20-34	131	2.0	2	<1	<1	2	2	3	4	8
35-49	115	1.8	1	<1	<1	1	2	3	4	6
50-64	59	1.9	1	<1	<1	2	2	3	4	6
65+	38	2.6	7	<1	<1	2	3	5	7	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	1.8	1	<1	<1	1	3	3	3	3
20-34	1	9.0		9	9	9	9	9	9	9
35-49	2	4.0	18	1	1	4	7	7	7	7
50-64	4	5.0	11	1	1	5	7	9	9	9
65+	2	2.0	2	<1	<1	1	3	3	3	3
B. *Operated*										
0-19 YRS	33	2.4	2	<1	1	2	3	5	5	7
20-34	59	3.7	19	<1	1	2	4	8	11	28
35-49	60	3.5	5	<1	1	3	4	6	7	12
50-64	71	3.6	7	<1	1	3	5	7	10	13
65+	62	4.6	20	<1	1	3	6	9	12	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	2.3	5	1	1	2	2	6	7	7
B. *Operated*	476	1.8	2	<1	<1	1	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	14	3.6	9	<1	<1	3	6	9	9	9
B. *Operated*	285	3.7	12	<1	1	3	4	7	10	19
1. SINGLE DX	483	1.8	2	<1	<1	1	2	3	4	7
2. MULTIPLE DX	299	3.7	11	<1	1	3	4	7	10	18
A. NOT OPERATED	21	3.1	8	<1	<1	2	4	8	9	9
B. OPERATED	761	2.5	6	<1	<1	2	3	5	7	12
TOTAL 0-19 YRS	171	1.6	1	<1	<1	1	2	3	4	5
20-34	195	2.5	8	<1	<1	2	3	4	7	14
35-49	180	2.4	3	<1	<1	2	3	4	6	10
50-64	134	2.9	5	<1	<1	2	3	6	8	12
65+	102	3.8	16	<1	<1	3	5	8	11	23
GRAND TOTAL	**782**	**2.5**	**6**	**<1**	**<1**	**2**	**3**	**5**	**7**	**12**

295: Miscellaneous diseases of skin and subcutaneous tissue (690-705; 706.0-706.1; 706.3-706.9; 707-709)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	343	3.3	5	1	1	3	4	6	8	12
20-34	187	4.6	19	1	1	3	5	9	15	19
35-49	169	5.2	24	1	1	4	6	11	17	26
50-64	135	6.8	40	1	1	5	8	16	22	31
65+	108	7.0	37	1	2	5	9	15	19	32
B. *Operated*										
0-19 YRS	558	3.2	18	<1	<1	2	3	7	11	20
20-34	513	4.7	51	<1	1	2	5	10	14	39
35-49	421	4.7	54	<1	1	3	5	10	15	56
50-64	396	3.8	29	<1	1	2	4	9	15	28
65+	291	6.5	77	<1	1	3	7	17	22	43
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	460	4.8	21	1	1	3	6	10	13	25
20-34	340	5.9	33	1	1	4	7	13	16	28
35-49	432	6.8	32	1	2	5	9	13	18	27
50-64	604	8.0	57	2	3	6	9	16	21	51
65+	1634	10.5	76	2	3	8	13	20	28	46
B. *Operated*										
0-19 YRS	414	7.5	143	<1	1	3	8	16	32	62
20-34	618	10.9	189	1	2	5	13	28	44	74
35-49	773	8.7	118	1	1	5	10	23	35	61
50-64	902	10.3	170	1	2	5	13	25	39	70
65+	1598	15.1	245	2	2	11	19	35	53	90
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	942	4.8	22	1	1	3	6	10	14	25
B. *Operated*	2179	4.4	43	<1	1	2	4	10	15	39
2. MULTIPLE DX										
A. *Not Operated*	3470	8.4	60	2	2	6	11	17	23	41
B. *Operated*	4305	11.6	196	1	2	7	14	29	42	81
1. SINGLE DX	3121	4.5	37	<1	1	3	5	10	15	34
2. MULTIPLE DX	7775	10.2	138	1	2	6	12	23	34	68
A. NOT OPERATED	4412	7.7	54	1	2	5	10	16	21	38
B. OPERATED	6484	9.2	157	1	1	4	11	23	36	72
TOTAL 0-19 YRS	1775	4.6	48	<1	1	3	5	9	13	40
20-34	1658	7.2	103	1	1	4	8	17	26	60
35-49	1795	7.0	76	1	1	4	8	16	24	48
50-64	2037	8.1	106	1	1	5	9	19	28	56
65+	3631	12.1	157	2	2	8	15	26	37	74
GRAND TOTAL	**10896**	**8.6**	**116**	**1**	**1**	**5**	**10**	**20**	**30**	**61**

296: Diffuse diseases of connective tissue (710)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	47	5.4	24	1	1	4	7	13	16	22
20-34	55	5.3	14	2	2	4	6	10	15	16
35-49	48	6.2	41	2	2	5	7	10	11	45
50-64	36	7.2	27	2	2	6	10	13	20	24
65+	14	9.1	33	3	3	7	11	18	20	20
B. *Operated*										
0-19 YRS	27	4.7	13	1	2	3	7	11	12	14
20-34	23	6.6	22	1	2	5	11	13	15	16
35-49	19	6.1	15	2	2	5	8	13	14	14
50-64	18	8.4	20	2	3	8	11	14	17	19
65+	8	12.4	268	2	3	7	11	40	52	52
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	82	7.5	51	1	2	5	9	16	23	38
20-34	152	6.8	27	2	2	5	8	13	17	25
35-49	177	7.9	54	2	3	6	9	15	20	48
50-64	187	8.0	44	2	3	7	10	15	21	52
65+	170	9.7	34	3	4	8	12	19	22	26
B. *Operated*										
0-19 YRS	34	14.2	189	2	2	9	19	35	57	99+
20-34	88	12.3	162	2	3	9	15	29	53	99+
35-49	81	12.1	131	2	3	9	15	24	40	93
50-64	110	10.6	59	2	3	9	14	22	25	40
65+	106	12.0	77	2	4	10	15	22	28	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	200	6.1	27	1	2	5	7	12	16	23
B. *Operated*	95	6.8	40	2	2	5	9	12	15	37
2. MULTIPLE DX										
A. *Not Operated*	768	8.1	42	2	3	7	10	16	21	32
B. *Operated*	419	11.9	109	2	3	9	15	23	33	85
1. SINGLE DX	295	6.3	31	2	2	5	8	12	16	23
2. MULTIPLE DX	1187	9.4	69	2	3	7	12	19	25	53
A. NOT OPERATED	968	7.7	40	2	2	6	9	15	20	30
B. OPERATED	514	10.9	100	2	2	9	14	22	30	78
TOTAL 0-19 YRS	190	7.8	73	1	2	5	10	18	23	57
20-34	318	8.0	69	2	2	6	10	16	25	61
35-49	325	8.6	73	2	3	6	10	15	23	51
50-64	351	8.8	47	2	3	7	11	17	22	40
65+	298	10.5	56	3	4	9	13	20	24	46
GRAND TOTAL	**1482**	**8.8**	**63**	**2**	**2**	**7**	**11**	**18**	**23**	**50**

297: Rheumatoid arthritis, except spine (714)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	89	4.8	7	1	2	4	6	9	10	12
20-34	58	5.4	13	1	2	4	7	11	14	15
35-49	120	5.4	9	2	3	5	7	9	11	18
50-64	145	6.5	18	2	3	6	7	12	17	22
65+	127	6.7	15	2	3	6	8	10	13	20
B. *Operated*										
0-19 YRS	16	7.2	31	1	2	5	9	17	20	21
20-34	41	5.5	17	1	1	5	8	11	13	18
35-49	126	7.5	39	2	2	5	11	14	17	36
50-64	234	9.5	47	2	3	8	14	17	20	32
65+	153	9.9	60	2	2	8	15	18	22	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	74	7.2	45	1	2	5	9	15	24	32
20-34	73	6.2	22	2	2	4	8	13	15	23
35-49	195	6.7	24	2	3	5	8	11	14	22
50-64	529	7.5	32	3	3	6	9	13	16	26
65+	726	8.1	30	2	3	7	10	14	18	29
B. *Operated*										
0-19 YRS	25	12.4	189	2	3	7	16	29	38	64
20-34	49	9.2	79	2	2	5	12	20	27	46
35-49	165	9.4	73	2	3	8	13	17	22	45
50-64	383	10.1	114	2	2	7	13	21	29	58
65+	428	12.0	78	3	3	11	15	21	30	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	539	5.9	13	2	2	5	7	10	12	20
B. *Operated*	570	8.8	48	2	2	7	13	17	20	33
2. MULTIPLE DX										
A. *Not Operated*	1597	7.6	30	2	3	6	9	13	17	28
B. *Operated*	1050	10.8	94	2	3	8	14	20	29	50
1. SINGLE DX	1109	7.4	33	2	2	6	10	15	18	28
2. MULTIPLE DX	2647	8.9	58	2	3	7	11	17	21	40
A. NOT OPERATED	2136	7.2	27	2	3	6	9	13	16	27
B. OPERATED	1620	10.1	78	2	3	8	14	19	25	45
TOTAL 0-19 YRS	204	6.8	50	1	2	5	8	12	21	31
20-34	221	6.5	33	1	2	5	8	13	18	29
35-49	606	7.3	39	2	3	5	9	14	17	30
50-64	1291	8.5	59	2	3	6	11	16	20	40
65+	1434	9.3	50	2	3	8	12	17	21	35
GRAND TOTAL	**3756**	**8.4**	**51**	**2**	**3**	**6**	**11**	**16**	**20**	**35**

298: Osteoarthrosis (osteoarthritis), except spine (715)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	2.0	2	1	1	2	3	3	3	3
20-34	8	4.1	8	<1	<1	4	6	8	8	8
35-49	24	4.8	6	2	2	4	6	8	10	11
50-64	70	4.5	8	1	2	4	5	8	10	14
65+	111	5.1	18	1	1	4	7	9	12	23
B. *Operated*										
0-19 YRS	12	3.6	5	1	1	3	6	7	8	8
20-34	123	4.0	14	1	1	3	4	9	13	18
35-49	334	5.2	21	1	1	3	8	12	15	19
50-64	961	8.8	34	2	2	9	13	17	18	26
65+	1505	12.5	36	2	4	13	16	19	21	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	6.7	15	1	1	7	9	12	12	12
20-34	17	4.2	21	<1	<1	3	5	10	16	19
35-49	121	5.2	16	1	2	4	6	10	12	25
50-64	404	5.8	17	2	2	5	7	11	14	22
65+	1306	6.7	21	2	2	6	8	12	15	23
B. *Operated*										
0-19 YRS	13	6.4	32	1	1	4	9	15	19	20
20-34	115	5.0	24	1	1	4	5	12	15	25
35-49	279	6.1	29	1	2	4	8	14	17	24
50-64	1138	10.1	63	2	2	9	15	18	22	38
65+	2762	14.4	64	3	5	14	17	23	27	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	215	4.8	13	1	1	4	6	8	11	20
B. *Operated*	2935	10.1	41	2	2	10	15	17	20	28
2. MULTIPLE DX										
A. *Not Operated*	1854	6.4	20	2	2	5	8	12	15	23
B. *Operated*	4307	12.5	68	2	3	12	16	21	26	39
1. SINGLE DX	3150	9.7	40	1	2	10	14	17	20	28
2. MULTIPLE DX	6161	10.6	62	2	2	10	15	19	24	36
A. NOT OPERATED	2069	6.2	19	2	2	5	8	12	15	22
B. OPERATED	7242	11.5	58	2	2	11	16	20	23	36
TOTAL 0-19 YRS	33	5.2	19	1	1	3	8	10	14	20
20-34	263	4.4	19	1	1	3	5	10	15	20
35-49	758	5.5	23	1	1	4	7	12	15	23
50-64	2573	8.8	46	2	2	8	13	17	20	31
65+	5684	12.0	56	2	3	12	16	20	24	36
GRAND TOTAL	**9311**	**10.3**	**55**	**2**	**2**	**10**	**15**	**19**	**22**	**33**

299: Other arthropathies (711-713; 716)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	121	6.9	24	1	2	5	10	14	16	22
20-34	70	5.2	13	1	2	4	6	10	12	17
35-49	64	5.7	11	2	2	5	8	9	13	16
50-64	50	6.3	34	1	2	5	8	11	13	36
65+	49	5.1	12	2	2	4	6	10	12	99+
B. *Operated*										
0-19 YRS	125	11.1	42	2	3	11	14	22	23	28
20-34	159	5.1	22	1	1	3	7	11	13	25
35-49	163	5.2	26	1	1	4	6	11	14	26
50-64	151	7.1	32	2	2	5	11	16	17	26
65+	101	11.2	55	2	3	11	15	19	23	39
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	121	8.5	44	2	2	7	11	19	22	31
20-34	110	5.0	8	2	2	4	7	8	9	16
35-49	141	6.0	29	2	2	5	7	10	13	32
50-64	208	6.9	25	1	2	6	9	14	16	25
65+	416	7.4	32	2	3	6	9	13	20	30
B. *Operated*										
0-19 YRS	118	13.8	76	3	4	12	20	27	31	99+
20-34	145	9.1	105	1	2	6	11	19	30	47
35-49	194	9.0	86	2	2	6	12	18	27	69
50-64	232	10.7	95	2	2	8	15	24	29	38
65+	243	14.6	148	2	3	12	18	27	39	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	354	6.0	20	1	2	5	8	12	15	22
B. *Operated*	699	7.5	40	1	2	5	11	16	20	28
2. MULTIPLE DX										
A. *Not Operated*	996	7.0	30	2	2	6	8	13	18	30
B. *Operated*	932	11.5	111	2	2	9	16	24	31	58
1. SINGLE DX	1053	7.0	34	1	2	5	10	15	18	26
2. MULTIPLE DX	1928	9.2	74	2	2	7	11	19	26	45
A. NOT OPERATED	1350	6.7	27	2	2	5	8	13	17	29
B. OPERATED	1631	9.8	85	2	2	7	14	21	27	45
TOTAL 0-19 YRS	485	10.1	53	2	2	8	14	22	24	38
20-34	484	6.3	46	1	2	4	7	12	16	37
35-49	562	6.8	48	1	2	5	8	14	19	35
50-64	641	8.3	56	2	2	6	11	17	23	35
65+	809	9.9	80	2	3	7	13	20	27	48
GRAND TOTAL	**2981**	**8.4**	**61**	**2**	**2**	**6**	**11**	**17**	**23**	**39**

300: Internal derangement of knee joint (717)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	2.0	2	<1	<1	1	3	4	6	6
20-34	15	2.6	4	<1	<1	2	4	5	7	8
35-49	9	2.6	2	1	1	2	4	4	4	4
50-64	5	2.8	7	<1	<1	1	5	7	7	7
65+	6	3.0	4	1	1	3	5	5	5	5
B. *Operated*										
0-19 YRS	365	2.4	2	<1	1	2	3	4	5	8
20-34	862	2.6	3	<1	<1	2	3	5	6	9
35-49	519	2.7	4	<1	1	2	3	5	6	10
50-64	285	2.9	5	<1	1	2	3	5	8	12
65+	91	3.1	4	1	1	3	4	6	8	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	2.9	9	<1	<1	2	3	8	10	10
20-34	26	2.6	5	<1	<1	2	3	6	8	10
35-49	25	3.6	9	<1	<1	2	5	8	10	12
50-64	22	3.5	8	<1	<1	2	5	8	9	10
65+	12	3.5	7	1	1	3	5	7	10	10
B. *Operated*										
0-19 YRS	327	2.7	3	<1	1	2	4	5	6	8
20-34	1001	3.2	13	<1	1	2	4	6	7	16
35-49	752	3.0	10	<1	1	2	3	5	8	14
50-64	614	3.4	14	1	1	2	4	6	8	17
65+	317	3.7	7	1	2	3	4	7	10	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	46	2.5	3	<1	<1	2	4	5	6	8
B. *Operated*	2122	2.6	4	<1	1	2	3	5	6	10
2. MULTIPLE DX										
A. *Not Operated*	94	3.2	7	<1	<1	2	4	8	10	11
B. *Operated*	3011	3.2	11	<1	1	2	4	6	8	15
1. SINGLE DX	2168	2.6	4	<1	1	2	3	5	6	10
2. MULTIPLE DX	3105	3.2	11	<1	1	2	4	6	8	15
A. NOT OPERATED	140	3.0	6	<1	<1	2	4	7	8	11
B. OPERATED	5133	3.0	8	<1	1	2	3	5	7	12
TOTAL 0-19 YRS	712	2.5	3	<1	1	2	3	5	6	8
20-34	1904	2.9	8	<1	1	2	3	5	7	12
35-49	1305	2.9	8	<1	1	2	3	5	7	12
50-64	926	3.3	11	1	1	2	4	6	8	16
65+	426	3.6	7	1	1	3	4	6	9	15
GRAND TOTAL	**5273**	**3.0**	**8**	**<1**	**1**	**2**	**3**	**5**	**7**	**12**

301: Other disorders of joint (718-719)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	117	3.5	7	1	1	3	4	7	9	13
20-34	68	3.8	7	1	1	3	5	7	10	14
35-49	81	4.9	18	<1	1	4	7	9	12	25
50-64	54	4.9	11	1	1	4	6	9	12	16
65+	49	5.3	22	1	1	4	7	12	14	25
B. *Operated*										
0-19 YRS	626	3.0	4	1	1	3	4	5	6	11
20-34	974	3.3	4	1	1	3	4	5	7	12
35-49	378	3.8	9	1	1	3	5	6	9	15
50-64	176	4.4	16	1	1	3	5	9	12	21
65+	70	6.3	30	1	2	4	8	16	17	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	156	4.9	23	1	1	3	6	11	14	20
20-34	142	4.5	14	1	1	4	5	9	12	19
35-49	177	5.0	20	1	1	4	6	10	12	21
50-64	199	5.8	29	1	2	5	7	11	14	25
65+	359	7.2	44	2	2	5	9	14	20	32
B. *Operated*										
0-19 YRS	453	4.3	19	1	1	3	5	8	11	18
20-34	589	4.0	9	1	1	3	5	7	9	18
35-49	397	5.1	34	1	1	4	5	9	16	32
50-64	276	5.9	31	1	2	4	7	14	18	28
65+	240	10.5	120	2	2	8	13	20	30	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	369	4.3	12	1	1	3	6	9	11	16
B. *Operated*	2224	3.5	7	1	1	3	4	6	8	15
2. MULTIPLE DX										
A. *Not Operated*	1033	5.9	31	1	2	4	7	11	16	28
B. *Operated*	1955	5.4	37	1	2	4	6	11	16	30
1. SINGLE DX	2593	3.6	8	1	1	3	4	6	9	15
2. MULTIPLE DX	2988	5.5	35	1	2	4	6	11	16	29
A. NOT OPERATED	1402	5.5	26	1	1	4	7	11	14	25
B. OPERATED	4179	4.4	22	1	1	3	5	8	12	23
TOTAL 0-19 YRS	1352	3.7	12	1	1	3	4	7	10	17
20-34	1773	3.6	7	1	1	3	4	6	8	15
35-49	1033	4.6	22	1	1	3	5	9	11	28
50-64	705	5.5	25	1	2	4	7	12	15	26
65+	718	8.1	69	2	2	5	10	17	22	43
GRAND TOTAL	**5581**	**4.6**	**24**	**1**	**1**	**3**	**5**	**9**	**13**	**24**

302: Ankylosing spondylitis (720.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	6	4.3	2	3	3	4	6	6	6	6
35-49	12	5.4	12	<1	1	4	8	10	11	11
50-64	3	4.0		4	4	4	4	4	4	4
65+	3	4.3	6	2	2	4	6	7	7	7
B. *Operated*										
0-19 YRS	2	6.5	13	4	4	6	9	9	9	9
20-34	1	2.0		2	2	2	2	2	2	2
35-49	4	5.3	4	3	3	5	7	8	8	8
50-64	1	7.0		7	7	7	7	7	7	7
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	4.5	5	3	3	4	6	6	6	6
20-34	9	4.2	3	1	2	4	5	6	7	7
35-49	15	6.7	15	3	4	5	9	11	16	18
50-64	13	8.4	20	3	3	9	11	15	15	15
65+	20	7.8	12	3	4	7	9	14	14	15
B. *Operated*										
0-19 YRS										
20-34	6	13.7	176	4	4	7	20	36	38	38
35-49	6	14.8	25	7	7	15	20	20	20	20
50-64	9	29.1	612	6	8	16	44	69	82	82
65+	3	18.0	52	12	12	16	23	26	26	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	25	4.8	7	1	2	4	6	9	10	11
B. *Operated*	8	5.4	6	2	2	5	7	9	9	9
2. MULTIPLE DX										
A. *Not Operated*	59	7.0	14	3	3	6	9	13	15	18
B. *Operated*	24	20.3	311	5	6	15	23	43	59	82
1. SINGLE DX	33	4.9	6	2	2	4	7	9	9	11
2. MULTIPLE DX	83	10.8	134	3	4	7	13	20	32	71
A. NOT OPERATED	84	6.3	13	2	3	5	8	11	14	17
B. OPERATED	32	16.6	275	3	4	12	20	39	48	82
TOTAL 0-19 YRS	5	5.2	6	3	3	4	7	9	9	9
20-34	22	6.7	63	2	2	5	6	12	27	38
35-49	37	7.5	24	2	3	5	9	15	19	20
50-64	26	15.0	317	3	3	10	15	41	56	82
65+	26	8.6	27	2	4	7	12	15	18	26
GRAND TOTAL	**116**	**9.2**	**105**	**2**	**3**	**6**	**11**	**16**	**24**	**60**

303: Spondylosis and allied disorders (721)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	2.6	3	1	1	2	4	5	5	5
20-34	32	4.5	15	1	1	3	5	9	10	20
35-49	126	5.0	18	1	2	4	6	9	11	26
50-64	184	5.1	11	1	2	4	7	10	12	15
65+	177	6.0	14	2	2	5	8	11	14	19
B. *Operated*										
0-19 YRS	2	5.5	5	4	4	5	7	7	7	7
20-34	50	6.5	51	1	2	4	9	14	16	43
35-49	358	6.0	18	2	2	5	8	11	14	19
50-64	419	6.9	22	2	2	6	9	12	15	23
65+	160	8.5	41	1	2	7	11	17	21	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	7.3	52	2	2	4	12	19	20	20
20-34	63	6.2	16	2	2	5	8	12	16	18
35-49	380	5.3	13	1	2	4	7	10	12	18
50-64	880	6.0	16	2	2	5	8	11	14	19
65+	1673	6.6	18	2	3	6	8	11	14	21
B. *Operated*										
0-19 YRS	4	6.8	12	3	3	6	9	11	11	11
20-34	97	7.6	30	2	3	6	9	14	17	32
35-49	435	7.2	29	2	2	6	9	13	17	22
50-64	736	8.9	57	2	2	7	11	16	20	42
65+	650	10.5	74	2	3	8	14	20	26	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	524	5.3	14	1	2	4	7	10	12	19
B. *Operated*	989	6.8	26	2	2	6	9	13	16	26
2. MULTIPLE DX										
A. *Not Operated*	3003	6.2	17	2	2	5	8	11	14	21
B. *Operated*	1922	9.0	56	2	2	7	11	17	21	40
1. SINGLE DX	1513	6.3	22	1	2	5	8	12	15	24
2. MULTIPLE DX	4925	7.3	34	2	2	6	9	14	17	30
A. NOT OPERATED	3527	6.1	16	2	2	5	8	11	14	21
B. OPERATED	2911	8.2	47	2	2	7	10	16	19	35
TOTAL 0-19 YRS	18	5.7	26	1	1	4	7	14	18	20
20-34	242	6.6	29	2	2	5	9	13	16	25
35-49	1299	6.1	21	2	2	5	8	11	14	21
50-64	2219	7.0	32	2	2	6	9	13	16	27
65+	2660	7.6	36	2	3	6	9	14	18	31
GRAND TOTAL	**6438**	**7.1**	**31**	**2**	**2**	**6**	**9**	**13**	**17**	**28**

304: Derangement and displacement of lumbar disc (722.10; 722.32; 722.52; 722.73; 722.83; 722.93)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	40	6.3	23	1	1	6	9	12	16	22
20-34	921	6.0	15	1	2	5	8	11	13	19
35-49	1285	6.1	15	1	2	5	8	11	13	19
50-64	709	6.7	16	1	2	6	9	12	14	18
65+	200	6.8	26	1	2	6	9	12	14	22
B. *Operated*										
0-19 YRS	126	5.6	16	1	2	5	7	12	16	17
20-34	3354	7.1	23	2	2	6	9	13	16	25
35-49	5155	7.4	22	2	2	7	10	13	16	23
50-64	2239	8.0	26	2	2	7	10	15	18	25
65+	399	8.9	38	2	2	8	12	17	21	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	6.0	24	<1	<1	5	7	13	17	18
20-34	396	6.4	17	1	2	5	8	12	15	20
35-49	914	7.1	19	2	3	6	9	13	15	21
50-64	1077	7.4	21	2	3	6	9	13	15	24
65+	959	7.9	29	2	3	7	10	14	16	25
B. *Operated*										
0-19 YRS	28	7.4	46	1	2	6	11	14	19	34
20-34	973	8.8	37	2	3	8	11	16	20	32
35-49	2127	9.5	40	2	3	9	12	17	21	30
50-64	1618	10.3	47	2	3	9	13	18	23	34
65+	871	12.2	55	3	4	11	16	22	26	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3155	6.3	16	1	2	6	8	11	13	19
B. *Operated*	11273	7.5	24	2	2	7	10	14	17	24
2. MULTIPLE DX										
A. *Not Operated*	3360	7.3	22	2	3	6	9	13	15	23
B. *Operated*	5617	10.0	45	2	3	9	13	18	22	32
1. SINGLE DX	14428	7.2	22	2	2	6	9	13	16	23
2. MULTIPLE DX	8977	9.0	38	2	3	8	12	16	20	30
A. NOT OPERATED	6515	6.8	19	2	2	6	9	12	15	21
B. OPERATED	16890	8.3	32	2	2	7	11	15	19	28
TOTAL 0-19 YRS	208	6.0	22	1	2	5	8	13	16	20
20-34	5644	7.2	25	2	2	6	9	13	16	25
35-49	9481	7.7	26	2	2	7	10	14	17	24
50-64	5643	8.4	31	2	3	7	11	15	18	28
65+	2429	9.5	44	2	3	8	12	18	22	33
GRAND TOTAL	**23405**	**7.9**	**29**	**2**	**2**	**7**	**10**	**15**	**18**	**26**

305: Derangement and displacement of intervertebral disc, except lumbar (722.0; 722.11-722.31; 722.39-722.51; 722.6-722.72; 722.80-722.82; 722.90-722.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	16	3.4	5	1	1	3	5	7	7	7
20-34	118	5.5	13	1	2	5	7	9	11	21
35-49	286	6.0	13	1	2	6	8	11	12	18
50-64	185	6.0	14	1	2	6	8	11	13	17
65+	49	5.4	7	1	2	5	7	8	9	11
B. *Operated*										
0-19 YRS	18	4.6	5	1	1	5	7	7	8	8
20-34	376	6.6	19	1	2	6	9	12	15	21
35-49	1039	6.9	17	2	2	6	9	12	15	18
50-64	483	7.6	19	2	2	7	10	13	15	22
65+	59	8.7	53	2	3	7	10	14	18	48
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	13.8	157	3	3	11	24	29	29	29
20-34	80	7.0	31	1	2	6	9	15	17	30
35-49	305	5.8	13	2	2	5	7	10	13	20
50-64	407	6.7	17	2	3	6	8	11	13	23
65+	323	6.8	20	2	2	6	8	11	16	22
B. *Operated*										
0-19 YRS	4	8.5	27	5	5	7	12	16	16	16
20-34	128	8.3	45	2	2	7	10	15	25	33
35-49	553	8.0	26	2	3	7	10	15	17	24
50-64	485	8.9	36	2	3	8	11	16	20	30
65+	141	10.0	52	2	3	9	12	19	22	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	654	5.8	13	1	2	5	8	11	12	18
B. *Operated*	1975	7.0	19	2	2	6	9	13	15	20
2. MULTIPLE DX										
A. *Not Operated*	1119	6.5	19	2	2	6	8	11	14	23
B. *Operated*	1311	8.6	34	2	3	7	11	16	19	29
1. SINGLE DX	2629	6.7	18	2	2	6	9	12	15	19
2. MULTIPLE DX	2430	7.6	28	2	3	6	10	14	17	27
A. NOT OPERATED	1773	6.3	17	2	2	6	8	11	13	22
B. OPERATED	3286	7.6	26	2	2	7	10	14	17	25
TOTAL 0-19 YRS	42	5.4	27	1	1	4	7	8	17	29
20-34	702	6.8	25	1	2	6	9	12	16	27
35-49	2183	6.9	19	2	2	6	9	13	15	21
50-64	1560	7.6	24	2	3	7	10	14	16	24
65+	572	7.7	32	2	3	7	9	14	17	29
GRAND TOTAL	**5059**	**7.2**	**23**	**2**	**2**	**6**	**9**	**13**	**16**	**24**

306: Sacroiliac joint disorder (720.2; 724.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	7.6	72	1	1	2	15	20	20	20
20-34	58	5.4	15	1	2	4	7	10	14	19
35-49	89	5.1	14	1	1	4	7	9	12	20
50-64	46	5.9	12	2	3	5	8	11	13	17
65+	2	5.0	8	3	3	5	7	7	7	7
B. *Operated*										
0-19 YRS	3	8.0	67	1	1	6	14	17	17	17
20-34	97	6.4	30	1	2	4	10	15	18	24
35-49	98	6.0	24	2	2	4	8	12	16	24
50-64	21	5.7	13	1	2	4	9	10	12	12
65+	2	7.5	5	6	6	7	9	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	10.9	18	4	5	13	14	15	15	15
20-34	56	6.8	11	3	3	7	8	11	13	18
35-49	108	6.6	18	2	3	5	8	12	15	23
50-64	72	6.7	14	2	3	6	9	12	14	18
65+	47	7.7	13	3	3	7	11	13	13	18
B. *Operated*										
0-19 YRS	4	5.0	5	3	3	4	6	8	8	8
20-34	76	7.0	19	2	2	7	9	13	17	21
35-49	80	9.0	47	2	3	8	11	16	21	40
50-64	43	8.8	79	2	3	5	10	19	29	43
65+	11	10.6	28	2	3	11	15	17	19	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	200	5.5	15	1	2	5	7	10	13	19
B. *Operated*	221	6.2	25	1	2	4	9	13	17	24
2. MULTIPLE DX										
A. *Not Operated*	291	7.0	15	2	3	6	9	12	14	19
B. *Operated*	214	8.3	43	2	2	7	10	16	19	40
1. SINGLE DX	421	5.8	21	1	2	4	8	12	15	21
2. MULTIPLE DX	505	7.5	27	2	3	7	10	14	16	25
A. NOT OPERATED	491	6.4	16	2	2	5	8	12	14	19
B. OPERATED	435	7.2	35	2	2	5	10	14	18	27
TOTAL 0-19 YRS	20	8.5	35	1	1	7	14	16	18	20
20-34	287	6.4	21	2	2	5	9	13	16	20
35-49	375	6.6	26	2	2	5	9	12	16	24
50-64	182	6.9	30	2	3	5	9	12	16	34
65+	62	8.1	16	2	3	8	11	13	15	19
GRAND TOTAL	**926**	**6.8**	**25**	**2**	**2**	**5**	**9**	**13**	**16**	**23**

307: Sciatica (724.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	3.7	4	2	2	3	5	6	6	6
20-34	72	5.3	8	1	1	5	7	9	11	13
35-49	98	5.9	16	1	2	5	8	10	14	22
50-64	49	6.9	15	2	2	6	9	12	13	18
65+	33	6.1	14	2	3	5	7	13	14	14
B. *Operated*										
0-19 YRS	3	2.3		2	2	2	3	3	3	3
20-34	47	5.3	21	1	1	4	7	12	16	22
35-49	64	5.8	19	1	1	4	9	12	15	18
50-64	33	6.1	31	1	2	4	9	13	20	22
65+	5	6.0	11	3	3	4	9	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	5.5	20	2	2	4	8	12	12	12
20-34	71	5.7	17	1	2	5	7	10	13	22
35-49	145	6.8	14	2	3	6	8	13	15	19
50-64	173	7.3	16	3	3	6	9	12	16	22
65+	231	8.4	32	2	3	7	11	15	17	36
B. *Operated*										
0-19 YRS	2	4.5	13	2	2	4	7	7	7	7
20-34	43	6.4	36	1	2	4	7	14	20	28
35-49	72	9.4	32	2	3	9	13	18	20	24
50-64	67	9.2	32	3	3	9	11	16	18	34
65+	53	10.5	49	3	3	8	15	20	24	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	255	5.9	13	1	2	5	8	11	13	18
B. *Operated*	152	5.7	21	1	1	4	8	12	15	22
2. MULTIPLE DX										
A. *Not Operated*	624	7.4	22	2	3	6	9	13	16	23
B. *Operated*	237	9.0	38	2	3	7	12	17	20	29
1. SINGLE DX	407	5.8	16	1	2	5	8	11	13	20
2. MULTIPLE DX	861	7.8	27	2	3	7	10	15	17	25
A. NOT OPERATED	879	7.0	20	2	3	6	9	13	15	22
B. OPERATED	389	7.7	34	1	2	6	11	16	19	26
TOTAL 0-19 YRS	12	4.1	9	2	2	3	5	8	11	12
20-34	233	5.6	19	1	1	5	7	11	14	23
35-49	379	6.9	20	2	2	6	9	14	16	21
50-64	322	7.5	21	2	3	7	10	13	16	22
65+	322	8.4	34	2	3	7	11	15	18	34
GRAND TOTAL	**1268**	**7.2**	**24**	**2**	**2**	**6**	**9**	**14**	**16**	**24**

308: Other dorsopathies (720.1; 720.8-720.9; 723; 724.0-724.2; 724.4-724.5 724.7-724.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	117	3.1	5	<1	1	2	4	6	9	11
20-34	1108	5.2	15	1	1	4	7	10	12	21
35-49	1498	5.7	20	1	2	5	7	10	13	23
50-64	693	5.8	17	1	2	5	8	11	13	22
65+	251	5.6	18	1	2	4	7	10	14	24
B. *Operated*										
0-19 YRS	65	4.1	13	1	1	3	5	9	13	17
20-34	934	4.7	13	1	2	3	6	10	11	17
35-49	1317	5.5	19	1	2	4	8	11	14	21
50-64	725	6.4	23	2	2	5	9	13	16	22
65+	260	7.6	30	2	2	7	11	15	17	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	130	4.6	16	1	1	3	6	9	12	22
20-34	1066	5.8	20	1	2	5	8	11	14	19
35-49	1810	6.5	24	1	2	5	8	12	15	23
50-64	1502	6.4	20	2	2	5	8	11	14	20
65+	1485	6.9	21	2	2	6	9	12	15	24
B. *Operated*										
0-19 YRS	57	7.9	168	1	1	3	8	13	37	71
20-34	874	6.6	39	2	2	5	8	13	17	31
35-49	1508	7.2	33	2	2	6	9	14	18	26
50-64	1127	8.9	47	2	2	7	11	17	21	33
65+	830	11.9	89	2	3	10	15	21	26	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3667	5.5	17	1	2	5	7	10	13	22
B. *Operated*	3301	5.6	20	1	2	4	8	11	14	21
2. MULTIPLE DX										
A. *Not Operated*	5993	6.4	22	2	2	5	8	12	15	22
B. *Operated*	4396	8.4	53	2	2	7	11	17	21	35
1. SINGLE DX	6968	5.6	18	1	2	4	7	11	13	21
2. MULTIPLE DX	10389	7.2	36	2	2	6	9	14	18	29
A. NOT OPERATED	9660	6.1	20	1	2	5	8	11	14	22
B. OPERATED	7697	7.2	41	2	2	5	10	14	18	29
TOTAL 0-19 YRS	369	4.5	38	1	1	3	5	9	12	24
20-34	3982	5.6	21	1	2	4	7	11	14	22
35-49	6133	6.3	25	1	2	5	8	12	15	23
50-64	4047	7.0	29	2	2	6	9	13	17	26
65+	2826	8.3	47	2	2	7	11	16	20	31
GRAND TOTAL	**17357**	**6.6**	**30**	**1**	**2**	**5**	**9**	**13**	**16**	**25**

309: Bursitis and synovitis, except spine (726-727.0; 727.2-727.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	142	3.5	7	1	1	3	4	7	10	12
20-34	86	3.7	5	1	1	3	4	7	8	12
35-49	123	4.9	12	2	2	4	6	10	13	17
50-64	97	4.8	10	1	2	4	6	9	11	15
65+	57	4.8	13	1	2	4	6	8	14	18
B. *Operated*										
0-19 YRS	198	2.7	5	<1	<1	2	3	5	8	11
20-34	516	2.8	6	<1	<1	2	3	5	7	14
35-49	925	2.8	4	<1	1	2	3	5	6	11
50-64	750	3.1	6	<1	1	2	4	5	8	12
65+	207	3.3	6	<1	<1	2	4	6	8	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	80	4.2	11	1	1	3	5	8	12	16
20-34	100	4.8	13	1	2	4	6	9	11	20
35-49	200	5.4	16	1	2	4	7	10	12	17
50-64	282	5.9	17	1	2	5	8	10	13	22
65+	328	6.0	16	2	2	5	7	10	14	21
B. *Operated*										
0-19 YRS	79	3.5	7	1	1	3	4	7	10	14
20-34	312	3.5	7	1	1	3	4	6	9	13
35-49	599	4.4	16	1	1	3	5	9	12	19
50-64	655	4.1	10	1	2	3	5	8	11	17
65+	331	5.2	22	1	2	4	6	9	13	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	505	4.3	9	1	2	3	5	8	11	16
B. *Operated*	2596	2.9	5	<1	1	2	3	5	7	12
2. MULTIPLE DX										
A. *Not Operated*	990	5.6	16	1	2	5	7	10	13	21
B. *Operated*	1976	4.2	14	1	2	3	5	8	11	18
1. SINGLE DX	3101	3.2	6	<1	1	2	4	6	8	13
2. MULTIPLE DX	2966	4.7	15	1	2	4	6	9	11	20
A. NOT OPERATED	1495	5.1	14	1	2	4	7	10	12	19
B. OPERATED	4572	3.5	9	<1	1	3	4	6	9	16
TOTAL 0-19 YRS	499	3.3	7	1	1	2	4	7	9	14
20-34	1014	3.3	7	<1	1	3	4	6	8	14
35-49	1847	3.8	11	<1	1	3	4	7	10	16
50-64	1784	4.0	11	<1	1	3	5	8	10	17
65+	923	5.0	17	1	2	4	6	9	13	23
GRAND TOTAL	**6067**	**3.9**	**11**	**<1**	**1**	**3**	**5**	**8**	**10**	**17**

310: Bunion and deformities of toe (727.1; 735)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	5	3.8	11	1	1	4	5	9	9	9
35-49	1	2.0		2	2	2	2	2	2	2
50-64	3	6.0	21	2	2	5	9	11	11	11
65+										
B. *Operated*										
0-19 YRS	124	3.3	2	1	2	3	4	5	6	9
20-34	265	3.3	6	1	1	3	4	6	6	8
35-49	346	3.4	3	1	1	3	4	6	6	8
50-64	407	3.6	4	1	1	3	5	6	7	9
65+	211	3.4	4	1	1	3	4	6	7	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	2	2.5	5	<1	<1	2	4	4	4	4
35-49	6	2.7	8	<1	<1	1	4	8	8	8
50-64	17	2.4	4	<1	<1	1	3	6	7	8
65+	22	3.1	8	<1	<1	2	4	8	9	10
B. *Operated*										
0-19 YRS	120	3.5	2	1	2	3	4	5	6	8
20-34	365	3.6	5	1	2	3	4	6	7	11
35-49	590	3.8	3	1	2	4	5	6	7	10
50-64	1035	4.2	5	2	2	4	5	6	8	11
65+	850	4.6	7	2	2	4	5	8	9	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11	3.7	12	1	1	2	5	10	11	11
B. *Operated*	1353	3.4	4	1	1	3	4	6	7	9
2. MULTIPLE DX										
A. *Not Operated*	49	2.7	6	<1	<1	1	4	7	8	10
B. *Operated*	2960	4.1	5	2	2	4	5	7	8	13
1. SINGLE DX	1364	3.4	4	1	1	3	4	6	7	9
2. MULTIPLE DX	3009	4.1	5	1	2	4	5	7	8	12
A. NOT OPERATED	60	2.9	7	<1	<1	1	4	7	9	11
B. OPERATED	4313	3.9	5	1	2	4	5	6	7	11
TOTAL 0-19 YRS	248	3.4	2	1	2	3	4	5	6	9
20-34	637	3.5	5	1	1	3	4	6	6	10
35-49	943	3.7	3	1	2	3	5	6	7	9
50-64	1462	4.0	5	1	2	4	5	6	8	11
65+	1083	4.4	7	1	2	4	5	7	9	15
GRAND TOTAL	**4373**	**3.9**	**5**	**1**	**2**	**4**	**5**	**6**	**8**	**11**

311: Ganglion and cyst (727.4-727.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	1.8		<1	<1	2	2	3	3	3
20-34	6	2.0	2	<1	<1	1	3	4	4	4
35-49	7	1.7	1	<1	<1	1	3	3	3	3
50-64	6	2.2	4	<1	<1	1	2	6	6	6
65+	5	2.6	2	1	1	2	3	5	5	5
B. *Operated*										
0-19 YRS	313	1.6	1	<1	<1	1	2	2	3	4
20-34	569	1.8	1	<1	<1	2	2	3	3	6
35-49	367	2.0	1	<1	<1	2	2	3	4	5
50-64	246	2.4	3	<1	<1	2	3	4	5	9
65+	98	2.8	6	<1	<1	2	3	5	7	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	1.3	1	<1	<1	1	1	3	4	4
20-34	12	2.3	3	<1	<1	2	3	4	7	7
35-49	8	4.3	48	<1	<1	1	4	16	21	21
50-64	10	2.6	6	<1	<1	2	3	6	9	9
65+	15	4.7	16	<1	1	4	5	12	14	15
B. *Operated*										
0-19 YRS	40	1.9	1	<1	<1	2	2	3	4	5
20-34	143	3.0	5	<1	1	2	4	5	7	13
35-49	174	3.0	4	<1	1	3	4	5	6	10
50-64	164	3.4	6	1	2	3	4	6	7	13
65+	103	4.3	11	<1	1	3	6	9	11	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	34	2.0	1	<1	<1	2	2	3	5	6
B. *Operated*	1593	2.0	2	<1	<1	2	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	55	3.1	14	<1	<1	2	3	7	11	21
B. *Operated*	624	3.2	6	<1	1	3	4	6	8	13
1. SINGLE DX	1627	2.0	2	<1	<1	2	2	3	4	7
2. MULTIPLE DX	679	3.2	7	<1	1	3	4	6	8	14
A. NOT OPERATED	89	2.7	9	<1	<1	2	3	5	7	19
B. OPERATED	2217	2.3	3	<1	<1	2	3	4	5	10
TOTAL 0-19 YRS	373	1.6	1	<1	<1	2	2	2	3	5
20-34	730	2.0	2	<1	<1	2	2	3	4	8
35-49	556	2.3	3	<1	<1	2	3	4	5	7
50-64	426	2.8	4	<1	1	2	3	5	6	11
65+	221	3.6	10	<1	1	3	4	8	10	16
GRAND TOTAL	**2306**	**2.3**	**3**	**<1**	**<1**	**2**	**3**	**4**	**5**	**10**

312: Osteomyelitis (730)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	92	12.0	66	2	3	10	15	23	28	40
20-34	24	7.6	39	1	1	7	10	17	22	23
35-49	19	10.3	59	2	3	7	16	21	26	30
50-64	29	10.3	87	2	2	6	13	27	30	31
65+	27	10.3	79	2	3	7	13	22	25	42
B. *Operated*										
0-19 YRS	96	13.1	83	2	2	11	18	24	30	45
20-34	68	11.5	115	2	2	7	17	25	36	47
35-49	73	10.2	55	2	3	8	13	16	30	36
50-64	59	10.8	131	2	2	7	12	28	41	52
65+	62	12.9	78	2	4	10	19	27	32	93
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	67	14.6	88	4	4	13	21	29	31	40
20-34	47	16.1	148	2	2	13	23	35	40	42
35-49	71	10.8	88	3	3	9	12	18	28	50
50-64	91	13.8	125	3	4	11	18	26	42	55
65+	143	13.5	110	3	4	10	18	27	35	45
B. *Operated*										
0-19 YRS	128	19.5	222	3	4	17	25	40	47	69
20-34	149	17.4	202	3	4	13	23	39	45	62
35-49	200	16.9	183	3	4	13	23	37	43	68
50-64	266	17.2	167	3	4	13	24	35	45	59
65+	316	18.5	210	4	5	15	23	37	50	81
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	191	10.8	67	1	3	9	14	22	28	40
B. *Operated*	358	11.8	91	2	2	9	16	26	32	47
2. MULTIPLE DX										
A. *Not Operated*	419	13.6	111	3	4	11	18	28	38	48
B. *Operated*	1059	17.8	195	3	4	14	23	37	47	69
1. SINGLE DX	549	11.4	83	2	2	9	15	23	30	44
2. MULTIPLE DX	1478	16.6	175	3	4	13	22	35	44	64
A. NOT OPERATED	610	12.7	99	2	3	10	16	27	32	44
B. OPERATED	1417	16.3	175	2	4	13	22	35	44	65
TOTAL 0-19 YRS	383	15.2	135	2	4	13	21	29	38	59
20-34	288	15.0	168	2	3	11	21	35	42	59
35-49	363	14.0	142	2	4	11	16	32	40	62
50-64	445	15.2	155	2	3	11	22	32	42	56
65+	548	16.1	170	3	4	13	21	33	43	74
GRAND TOTAL	**2027**	**15.2**	**155**	**2**	**4**	**11**	**21**	**32**	**42**	**61**

313: Localized disorders of bone and cartilage (731-733)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	143	4.5	16	1	1	3	6	10	14	16
20-34	102	3.2	9	1	1	3	4	6	7	18
35-49	147	4.0	10	1	1	3	5	7	11	13
50-64	108	4.3	10	1	2	3	5	8	12	15
65+	217	7.2	19	2	2	6	10	12	15	22
B. *Operated*										
0-19 YRS	769	4.8	21	1	1	4	6	9	13	24
20-34	625	4.3	10	1	2	3	5	8	10	16
35-49	400	5.7	26	1	2	4	7	11	14	28
50-64	307	6.9	26	2	2	5	10	14	17	26
65+	228	8.9	35	1	2	8	13	17	20	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	121	6.5	81	1	1	4	7	15	23	48
20-34	190	4.3	24	1	1	3	5	7	11	19
35-49	456	4.7	17	1	2	4	6	9	12	18
50-64	715	6.1	26	2	2	5	8	11	15	28
65+	2670	8.7	38	2	3	7	11	16	20	32
B. *Operated*										
0-19 YRS	330	6.0	47	1	1	4	7	12	20	34
20-34	432	7.0	64	1	2	4	8	14	22	43
35-49	431	8.1	66	2	2	6	10	16	22	47
50-64	626	11.0	95	2	3	9	14	21	26	57
65+	991	14.9	120	3	4	13	19	27	36	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	717	5.0	16	1	1	4	7	10	13	20
B. *Operated*	2329	5.5	23	1	2	4	7	11	15	23
2. MULTIPLE DX										
A. *Not Operated*	4152	7.6	37	2	2	6	10	15	19	30
B. *Operated*	2810	10.7	101	2	2	8	14	22	29	51
1. SINGLE DX	3046	5.4	21	1	1	4	7	11	14	22
2. MULTIPLE DX	6962	8.8	65	2	2	7	11	18	23	41
A. NOT OPERATED	4869	7.2	34	2	2	6	9	14	18	29
B. OPERATED	5139	8.3	72	1	2	6	11	18	24	43
TOTAL 0-19 YRS	1363	5.2	32	1	1	4	6	10	15	30
20-34	1349	5.1	31	1	1	4	6	9	13	28
35-49	1434	5.9	36	1	2	4	7	11	15	32
50-64	1756	7.9	55	2	2	5	10	15	22	38
65+	4106	10.1	63	2	3	8	13	19	24	41
GRAND TOTAL	**10008**	**7.8**	**54**	**1**	**2**	**6**	**10**	**16**	**21**	**37**

314: Acquired deformities of limbs, except toe (734; 736)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	2.4	10	<1	<1	1	2	8	10	10
20-34										
35-49	3	8.7	82	2	2	5	15	19	19	19
50-64	3	1.0		1	1	1	1	1	1	1
65+										
B. *Operated*										
0-19 YRS	188	4.1	29	1	1	3	5	6	8	17
20-34	93	3.8	13	1	1	3	4	7	10	23
35-49	56	3.4	5	1	1	3	4	6	8	13
50-64	49	4.8	17	<1	1	3	6	12	15	16
65+	11	7.2	32	2	2	5	11	17	17	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	28	6.2	48	1	1	4	8	17	19	27
20-34	10	2.0	2	1	1	1	3	4	4	4
35-49	2	4.5	1	4	4	4	5	5	5	5
50-64	7	6.4	54	1	1	3	8	19	22	22
65+	23	14.6	129	1	3	12	20	30	40	43
B. *Operated*										
0-19 YRS	344	5.1	40	1	2	4	6	8	9	22
20-34	121	4.7	17	1	1	3	6	9	13	21
35-49	96	4.4	11	2	2	3	5	9	10	18
50-64	115	7.0	53	1	2	5	8	13	16	46
65+	83	8.5	33	2	3	7	13	17	19	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	14	3.4	26	<1	1	1	2	11	17	19
B. *Operated*	397	4.1	21	1	1	3	5	7	10	19
2. MULTIPLE DX										
A. *Not Operated*	70	8.3	86	1	1	4	14	21	27	42
B. *Operated*	759	5.6	35	1	2	4	7	10	14	23
1. SINGLE DX	411	4.1	21	1	1	3	5	7	10	19
2. MULTIPLE DX	829	5.8	40	1	2	4	7	11	16	27
A. NOT OPERATED	84	7.5	79	1	1	4	10	19	26	42
B. OPERATED	1156	5.1	31	1	2	4	6	9	13	22
TOTAL 0-19 YRS	568	4.8	36	1	1	4	5	8	10	21
20-34	224	4.2	15	1	1	3	5	8	11	22
35-49	157	4.1	10	1	2	3	5	8	10	19
50-64	174	6.2	43	1	1	4	8	12	16	35
65+	117	9.6	57	2	3	8	14	18	23	40
GRAND TOTAL	**1240**	**5.3**	**34**	**1**	**1**	**4**	**6**	**10**	**15**	**25**

315: Neuralgia, neuritis, and radiculitis, unspecified (729.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	18	4.4	15	1	1	3	6	9	14	16
35-49	41	4.4	10	1	1	3	6	9	11	13
50-64	25	4.9	5	1	2	5	7	7	8	10
65+	15	4.6	3	2	2	4	6	7	7	7
B. *Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	9	3.1	4	1	1	3	4	7	7	7
35-49	24	5.8	18	1	2	5	7	12	16	17
50-64	15	5.0	9	2	2	5	6	10	11	11
65+	6	7.8	29	2	2	6	14	15	15	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	4.7	2	3	3	5	6	6	6	6
20-34	25	5.0	16	1	1	4	6	12	13	15
35-49	56	5.7	9	1	3	5	8	10	11	13
50-64	97	6.5	45	2	2	5	7	11	15	44
65+	98	6.5	14	2	2	6	8	10	15	20
B. *Operated*										
0-19 YRS	2	3.0		3	3	3	3	3	3	3
20-34	12	7.4	17	1	2	7	11	13	15	15
35-49	25	11.6	121	2	2	8	16	21	34	52
50-64	23	8.9	57	1	2	8	11	19	27	32
65+	22	9.2	32	1	2	9	12	18	20	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	100	4.6	8	1	1	4	6	8	10	14
B. *Operated*	55	5.3	15	1	2	4	7	11	15	17
2. MULTIPLE DX										
A. *Not Operated*	279	6.2	24	2	2	5	8	10	14	21
B. *Operated*	84	9.4	64	1	2	8	12	18	22	45
1. SINGLE DX	155	4.8	11	1	2	4	6	8	12	16
2. MULTIPLE DX	363	7.0	35	2	2	6	9	13	16	28
A. NOT OPERATED	379	5.8	20	1	2	5	7	10	13	18
B. OPERATED	139	7.8	48	1	2	6	11	16	20	34
TOTAL 0-19 YRS	7	3.4	3	<1	1	3	5	6	6	6
20-34	64	5.0	15	1	1	4	7	12	14	16
35-49	146	6.4	35	1	2	5	8	12	16	29
50-64	160	6.5	38	2	2	5	8	11	14	31
65+	141	6.8	17	2	2	6	8	13	15	21
GRAND TOTAL	**518**	**6.3**	**28**	**1**	**2**	**5**	**8**	**12**	**15**	**25**

316: Miscellaneous disorders of musculoskeletal system (725; 728; 727.6-727.9; 729.0-729.1; 729.3-729.9; 737-738)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	177	3.1	10	<1	1	2	4	6	9	16
20-34	300	3.9	8	1	1	3	5	8	10	13
35-49	338	4.4	11	1	1	4	6	9	11	16
50-64	198	4.1	9	1	1	3	5	7	10	16
65+	91	5.1	15	1	2	4	7	10	13	19
B. *Operated*										
0-19 YRS	604	6.0	23	1	1	4	9	12	15	20
20-34	554	3.9	15	<1	1	3	4	9	12	21
35-49	489	3.9	12	1	1	3	5	8	11	17
50-64	450	3.7	9	1	1	3	4	8	11	16
65+	239	3.4	9	1	1	2	4	7	10	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	232	4.0	15	<1	1	3	5	8	11	22
20-34	498	4.4	11	1	1	4	6	9	11	16
35-49	781	5.2	17	1	2	4	7	10	13	23
50-64	755	5.3	16	1	2	4	7	10	13	21
65+	727	6.2	26	2	2	5	7	11	15	29
B. *Operated*										
0-19 YRS	657	6.8	99	1	2	3	8	15	19	66
20-34	810	4.8	44	1	1	3	5	10	15	29
35-49	722	5.3	39	1	2	3	6	10	15	30
50-64	674	6.0	44	1	2	4	7	12	17	39
65+	505	8.1	85	1	2	5	10	16	22	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1104	4.1	10	1	1	3	5	8	10	16
B. *Operated*	2336	4.3	16	1	1	3	5	10	12	18
2. MULTIPLE DX										
A. *Not Operated*	2993	5.2	18	1	2	4	7	10	13	22
B. *Operated*	3368	6.0	61	1	2	4	7	13	18	43
1. SINGLE DX	3440	4.3	14	1	1	3	5	9	12	18
2. MULTIPLE DX	6361	5.7	41	1	2	4	7	11	15	30
A. NOT OPERATED	4097	4.9	16	1	1	4	6	9	12	20
B. OPERATED	5704	5.4	43	1	1	3	7	11	15	30
TOTAL 0-19 YRS	1670	5.7	52	1	1	3	8	12	16	34
20-34	2162	4.4	24	1	1	3	5	9	12	22
35-49	2330	4.8	22	1	1	3	6	10	13	22
50-64	2077	5.1	24	1	2	4	6	10	13	22
65+	1562	6.3	44	1	2	5	8	12	16	32
GRAND TOTAL	**9801**	**5.2**	**32**	**1**	**1**	**3**	**6**	**11**	**14**	**26**

317: Somatic dysfunction (739)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	4	4.0	1	3	3	4	5	5	5	5
35-49	3	3.7	1	3	3	3	5	5	5	5
50-64										
65+	1	5.0		5	5	5	5	5	5	5
B. *Operated*										
0-19 YRS										
20-34										
35-49	5	4.0	6	2	2	3	6	7	7	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	7.0		7	7	7	7	7	7	7
20-34	16	7.4	38	2	2	6	8	18	22	24
35-49	18	4.1	7	1	2	3	5	9	10	10
50-64	12	5.2	12	2	2	4	7	11	13	13
65+	14	4.7	7	<1	1	5	7	9	9	9
B. *Operated*										
0-19 YRS										
20-34	10	5.0	12	1	1	4	8	10	11	11
35-49	7	7.1	10	3	3	6	10	11	11	11
50-64	3	10.7	30	5	5	11	15	16	16	16
65+	2	11.0	2	10	10	11	12	12	12	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	3.7	2	1	2	4	5	5	5	5
B. *Operated*	5	4.0	6	2	2	3	6	7	7	7
2. MULTIPLE DX										
A. *Not Operated*	62	5.4	17	1	2	4	[illegible]	10	13	23
B. *Operated*	22	7.0	17	1	2	6	11	12	14	16
1. SINGLE DX	14	3.8	3	1	2	4	5	6	7	7
2. MULTIPLE DX	84	5.8	17	1	2	5	8	11	13	22
A. NOT OPERATED	71	5.2	15	1	2	4	7	9	13	23
B. OPERATED	27	6.4	16	2	2	6	10	11	13	16
TOTAL 0-19 YRS	3	5.0	12	1	1	7	7	7	7	7
20-34	30	6.2	26	2	2	5	8	12	18	24
35-49	33	4.7	8	2	2	4	6	10	11	11
50-64	15	6.3	19	2	2	5	9	13	15	16
65+	17	5.5	10	<1	1	5	8	10	11	12
GRAND TOTAL	**98**	**5.5**	**15**	**1**	**2**	**4**	**7**	**11**	**13**	**21**

318: Congenital anomaly of nervous system (740-742)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	43	3.3	12	<1	1	2	3	8	13	13
20-34	1	7.0		7	7	7	7	7	7	7
35-49	6	4.5	20	1	1	3	6	12	13	13
50-64	1	5.0		5	5	5	5	5	5	5
65+	1	5.0		5	5	5	5	5	5	5
B. *Operated*										
0-19 YRS	183	6.7	22	2	2	6	8	11	15	29
20-34	11	8.5	12	2	3	9	11	12	13	13
35-49	12	11.0	39	1	4	11	13	19	25	26
50-64	1	9.0		9	9	9	9	9	9	9
65+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	172	4.5	23	1	1	3	5	9	14	28
20-34	6	2.5	5	1	1	2	2	7	7	7
35-49	9	8.3	53	1	2	5	12	20	24	24
50-64	11	3.5	1	1	2	3	5	5	5	5
65+	8	8.3	44	1	2	7	9	19	23	23
B. *Operated*										
0-19 YRS	315	10.5	130	2	2	7	12	25	40	67
20-34	21	15.0	323	2	3	9	14	36	66	74
35-49	10	11.0	92	1	1	7	21	23	23	23
50-64	7	14.0	132	3	4	14	28	80	99+	99+
65+	5	16.2	47	7	7	16	20	26	26	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	52	3.6	12	<1	1	2	5	9	13	13
B. *Operated*	208	7.0	23	2	2	6	9	12	15	29
2. MULTIPLE DX										
A. *Not Operated*	206	4.7	24	1	1	3	5	10	15	27
B. *Operated*	358	10.9	139	2	2	7	13	25	41	74
1. SINGLE DX	260	6.3	23	1	2	6	8	12	14	26
2. MULTIPLE DX	564	8.7	106	1	2	5	10	22	32	63
A. NOT OPERATED	258	4.5	22	1	1	3	5	10	14	24
B. OPERATED	566	9.5	100	2	2	7	10	22	32	63
TOTAL 0-19 YRS	713	7.7	77	1	2	5	9	16	25	50
20-34	39	11.0	197	1	2	8	13	16	41	74
35-49	37	9.3	55	1	1	7	13	22	24	26
50-64	20	7.6	67	2	3	5	10	27	64	99+
65+	15	10.3	57	1	2	8	15	23	25	26
GRAND TOTAL	**824**	**7.9**	**81**	**1**	**2**	**5**	**9**	**17**	**25**	**54**

319: Congenital anomaly of eye, ear, face, and neck (743-744)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	66	1.4	1	<1	<1	1	1	2	3	4
20-34	2	3.0	8	<1	<1	2	5	5	5	5
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	523	2.1	2	<1	<1	2	2	3	5	8
20-34	75	2.3	3	<1	1	2	3	5	6	8
35-49	58	2.5	2	<1	1	2	3	4	6	7
50-64	55	2.3	1	1	1	2	2	3	5	8
65+	49	2.2	2	<1	1	2	2	4	6	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	48	2.3	6	<1	<1	1	2	5	8	13
20-34	5	1.4		<1	<1	1	2	2	2	2
35-49	1	5.0		5	5	5	5	5	5	5
50-64	2	2.5	5	1	1	2	4	4	4	4
65+	2	2.0	2	1	1	2	3	3	3	3
B. *Operated*										
0-19 YRS	220	3.1	23	<1	1	2	3	6	7	22
20-34	34	2.7	2	1	1	3	3	4	6	6
35-49	29	3.1	3	<1	1	3	4	6	7	7
50-64	51	2.6	4	1	1	2	3	5	8	9
65+	62	3.4	21	1	2	2	3	5	14	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	68	1.4	1	<1	<1	1	2	2	4	5
B. *Operated*	760	2.2	2	<1	1	2	2	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	58	2.3	5	<1	<1	1	2	5	7	13
B. *Operated*	396	3.1	17	1	1	2	3	5	7	22
1. SINGLE DX	828	2.1	2	<1	<1	2	2	3	5	8
2. MULTIPLE DX	454	3.0	15	<1	1	2	3	5	7	22
A. NOT OPERATED	126	1.8	3	<1	<1	1	2	4	5	9
B. OPERATED	1156	2.5	7	<1	1	2	3	4	6	11
TOTAL 0-19 YRS	857	2.3	8	<1	<1	2	2	4	5	12
20-34	116	2.4	2	<1	1	2	3	5	6	8
35-49	88	2.8	2	<1	1	2	3	5	6	7
50-64	108	2.4	3	1	1	2	2	4	6	9
65+	113	2.8	12	1	1	2	3	4	6	23
GRAND TOTAL	**1282**	**2.4**	**7**	**<1**	**1**	**2**	**3**	**4**	**6**	**11**

320: Congenital anomaly of heart and circulatory system (745-747)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	56	2.5	9	<1	1	2	3	5	6	20
20-34	14	3.0	5	1	1	3	3	7	8	8
35-49	6	2.3	5	<1	<1	1	4	6	6	6
50-64	4	5.0	17	1	1	5	8	9	9	9
65+	3	2.7		2	2	3	3	3	3	3
B. *Operated*										
0-19 YRS	851	4.8	18	1	1	2	8	10	12	18
20-34	55	4.0	13	1	1	2	6	9	10	20
35-49	30	7.6	49	2	2	6	9	18	22	30
50-64	24	4.1	9	1	1	3	6	8	11	12
65+	10	7.5	32	1	1	9	11	51	96	99+
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	322	3.7	16	<1	1	2	4	8	10	21
20-34	40	4.6	7	1	2	4	6	8	10	13
35-49	28	4.9	6	2	2	4	7	9	10	12
50-64	23	4.8	5	2	2	4	6	9	10	10
65+	57	4.6	9	1	2	4	6	9	11	14
B. *Operated*										
0-19 YRS	1631	7.3	81	1	1	4	10	16	24	50
20-34	93	6.9	30	2	2	6	10	13	16	28
35-49	73	6.8	31	2	2	6	9	12	15	33
50-64	59	7.6	41	1	2	6	10	18	22	25
65+	48	9.3	54	1	2	8	13	20	22	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	83	2.7	8	<1	1	2	3	5	8	17
B. *Operated*	970	4.8	19	1	1	3	8	10	12	20
2. MULTIPLE DX										
A. *Not Operated*	470	4.0	13	<1	1	3	5	8	10	18
B. *Operated*	1904	7.3	74	1	1	5	10	16	23	47
1. SINGLE DX	1053	4.7	18	1	1	2	7	10	12	20
2. MULTIPLE DX	2374	6.7	64	1	1	4	9	15	21	44
A. NOT OPERATED	553	3.8	13	<1	1	3	5	8	10	18
B. OPERATED	2874	6.5	57	1	1	4	9	14	19	39
TOTAL 0-19 YRS	2860	6.1	55	1	1	3	8	13	18	39
20-34	202	5.4	21	1	1	3	8	11	14	19
35-49	137	6.4	30	1	2	5	9	12	16	31
50-64	110	6.2	28	1	2	4	8	13	19	25
65+	118	6.7	34	1	2	5	10	15	20	52
GRAND TOTAL	**3427**	**6.1**	**51**	**1**	**1**	**3**	**8**	**13**	**18**	**37**

321: Cleft palate and lip (749)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	1.6	2	<1	<1	1	2	4	6	6
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	556	3.5	2	2	2	3	4	5	6	8
20-34	12	3.1	1	2	2	3	4	4	4	4
35-49	4	3.5		3	3	3	4	4	4	4
50-64	1	1.0		1	1	1	1	1	1	1
65+	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	41	1.9	7	<1	<1	1	2	3	4	17
20-34										
35-49										
50-64										
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	365	4.3	25	2	2	4	5	6	8	16
20-34	16	3.1	3	1	1	3	4	6	6	6
35-49	3	11.0	148	3	3	5	20	25	25	25
50-64	1	3.0		3	3	3	3	3	3	3
65+	1	7.0		7	7	7	7	7	7	7
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11	1.6	2	<1	<1	1	2	4	6	6
B. *Operated*	574	3.5	2	2	2	3	4	5	6	8
2. MULTIPLE DX										
A. *Not Operated*	42	1.8	7	<1	<1	1	2	3	4	17
B. *Operated*	386	4.3	25	2	2	4	5	6	8	22
1. SINGLE DX	585	3.4	2	2	2	3	4	5	6	8
2. MULTIPLE DX	428	4.1	24	1	1	3	5	6	8	19
A. NOT OPERATED	53	1.8	6	<1	<1	1	2	3	4	17
B. OPERATED	960	3.8	11	2	2	3	4	6	7	9
TOTAL 0-19 YRS	973	3.7	11	1	2	3	4	6	7	9
20-34	28	3.1	2	1	2	3	4	5	6	6
35-49	7	6.7	66	3	3	4	5	21	25	25
50-64	2	2.0	2	1	1	2	3	3	3	3
65+	3	3.7	9	1	1	3	6	7	7	7
GRAND TOTAL	**1013**	**3.7**	**11**	**1**	**2**	**3**	**4**	**6**	**7**	**10**

322: Congenital hypertrophic pyloric stenosis (750.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	17	2.1	1	<1	<1	2	3	4	4	4
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	550	3.3	2	2	2	3	4	5	6	8
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	2.5	3	<1	1	2	3	5	6	6
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	120	4.4	6	2	2	4	5	7	9	14
20-34										
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	17	2.1	1	<1	<1	2	3	4	4	4
B. *Operated*	550	3.3	2	2	2	3	4	5	6	8
2. MULTIPLE DX										
A. *Not Operated*	13	2.5	3	<1	1	2	3	5	6	6
B. *Operated*	120	4.4	6	2	2	4	5	7	9	14
1. SINGLE DX	567	3.2	2	1	2	3	4	5	6	8
2. MULTIPLE DX	133	4.2	6	2	2	4	5	7	8	13
A. NOT OPERATED	30	2.3	2	<1	<1	2	3	5	5	6
B. OPERATED	670	3.5	3	2	2	3	4	5	6	9
TOTAL 0-19 YRS	700	3.4	3	2	2	3	4	5	6	9
20-34										
35-49										
50-64										
65+										
GRAND TOTAL	**700**	**3.4**	**3**	**2**	**2**	**3**	**4**	**5**	**6**	**9**

323: Congenital anomaly of respiratory system and of digestive system, except cleft palate and pyloric stenosis (748; 750.0-750.4; 750.6-750.9; 751)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	112	3.0	14	<1	<1	2	3	7	11	21
20-34	1	10.0		10	10	10	10	10	10	10
35-49	5	3.4	3	1	1	4	5	5	5	5
50-64	5	2.4	3	<1	<1	2	3	5	5	5
65+	2	2.0	2	1	1	2	3	3	3	3
B. *Operated*										
0-19 YRS	421	5.9	39	<1	1	4	8	12	18	30
20-34	41	4.4	16	<1	1	3	5	9	11	23
35-49	25	4.8	33	<1	1	2	6	8	18	27
50-64	11	7.2	25	1	1	7	12	14	15	15
65+	8	6.3	13	2	2	6	9	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	151	4.7	27	1	1	3	5	10	15	29
20-34	16	3.6	8	<1	<1	3	4	6	11	13
35-49	8	5.0	20	<1	1	4	6	13	15	15
50-64	26	4.1	10	1	1	3	6	9	11	12
65+	44	5.1	9	2	2	4	7	9	12	14
B. *Operated*										
0-19 YRS	421	10.2	118	1	2	7	13	25	33	70
20-34	62	7.5	42	1	1	6	10	15	18	36
35-49	53	6.6	39	1	1	5	9	15	18	33
50-64	51	8.6	65	2	2	7	10	16	21	51
65+	64	10.6	70	1	2	9	14	19	25	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	125	3.0	13	<1	<1	2	3	7	10	19
B. *Operated*	506	5.7	36	<1	1	4	8	12	17	29
2. MULTIPLE DX										
A. *Not Operated*	245	4.6	21	1	1	3	6	10	13	28
B. *Operated*	651	9.6	97	1	2	7	12	22	30	56
1. SINGLE DX	631	5.2	32	<1	1	3	7	12	15	28
2. MULTIPLE DX	896	8.2	81	1	1	5	11	18	27	51
A. NOT OPERATED	370	4.1	19	<1	1	3	5	9	12	26
B. OPERATED	1157	7.9	74	1	1	5	10	17	25	51
TOTAL 0-19 YRS	1105	7.1	71	<1	1	4	9	16	25	49
20-34	120	6.0	31	<1	1	4	8	13	16	27
35-49	91	5.8	34	1	1	3	8	15	17	31
50-64	93	6.8	46	1	2	5	9	14	16	41
65+	118	8.1	50	1	2	6	11	16	20	36
GRAND TOTAL	**1527**	**7.0**	**63**	**1**	**1**	**4**	**9**	**15**	**23**	**46**

324: Undescended testicle (752.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	1.0		<1	<1	1	1	1	1	1
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	630	2.0	1	<1	<1	2	2	3	4	5
20-34	43	2.6	1	1	1	2	3	4	5	6
35-49	11	2.6	2	1	1	2	3	4	6	6
50-64	2	3.5	5	2	2	3	5	5	5	5
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	33	1.4	1	<1	<1	1	1	3	4	5
20-34	1	1.0		1	1	1	1	1	1	1
35-49										
50-64	1	4.0		4	4	4	4	4	4	4
65+										
B. *Operated*										
0-19 YRS	603	2.3	2	<1	1	2	3	4	5	8
20-34	43	3.3	4	<1	1	3	4	6	7	8
35-49	22	3.5	8	1	1	3	5	7	10	13
50-64	4	2.5	2	1	1	2	3	4	4	4
65+	7	3.1	8	<1	<1	2	4	8	9	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	1.0		<1	<1	1	1	1	1	1
B. *Operated*	686	2.0	1	<1	<1	2	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*	35	1.5	1	<1	<1	1	1	3	4	5
B. *Operated*	679	2.5	3	<1	1	2	3	4	5	8
1. SINGLE DX	693	2.0	1	<1	<1	2	2	3	4	6
2. MULTIPLE DX	714	2.4	3	<1	1	2	3	4	5	8
A. NOT OPERATED	42	1.4	1	<1	<1	1	1	3	4	5
B. OPERATED	1365	2.2	2	<1	1	2	3	4	5	7
TOTAL 0-19 YRS	1273	2.1	2	<1	1	2	3	3	4	7
20-34	87	2.9	3	1	1	3	3	5	6	8
35-49	33	3.2	6	1	1	3	4	6	8	13
50-64	7	3.0	2	1	1	3	4	5	5	5
65+	7	3.1	8	<1	<1	2	4	8	9	9
GRAND TOTAL	**1407**	**2.2**	**2**	**<1**	**1**	**2**	**3**	**4**	**5**	**7**

325: Miscellaneous congenital anomalies of genitourinary system (752.0-752.4; 752.6-752.9; 753)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	34	2.0	4	<1	<1	1	2	4	7	9
20-34	10	3.3	4	1	1	3	5	6	6	6
35-49	3	4.3		4	4	4	5	5	5	5
50-64	4	8.3	46	2	2	7	13	17	17	17
65+	3	2.3	5	<1	<1	1	4	5	5	5
B. *Operated*										
0-19 YRS	904	5.0	15	1	1	4	7	10	13	17
20-34	110	3.6	9	<1	<1	3	5	8	9	15
35-49	46	5.3	11	1	2	5	7	10	12	14
50-64	18	4.9	13	<1	1	4	7	11	12	13
65+	16	5.1	24	1	1	3	6	14	17	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	84	3.6	41	<1	<1	2	3	8	11	41
20-34	19	4.0	17	<1	1	3	5	7	14	19
35-49	36	5.3	12	1	2	4	8	11	12	12
50-64	21	7.7	80	2	2	4	7	19	33	37
65+	30	6.2	25	1	2	4	8	13	17	23
B. *Operated*										
0-19 YRS	633	6.9	39	1	1	5	9	14	17	32
20-34	190	5.4	10	1	2	5	7	10	11	15
35-49	114	6.8	35	1	2	5	8	12	16	36
50-64	49	7.7	27	1	2	7	10	15	18	25
65+	56	7.3	31	2	2	6	9	14	21	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	54	2.9	8	<1	<1	2	4	6	9	17
B. *Operated*	1094	4.8	14	<1	1	4	7	10	13	17
2. MULTIPLE DX										
A. *Not Operated*	190	4.8	36	<1	1	3	6	10	12	34
B. *Operated*	1042	6.7	33	1	1	5	9	14	17	29
1. SINGLE DX	1148	4.8	14	<1	1	4	7	10	13	17
2. MULTIPLE DX	1232	6.4	34	1	1	5	8	13	16	30
A. NOT OPERATED	244	4.4	31	<1	<1	3	5	9	12	30
B. OPERATED	2136	5.7	24	1	1	5	8	12	14	25
TOTAL 0-19 YRS	1655	5.6	26	1	1	4	8	12	14	25
20-34	329	4.7	10	<1	1	4	6	9	11	15
35-49	199	6.1	26	1	2	5	8	12	13	28
50-64	92	7.2	37	1	2	6	9	14	18	34
65+	105	6.5	28	1	2	5	8	14	19	24
GRAND TOTAL	**2380**	**5.6**	**25**	**1**	**1**	**4**	**8**	**12**	**14**	**25**

326: Clubfoot (754.5-754.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	33	1.2	1	<1	<1	<1	1	2	3	5
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	359	4.0	7	1	2	3	5	7	8	12
20-34	20	4.7	12	2	2	4	5	7	13	18
35-49	7	2.6	1	2	2	2	3	5	5	5
50-64	6	4.0	2	<1	<1	4	5	5	5	5
65+	6	4.5	4	2	2	4	5	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	38	1.4	1	<1	<1	1	1	2	4	7
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	248	5.1	58	1	2	4	6	9	11	22
20-34	41	3.6	2	1	2	4	4	5	6	7
35-49	27	4.6	7	2	2	4	5	10	11	11
50-64	39	5.5	10	2	2	5	7	10	11	17
65+	19	5.6	27	2	2	4	7	9	18	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	33	1.2	1	<1	<1	<1	1	2	3	5
B. *Operated*	398	4.0	7	1	2	3	5	7	8	13
2. MULTIPLE DX										
A. *Not Operated*	38	1.4	1	<1	<1	1	1	2	4	7
B. *Operated*	374	5.0	41	1	2	4	6	8	11	20
1. SINGLE DX	431	3.8	7	<1	1	3	5	6	8	12
2. MULTIPLE DX	412	4.6	39	1	1	4	5	8	10	19
A. NOT OPERATED	71	1.3	1	<1	<1	<1	1	2	3	7
B. OPERATED	772	4.5	24	1	2	4	5	8	9	17
TOTAL 0-19 YRS	678	4.1	26	<1	1	3	5	7	9	15
20-34	61	3.9	5	1	2	4	5	6	7	17
35-49	34	4.1	7	2	2	3	5	8	11	11
50-64	45	5.3	9	1	2	5	6	10	10	17
65+	25	5.4	22	2	2	4	6	9	13	25
GRAND TOTAL	**843**	**4.2**	**23**	**<1**	**1**	**3**	**5**	**7**	**9**	**16**

327: Miscellaneous congenital anomalies of musculoskeletal system and generalized congenital anomalies (754.0-754.4; 754.8; 755-759)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	223	2.2	3	<1	<1	2	3	4	6	9
20-34	35	4.9	27	<1	1	3	5	10	15	28
35-49	43	5.5	24	1	1	4	8	11	16	22
50-64	15	4.9	7	1	2	5	7	8	10	10
65+	11	4.1	7	2	2	3	6	8	10	10
B. *Operated*										
0-19 YRS	1424	4.5	21	1	1	3	6	8	11	22
20-34	320	4.3	25	<1	<1	3	5	10	11	21
35-49	178	4.5	18	<1	1	3	6	11	14	18
50-64	75	5.3	24	1	1	4	7	12	16	22
65+	29	6.0	29	1	1	3	8	14	18	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	424	4.5	41	<1	1	3	5	10	15	26
20-34	65	7.0	43	1	2	5	8	11	20	38
35-49	54	5.5	11	2	2	4	7	10	12	18
50-64	73	6.5	80	2	2	5	8	10	13	63
65+	61	8.0	49	1	2	6	10	15	21	39
B. *Operated*										
0-19 YRS	894	7.2	90	1	2	4	8	15	27	58
20-34	167	6.1	38	1	1	4	8	13	17	29
35-49	198	7.5	33	1	2	7	10	15	18	28
50-64	158	7.7	42	2	2	6	10	15	21	31
65+	80	10.1	63	1	2	8	14	20	24	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	327	3.1	10	<1	<1	2	4	7	9	16
B. *Operated*	2026	4.5	22	<1	1	3	6	9	12	22
2. MULTIPLE DX										
A. *Not Operated*	677	5.4	45	1	1	4	7	11	15	30
B. *Operated*	1497	7.3	70	1	2	5	9	15	23	46
1. SINGLE DX	2353	4.3	21	<1	1	3	6	9	11	22
2. MULTIPLE DX	2174	6.7	63	1	1	4	8	14	20	40
A. NOT OPERATED	1004	4.7	35	<1	1	3	6	10	13	26
B. OPERATED	3523	5.7	44	1	1	4	7	12	17	33
TOTAL 0-19 YRS	2965	5.1	46	1	1	3	6	10	16	36
20-34	587	5.1	32	<1	<1	3	7	10	15	28
35-49	473	6.0	26	1	1	4	8	12	16	24
50-64	321	6.8	45	1	2	5	8	14	17	28
65+	181	8.4	52	1	2	7	11	18	22	38
GRAND TOTAL	**4527**	**5.5**	**42**	**1**	**1**	**3**	**7**	**11**	**16**	**32**

328: Perinatal conditions causing morbidity and mortality (760-779)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1303	4.4	33	1	1	3	4	10	15	27
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	48	4.7	30	<1	<1	3	6	10	16	28
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1266	11.0	184	1	2	6	13	28	41	70
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	186	22.6	559	1	2	17	41	74	99+	99+
20-34										
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1303	4.4	33	1	1	3	4	10	15	27
B. *Operated*	48	4.7	30	<1	<1	3	6	10	16	28
2. MULTIPLE DX										
A. *Not Operated*	1266	11.0	184	1	2	6	13	28	41	70
B. *Operated*	186	22.6	559	1	2	17	41	74	99+	99+
1. SINGLE DX	1351	4.4	33	1	1	3	4	10	15	27
2. MULTIPLE DX	1452	12.5	247	1	2	6	16	34	53	95
A. NOT OPERATED	2569	7.6	119	1	1	3	8	20	29	59
B. OPERATED	234	18.9	502	<1	1	10	29	70	96	99+
TOTAL 0-19 YRS	2803	8.6	160	1	1	4	9	22	36	75
20-34										
35-49										
50-64										
65+										
GRAND TOTAL	**2803**	**8.6**	**160**	**1**	**1**	**4**	**9**	**22**	**36**	**75**

329: Convulsions (780.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1802	2.6	5	1	1	2	3	4	6	10
20-34	582	3.0	7	1	1	2	3	5	7	11
35-49	313	3.4	7	1	1	3	4	6	8	15
50-64	188	3.8	34	1	1	3	4	6	8	14
65+	196	4.0	11	1	1	3	5	7	9	20
B. *Operated*										
0-19 YRS	19	3.5	6	1	2	3	4	8	9	10
20-34	16	4.6	7	1	2	4	6	9	10	10
35-49	10	5.8	7	3	3	5	9	10	10	10
50-64	9	4.0	4	2	2	4	5	7	8	8
65+	1	2.0		2	2	51	99+	99+	99+	99+
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2565	3.1	11	1	1	2	4	5	8	14
20-34	872	4.4	20	1	1	3	5	9	11	23
35-49	923	4.7	29	1	1	4	6	8	11	23
50-64	1002	5.5	24	1	2	4	7	10	15	28
65+	1520	6.2	29	2	2	5	8	11	15	25
B. *Operated*										
0-19 YRS	86	9.2	110	2	2	5	12	23	27	57
20-34	59	8.6	166	1	2	6	9	11	24	90
35-49	77	8.8	83	1	2	6	11	19	26	54
50-64	88	11.0	133	2	3	7	15	21	32	69
65+	140	11.7	81	3	4	9	15	24	33	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3081	2.9	8	1	1	2	3	5	7	13
B. *Operated*	55	4.3	7	2	2	3	6	9	10	95
2. MULTIPLE DX										
A. *Not Operated*	6882	4.5	22	1	1	3	5	9	12	22
B. *Operated*	450	10.2	109	2	3	7	12	22	29	61
1. SINGLE DX	3136	2.9	8	1	1	2	4	5	7	13
2. MULTIPLE DX	7332	4.9	29	1	1	3	6	10	13	27
A. NOT OPERATED	9963	4.0	18	1	1	3	5	8	11	20
B. OPERATED	505	9.5	101	2	2	6	12	21	28	62
TOTAL 0-19 YRS	4472	3.0	11	1	1	2	3	5	7	15
20-34	1529	4.0	22	1	1	3	5	8	10	22
35-49	1323	4.6	28	1	1	3	5	8	12	25
50-64	1287	5.6	35	1	2	4	6	11	16	31
65+	1857	6.4	33	1	2	5	8	12	16	30
GRAND TOTAL	**10468**	**4.3**	**23**	**1**	**1**	**3**	**5**	**8**	**12**	**24**

330: Pyrexia of unknown origin (780.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	659	2.7	2	1	1	2	3	5	6	8
20-34	116	3.8	7	1	2	3	4	7	10	14
35-49	77	4.4	5	1	2	4	5	8	9	11
50-64	77	4.7	6	2	2	4	6	9	10	12
65+	77	5.3	7	2	2	5	6	9	11	14
B. *Operated*										
0-19 YRS	14	6.7	11	3	4	6	8	12	13	14
20-34	13	8.8	27	3	5	7	11	16	21	22
35-49	8	8.5	12	5	5	8	11	14	14	14
50-64	10	10.0	21	3	3	10	13	16	18	18
65+	3	17.0	252	5	5	11	29	35	35	35
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1258	3.2	5	1	1	3	4	5	7	12
20-34	357	4.4	10	1	2	4	6	8	10	18
35-49	319	5.5	15	2	2	5	7	9	12	23
50-64	484	6.1	15	2	3	5	8	11	13	19
65+	1073	6.8	28	2	3	6	8	12	15	28
B. *Operated*										
0-19 YRS	55	8.4	60	2	3	6	11	15	22	42
20-34	58	9.1	40	2	2	8	13	18	21	28
35-49	58	10.0	55	2	3	7	13	23	26	30
50-64	108	11.5	118	2	3	9	14	21	28	64
65+	164	12.2	63	4	4	11	15	21	30	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1006	3.3	5	1	1	3	4	6	8	11
B. *Operated*	48	8.9	32	3	4	7	11	14	18	35
2. MULTIPLE DX										
A. *Not Operated*	3491	5.0	17	1	2	4	6	9	12	20
B. *Operated*	443	10.9	74	3	3	9	14	20	27	50
1. SINGLE DX	1054	3.6	7	1	1	3	4	7	9	14
2. MULTIPLE DX	3934	5.7	27	1	2	4	7	11	14	28
A. NOT OPERATED	4497	4.7	15	1	2	4	6	9	11	19
B. OPERATED	491	10.7	70	3	3	9	13	20	27	47
TOTAL 0-19 YRS	1986	3.2	7	1	1	3	4	5	7	13
20-34	544	4.9	15	1	2	4	6	9	13	22
35-49	462	5.9	21	2	2	5	7	10	14	27
50-64	679	6.8	35	2	2	5	8	12	16	27
65+	1317	7.4	35	2	3	6	9	13	17	31
GRAND TOTAL	**4988**	**5.3**	**23**	**1**	**2**	**4**	**6**	**10**	**13**	**26**

331: Headache (784.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	268	2.4	3	1	1	2	3	4	5	10
20-34	568	3.3	6	1	1	3	4	6	7	13
35-49	413	3.8	8	1	1	3	5	7	9	15
50-64	159	3.7	8	1	1	3	5	7	9	17
65+	45	3.3	5	1	1	3	4	6	8	11
B. *Operated*										
0-19 YRS	6	2.2	1	1	1	2	3	3	3	3
20-34	40	4.1	7	2	2	3	5	7	8	15
35-49	53	4.0	10	1	1	3	5	8	11	17
50-64	20	4.3	9	1	1	3	5	9	11	12
65+	5	4.2	10	1	1	4	6	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	341	3.1	5	1	1	3	4	6	7	14
20-34	957	4.4	14	1	2	3	5	8	10	19
35-49	864	4.6	11	1	2	4	6	8	10	17
50-64	554	4.7	9	2	2	4	6	8	10	17
65+	419	4.8	10	1	2	4	6	9	11	17
B. *Operated*										
0-19 YRS	19	8.3	91	2	2	4	10	24	31	36
20-34	96	6.6	37	2	2	5	7	11	21	31
35-49	112	7.5	36	2	2	6	9	14	18	35
50-64	82	6.7	26	2	3	5	8	12	18	28
65+	72	7.5	64	2	3	6	9	12	20	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1453	3.3	7	1	1	3	4	6	8	14
B. *Operated*	124	4.0	8	1	2	3	5	8	10	16
2. MULTIPLE DX										
A. *Not Operated*	3135	4.4	11	1	2	4	5	8	10	17
B. *Operated*	381	7.1	42	2	2	5	8	13	19	32
1. SINGLE DX	1577	3.4	7	1	1	3	4	6	8	14
2. MULTIPLE DX	3516	4.7	15	1	2	4	6	9	11	19
A. NOT OPERATED	4588	4.1	10	1	1	3	5	8	10	16
B. OPERATED	505	6.4	36	2	2	5	8	11	18	30
TOTAL 0-19 YRS	634	3.0	7	1	1	2	3	5	7	14
20-34	1661	4.1	13	1	1	3	5	7	10	18
35-49	1442	4.6	13	1	2	4	6	8	11	17
50-64	815	4.7	11	1	2	4	6	8	11	18
65+	541	5.1	18	1	2	4	6	9	12	20
GRAND TOTAL	**5093**	**4.3**	**13**	**1**	**1**	**3**	**5**	**8**	**10**	**18**

332: Epistaxis (784.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	24	2.7	2	<1	<1	3	4	5	5	5
20-34	42	2.7	3	1	1	2	4	5	6	8
35-49	84	3.3	4	1	1	3	5	6	7	9
50-64	111	3.2	4	1	1	3	4	6	7	11
65+	122	3.1	3	<1	1	3	4	5	6	8
B. *Operated*										
0-19 YRS	35	2.5	6	<1	<1	1	3	6	8	11
20-34	39	4.1	6	1	1	3	5	7	10	11
35-49	57	3.8	4	1	1	3	5	7	8	10
50-64	90	4.8	10	1	2	4	6	7	9	21
65+	67	4.9	8	1	2	4	7	9	10	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	46	2.3	3	<1	1	2	3	4	6	7
20-34	41	3.5	3	1	1	3	5	6	7	9
35-49	101	4.1	13	1	1	3	5	7	9	22
50-64	260	4.0	6	1	1	4	5	7	9	14
65+	418	4.1	12	1	1	3	5	8	10	17
B. *Operated*										
0-19 YRS	22	3.3	9	<1	1	2	4	7	11	12
20-34	22	5.1	13	1	1	5	6	10	14	14
35-49	68	5.7	10	2	2	5	7	11	13	16
50-64	119	5.9	11	2	2	5	7	10	13	18
65+	179	6.8	50	1	2	5	8	14	19	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	383	3.1	3	1	1	3	4	5	6	8
B. *Operated*	288	4.3	8	1	1	4	6	7	9	11
2. MULTIPLE DX										
A. *Not Operated*	866	4.0	9	1	1	3	5	7	9	15
B. *Operated*	410	6.1	29	1	2	5	7	11	14	27
1. SINGLE DX	671	3.6	6	1	1	3	5	6	8	11
2. MULTIPLE DX	1276	4.6	17	1	1	4	6	9	11	20
A. NOT OPERATED	1249	3.7	8	1	1	3	5	7	8	14
B. OPERATED	698	5.3	21	1	2	4	6	9	13	22
TOTAL 0-19 YRS	127	2.6	4	<1	<1	2	4	5	6	11
20-34	144	3.7	6	1	1	3	5	6	8	14
35-49	310	4.2	9	1	1	4	5	7	9	16
50-64	580	4.3	8	1	1	4	5	7	9	15
65+	786	4.7	20	1	1	4	5	9	11	22
GRAND TOTAL	**1947**	**4.3**	**13**	**1**	**1**	**4**	**5**	**8**	**10**	**17**

333: Signs and symptons referable to the cardiovascular system, except gangrene (785.0-785.3; 785.5-785.6; 785.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	46	3.1	5	1	1	2	4	6	8	12
20-34	30	2.4	2	<1	1	2	3	5	5	5
35-49	31	3.2	3	1	1	3	4	5	6	7
50-64	25	3.1	6	<1	1	2	3	6	9	11
65+	23	3.7	11	<1	1	2	5	9	12	14
B. *Operated*										
0-19 YRS	176	2.0	2	<1	<1	2	2	4	6	8
20-34	138	2.5	4	<1	<1	2	3	4	7	10
35-49	109	2.4	4	<1	<1	2	3	4	5	11
50-64	72	2.8	6	<1	1	2	3	5	7	15
65+	31	4.3	23	1	1	3	5	9	19	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	92	4.1	39	1	1	2	4	7	17	38
20-34	110	3.7	12	1	1	3	4	7	9	21
35-49	139	4.4	17	1	1	3	5	8	11	23
50-64	185	5.6	27	1	2	4	7	11	12	31
65+	358	7.7	47	2	2	6	10	15	19	34
B. *Operated*										
0-19 YRS	63	3.4	5	1	1	3	5	6	8	12
20-34	100	4.5	15	1	2	3	5	10	12	21
35-49	102	6.6	46	1	2	4	8	15	23	32
50-64	106	8.1	92	1	2	5	9	18	27	52
65+	173	9.8	87	2	2	8	12	21	29	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	155	3.1	5	1	1	2	4	6	7	12
B. *Operated*	526	2.5	5	<1	<1	2	3	4	7	11
2. MULTIPLE DX										
A. *Not Operated*	884	5.9	35	1	2	4	7	13	16	31
B. *Operated*	544	7.1	63	1	2	4	9	16	23	38
1. SINGLE DX	681	2.6	5	<1	<1	2	3	5	7	12
2. MULTIPLE DX	1428	6.4	46	1	2	4	8	14	19	34
A. NOT OPERATED	1039	5.5	32	1	1	4	7	12	15	30
B. OPERATED	1070	4.8	40	<1	1	3	5	11	16	33
TOTAL 0-19 YRS	377	2.9	13	<1	1	2	3	5	7	18
20-34	378	3.4	9	<1	1	2	4	7	9	18
35-49	381	4.3	22	1	1	3	5	8	13	30
50-64	388	5.6	43	1	1	4	6	12	17	35
65+	585	8.0	59	2	2	6	11	16	21	37
GRAND TOTAL	**2109**	**5.1**	**36**	**1**	**1**	**3**	**6**	**12**	**16**	**32**

334: Gangrene (785.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	17.0		17	17	17	17	17	17	17
20-34	3	3.0	4	1	1	3	4	5	5	5
35-49	2	6.0	32	2	2	6	10	10	10	10
50-64	9	3.7	8	1	1	3	5	8	9	9
65+	13	7.9	21	2	3	8	9	16	18	18
B. *Operated*										
0-19 YRS	19	6.3	36	1	1	4	8	16	20	24
20-34	22	5.5	39	1	1	3	6	15	20	26
35-49	23	6.9	48	<1	1	4	10	16	25	26
50-64	48	9.3	65	1	2	8	12	19	23	43
65+	126	11.8	78	3	4	9	14	25	28	47
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	3.0	8	1	1	3	5	5	5	5
20-34	5	8.8	41	4	4	7	10	20	20	20
35-49	12	8.4	32	2	3	7	10	19	20	20
50-64	47	11.6	173	2	3	8	12	27	42	75
65+	222	9.2	62	2	3	8	11	16	21	63
B. *Operated*										
0-19 YRS	24	8.1	90	<1	<1	4	11	21	30	41
20-34	53	13.7	125	2	3	12	21	30	37	40
35-49	123	16.8	210	2	3	12	23	40	48	63
50-64	348	18.3	188	3	6	15	22	35	49	68
65+	1287	16.7	151	4	6	14	21	33	42	78
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	28	6.2	22	1	1	5	9	14	17	18
B. *Operated*	238	9.8	70	1	2	8	12	22	26	43
2. MULTIPLE DX										
A. *Not Operated*	288	9.5	78	2	3	7	11	17	21	68
B. *Operated*	1835	16.8	162	3	5	14	21	33	43	75
1. SINGLE DX	266	9.4	66	1	2	8	12	20	26	42
2. MULTIPLE DX	2123	15.8	157	3	5	13	20	32	42	75
A. NOT OPERATED	316	9.2	74	2	2	7	11	17	21	63
B. OPERATED	2073	16.0	156	3	4	13	20	32	42	68
TOTAL 0-19 YRS	46	7.3	64	<1	1	4	10	17	24	41
20-34	83	10.8	107	1	2	6	16	27	33	40
35-49	160	14.6	186	2	2	10	19	34	45	62
50-64	452	16.4	183	2	4	13	21	32	45	68
65+	1648	15.2	140	3	5	12	19	30	41	76
GRAND TOTAL	**2389**	**15.1**	**150**	**2**	**4**	**12**	**19**	**30**	**41**	**68**

335: Chest pain (786.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	84	2.6	3	1	1	2	3	5	7	7
20-34	652	2.8	3	1	1	2	3	5	6	9
35-49	1661	2.9	4	1	1	2	4	5	6	10
50-64	1129	3.2	4	1	1	3	4	6	7	10
65+	462	3.3	5	1	1	3	4	6	7	13
B. *Operated*										
0-19 YRS	2	3.0	8	1	1	3	5	5	5	5
20-34	65	3.2	6	2	2	2	3	7	8	14
35-49	473	2.8	3	1	2	2	3	5	7	9
50-64	429	2.9	4	1	2	2	3	5	7	10
65+	84	3.1	5	1	2	2	4	6	8	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	135	2.9	3	1	1	3	4	5	6	8
20-34	1283	3.3	4	1	1	3	4	6	7	10
35-49	4656	3.7	6	1	1	3	5	7	8	13
50-64	5679	4.0	7	1	2	3	5	7	9	13
65+	4541	4.6	12	1	2	4	6	8	10	16
B. *Operated*										
0-19 YRS	14	4.6	41	<1	1	3	5	8	22	26
20-34	175	5.2	23	1	2	4	7	12	14	25
35-49	1137	4.3	12	2	2	3	5	9	11	16
50-64	1569	4.5	15	2	2	3	6	9	11	20
65+	650	5.8	25	2	2	4	8	12	15	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3988	3.0	4	1	1	3	4	5	7	10
B. *Operated*	1053	2.9	4	1	2	2	3	5	7	10
2. MULTIPLE DX										
A. *Not Operated*	16294	4.0	8	1	2	3	5	7	9	14
B. *Operated*	3545	4.7	16	2	2	3	6	9	12	20
1. SINGLE DX	5041	3.0	4	1	1	2	4	5	7	10
2. MULTIPLE DX	19839	4.1	10	1	2	3	5	8	9	15
A. NOT OPERATED	20282	3.8	7	1	1	3	5	7	8	13
B. OPERATED	4598	4.3	14	2	2	3	5	9	11	19
TOTAL 0-19 YRS	235	2.9	5	1	1	2	4	5	6	8
20-34	2175	3.3	6	1	1	3	4	6	8	13
35-49	7927	3.6	7	1	1	3	4	7	8	13
50-64	8806	4.0	8	1	2	3	5	7	9	14
65+	5737	4.6	13	1	2	4	6	8	10	17
GRAND TOTAL	**24880**	**3.9**	**9**	**1**	**2**	**3**	**5**	**7**	**9**	**15**

336: Other signs and symptons referable to respiratory system and chest (786.0-786.4; 786.6-786.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	532	3.0	8	1	1	2	4	6	7	12
20-34	37	2.7	4	<1	1	2	4	6	7	10
35-49	53	2.3	2	<1	<1	2	3	4	4	8
50-64	63	3.0	6	<1	1	3	4	5	7	14
65+	69	4.4	11	<1	1	3	6	9	11	16
B. *Operated*										
0-19 YRS	37	2.8	6	1	1	2	3	7	8	11
20-34	31	4.0	7	1	2	3	5	8	10	12
35-49	73	3.0	6	<1	1	2	4	5	7	14
50-64	95	3.7	9	1	1	3	5	8	10	14
65+	81	4.3	23	<1	1	3	5	8	14	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	692	4.2	16	1	1	3	5	8	11	21
20-34	175	3.3	4	1	1	3	4	6	7	10
35-49	279	4.5	11	1	1	4	6	9	11	17
50-64	680	5.8	28	1	2	5	7	11	14	26
65+	1332	6.6	35	1	2	5	8	12	16	29
B. *Operated*										
0-19 YRS	88	6.2	35	1	2	4	9	13	19	30
20-34	66	5.8	30	1	1	4	7	12	17	27
35-49	172	4.5	10	1	1	4	6	8	11	14
50-64	396	6.3	54	1	2	4	8	13	17	32
65+	488	7.8	73	1	2	6	9	15	19	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	754	3.0	8	1	1	2	4	6	8	12
B. *Operated*	317	3.6	12	1	1	3	4	7	10	17
2. MULTIPLE DX										
A. *Not Operated*	3158	5.5	27	1	1	4	7	11	14	26
B. *Operated*	1210	6.6	54	1	2	5	8	13	17	33
1. SINGLE DX	1071	3.2	9	1	1	2	4	7	8	14
2. MULTIPLE DX	4368	5.8	35	1	2	4	7	11	15	28
A. NOT OPERATED	3912	5.0	24	1	1	4	6	10	13	24
B. OPERATED	1527	6.0	47	1	1	4	7	12	16	30
TOTAL 0-19 YRS	1349	3.8	14	1	1	3	5	7	10	19
20-34	309	3.8	11	1	1	3	5	7	10	18
35-49	577	4.1	10	1	1	3	5	8	10	16
50-64	1234	5.6	35	1	1	4	7	11	15	28
65+	1970	6.7	44	1	2	5	8	13	16	31
GRAND TOTAL	**5439**	**5.3**	**31**	**1**	**1**	**4**	**7**	**11**	**14**	**27**

337: Signs and symptoms referable to urinary system (788)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	81	1.9	2	<1	1	2	2	3	5	7
20-34	251	2.1	2	<1	1	2	3	4	5	7
35-49	281	1.9	2	<1	1	2	2	3	4	7
50-64	137	2.1	2	1	1	2	3	4	5	7
65+	62	3.0	6	1	1	3	4	4	5	17
B. *Operated*										
0-19 YRS	102	1.6	1	<1	1	1	2	3	3	6
20-34	58	3.6	5	<1	1	3	5	7	8	10
35-49	55	4.0	9	1	1	3	5	8	9	17
50-64	46	4.9	11	1	1	4	7	10	11	12
65+	72	4.5	8	1	1	4	6	9	10	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	102	2.6	4	1	1	2	3	5	7	10
20-34	251	2.7	4	1	1	2	3	5	7	12
35-49	314	3.1	7	1	1	2	4	6	8	15
50-64	335	3.7	12	1	1	3	5	7	8	15
65+	672	6.0	37	1	2	4	7	11	15	34
B. *Operated*										
0-19 YRS	173	3.0	12	<1	1	2	3	7	8	22
20-34	112	5.2	13	2	2	5	7	9	11	19
35-49	158	6.0	18	1	2	5	8	12	13	23
50-64	241	7.0	25	2	2	6	9	13	17	25
65+	653	8.2	35	2	3	7	10	14	19	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	812	2.1	2	<1	1	2	3	4	5	8
B. *Operated*	333	3.4	7	<1	1	2	5	7	9	12
2. MULTIPLE DX										
A. *Not Operated*	1674	4.3	21	1	1	3	5	8	11	22
B. *Operated*	1337	6.8	29	1	2	6	9	13	17	25
1. SINGLE DX	1145	2.5	4	<1	1	2	3	5	7	10
2. MULTIPLE DX	3011	5.4	26	1	1	4	7	11	14	25
A. NOT OPERATED	2486	3.6	16	1	1	3	4	7	9	18
B. OPERATED	1670	6.1	27	1	1	5	8	12	15	24
TOTAL 0-19 YRS	458	2.4	6	<1	1	2	3	5	7	13
20-34	672	3.0	6	<1	1	2	4	6	8	12
35-49	808	3.3	9	1	1	2	4	7	9	16
50-64	759	4.5	17	1	1	3	6	9	12	21
65+	1459	6.8	35	1	2	5	8	13	17	32
GRAND TOTAL	**4156**	**4.6**	**22**	**1**	**1**	**3**	**6**	**10**	**13**	**23**

338: Abdominal pain (789.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1862	2.3	2	1	1	2	3	4	5	8
20-34	1786	2.8	3	1	1	2	4	5	6	9
35-49	1057	3.2	4	1	1	3	4	6	7	10
50-64	587	3.5	5	1	1	3	4	6	8	10
65+	371	3.8	5	1	1	3	5	7	8	11
B. *Operated*										
0-19 YRS	213	3.5	4	1	2	3	4	6	8	9
20-34	345	4.0	9	1	1	3	5	7	9	16
35-49	168	4.7	17	1	1	4	6	9	11	28
50-64	94	5.4	17	1	2	4	7	10	13	21
65+	37	6.2	28	1	2	5	8	14	19	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1566	2.7	4	1	1	2	3	5	6	10
20-34	2434	3.4	6	1	1	3	4	6	8	13
35-49	2055	4.1	7	1	2	3	5	8	10	13
50-64	1924	4.5	9	1	2	4	6	8	10	15
65+	2545	5.1	15	1	2	4	6	9	12	19
B. *Operated*										
0-19 YRS	204	4.9	27	1	2	4	6	9	10	20
20-34	662	5.3	13	1	2	5	7	9	13	18
35-49	497	7.0	26	1	2	6	9	13	17	29
50-64	417	7.6	45	2	3	6	9	14	18	26
65+	386	8.2	36	2	2	7	10	17	20	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5663	2.9	4	1	1	2	4	5	7	9
B. *Operated*	857	4.3	11	1	1	3	5	8	10	19
2. MULTIPLE DX										
A. *Not Operated*	10524	4.1	9	1	1	3	5	7	9	15
B. *Operated*	2166	6.6	29	1	2	5	8	12	16	26
1. SINGLE DX	6520	3.0	5	1	1	2	4	6	7	11
2. MULTIPLE DX	12690	4.5	14	1	1	4	6	8	11	18
A. NOT OPERATED	16187	3.6	8	1	1	3	5	7	8	14
B. OPERATED	3023	6.0	25	1	2	5	8	11	15	23
TOTAL 0-19 YRS	3845	2.7	5	1	1	2	3	5	6	9
20-34	5227	3.5	7	1	1	3	4	6	8	14
35-49	3777	4.3	11	1	1	3	5	8	10	16
50-64	3022	4.8	15	1	2	4	6	9	11	18
65+	3339	5.3	17	1	2	4	7	10	13	21
GRAND TOTAL	**19210**	**4.0**	**11**	**1**	**1**	**3**	**5**	**8**	**10**	**16**

339: Other signs and symptoms referable to GI tract and abdomen (787; 789.1-789.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	191	2.8	4	1	1	2	4	5	6	11
20-34	124	3.0	5	<1	1	3	4	5	7	12
35-49	91	2.7	4	1	1	2	4	6	6	10
50-64	77	4.1	13	1	1	3	5	9	11	21
65+	98	3.8	8	1	1	3	5	6	8	18
B. *Operated*										
0-19 YRS	36	3.3	7	1	1	3	4	6	8	14
20-34	39	3.9	9	<1	1	3	5	8	10	14
35-49	41	5.7	30	<1	1	5	7	12	15	30
50-64	34	4.6	15	<1	1	3	6	11	14	14
65+	25	4.2	17	<1	<1	3	6	7	13	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	676	3.2	8	1	1	2	4	6	8	17
20-34	482	3.7	23	1	1	3	4	6	8	13
35-49	504	4.9	19	1	1	4	6	10	14	21
50-64	785	5.4	17	1	2	4	7	10	13	21
65+	1437	5.9	21	1	2	5	7	11	14	21
B. *Operated*										
0-19 YRS	84	7.5	49	1	1	6	10	15	18	40
20-34	133	5.6	12	1	2	5	7	10	12	16
35-49	157	6.8	23	1	2	6	9	14	16	22
50-64	217	8.2	53	1	2	6	11	19	24	32
65+	325	9.3	72	2	2	7	11	20	25	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	581	3.2	6	1	1	3	4	6	8	12
B. *Operated*	175	4.4	16	<1	1	3	6	9	13	19
2. MULTIPLE DX										
A. *Not Operated*	3884	4.9	19	1	1	4	6	10	13	20
B. *Operated*	916	7.9	50	1	2	6	10	16	22	34
1. SINGLE DX	756	3.5	9	1	1	3	4	7	9	15
2. MULTIPLE DX	4800	5.5	26	1	1	4	7	11	15	25
A. NOT OPERATED	4465	4.7	18	1	1	4	6	9	12	20
B. OPERATED	1091	7.4	46	1	2	6	9	16	20	32
TOTAL 0-19 YRS	987	3.5	12	1	1	3	4	7	9	18
20-34	778	3.9	18	1	1	3	5	7	9	15
35-49	793	5.0	20	1	1	4	6	10	14	21
50-64	1113	5.9	25	1	2	4	8	12	16	27
65+	1885	6.3	31	1	2	5	8	13	17	28
GRAND TOTAL	**5556**	**5.2**	**24**	**1**	**1**	**4**	**6**	**10**	**14**	**24**

340: Miscellaneous signs, symptoms, and ill-defined conditions (780.0-780.2; 780.4-780.5; 780.7-780.9; 781-783; 784.1-784.6; 784.8-784.9; 790-799)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1248	3.3	10	1	1	2	4	6	8	17
20-34	651	3.0	6	<1	1	2	4	5	7	13
35-49	673	3.2	8	1	1	3	4	6	7	15
50-64	745	3.7	11	1	1	3	4	7	9	18
65+	779	4.5	17	1	1	3	5	9	12	21
B. *Operated*										
0-19 YRS	139	3.8	52	<1	1	2	4	8	12	76
20-34	153	3.2	6	1	1	2	4	7	8	13
35-49	186	3.8	22	1	1	2	4	8	10	32
50-64	182	3.5	16	<1	1	2	4	6	9	18
65+	136	4.1	16	1	2	3	5	9	14	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2036	4.5	26	1	1	3	5	9	13	25
20-34	1561	3.9	15	1	1	3	5	7	9	18
35-49	2283	4.4	13	1	1	4	5	8	10	19
50-64	4546	5.9	27	1	2	5	7	11	15	26
65+	10360	6.5	30	2	2	5	8	12	16	28
B. *Operated*										
0-19 YRS	245	8.4	129	1	1	4	10	23	31	83
20-34	303	5.5	32	1	2	4	7	11	13	39
35-49	455	5.8	30	1	2	4	8	11	16	29
50-64	843	9.5	117	2	2	6	11	20	29	65
65+	1429	10.7	128	2	2	7	13	21	31	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4096	3.5	11	1	1	3	4	7	9	17
B. *Operated*	796	3.7	22	1	1	2	4	7	10	21
2. MULTIPLE DX										
A. *Not Operated*	20786	5.8	27	1	2	4	7	11	15	26
B. *Operated*	3275	9.0	106	1	2	6	11	19	27	62
1. SINGLE DX	4892	3.5	13	1	1	3	4	7	9	18
2. MULTIPLE DX	24061	6.2	39	1	2	4	7	12	17	31
A. NOT OPERATED	24882	5.4	25	1	2	4	7	10	14	25
B. OPERATED	4071	8.0	94	1	2	5	9	17	25	58
TOTAL 0-19 YRS	3668	4.3	30	1	1	3	5	8	12	29
20-34	2668	3.8	15	1	1	3	5	7	9	18
35-49	3597	4.3	15	1	1	3	5	8	11	20
50-64	6316	6.0	39	1	2	4	7	12	16	31
65+	12704	6.8	42	2	2	5	8	13	18	32
GRAND TOTAL	**28953**	**5.8**	**35**	**1**	**2**	**4**	**7**	**11**	**16**	**30**

341: Fracture of vault of skull (800; 803)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	314	2.0	3	<1	1	1	2	4	6	9
20-34	40	3.6	6	1	1	3	5	7	8	9
35-49	11	5.4	42	<1	<1	2	10	15	21	21
50-64	10	7.0	60	2	2	3	8	20	25	25
65+	4	2.5	6	<1	<1	1	4	6	6	6
B. *Operated*										
0-19 YRS	69	5.1	9	2	2	5	6	8	10	16
20-34	24	6.3	49	<1	1	5	7	14	23	32
35-49	10	9.4	30	3	3	9	11	18	21	21
50-64	3	5.7	30	2	2	3	10	12	12	12
65+	2	19.0	2	18	18	19	20	20	20	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	203	3.5	15	1	1	2	4	7	12	20
20-34	68	5.9	36	1	1	4	8	15	19	88
35-49	32	7.4	61	<1	1	5	9	18	27	35
50-64	35	6.1	29	1	1	4	8	14	20	22
65+	14	5.4	44	1	1	3	6	13	23	26
B. *Operated*										
0-19 YRS	95	12.4	290	1	2	7	14	43	64	99+
20-34	82	14.8	279	1	1	9	17	39	70	92
35-49	36	13.8	196	1	4	10	15	23	48	70
50-64	26	12.9	299	1	2	8	22	69	99+	99+
65+	23	22.4	372	3	7	15	31	41	64	89
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	379	2.4	7	1	1	2	3	5	7	12
B. *Operated*	108	6.0	24	1	2	5	7	12	16	26
2. MULTIPLE DX										
A. *Not Operated*	352	4.7	27	1	1	3	6	10	17	28
B. *Operated*	262	14.3	285	1	2	8	17	39	69	99+
1. SINGLE DX	487	3.2	13	1	1	2	4	7	9	20
2. MULTIPLE DX	614	8.8	159	1	1	5	10	21	38	98
A. NOT OPERATED	731	3.5	18	1	1	2	4	8	11	23
B. OPERATED	370	11.9	222	1	2	7	14	31	50	99+
TOTAL 0-19 YRS	681	4.2	58	1	1	2	5	8	14	52
20-34	214	8.9	146	1	1	5	10	19	38	84
35-49	89	9.9	118	1	1	8	12	20	28	62
50-64	74	8.6	134	1	2	5	9	23	34	99+
65+	43	14.9	286	<1	1	9	21	33	43	89
GRAND TOTAL	**1101**	**6.3**	**102**	**1**	**1**	**3**	**7**	**14**	**23**	**74**

342: Fracture of base of skull (801)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	151	2.4	4	<1	1	2	3	5	8	9
20-34	36	5.1	19	1	1	4	6	11	11	23
35-49	11	3.4	4	1	1	3	5	6	7	7
50-64	5	7.4	2	5	5	8	8	9	9	9
65+	8	7.6	43	<1	1	6	13	17	18	18
B. *Operated*										
0-19 YRS	20	4.1	9	1	1	3	5	9	11	11
20-34	19	12.3	307	1	2	5	11	41	59	64
35-49	7	5.4	7	2	2	6	8	9	9	9
50-64	4	11.8	84	3	3	10	18	24	24	24
65+	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	142	5.3	39	1	1	3	6	13	16	31
20-34	114	7.2	115	1	1	4	7	16	28	59
35-49	44	6.4	34	1	1	5	9	12	17	31
50-64	24	8.0	40	2	3	5	12	18	22	22
65+	42	9.1	51	1	2	7	12	22	24	25
B. *Operated*										
0-19 YRS	69	13.2	257	1	2	7	18	32	51	75
20-34	82	17.5	377	1	2	11	23	51	71	96
35-49	36	10.2	107	1	2	7	13	20	31	56
50-64	17	22.8	691	2	3	10	26	76	81	82
65+	17	10.9	79	2	2	8	20	27	71	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	211	3.2	10	<1	1	2	4	8	10	16
B. *Operated*	51	7.9	135	1	1	5	8	17	24	64
2. MULTIPLE DX										
A. *Not Operated*	366	6.6	65	1	1	4	8	15	22	39
B. *Operated*	221	14.9	304	1	2	8	20	38	63	91
1. SINGLE DX	262	4.1	37	1	1	2	5	8	11	24
2. MULTIPLE DX	587	9.7	171	1	1	5	11	23	35	79
A. NOT OPERATED	577	5.4	47	1	1	3	7	11	18	31
B. OPERATED	272	13.6	280	1	2	7	18	34	58	87
TOTAL 0-19 YRS	382	5.5	77	1	1	3	6	12	21	50
20-34	251	10.7	225	1	2	5	11	28	47	85
35-49	98	7.4	61	1	1	6	9	14	20	46
50-64	50	13.3	299	2	3	8	14	25	63	82
65+	68	9.3	56	1	2	7	15	23	25	86
GRAND TOTAL	**849**	**8.0**	**136**	**1**	**1**	**4**	**9**	**20**	**28**	**72**

343: Fracture of face bones (802)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	34	1.6	1	<1	<1	1	2	3	4	5
20-34	58	2.2	3	<1	<1	1	3	5	6	8
35-49	15	2.3	7	1	1	1	2	7	9	10
50-64	8	2.8	3	1	1	2	4	5	6	6
65+	5	1.8	1	1	1	2	2	3	3	3
B. *Operated*										
0-19 YRS	567	2.1	3	<1	<1	2	3	4	5	9
20-34	755	2.7	4	<1	1	2	3	5	6	10
35-49	243	3.1	7	<1	1	2	4	6	8	13
50-64	69	3.0	4	<1	1	2	4	5	6	10
65+	36	3.3	2	1	2	3	4	6	6	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	82	1.9	1	<1	1	2	2	3	5	6
20-34	130	2.5	4	<1	<1	2	3	5	6	10
35-49	80	4.0	35	<1	1	3	5	7	10	40
50-64	62	4.8	24	1	1	3	6	10	14	26
65+	92	5.8	27	1	2	5	7	10	12	32
B. *Operated*										
0-19 YRS	617	3.6	11	1	1	2	4	7	10	17
20-34	1088	4.5	23	1	1	3	5	8	12	28
35-49	397	5.5	40	1	2	4	7	10	14	37
50-64	178	6.8	62	1	2	4	7	14	21	39
65+	154	8.5	126	1	2	4	11	17	27	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	120	2.0	3	<1	<1	1	2	5	6	9
B. *Operated*	1670	2.6	4	<1	1	2	3	5	6	11
2. MULTIPLE DX										
A. *Not Operated*	446	3.7	18	<1	1	2	4	7	9	19
B. *Operated*	2434	4.8	34	1	1	3	6	9	14	34
1. SINGLE DX	1790	2.5	4	<1	<1	2	3	5	6	11
2. MULTIPLE DX	2880	4.7	32	1	1	3	5	9	13	31
A. NOT OPERATED	566	3.3	16	<1	1	2	4	7	9	18
B. OPERATED	4104	3.9	23	<1	1	3	4	8	11	26
TOTAL 0-19 YRS	1300	2.8	7	<1	1	2	3	5	8	12
20-34	2031	3.6	15	1	1	3	4	7	9	20
35-49	735	4.5	29	1	1	3	5	9	11	34
50-64	317	5.5	43	1	1	4	6	11	15	37
65+	287	6.8	80	1	2	4	8	15	19	43
GRAND TOTAL	**4670**	**3.8**	**22**	**<1**	**1**	**3**	**4**	**8**	**10**	**25**

344: Fracture of vertebral column without mention of spinal cord injury (805)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	176	4.2	11	<1	1	3	6	8	11	18
20-34	396	5.3	28	1	1	4	6	10	13	22
35-49	219	5.4	12	1	2	5	7	10	12	16
50-64	203	6.2	13	1	2	6	8	11	12	16
65+	350	7.9	25	2	3	7	10	14	17	23
B. *Operated*										
0-19 YRS	23	11.2	59	1	3	10	15	25	27	28
20-34	65	10.4	58	3	4	8	12	20	25	47
35-49	30	14.1	348	2	2	7	15	30	44	97
50-64	12	8.2	17	2	3	8	10	15	16	16
65+	17	11.9	30	6	6	11	15	18	23	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	164	5.5	31	1	1	4	6	11	14	37
20-34	408	6.3	32	1	2	5	8	12	15	31
35-49	319	7.2	38	2	2	6	9	13	16	37
50-64	509	8.3	33	2	3	7	11	15	19	29
65+	2026	9.7	38	3	4	8	12	17	21	32
B. *Operated*										
0-19 YRS	71	14.3	233	2	3	8	18	35	43	76
20-34	170	14.6	236	2	3	9	18	33	48	88
35-49	90	12.8	115	2	3	10	16	31	42	99+
50-64	77	13.2	102	3	3	11	18	29	39	86
65+	201	17.6	222	5	6	14	21	30	39	88
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1344	6.0	22	1	2	5	8	11	14	21
B. *Operated*	147	11.3	111	2	4	8	14	21	28	51
2. MULTIPLE DX										
A. *Not Operated*	3426	8.6	38	2	3	7	11	16	20	32
B. *Operated*	609	15.1	199	3	4	11	19	31	43	90
1. SINGLE DX	1491	6.5	33	1	2	5	8	12	15	27
2. MULTIPLE DX	4035	9.6	68	2	3	8	12	18	24	43
A. NOT OPERATED	4770	7.9	35	2	2	7	10	15	18	30
B. OPERATED	756	14.4	184	2	4	10	18	29	40	89
TOTAL 0-19 YRS	434	6.7	71	1	1	4	8	14	21	43
20-34	1039	7.5	76	1	2	5	9	14	21	51
35-49	658	7.7	60	1	2	6	9	14	21	44
50-64	801	8.3	38	2	3	7	10	15	19	32
65+	2594	10.1	55	3	4	8	12	18	22	35
GRAND TOTAL	**5526**	**8.8**	**60**	**2**	**2**	**7**	**11**	**16**	**22**	**39**

345: Fracture of vertebral column with cord injury (806)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	8.2	61	1	1	5	10	22	23	23
20-34	10	7.0	98	<1	<1	2	9	24	31	31
35-49	5	4.0	32	1	1	2	5	14	14	14
50-64	6	6.7	45	2	2	4	6	19	20	20
65+	5	10.6	273	1	1	3	14	40	40	40
B. *Operated*										
0-19 YRS	8	12.5	86	1	2	10	18	27	30	30
20-34	19	29.3	420	3	6	23	39	64	70	74
35-49	10	23.2	352	4	5	24	39	77	98	99+
50-64	2	38.0	2048	6	6	38	70	70	70	70
65+	2	9.5	1	9	9	9	10	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	12.3	324	1	1	4	17	44	47	47
20-34	9	8.1	41	2	3	5	12	19	20	20
35-49	5	17.6	296	1	1	17	30	42	42	42
50-64	6	9.8	88	3	3	7	11	26	28	28
65+	25	8.6	26	2	3	7	12	16	17	20
B. *Operated*										
0-19 YRS	25	27.0	247	9	12	23	37	61	79	99+
20-34	51	31.9	500	5	9	29	58	97	99+	99+
35-49	27	31.1	484	7	9	24	46	71	86	99+
50-64	9	17.9	163	<1	<1	19	23	36	43	43
65+	11	30.7	685	1	5	29	36	69	94	96
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	32	7.3	88	1	1	4	8	21	30	40
B. *Operated*	41	24.0	395	3	5	19	36	63	72	99+
2. MULTIPLE DX										
A. *Not Operated*	51	10.0	92	1	2	7	14	20	28	47
B. *Operated*	123	29.6	438	4	9	24	45	78	99+	99+
1. SINGLE DX	73	16.7	327	1	1	9	24	41	65	94
2. MULTIPLE DX	174	23.8	416	2	4	20	35	68	90	99+
A. NOT OPERATED	83	8.9	91	1	1	5	12	20	29	45
B. OPERATED	164	28.2	430	4	7	23	41	73	99	99+
TOTAL 0-19 YRS	45	20.0	257	1	2	19	27	43	65	99+
20-34	89	26.2	480	1	2	22	42	78	99+	99+
35-49	47	25.1	447	1	2	22	40	68	86	99+
50-64	23	14.6	260	1	2	7	21	31	52	70
65+	43	14.5	297	1	3	9	16	35	44	96
GRAND TOTAL	**247**	**21.7**	**399**	**1**	**2**	**18**	**33**	**63**	**79**	**99+**

346: Fracture of ribs, sternum, larynx and trachea (807)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	22	2.1	3	<1	1	2	2	4	6	8
20-34	52	2.5	2	1	1	2	3	4	6	7
35-49	71	3.8	5	1	1	4	5	7	8	11
50-64	82	3.8	5	1	2	3	5	6	7	14
65+	99	4.8	8	1	1	4	7	9	10	12
B. *Operated*										
0-19 YRS										
20-34	4	3.0	8	1	1	2	5	7	7	7
35-49	4	9.5	12	6	6	9	12	14	14	14
50-64	1	18.0		18	18	18	18	18	18	18
65+	2	42.0	2178	9	9	42	75	75	75	75
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	77	4.2	35	1	1	3	4	7	10	38
20-34	263	3.9	8	1	1	3	5	8	9	14
35-49	359	4.9	14	1	1	4	6	9	12	19
50-64	483	5.6	20	1	2	5	7	11	13	22
65+	1156	7.4	34	2	2	6	9	14	18	31
B. *Operated*										
0-19 YRS	30	8.6	75	1	2	5	11	22	30	36
20-34	105	9.2	55	2	3	7	13	20	24	35
35-49	121	8.8	47	2	2	7	11	17	24	60
50-64	114	11.7	110	2	3	8	15	27	34	77
65+	149	14.3	143	3	4	11	17	32	38	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	326	3.8	6	1	1	3	5	7	8	11
B. *Operated*	11	13.8	439	1	1	8	13	41	72	75
2. MULTIPLE DX										
A. *Not Operated*	2338	6.1	27	1	2	5	8	12	15	26
B. *Operated*	519	11.1	96	2	3	8	14	25	33	49
1. SINGLE DX	337	4.1	22	1	1	3	5	8	9	14
2. MULTIPLE DX	2857	7.0	43	1	2	5	9	14	19	36
A. NOT OPERATED	2664	5.9	25	1	2	5	7	11	14	25
B. OPERATED	530	11.1	103	2	3	8	14	25	33	53
TOTAL 0-19 YRS	129	4.8	43	1	1	3	5	9	13	37
20-34	424	5.1	25	1	1	3	6	10	14	26
35-49	555	5.6	23	1	1	5	7	11	15	24
50-64	680	6.5	40	1	2	5	8	13	17	35
65+	1406	8.0	52	2	2	6	9	15	20	38
GRAND TOTAL	**3194**	**6.7**	**42**	**1**	**2**	**5**	**8**	**13**	**18**	**36**

347: Fracture of pelvis (808)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	89	4.4	11	1	1	3	5	9	13	15
20-34	91	7.5	56	2	2	6	9	14	21	46
35-49	41	7.6	37	1	2	6	9	15	19	32
50-64	54	8.7	41	2	3	7	10	19	23	29
65+	256	9.1	31	2	3	8	12	17	20	26
B. *Operated*										
0-19 YRS	10	14.8	334	1	1	7	13	48	49	49
20-34	8	18.6	288	2	2	16	22	46	56	56
35-49	3	32.3	401	17	17	25	47	55	55	55
50-64	2	15.0	98	8	8	15	22	22	22	22
65+	4	16.0	17	12	12	16	19	20	20	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	115	6.3	19	1	2	5	8	13	15	22
20-34	180	10.3	82	1	2	8	12	21	32	45
35-49	125	12.6	145	3	4	9	15	25	38	65
50-64	144	12.5	106	3	4	10	15	25	30	54
65+	1147	11.9	62	3	4	10	15	21	26	42
B. *Operated*										
0-19 YRS	57	21.2	326	2	3	16	30	51	60	69
20-34	117	28.1	386	4	6	23	44	56	61	91
35-49	70	27.0	315	5	8	21	41	50	71	96
50-64	59	30.8	548	5	8	25	49	71	85	99
65+	155	24.5	334	7	8	18	31	52	61	86
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	531	7.9	36	2	2	6	10	15	20	29
B. *Operated*	27	18.1	259	1	2	13	22	49	55	56
2. MULTIPLE DX										
A. *Not Operated*	1711	11.4	73	3	4	10	14	21	27	45
B. *Operated*	458	26.2	375	4	7	20	39	54	64	90
1. SINGLE DX	558	8.4	51	2	2	7	11	17	21	43
2. MULTIPLE DX	2169	14.6	173	3	4	11	17	30	45	70
A. NOT OPERATED	2242	10.6	67	2	3	9	13	20	25	43
B. OPERATED	485	25.8	372	4	7	20	38	54	64	90
TOTAL 0-19 YRS	271	9.1	133	1	2	5	10	20	36	60
20-34	396	15.1	243	2	3	9	18	42	50	64
35-49	239	16.2	234	3	4	11	21	41	50	75
50-64	259	15.9	259	3	3	11	19	36	51	87
65+	1562	12.7	100	3	4	10	15	22	30	54
GRAND TOTAL	2727	13.3	154	2	3	10	16	27	41	64

348: Fracture of humerus (812)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	163	2.6	15	<1	1	1	2	6	11	22
20-34	43	2.2	5	<1	<1	1	3	4	5	14
35-49	25	3.6	5	<1	1	4	5	6	8	10
50-64	54	3.3	8	1	1	3	5	6	8	18
65+	171	4.2	14	1	1	3	5	8	12	20
B. *Operated*										
0-19 YRS	1034	3.3	15	1	1	2	3	7	12	19
20-34	119	4.1	25	1	1	3	5	7	9	31
35-49	95	4.3	13	1	1	3	5	8	9	22
50-64	124	5.6	48	1	1	4	7	11	15	44
65+	189	5.9	38	1	1	4	7	11	17	36
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	65	4.0	13	1	1	3	5	9	11	18
20-34	48	5.4	27	1	1	4	6	12	17	26
35-49	34	5.1	28	1	1	4	6	8	14	30
50-64	137	6.0	37	1	2	4	7	12	19	31
65+	620	7.0	31	2	2	5	8	14	18	28
B. *Operated*										
0-19 YRS	222	5.9	43	1	1	4	7	14	20	33
20-34	170	8.6	79	1	2	5	10	20	31	37
35-49	102	8.0	74	1	2	5	9	20	30	40
50-64	183	10.0	109	2	3	6	11	22	31	71
65+	478	10.5	87	2	2	8	13	20	28	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	456	3.3	13	<1	1	2	4	7	10	18
B. *Operated*	1561	3.9	22	1	1	2	4	8	13	22
2. MULTIPLE DX										
A. *Not Operated*	904	6.5	31	1	2	5	8	13	17	29
B. *Operated*	1155	9.0	82	1	2	6	11	19	28	46
1. SINGLE DX	2017	3.8	20	1	1	2	4	8	12	21
2. MULTIPLE DX	2059	7.9	61	1	2	5	10	16	23	41
A. NOT OPERATED	1360	5.4	27	1	1	4	7	11	15	27
B. OPERATED	2716	6.1	54	1	1	4	7	14	20	37
TOTAL 0-19 YRS	1484	3.7	20	1	1	2	4	8	13	22
20-34	380	6.1	53	1	1	4	7	13	21	35
35-49	256	5.8	42	1	1	4	6	11	20	34
50-64	498	7.1	68	1	1	5	8	15	22	47
65+	1458	7.7	53	1	2	6	9	15	20	38
GRAND TOTAL	4076	5.9	45	1	1	4	7	13	19	34

349: Fracture of radius and ulna (813)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	76	1.3	1	<1	1	1	1	2	3	5
20-34	44	2.0	1	<1	<1	2	3	4	4	5
35-49	20	2.3	4	<1	<1	1	3	5	6	8
50-64	28	2.1	3	<1	1	2	2	5	5	7
65+	25	4.0	29	<1	1	2	3	11	17	24
B. *Operated*										
0-19 YRS	1567	1.8	2	<1	1	1	2	3	4	7
20-34	521	3.1	7	1	1	3	4	5	7	13
35-49	344	2.9	7	1	1	2	4	5	7	10
50-64	433	2.7	4	1	1	2	3	5	6	10
65+	403	3.1	7	1	1	2	4	5	8	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	47	2.7	9	1	1	2	3	5	10	18
20-34	64	3.8	36	<1	<1	3	4	6	9	42
35-49	49	3.6	14	1	1	2	4	6	10	21
50-64	52	4.3	10	1	1	3	6	9	10	17
65+	140	5.4	18	1	2	5	7	10	14	22
B. *Operated*										
0-19 YRS	323	3.6	17	1	1	2	4	7	10	24
20-34	414	6.7	69	1	2	4	7	13	18	38
35-49	249	6.6	91	1	1	4	7	11	20	61
50-64	318	5.6	58	1	1	4	6	10	15	47
65+	562	6.0	29	1	2	4	8	12	17	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	193	2.1	6	<1	<1	1	2	4	5	13
B. *Operated*	3268	2.4	5	1	1	2	3	4	6	10
2. MULTIPLE DX										
A. *Not Operated*	352	4.3	19	1	1	3	6	9	11	21
B. *Operated*	1866	5.8	50	1	1	4	7	11	16	31
1. SINGLE DX	3461	2.4	5	<1	1	2	3	4	6	10
2. MULTIPLE DX	2218	5.5	45	1	1	4	6	11	16	31
A. NOT OPERATED	545	3.5	15	<1	1	2	4	7	10	21
B. OPERATED	5134	3.6	24	1	1	2	4	7	10	22
TOTAL 0-19 YRS	2013	2.1	5	<1	1	1	2	4	5	11
20-34	1043	4.5	36	1	1	3	5	9	13	31
35-49	662	4.3	42	1	1	3	5	8	11	28
50-64	831	3.9	27	1	1	3	4	7	10	21
65+	1130	4.9	21	1	1	3	6	10	14	23
GRAND TOTAL	**5679**	**3.6**	**23**	**1**	**1**	**2**	**4**	**7**	**10**	**21**

350: Miscellaneous fractures of upper extremity (814-818)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	16	1.9	1	<1	<1	1	3	4	4	4
20-34	24	2.3	2	1	1	2	3	4	5	6
35-49	18	2.4	4	1	1	1	3	6	7	7
50-64	9	2.0	1	<1	<1	2	3	4	4	4
65+	4	3.3	4	1	1	3	5	6	6	6
B. *Operated*										
0-19 YRS	348	1.8	2	<1	<1	1	2	3	4	8
20-34	475	2.1	2	<1	1	2	3	4	5	8
35-49	202	2.2	3	<1	<1	2	3	4	5	7
50-64	116	2.2	2	<1	1	2	3	4	5	7
65+	56	2.1	3	1	1	1	3	5	5	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	21	2.4	3	1	1	2	3	4	6	8
20-34	51	2.7	8	<1	1	2	4	4	8	18
35-49	23	2.6	2	<1	1	2	4	5	6	6
50-64	20	5.6	13	<1	1	5	7	12	13	13
65+	54	6.4	66	1	2	5	7	11	14	55
B. *Operated*										
0-19 YRS	158	3.4	17	1	1	2	4	7	12	20
20-34	293	3.6	9	1	1	3	4	7	10	15
35-49	180	3.5	11	1	1	3	4	7	9	19
50-64	113	4.1	14	1	1	3	4	9	14	19
65+	91	4.5	17	1	1	4	6	9	12	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	71	2.3	2	1	1	2	3	4	6	7
B. *Operated*	1197	2.1	2	<1	1	2	2	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	169	4.2	28	1	1	3	5	8	11	24
B. *Operated*	835	3.7	13	1	1	3	4	8	10	19
1. SINGLE DX	1268	2.1	2	<1	1	2	3	4	5	8
2. MULTIPLE DX	1004	3.8	15	1	1	3	5	8	11	19
A. NOT OPERATED	240	3.6	21	1	1	2	4	7	10	19
B. OPERATED	2032	2.7	7	<1	1	2	3	5	7	14
TOTAL 0-19 YRS	543	2.3	7	<1	<1	2	2	4	6	14
20-34	843	2.7	5	<1	1	2	3	5	7	12
35-49	423	2.8	7	<1	1	2	3	5	7	15
50-64	258	3.3	9	1	1	2	4	6	10	16
65+	205	4.3	28	1	1	3	5	9	11	25
GRAND TOTAL	**2272**	**2.8**	**9**	**<1**	**1**	**2**	**3**	**5**	**8**	**14**

351: Fracture of neck of femur (820)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	25	14.5	150	<1	1	13	28	29	35	37
20-34	7	3.6	6	1	1	2	6	7	7	7
35-49	8	14.8	1031	2	2	3	30	98	99+	99+
50-64	31	10.5	87	1	2	9	13	18	28	49
65+	130	8.3	43	1	2	6	12	16	23	29
B. *Operated*										
0-19 YRS	82	10.0	82	3	3	6	12	22	32	38
20-34	63	11.4	132	3	4	8	12	28	37	65
35-49	105	10.4	44	5	5	8	11	17	22	40
50-64	480	10.9	19	5	6	10	14	16	19	24
65+	2242	13.5	30	7	8	13	16	19	23	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	23	12.0	127	<1	1	10	18	31	37	38
20-34	17	16.5	293	3	4	8	21	47	51	52
35-49	19	10.0	48	1	2	8	13	22	24	25
50-64	56	13.1	172	1	3	9	15	31	46	66
65+	551	11.7	96	1	3	10	15	23	31	59
B. *Operated*										
0-19 YRS	74	13.3	122	3	4	12	16	23	30	69
20-34	122	17.2	238	4	5	12	20	31	54	86
35-49	163	14.7	105	5	6	12	17	28	38	63
50-64	686	15.3	89	6	8	13	18	25	33	58
65+	7645	16.6	76	8	9	15	19	26	33	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	201	9.5	101	1	2	7	13	22	28	71
B. *Operated*	2972	12.9	34	5	7	12	15	19	22	34
2. MULTIPLE DX										
A. *Not Operated*	666	11.9	107	1	3	9	15	24	36	58
B. *Operated*	8690	16.4	81	7	9	14	19	26	33	56
1. SINGLE DX	3173	12.6	38	5	6	12	15	19	23	36
2. MULTIPLE DX	9356	16.1	84	6	8	14	19	26	33	57
A. NOT OPERATED	867	11.3	106	1	2	9	14	24	31	58
B. OPERATED	11662	15.5	71	7	8	14	18	24	30	51
TOTAL 0-19 YRS	204	12.0	111	2	3	8	16	28	34	41
20-34	209	14.9	211	3	4	10	17	31	46	74
35-49	295	12.9	105	4	5	10	15	23	33	80
50-64	1253	13.4	70	5	6	12	16	22	28	49
65+	10568	15.6	70	7	8	14	18	24	30	51
GRAND TOTAL	**12529**	**15.2**	**75**	**6**	**7**	**14**	**18**	**24**	**30**	**51**

352: Other femoral fracture (821)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	365	15.7	152	1	1	16	23	33	39	48
20-34	26	15.7	255	<1	1	6	31	42	43	46
35-49	15	17.2	625	<1	1	7	30	88	98	99+
50-64	14	12.7	231	1	3	7	9	35	50	54
65+	54	14.3	331	1	1	7	21	40	49	91
B. *Operated*										
0-19 YRS	421	11.9	121	1	2	8	19	29	33	43
20-34	135	12.3	107	2	3	10	14	20	37	54
35-49	58	10.7	47	2	2	10	15	21	24	30
50-64	56	12.9	125	2	3	11	16	33	45	96
65+	116	16.3	109	6	7	14	19	28	36	62
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	170	16.1	175	1	2	15	23	33	40	54
20-34	36	30.6	647	3	4	27	52	66	83	90
35-49	30	23.7	416	3	3	19	33	51	68	78
50-64	29	24.2	555	3	4	11	41	54	64	93
65+	225	18.6	341	3	3	12	24	51	63	89
B. *Operated*										
0-19 YRS	393	19.4	251	3	4	15	25	43	52	92
20-34	341	19.5	257	2	5	14	26	45	57	99+
35-49	130	24.1	351	3	4	19	34	52	66	88
50-64	139	24.5	381	3	6	18	32	55	67	95
65+	482	20.5	208	7	9	16	24	41	54	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	474	15.5	193	1	1	13	24	34	42	53
B. *Operated*	786	12.6	114	1	2	10	17	27	34	50
2. MULTIPLE DX										
A. *Not Operated*	490	19.3	335	2	3	13	27	48	60	88
B. *Operated*	1485	20.7	262	3	6	16	27	45	59	99+
1. SINGLE DX	1260	13.7	145	1	2	11	20	31	37	53
2. MULTIPLE DX	1975	20.3	280	3	4	15	27	46	60	94
A. NOT OPERATED	964	17.4	269	1	2	13	25	40	52	80
B. OPERATED	2271	17.9	225	2	4	14	23	39	51	87
TOTAL 0-19 YRS	1349	15.6	182	1	2	13	23	33	42	62
20-34	538	18.2	264	2	4	13	24	44	54	91
35-49	233	20.3	329	2	3	14	30	45	66	93
50-64	238	21.1	357	2	4	14	29	50	63	95
65+	877	19.1	239	3	5	15	23	40	56	92
GRAND TOTAL	**3235**	**17.7**	**238**	**2**	**3**	**14**	**24**	**39**	**51**	**86**

353: Fracture of tibia and fibula (823)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	254	2.3	4	1	1	2	3	4	5	10
20-34	131	3.3	6	1	1	3	4	6	7	12
35-49	102	4.9	[illegible]	1	1	3	6	10	14	26
50-64	80	5.4	[illegible]	1	2	5	7	10	13	18
65+	103	6.9	[illegible]	2	2	6	9	13	17	24
B. *Operated*										
0-19 YRS	610	4.0	15	1	1	3	5	8	10	21
20-34	464	5.8	28	1	2	4	7	11	14	26
35-49	301	6.5	24	2	2	5	8	12	15	27
50-64	201	7.6	36	2	2	6	10	14	17	33
65+	125	9.6	78	2	3	7	11	18	23	55
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	78	3.9	14	1	1	3	5	8	11	22
20-34	99	5.6	40	<1	1	4	6	11	15	41
35-49	61	7.1	51	2	2	5	9	12	22	40
50-64	119	8.9	74	1	2	7	11	18	21	50
65+	223	9.3	72	2	3	7	11	18	23	38
B. *Operated*										
0-19 YRS	331	9.0	103	1	2	6	11	19	30	53
20-34	435	11.5	143	2	3	8	13	23	38	67
35-49	296	11.1	99	3	3	9	13	22	34	62
50-64	259	12.8	137	2	3	9	15	27	35	75
65+	275	13.3	118	2	4	11	16	26	31	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	670	4.0	14	1	1	3	5	8	12	19
B. *Operated*	1701	5.8	30	1	1	4	7	11	15	28
2. MULTIPLE DX										
A. *Not Operated*	580	7.6	61	1	2	5	9	15	20	41
B. *Operated*	1596	11.4	123	2	3	8	13	24	34	63
1. SINGLE DX	2371	5.3	26	1	1	4	7	10	14	25
2. MULTIPLE DX	2176	10.4	109	2	2	8	12	21	31	59
A. NOT OPERATED	1250	5.7	39	1	1	4	7	12	16	31
B. OPERATED	3297	8.5	83	1	2	6	10	17	25	51
TOTAL 0-19 YRS	1273	5.0	42	1	1	3	5	10	13	37
20-34	1129	7.7	80	1	2	5	9	15	22	51
35-49	760	8.1	61	2	2	6	10	15	23	48
50-64	659	9.6	87	2	3	7	12	19	28	47
65+	726	10.5	89	2	3	8	13	20	27	53
GRAND TOTAL	**4547**	**7.7**	**72**	**1**	**2**	**5**	**9**	**15**	**23**	**46**

354: Miscellaneous fractures of lower extremity (822; 824-827)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	109	2.3	5	<1	1	2	3	4	5	13
20-34	153	2.9	4	<1	1	3	4	5	6	8
35-49	89	3.6	5	<1	1	3	5	7	8	10
50-64	114	3.7	6	1	1	3	5	7	9	13
65+	117	4.9	26	1	2	3	6	10	12	26
B. *Operated*										
0-19 YRS	690	3.3	7	1	1	3	4	6	8	12
20-34	1092	4.3	8	1	2	4	5	7	9	14
35-49	777	4.9	11	2	2	4	6	8	11	17
50-64	740	5.4	11	1	2	5	7	9	12	18
65+	387	6.7	17	2	3	6	8	12	13	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	72	4.1	46	1	1	3	4	6	11	46
20-34	140	3.7	14	1	1	3	5	7	8	17
35-49	104	4.1	11	<1	1	3	6	8	11	16
50-64	175	5.4	15	1	2	4	7	10	14	20
65+	342	6.9	34	1	2	5	9	13	17	30
B. *Operated*										
0-19 YRS	400	6.3	46	1	2	4	7	13	18	35
20-34	787	6.7	51	2	2	5	8	12	17	43
35-49	571	7.7	67	2	2	6	9	14	18	50
50-64	597	8.1	52	2	3	6	9	15	19	40
65+	650	9.3	40	3	4	8	11	16	22	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	582	3.5	10	<1	1	3	4	7	9	14
B. *Operated*	3686	4.7	11	1	2	4	6	8	10	16
2. MULTIPLE DX										
A. *Not Operated*	833	5.5	27	1	1	4	7	11	15	27
B. *Operated*	3005	7.7	52	2	2	6	9	14	19	41
1. SINGLE DX	4268	4.6	11	1	1	4	6	8	10	16
2. MULTIPLE DX	3838	7.2	48	1	2	5	9	14	18	38
A. NOT OPERATED	1415	4.6	21	1	1	3	6	9	12	22
B. OPERATED	6691	6.1	32	1	2	5	7	11	15	30
TOTAL 0-19 YRS	1271	4.2	23	1	1	3	5	8	11	27
20-34	2172	5.1	25	1	2	4	6	9	12	27
35-49	1541	5.8	34	1	2	4	7	10	14	32
50-64	1626	6.3	28	2	2	5	8	11	15	29
65+	1496	7.7	34	2	3	6	10	14	18	32
GRAND TOTAL	**8106**	**5.8**	**30**	**1**	**2**	**4**	**7**	**11**	**14**	**29**

355: Fracture of other bones (810-811; 829)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	28	2.1	3	<1	<1	1	3	4	6	9
20-34	37	2.4	5	<1	<1	2	3	5	6	12
35-49	12	2.8	3	1	1	3	4	5	6	6
50-64	8	3.3	4	1	1	3	5	6	6	6
65+	10	2.1	2	1	1	2	3	4	5	5
B. *Operated*										
0-19 YRS	40	2.4	1	1	1	2	3	4	5	6
20-34	41	2.8	1	1	1	3	3	4	5	6
35-49	14	3.5	3	1	2	3	5	6	7	8
50-64	10	3.8	2	2	2	4	5	6	6	6
65+	2	2.5	5	1	1	2	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	89	2.6	5	<1	1	2	3	5	7	12
20-34	169	3.3	6	1	1	3	4	6	8	13
35-49	74	3.9	14	1	1	3	5	7	8	24
50-64	57	5.6	25	1	1	3	9	13	16	22
65+	153	7.6	38	1	2	6	10	14	19	33
B. *Operated*										
0-19 YRS	43	4.4	18	1	1	3	5	10	14	21
20-34	62	6.6	76	1	1	4	7	13	22	53
35-49	26	5.8	8	1	2	6	8	10	10	11
50-64	20	7.3	28	2	2	5	11	16	18	18
65+	21	10.9	93	2	3	8	15	22	34	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	95	2.4	4	<1	1	2	3	5	6	11
B. *Operated*	107	2.8	2	1	1	3	3	5	5	7
2. MULTIPLE DX										
A. *Not Operated*	542	4.7	22	1	1	3	6	10	13	23
B. *Operated*	172	6.5	50	1	1	4	8	14	18	40
1. SINGLE DX	202	2.6	3	1	1	2	3	5	6	8
2. MULTIPLE DX	714	5.1	29	1	1	3	6	11	14	28
A. NOT OPERATED	637	4.4	20	1	1	3	5	9	13	22
B. OPERATED	279	5.1	35	1	1	3	6	11	15	32
TOTAL 0-19 YRS	200	2.9	7	<1	1	2	3	6	8	14
20-34	309	3.8	21	1	1	3	4	7	10	22
35-49	126	4.2	11	1	1	3	6	8	9	17
50-64	95	5.6	23	1	2	4	7	13	17	22
65+	186	7.6	45	1	2	6	10	15	20	37
GRAND TOTAL	**916**	**4.6**	**24**	**1**	**1**	**3**	**6**	**10**	**13**	**26**

356: Fracture of multiple bones (804; 809; 819; 828)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	1.8	1	1	1	2	2	3	3	3
20-34										
35-49	2	9.5	41	5	5	9	14	14	14	14
50-64										
65+	1	15.0		15	15	15	15	15	15	15
B. *Operated*										
0-19 YRS	2	3.0	2	2	2	3	4	4	4	4
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	12.0	512	1	1	4	10	37	76	82
20-34	4	2.3	1	1	1	2	3	3	3	3
35-49	1	3.0		3	3	3	3	3	3	3
50-64	4	5.0	9	2	2	4	7	9	9	9
65+	8	12.9	64	3	4	12	14	25	30	30
B. *Operated*										
0-19 YRS	5	17.2	159	6	6	12	29	34	34	34
20-34	17	23.8	612	3	6	20	31	99	99+	99+
35-49	11	28.5	827	5	6	15	43	76	93	95
50-64	1	21.0		21	21	21	21	21	21	21
65+	1	11.0		11	11	55	99+	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	13	4.0	23	1	1	2	4	14	15	15
B. *Operated*	2	3.0	2	2	2	3	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*	29	9.6	236	1	1	5	12	17	33	82
B. *Operated*	35	23.9	568	5	6	18	33	96	99+	99+
1. SINGLE DX	15	3.9	20	1	1	2	4	14	15	15
2. MULTIPLE DX	64	17.4	463	2	2	12	23	70	97	99+
A. NOT OPERATED	42	7.9	175	1	1	3	9	15	23	82
B. OPERATED	37	22.7	559	3	5	16	31	96	99+	99+
TOTAL 0-19 YRS	29	8.8	261	1	1	3	7	23	36	82
20-34	21	19.7	564	1	2	13	25	98	99+	99+
35-49	14	23.9	722	3	5	14	29	66	89	95
50-64	5	8.2	58	2	2	5	12	21	21	21
65+	10	12.9	51	3	5	13	15	58	96	99+
GRAND TOTAL	**79**	**14.8**	**406**	**1**	**2**	**8**	**19**	**52**	**96**	**99+**

357: Dislocation of shoulder (831)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	2.0	2	<1	<1	2	3	4	4	4
20-34	11	1.3		<1	<1	1	2	2	2	2
35-49	4	1.5		<1	<1	1	2	2	2	2
50-64	4	1.5	1	1	1	1	2	3	3	3
65+	9	3.0	4	<1	<1	2	5	6	6	6
B. *Operated*										
0-19 YRS	103	2.8	2	<1	1	3	3	4	5	9
20-34	350	2.8	2	1	1	3	4	4	5	7
35-49	121	2.8	3	1	1	3	3	4	5	11
50-64	39	2.4	2	<1	1	2	3	4	5	6
65+	51	2.6	7	1	1	1	3	6	8	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	2.7	2	<1	<1	3	3	5	5	5
20-34	23	3.3	8	<1	<1	3	4	8	10	10
35-49	18	3.4	5	1	1	3	5	7	8	8
50-64	12	4.3	15	1	1	3	7	11	11	11
65+	29	6.7	90	1	1	3	8	13	35	41
B. *Operated*										
0-19 YRS	20	3.4	5	1	1	3	4	5	8	11
20-34	75	4.2	7	1	1	4	6	8	9	15
35-49	47	4.3	15	1	1	3	5	9	13	20
50-64	51	3.8	17	1	1	3	4	7	10	27
65+	79	5.7	41	1	1	3	7	14	17	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	34	1.9	2	<1	<1	1	2	4	5	6
B. *Operated*	664	2.7	3	1	1	3	3	4	5	9
2. MULTIPLE DX										
A. *Not Operated*	89	4.5	36	<1	1	3	5	10	11	39
B. *Operated*	272	4.5	21	1	1	3	6	9	13	26
1. SINGLE DX	698	2.7	3	1	1	3	3	4	5	9
2. MULTIPLE DX	361	4.5	24	1	1	3	5	10	12	28
A. NOT OPERATED	123	3.8	28	<1	<1	2	4	8	11	37
B. OPERATED	936	3.3	8	1	1	3	4	6	7	16
TOTAL 0-19 YRS	136	2.8	3	<1	1	3	3	5	6	11
20-34	459	3.0	4	1	1	3	4	5	6	10
35-49	190	3.2	6	1	1	3	4	5	7	14
50-64	106	3.2	11	1	1	2	4	7	10	18
65+	168	4.8	39	1	1	2	6	11	16	36
GRAND TOTAL	**1059**	**3.3**	**11**	**1**	**1**	**3**	**4**	**6**	**8**	**17**

358: Dislocation of knee (836)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	18	2.0	1	1	1	2	2	4	4	4
20-34	19	2.8	4	<1	1	2	4	5	7	9
35-49	8	1.6	1	<1	<1	1	2	3	4	4
50-64	4	4.3	14	1	1	4	7	8	8	8
65+	3	4.0	12	2	2	2	7	8	8	8
B. *Operated*										
0-19 YRS	529	2.5	2	1	1	2	3	4	5	7
20-34	1215	2.6	3	<1	1	2	3	4	6	9
35-49	717	2.5	2	<1	1	2	3	4	5	8
50-64	338	2.7	4	1	1	2	3	5	6	9
65+	104	3.0	3	1	1	2	4	5	6	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	3.5	10	<1	<1	2	5	9	10	10
20-34	24	3.0	7	1	1	2	4	7	8	9
35-49	22	3.3	5	1	1	3	5	7	7	8
50-64	20	4.4	11	<1	<1	4	6	9	11	12
65+	19	4.1	5	<1	1	4	5	8	9	9
B. *Operated*										
0-19 YRS	383	3.1	6	1	1	2	4	6	7	12
20-34	946	3.1	8	<1	1	2	4	6	7	14
35-49	608	3.2	10	<1	1	2	4	6	7	16
50-64	597	3.4	8	1	1	2	4	6	9	16
65+	315	4.3	16	1	2	3	5	8	11	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	52	2.5	4	<1	1	2	3	5	8	9
B. *Operated*	2903	2.6	3	<1	1	2	3	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	97	3.6	7	1	1	3	5	8	9	11
B. *Operated*	2849	3.3	9	1	1	2	4	6	8	16
1. SINGLE DX	2955	2.6	3	<1	1	2	3	5	6	9
2. MULTIPLE DX	2946	3.3	9	1	1	2	4	6	8	16
A. NOT OPERATED	149	3.2	6	1	1	2	5	7	8	10
B. OPERATED	5752	2.9	6	1	1	2	4	5	7	12
TOTAL 0-19 YRS	942	2.7	4	1	1	2	3	5	6	10
20-34	2204	2.8	5	<1	1	2	3	5	7	11
35-49	1355	2.8	6	<1	1	2	4	5	6	12
50-64	959	3.2	7	1	1	2	4	6	8	15
65+	441	4.0	13	1	1	3	5	7	10	16
GRAND TOTAL	**5901**	**2.9**	**6**	**1**	**1**	**2**	**4**	**5**	**7**	**12**

359: Other dislocation (830; 832-835; 837-839)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	28	3.5	27	<1	1	2	3	6	19	24
20-34	24	3.6	7	<1	1	3	5	8	9	9
35-49	30	4.0	15	<1	1	3	5	9	10	18
50-64	16	7.6	79	1	1	4	9	26	29	29
65+	6	6.7	167	<1	<1	1	2	30	33	33
B. *Operated*										
0-19 YRS	154	3.1	14	1	1	2	3	7	12	20
20-34	195	3.8	18	<1	1	3	4	8	11	24
35-49	89	4.2	17	<1	1	3	5	9	16	19
50-64	40	3.6	13	1	1	3	4	7	11	20
65+	39	5.6	62	<1	1	3	7	13	21	42
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	27	5.7	78	<1	<1	2	8	14	23	43
20-34	37	6.2	38	1	1	5	7	12	22	30
35-49	39	5.4	26	1	1	4	7	9	17	26
50-64	37	7.6	117	1	2	4	8	15	18	66
65+	42	6.5	41	1	2	5	7	13	24	28
B. *Operated*										
0-19 YRS	113	8.4	127	1	1	5	10	18	32	62
20-34	208	7.7	77	1	1	5	10	16	27	76
35-49	94	9.5	183	1	1	5	10	21	33	76
50-64	105	11.1	224	1	1	6	12	27	44	73
65+	108	8.2	85	1	1	5	11	19	33	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	104	4.5	35	<1	1	3	5	9	18	31
B. *Operated*	517	3.8	20	<1	1	2	4	8	12	22
2. MULTIPLE DX										
A. *Not Operated*	182	6.3	57	1	1	4	7	12	20	39
B. *Operated*	628	8.8	128	1	1	5	11	19	33	73
1. SINGLE DX	621	3.9	22	<1	1	2	4	8	13	24
2. MULTIPLE DX	810	8.2	113	1	1	5	9	18	29	66
A. NOT OPERATED	286	5.7	50	1	1	4	6	10	19	32
B. OPERATED	1145	6.5	85	1	1	3	7	15	23	60
TOTAL 0-19 YRS	322	5.2	66	1	1	2	6	12	19	45
20-34	464	5.8	49	1	1	3	7	13	18	47
35-49	252	6.3	85	1	1	4	7	13	20	62
50-64	198	8.7	157	1	1	4	10	19	30	66
65+	195	7.3	73	1	1	4	9	18	28	42
GRAND TOTAL	**1431**	**6.3**	**78**	**1**	**1**	**3**	**7**	**14**	**22**	**55**

360: Sprains and strains of knee and leg (844)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	27	1.7	1	<1	<1	1	2	3	4	4
20-34	48	2.7	4	<1	<1	2	3	4	7	11
35-49	24	3.3	5	<1	<1	3	4	6	9	10
50-64	21	3.0	3	<1	1	3	4	5	6	7
65+	15	3.3	4	1	1	3	5	6	7	7
B. *Operated*										
0-19 YRS	328	3.0	3	1	1	3	4	5	6	8
20-34	398	3.1	4	1	1	3	4	6	7	10
35-49	139	3.2	4	<1	1	3	4	6	7	9
50-64	33	4.0	4	1	2	4	5	7	7	9
65+	15	4.8	17	1	2	4	5	11	15	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	23	2.8	3	1	1	3	4	5	7	8
20-34	47	3.7	17	<1	1	2	4	7	8	27
35-49	36	5.0	15	1	1	3	8	11	12	13
50-64	38	4.9	15	1	2	4	6	10	14	17
65+	101	7.2	41	2	3	5	10	16	18	36
B. *Operated*										
0-19 YRS	273	3.8	9	1	1	3	5	6	7	19
20-34	477	4.0	7	1	1	4	5	7	8	13
35-49	161	4.6	14	1	1	4	6	9	13	18
50-64	73	6.5	28	1	2	6	8	12	15	29
65+	39	5.9	15	1	1	5	9	11	12	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	135	2.7	4	<1	1	2	4	5	7	10
B. *Operated*	913	3.2	4	1	1	3	4	6	7	9
2. MULTIPLE DX										
A. *Not Operated*	245	5.5	27	1	1	4	7	12	16	27
B. *Operated*	1023	4.3	11	1	1	4	6	7	10	18
1. SINGLE DX	1048	3.1	4	1	1	3	4	6	7	10
2. MULTIPLE DX	1268	4.5	14	1	1	4	6	8	11	20
A. NOT OPERATED	380	4.5	21	1	1	3	5	10	13	20
B. OPERATED	1936	3.7	8	1	1	3	5	7	8	15
TOTAL 0-19 YRS	651	3.3	6	1	1	3	4	6	7	11
20-34	970	3.6	6	1	1	3	5	6	7	12
35-49	360	4.0	10	1	1	3	5	8	10	16
50-64	165	5.2	18	1	2	4	6	10	13	26
65+	170	6.4	31	1	2	4	8	14	17	26
GRAND TOTAL	**2316**	**3.9**	**10**	**1**	**1**	**3**	**5**	**7**	**9**	**16**

361: Sprains and strains of sacroiliac region (846)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
(1)	(2)	(3)	(4)	5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	92	5.0	10	1	2	4	7	9	12	15
20-34	1024	5.5	11	1	2	5	7	10	11	16
35-49	1079	6.1	14	2	3	5	8	11	13	20
50-64	422	6.4	16	2	3	6	8	11	13	20
65+	90	6.3	13	3	3	5	8	11	15	20
B. *Operated*										
0-19 YRS	9	4.1	2	2	2	4	5	6	6	6
20-34	203	5.5	17	1	2	4	7	11	13	19
35-49	215	6.9	23	2	2	6	9	14	17	21
50-64	47	6.7	13	2	3	7	9	12	13	15
65+	3	9.3	12	6	6	9	12	13	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	93	5.1	11	1	2	4	7	10	11	17
20-34	764	5.9	16	2	2	5	7	11	13	21
35-49	1213	6.5	14	2	3	6	8	11	14	19
50-64	935	6.7	16	2	3	6	8	11	14	20
65+	717	6.9	18	2	3	6	8	12	15	22
B. *Operated*										
0-19 YRS	10	5.3	10	1	1	5	9	10	10	10
20-34	170	8.1	21	2	2	8	11	14	16	21
35-49	213	9.5	39	2	3	9	12	17	20	33
50-64	107	10.1	53	3	4	9	13	17	21	41
65+	51	10.9	48	3	5	9	14	20	24	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2707	5.9	13	2	2	5	7	10	12	19
B. *Operated*	477	6.2	19	2	2	5	9	12	15	21
2. MULTIPLE DX										
A. *Not Operated*	3722	6.5	16	2	3	6	8	11	14	20
B. *Operated*	551	9.2	37	2	3	8	12	16	19	32
1. SINGLE DX	3184	5.9	14	2	2	5	8	11	13	19
2. MULTIPLE DX	4273	6.8	19	2	3	6	9	12	15	22
A. NOT OPERATED	6429	6.2	15	2	2	5	8	11	13	20
B. OPERATED	1028	7.8	31	2	2	7	11	15	18	25
TOTAL 0-19 YRS	204	5.0	10	1	2	4	7	9	11	15
20-34	2161	5.8	15	1	2	5	8	11	13	19
35-49	2720	6.6	17	2	3	6	8	12	15	21
50-64	1511	6.8	19	2	3	6	9	12	14	22
65+	861	7.1	20	2	3	6	9	12	16	23
GRAND TOTAL	**7457**	**6.4**	**17**	**2**	**2**	**5**	**8**	**11**	**14**	**21**

362: Strains and sprains of other and unspecified parts of back (847)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
(1)	(2)	(3)	(4)	5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	180	2.8	5	<1	1	2	4	5	8	12
20-34	967	5.1	12	1	2	4	7	9	12	18
35-49	824	5.6	12	1	2	5	7	10	12	17
50-64	336	5.5	14	1	2	5	7	9	12	16
65+	75	4.9	9	1	1	4	7	8	11	13
B. *Operated*										
0-19 YRS	15	5.1	20	1	2	3	8	11	15	16
20-34	277	5.2	16	2	2	4	7	10	13	21
35-49	214	5.7	17	2	2	4	8	12	14	19
50-64	36	5.3	15	2	2	4	8	11	14	15
65+	2	5.5	1	5	5	5	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	248	4.1	15	1	1	3	5	8	11	21
20-34	1249	5.3	14	1	2	4	7	10	12	18
35-49	1335	6.4	17	2	2	5	8	11	14	21
50-64	866	6.2	17	2	2	5	8	11	14	21
65+	627	6.1	15	2	2	5	8	11	13	20
B. *Operated*										
0-19 YRS	19	5.5	22	1	2	4	8	11	16	20
20-34	246	8.0	44	2	2	7	10	15	18	31
35-49	312	8.1	33	2	2	7	11	15	19	29
50-64	115	7.9	23	2	3	7	11	14	17	24
65+	38	10.4	59	2	2	9	13	22	26	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2382	5.1	12	1	1	4	7	9	11	17
B. *Operated*	544	5.4	17	2	2	4	7	11	13	19
2. MULTIPLE DX										
A. *Not Operated*	4325	5.9	16	1	2	5	8	11	13	20
B. *Operated*	730	8.1	37	2	2	7	11	15	18	30
1. SINGLE DX	2926	5.2	13	1	2	4	7	10	12	18
2. MULTIPLE DX	5055	6.2	20	1	2	5	8	11	14	22
A. NOT OPERATED	6707	5.6	15	1	2	5	7	10	13	19
B. OPERATED	1274	6.9	30	2	2	5	9	13	16	26
TOTAL 0-19 YRS	462	3.7	12	1	1	3	5	8	10	19
20-34	2739	5.5	17	1	2	4	7	10	13	19
35-49	2685	6.3	18	2	2	5	8	11	14	22
50-64	1353	6.2	17	2	2	5	8	11	14	20
65+	742	6.2	17	1	2	5	8	11	13	22
GRAND TOTAL	**7981**	**5.8**	**17**	**1**	**2**	**5**	**8**	**11**	**14**	**21**

363: Other sprains and strains (840-843; 845; 848)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	51	3.3	7	1	1	2	4	7	10	12
20-34	97	3.1	6	1	1	2	4	6	10	12
35-49	73	3.4	4	1	1	3	4	6	7	10
50-64	46	4.1	10	1	1	3	5	10	11	13
65+	25	4.2	10	1	2	3	5	7	12	15
B. *Operated*										
0-19 YRS	125	2.5	2	1	1	2	3	4	5	6
20-34	330	2.8	2	1	1	3	3	5	5	8
35-49	280	3.3	3	1	2	3	4	5	6	10
50-64	317	4.0	6	2	2	4	5	6	8	11
65+	115	4.6	5	2	3	4	5	7	9	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	51	3.0	7	<1	<1	2	4	6	8	14
20-34	138	3.6	7	<1	1	3	5	8	9	12
35-49	141	4.8	15	1	1	4	6	9	11	26
50-64	142	4.8	10	1	1	4	6	9	10	17
65+	212	6.3	23	1	2	5	8	11	14	27
B. *Operated*										
0-19 YRS	52	2.9	3	1	1	3	4	4	6	10
20-34	111	3.5	4	1	2	3	4	6	7	12
35-49	142	4.7	10	1	2	4	6	9	11	16
50-64	226	5.2	10	2	2	4	7	9	11	17
65+	170	6.2	21	2	2	5	7	12	14	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	292	3.4	7	1	1	3	4	7	10	13
B. *Operated*	1167	3.4	4	1	1	3	4	5	7	10
2. MULTIPLE DX										
A. *Not Operated*	684	4.9	15	1	1	4	6	9	11	20
B. *Operated*	701	4.9	12	1	2	4	6	9	12	17
1. SINGLE DX	1459	3.4	5	1	1	3	4	6	7	11
2. MULTIPLE DX	1385	4.9	14	1	2	4	6	9	12	19
A. NOT OPERATED	976	4.5	13	1	1	4	6	9	11	18
B. OPERATED	1868	4.0	8	1	2	3	5	7	9	14
TOTAL 0-19 YRS	279	2.8	4	1	1	2	3	5	6	10
20-34	676	3.1	4	1	1	3	4	5	7	11
35-49	636	3.9	8	1	1	3	5	7	9	14
50-64	731	4.5	8	1	2	4	5	8	9	16
65+	522	5.8	18	2	2	5	7	11	13	21
GRAND TOTAL	**2844**	**4.1**	**10**	**1**	**1**	**3**	**5**	**8**	**10**	**15**

364: Concussion (850)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1510	1.4	1	<1	1	1	1	2	3	5
20-34	429	1.8	2	<1	1	1	2	3	4	7
35-49	120	2.2	2	<1	1	2	3	4	5	8
50-64	56	2.1	2	<1	1	2	3	4	4	7
65+	53	2.2	3	1	1	2	3	4	5	11
B. *Operated*										
0-19 YRS	9	2.1	11	1	1	1	1	7	11	11
20-34	6	3.7	18	1	1	2	4	11	12	12
35-49	2	5.0	18	2	2	5	8	8	8	8
50-64	2	4.0	2	3	3	4	5	5	5	5
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1614	2.0	4	<1	1	1	2	3	5	9
20-34	1242	2.7	7	<1	1	2	3	5	7	12
35-49	534	3.5	12	1	1	2	4	7	10	16
50-64	391	3.6	11	1	1	3	5	8	10	16
65+	507	4.7	21	1	1	3	6	10	13	24
B. *Operated*										
0-19 YRS	308	3.3	20	<1	1	2	3	6	12	25
20-34	368	3.7	31	<1	1	2	4	8	12	32
35-49	155	4.9	45	1	1	3	6	11	15	41
50-64	112	6.6	149	1	1	3	6	11	21	79
65+	145	6.2	62	1	1	4	8	12	17	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2168	1.5	1	<1	1	1	2	3	3	7
B. *Operated*	19	3.1	12	1	1	1	4	10	12	12
2. MULTIPLE DX										
A. *Not Operated*	4288	2.8	9	1	1	2	3	6	8	15
B. *Operated*	1088	4.4	47	<1	1	2	5	9	13	40
1. SINGLE DX	2187	1.6	1	<1	1	1	2	3	3	7
2. MULTIPLE DX	5376	3.2	17	1	1	2	4	6	9	19
A. NOT OPERATED	6456	2.4	7	<1	1	2	3	5	7	13
B. OPERATED	1107	4.4	47	<1	1	2	5	9	13	40
TOTAL 0-19 YRS	3441	1.8	4	<1	1	1	2	3	4	10
20-34	2045	2.7	10	<1	1	2	3	5	7	14
35-49	811	3.6	17	1	1	2	4	8	10	21
50-64	561	4.1	39	1	1	3	5	8	10	29
65+	705	4.8	29	1	1	3	6	10	13	26
GRAND TOTAL	**7563**	**2.7**	**13**	**<1**	**1**	**2**	**3**	**5**	**8**	**16**

365: Intracranial injury, except concussion (851-854)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	630	1.8	4	<1	1	1	2	3	5	11
20-34	221	3.1	23	<1	1	2	3	6	10	28
35-49	76	2.6	9	<1	1	2	3	5	8	17
50-64	26	4.0	54	<1	1	2	4	7	16	38
65+	32	6.0	249	<1	1	2	4	7	27	88
B. *Operated*										
0-19 YRS	53	10.4	135	1	2	6	12	27	33	55
20-34	30	12.9	292	1	1	8	13	28	47	87
35-49	13	9.2	28	<1	2	9	12	17	18	18
50-64	20	10.3	68	2	3	7	13	20	29	37
65+	37	12.4	60	4	5	11	16	20	25	43
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	935	3.2	38	<1	1	2	3	6	10	35
20-34	610	4.3	41	<1	1	2	5	10	15	34
35-49	237	4.2	23	1	1	3	5	9	13	25
50-64	203	6.1	71	1	1	3	7	13	21	41
65+	376	7.0	48	1	1	5	9	15	20	37
B. *Operated*										
0-19 YRS	222	11.5	189	1	1	8	18	35	52	99+
20-34	261	16.7	477	1	1	8	26	69	97	99+
35-49	115	17.8	387	1	2	12	31	66	99+	99+
50-64	108	14.2	320	1	1	8	16	47	83	99+
65+	215	16.8	185	2	3	13	25	35	44	89
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	985	2.3	18	<1	1	1	2	4	7	18
B. *Operated*	153	11.2	128	2	2	8	14	21	33	55
2. MULTIPLE DX										
A. *Not Operated*	2361	4.5	43	1	1	2	5	10	16	35
B. *Operated*	921	15.3	314	1	1	10	23	46	82	99+
1. SINGLE DX	1138	3.5	42	<1	1	1	3	8	14	32
2. MULTIPLE DX	3282	7.5	143	1	1	3	8	21	34	99+
A. NOT OPERATED	3346	3.8	37	<1	1	2	4	8	13	32
B. OPERATED	1074	14.7	289	1	1	9	21	42	74	99+
TOTAL 0-19 YRS	1840	3.9	57	<1	1	1	3	9	18	48
20-34	1122	7.2	175	<1	1	3	7	19	35	99+
35-49	441	7.6	152	1	1	3	8	22	36	99+
50-64	357	8.6	159	1	1	4	9	22	39	99
65+	660	10.4	123	1	1	7	14	26	34	55
GRAND TOTAL	**4420**	**6.5**	**120**	**1**	**1**	**2**	**7**	**17**	**30**	**86**

366: Internal injury to thoracic region (860-862)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	41	2.7	3	1	1	2	4	5	6	9
20-34	43	4.0	8	<1	1	3	6	8	9	14
35-49	29	3.3	9	1	1	2	3	7	9	16
50-64	15	3.1	5	1	1	3	4	8	8	8
65+	7	3.3	6	<1	<1	3	4	7	8	8
B. *Operated*										
0-19 YRS	43	5.1	8	2	2	4	6	10	10	15
20-34	104	5.1	7	2	3	5	6	9	10	14
35-49	26	5.5	8	2	3	5	7	10	11	13
50-64	22	9.0	120	2	3	6	9	13	31	56
65+	7	7.9	29	2	2	6	13	16	16	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	77	3.7	6	1	1	3	5	7	9	12
20-34	128	4.1	8	1	2	3	5	8	10	15
35-49	72	4.8	19	1	1	4	5	9	11	26
50-64	75	6.5	26	1	2	6	8	12	15	28
65+	103	8.4	26	2	3	7	10	15	18	28
B. *Operated*										
0-19 YRS	92	9.5	70	2	3	7	11	19	22	51
20-34	289	9.2	71	2	3	7	11	16	28	49
35-49	146	9.3	64	3	3	7	11	19	25	43
50-64	119	12.1	95	3	4	10	15	22	31	53
65+	127	13.5	153	3	4	10	16	24	36	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	135	3.3	6	1	1	3	4	7	8	14
B. *Operated*	202	5.7	21	2	3	5	7	10	11	16
2. MULTIPLE DX										
A. *Not Operated*	455	5.5	20	1	2	4	7	11	14	26
B. *Operated*	773	10.4	89	3	3	8	12	20	28	54
1. SINGLE DX	337	4.7	17	1	2	4	6	9	10	15
2. MULTIPLE DX	1228	8.6	69	2	2	6	10	17	23	47
A. NOT OPERATED	590	5.0	18	1	1	4	7	10	13	23
B. OPERATED	975	9.4	78	2	3	7	11	18	26	51
TOTAL 0-19 YRS	253	5.9	37	1	1	4	7	11	16	29
20-34	564	6.9	46	2	2	5	8	13	17	39
35-49	273	7.1	46	1	2	5	8	13	21	38
50-64	231	9.4	78	1	2	7	11	18	27	48
65+	244	10.9	99	3	3	8	13	19	27	57
GRAND TOTAL	**1565**	**7.8**	**60**	**1**	**2**	**6**	**9**	**15**	**21**	**45**

367: Internal injury, except chest (863-869)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	167	3.3	9	<1	1	2	4	7	8	18
20-34	91	3.1	7	1	1	2	4	6	10	15
35-49	26	3.5	6	1	1	3	4	6	10	11
50-64	10	3.2	7	1	1	2	4	7	10	10
65+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	98	6.0	8	1	2	6	7	10	11	17
20-34	133	7.0	12	3	4	7	8	10	12	22
35-49	59	7.7	20	3	3	7	9	14	17	23
50-64	17	6.4	11	1	2	6	8	12	13	13
65+	5	7.8	38	3	3	4	14	15	15	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	188	3.5	8	1	1	3	4	7	9	14
20-34	212	4.0	15	1	1	3	5	8	10	20
35-49	94	4.0	8	1	1	3	5	9	9	14
50-64	56	4.2	8	1	1	3	6	9	10	12
65+	80	5.3	27	1	2	4	6	11	15	30
B. *Operated*										
0-19 YRS	257	11.8	151	3	4	8	13	21	30	77
20-34	554	12.3	144	3	5	9	13	26	39	88
35-49	219	14.9	168	5	6	10	18	31	46	99+
50-64	107	16.1	190	2	5	12	21	33	46	91
65+	86	15.7	172	3	4	12	19	39	51	87
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	295	3.3	8	1	1	2	4	7	9	15
B. *Operated*	312	6.8	13	2	3	6	8	11	13	21
2. MULTIPLE DX										
A. *Not Operated*	630	4.0	13	1	1	3	5	8	10	15
B. *Operated*	1223	13.2	157	3	5	9	15	27	42	84
1. SINGLE DX	607	5.1	14	1	1	5	7	9	11	18
2. MULTIPLE DX	1853	10.1	127	1	2	7	11	21	32	77
A. NOT OPERATED	925	3.8	11	1	1	3	5	8	10	15
B. OPERATED	1535	11.9	135	3	4	8	13	24	37	82
TOTAL 0-19 YRS	710	6.8	75	1	1	5	8	13	19	49
20-34	990	8.9	101	1	2	7	10	17	28	62
35-49	398	10.5	123	1	2	8	12	22	32	78
50-64	190	11.0	143	1	2	8	14	25	37	79
65+	172	10.6	126	2	2	7	15	23	40	64
GRAND TOTAL	2460	8.9	104	1	2	6	10	18	27	65

368: Laceration or enucleation of eye (870-871)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	16	1.9	2	<1	<1	1	3	4	5	5
20-34	12	2.5	2	1	1	2	4	5	5	5
35-49	6	3.5	5	1	1	3	6	6	6	6
50-64	1	1.0		1	1	1	1	1	1	1
65+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS	185	2.8	4	<1	1	2	4	6	7	10
20-34	113	3.1	6	1	1	2	4	5	9	14
35-49	46	2.9	3	1	1	3	4	6	6	7
50-64	32	2.9	4	1	1	2	4	6	7	7
65+	18	2.2	2	<1	1	2	3	3	6	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	27	2.8	2	1	1	3	4	5	5	5
20-34	20	3.1	7	<1	<1	2	4	6	9	12
35-49	7	3.4	4	1	1	4	5	6	6	6
50-64	5	4.2	8	1	1	5	6	8	8	8
65+	5	4.2	12	1	1	4	6	10	10	10
B. *Operated*										
0-19 YRS	173	3.6	7	1	1	3	5	6	9	13
20-34	201	4.7	17	1	1	3	6	9	14	21
35-49	101	4.9	15	1	1	4	6	10	12	20
50-64	53	4.8	12	1	1	4	6	10	11	15
65+	50	5.1	15	1	1	4	7	11	14	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	36	2.4	3	<1	1	2	3	5	6	6
B. *Operated*	394	2.9	5	1	1	2	4	6	7	11
2. MULTIPLE DX										
A. *Not Operated*	64	3.2	5	1	1	3	4	5	7	12
B. *Operated*	578	4.4	13	1	1	4	6	9	12	19
1. SINGLE DX	430	2.8	4	1	1	2	4	6	7	10
2. MULTIPLE DX	642	4.3	13	1	1	3	5	9	11	19
A. NOT OPERATED	100	2.9	4	<1	1	3	4	5	6	11
B. OPERATED	972	3.8	10	1	1	3	5	7	10	17
TOTAL 0-19 YRS	401	3.1	5	<1	1	2	4	6	7	11
20-34	346	4.0	13	1	1	3	5	8	10	19
35-49	160	4.2	12	1	1	3	5	8	11	19
50-64	91	4.0	9	1	1	3	5	9	11	15
65+	74	4.3	13	1	1	3	5	10	13	16
GRAND TOTAL	1072	3.7	10	1	1	3	5	7	10	17

369: Other laceration of head and neck (872-874)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	88	1.7	1	<1	1	1	2	3	4	6
20-34	79	2.1	1	<1	<1	2	3	4	5	6
35-49	27	2.7	3	<1	1	2	4	6	7	7
50-64	9	2.0	3	<1	<1	1	3	5	5	5
65+	16	2.9	7	1	1	1	5	6	9	10
B. *Operated*										
0-19 YRS	278	1.8	3	<1	1	1	2	3	5	10
20-34	182	2.5	14	<1	1	2	3	5	6	13
35-49	46	2.8	7	<1	<1	2	3	6	8	14
50-64	28	2.6	8	<1	<1	2	3	6	9	13
65+	12	1.9	2	<1	<1	1	3	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	206	2.6	5	<1	1	2	3	5	7	12
20-34	291	2.7	9	<1	1	2	3	5	8	15
35-49	149	2.7	3	<1	1	2	4	5	7	9
50-64	109	3.9	18	<1	1	2	4	9	12	24
65+	180	4.7	29	1	1	3	6	9	15	25
B. *Operated*										
0-19 YRS	545	3.1	23	1	1	2	3	6	8	24
20-34	676	3.8	30	1	1	2	4	7	10	29
35-49	294	4.7	48	1	1	3	5	9	14	32
50-64	188	5.7	52	1	1	4	7	12	17	43
65+	253	5.2	50	1	1	3	6	10	14	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	219	2.1	2	<1	<1	2	3	4	5	7
B. *Operated*	546	2.2	7	<1	1	1	2	4	6	11
2. MULTIPLE DX										
A. *Not Operated*	935	3.2	13	<1	1	2	4	6	9	17
B. *Operated*	1956	4.1	36	1	1	2	5	8	12	29
1. SINGLE DX	765	2.2	6	<1	<1	1	2	4	5	10
2. MULTIPLE DX	2891	3.8	29	1	1	2	4	7	11	27
A. NOT OPERATED	1154	3.0	11	<1	1	2	4	6	8	16
B. OPERATED	2502	3.7	30	<1	1	2	4	7	10	27
TOTAL 0-19 YRS	1117	2.6	13	<1	1	2	3	5	7	16
20-34	1228	3.3	21	<1	1	2	4	6	9	25
35-49	516	3.8	30	<1	1	2	4	7	10	24
50-64	334	4.7	37	<1	1	3	6	10	15	28
65+	461	4.8	39	1	1	3	6	9	14	29
GRAND TOTAL	**3656**	**3.5**	**24**	**<1**	**1**	**2**	**4**	**7**	**10**	**24**

370: Other laceration of trunk and multiple and unspecified sites (875-879)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	113	1.8	1	<1	1	2	2	3	3	6
20-34	222	2.0	2	<1	1	2	2	4	5	8
35-49	80	1.8	2	<1	1	1	2	3	4	7
50-64	22	2.1	2	<1	<1	2	3	4	5	6
65+	6	2.2	4	<1	<1	1	3	6	6	6
B. *Operated*										
0-19 YRS	149	2.7	7	<1	1	2	3	6	9	14
20-34	243	3.6	7	<1	1	3	5	7	8	13
35-49	82	3.5	8	<1	1	3	6	7	9	12
50-64	25	3.1	8	<1	1	2	4	6	10	13
65+	8	3.6	7	1	1	3	5	8	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	70	2.9	10	<1	1	2	4	6	8	16
20-34	204	3.1	17	<1	1	2	3	6	8	22
35-49	92	3.9	14	<1	1	3	5	9	10	20
50-64	29	3.8	7	<1	1	3	6	7	9	11
65+	19	6.9	24	1	2	6	10	14	17	18
B. *Operated*										
0-19 YRS	154	6.6	83	1	1	4	7	12	15	50
20-34	430	8.2	99	1	2	6	9	15	25	59
35-49	154	7.6	66	1	1	5	9	18	24	40
50-64	75	7.7	39	1	2	6	9	16	17	35
65+	39	7.8	48	1	2	6	11	15	21	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	443	1.9	2	<1	1	2	2	3	4	7
B. *Operated*	507	3.3	7	<1	1	2	5	7	9	13
2. MULTIPLE DX										
A. *Not Operated*	414	3.5	15	<1	1	2	4	7	10	19
B. *Operated*	852	7.8	82	1	1	6	9	15	23	44
1. SINGLE DX	950	2.6	5	<1	1	2	3	6	7	11
2. MULTIPLE DX	1266	6.4	65	1	1	4	8	12	18	40
A. NOT OPERATED	857	2.7	9	<1	1	2	3	6	8	12
B. OPERATED	1359	6.1	59	1	1	4	7	12	17	39
TOTAL 0-19 YRS	486	3.8	34	<1	1	2	4	7	11	32
20-34	1099	5.0	51	<1	1	3	6	10	14	36
35-49	408	4.8	35	1	1	3	6	10	16	30
50-64	151	5.4	28	<1	1	4	7	12	16	23
65+	72	6.7	36	1	1	5	9	14	18	34
GRAND TOTAL	**2216**	**4.8**	**42**	**<1**	**1**	**3**	**6**	**10**	**14**	**34**

371: Open wound of upper limb (880-887)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	85	2.6	3	<1	1	2	3	5	6	9
20-34	159	2.5	3	<1	<1	2	3	5	6	8
35-49	63	2.9	3	<1	<1	3	4	5	6	7
50-64	30	2.6	1	1	1	2	3	5	5	5
65+	12	3.3	5	<1	<1	3	4	7	9	9
B. *Operated*										
0-19 YRS	604	2.2	5	<1	1	2	2	4	6	12
20-34	973	2.5	8	<1	1	2	3	5	6	12
35-49	402	2.5	7	<1	1	2	3	5	7	15
50-64	200	2.6	10	<1	1	2	3	5	6	18
65+	64	2.5	4	<1	1	2	3	5	5	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	92	2.9	3	1	1	2	4	5	7	9
20-34	184	3.2	10	<1	1	2	4	6	7	13
35-49	91	3.6	6	<1	1	3	5	6	8	13
50-64	34	4.6	9	1	2	4	6	7	13	14
65+	46	5.8	18	2	2	4	8	11	16	19
B. *Operated*										
0-19 YRS	500	3.1	12	1	1	2	3	6	9	18
20-34	930	3.7	19	1	1	2	4	7	10	27
35-49	420	3.8	20	1	1	3	4	8	11	23
50-64	264	4.3	40	1	1	3	5	8	13	23
65+	151	4.4	16	1	1	3	5	10	16	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	349	2.6	3	<1	<1	2	3	5	6	8
B. *Operated*	2243	2.4	7	<1	1	2	3	5	6	14
2. MULTIPLE DX										
A. *Not Operated*	447	3.6	9	1	1	3	5	7	9	14
B. *Operated*	2265	3.7	20	1	1	2	4	8	11	22
1. SINGLE DX	2592	2.4	6	<1	1	2	3	5	6	13
2. MULTIPLE DX	2712	3.7	18	1	1	2	4	7	10	21
A. NOT OPERATED	796	3.2	7	<1	1	3	4	6	7	13
B. OPERATED	4508	3.1	14	<1	1	2	3	6	9	18
TOTAL 0-19 YRS	1281	2.6	8	<1	1	2	3	5	7	15
20-34	2246	3.0	13	<1	1	2	4	6	8	18
35-49	976	3.2	12	<1	1	2	4	6	9	19
50-64	528	3.6	25	1	1	2	4	7	10	22
65+	273	4.1	14	1	1	3	5	9	13	17
GRAND TOTAL	**5304**	**3.1**	**13**	**<1**	**1**	**2**	**4**	**6**	**8**	**17**

372: Open wound of lower limb (890-897)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	157	2.7	9	<1	1	2	3	6	7	17
20-34	188	2.8	4	<1	1	2	4	6	6	10
35-49	67	3.0	6	<1	1	2	4	6	10	12
50-64	19	3.8	24	1	1	2	4	8	16	22
65+	24	6.8	31	1	2	5	9	15	19	23
B. *Operated*										
0-19 YRS	484	3.9	18	1	1	3	4	9	12	19
20-34	417	4.1	20	1	1	3	5	8	11	22
35-49	175	4.0	10	1	1	3	5	8	10	16
50-64	84	5.0	26	1	1	3	7	11	16	26
65+	56	5.5	25	1	1	4	7	11	14	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	95	4.3	20	1	1	3	5	8	11	28
20-34	117	3.9	8	1	1	3	5	7	9	14
35-49	88	5.0	12	1	1	4	7	9	12	17
50-64	68	5.1	14	1	2	4	6	10	13	19
65+	65	6.6	21	2	2	6	8	12	14	26
B. *Operated*										
0-19 YRS	259	6.7	76	1	1	4	8	15	28	50
20-34	341	8.5	122	1	1	5	10	21	31	77
35-49	166	9.0	113	1	2	5	10	23	35	51
50-64	132	9.0	91	2	2	6	11	20	31	48
65+	128	10.9	115	2	3	8	13	21	29	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	455	3.1	9	<1	1	2	4	6	8	17
B. *Operated*	1216	4.1	18	1	1	3	5	9	12	21
2. MULTIPLE DX										
A. *Not Operated*	433	4.8	15	1	1	4	6	9	12	17
B. *Operated*	1026	8.5	105	1	1	5	10	20	30	51
1. SINGLE DX	1671	3.8	16	1	1	3	5	8	11	21
2. MULTIPLE DX	1459	7.4	81	1	1	5	8	16	25	48
A. NOT OPERATED	888	3.9	13	1	1	3	5	8	10	17
B. OPERATED	2242	6.1	63	1	1	4	7	14	20	44
TOTAL 0-19 YRS	995	4.5	34	1	1	3	5	9	14	31
20-34	1063	5.3	53	1	1	3	6	10	18	43
35-49	496	5.7	50	1	1	4	7	12	16	43
50-64	303	6.7	55	1	1	4	8	15	20	44
65+	273	8.4	72	1	2	6	10	17	24	49
GRAND TOTAL	**3130**	**5.5**	**50**	**1**	**1**	**3**	**6**	**12**	**17**	**42**

373: Injury to blood vessels (900-904)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	1.8	1	<1	<1	2	2	3	3	3
20-34	6	1.8	1	1	1	2	3	3	3	3
35-49	3	3.7	4	2	2	3	5	6	6	6
50-64	2	1.5	1	1	1	1	2	2	2	2
65+										
B. *Operated*										
0-19 YRS	8	3.1	6	1	1	2	5	7	7	7
20-34	24	5.8	29	1	1	4	7	17	17	18
35-49	9	2.8	2	1	1	3	4	5	5	5
50-64	3	13.7	154	6	6	7	23	28	28	28
65+	5	6.2	48	<1	<1	2	12	16	16	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	3.5	8	1	1	2	5	8	9	9
20-34	13	4.8	34	<1	<1	3	4	12	21	23
35-49	5	5.6	10	3	3	4	9	9	9	9
50-64	10	3.8	7	2	2	3	4	8	11	11
65+	10	5.2	15	1	1	4	5	12	14	14
B. *Operated*										
0-19 YRS	32	7.9	111	1	1	5	9	18	32	52
20-34	126	8.6	161	1	1	5	9	17	30	98
35-49	58	8.6	70	1	1	7	11	23	29	37
50-64	19	11.7	162	1	2	6	21	40	73	99+
65+	12	12.8	266	2	3	8	11	33	58	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	16	2.1	2	<1	1	2	3	3	5	6
B. *Operated*	49	5.3	32	1	1	3	6	15	17	28
2. MULTIPLE DX										
A. *Not Operated*	51	4.4	15	1	1	4	4	9	11	23
B. *Operated*	247	8.9	138	1	1	6	10	20	33	97
1. SINGLE DX	65	4.5	26	<1	1	3	5	11	17	26
2. MULTIPLE DX	298	8.2	119	1	1	5	9	18	29	83
A. NOT OPERATED	67	3.9	13	1	1	3	4	9	10	21
B. OPERATED	296	8.3	122	1	1	5	9	18	29	84
TOTAL 0-19 YRS	58	5.7	69	1	1	3	7	11	18	51
20-34	169	7.6	129	1	1	4	8	17	27	92
35-49	75	7.5	60	1	1	5	9	19	28	36
50-64	34	8.9	118	1	2	4	12	28	43	99+
65+	27	8.7	139	<1	1	5	11	16	27	62
GRAND TOTAL	**363**	**7.5**	**105**	**1**	**1**	**4**	**9**	**17**	**28**	**69**

374: Late effects of injury, poisoning, nonmedicinal agent, radiation, medical and surgical care, other specified and unspecified external cause (905-909)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	16	4.4	24	<1	<1	3	5	7	17	21
20-34	20	5.2	17	<1	<1	4	7	11	14	16
35-49	14	2.9	2	<1	1	3	4	4	5	5
50-64	5	4.2	16	1	1	3	6	11	11	11
65+	7	6.1	17	1	1	5	10	12	12	12
B. *Operated*										
0-19 YRS	135	3.6	13	1	1	2	4	8	11	17
20-34	186	3.9	15	1	2	3	5	8	9	20
35-49	93	3.3	6	1	1	3	4	7	8	12
50-64	70	4.5	14	1	1	3	5	10	10	19
65+	26	8.0	58	1	2	5	12	16	25	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	28	5.4	49	1	1	3	6	21	32	99+
20-34	51	11.1	287	1	1	5	11	32	51	88
35-49	30	4.7	10	1	2	4	6	9	11	13
50-64	32	8.1	40	2	2	7	10	16	25	27
65+	35	13.3	313	1	2	6	15	23	60	85
B. *Operated*										
0-19 YRS	59	5.1	68	1	1	3	5	9	15	55
20-34	131	7.0	120	1	2	4	6	14	33	70
35-49	105	5.6	43	1	1	3	6	11	17	38
50-64	84	9.0	93	1	2	6	12	20	28	52
65+	52	13.1	148	2	3	9	21	25	30	72
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	62	4.5	15	<1	1	4	5	11	12	20
B *Operated*	510	4.0	15	1	1	3	5	8	10	21
2. MULTIPLE DX										
A. *Not Operated*	176	9.0	169	1	1	5	10	20	34	87
B. *Operated*	431	7.5	97	1	2	4	8	17	27	58
1. SINGLE DX	572	4.1	15	1	1	3	5	8	11	21
2. MULTIPLE DX	607	7.9	118	1	2	4	9	18	28	68
A. NOT OPERATED	238	7.8	133	1	1	5	8	16	27	85
B. OPERATED	941	5.6	56	1	2	3	6	12	17	37
TOTAL 0-19 YRS	238	4.3	32	1	1	3	5	8	12	32
20-34	388	6.0	91	1	1	3	6	10	16	54
35-49	242	4.4	23	1	1	3	5	9	12	29
50-64	191	7.1	57	1	2	5	8	14	25	36
65+	120	11.6	172	2	2	7	15	24	30	77
GRAND TOTAL	**1179**	**6.1**	**72**	**1**	**1**	**3**	**6**	**12**	**20**	**47**

375: Contusion of eye and adnaxa (921)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	205	4.1	4	1	2	4	5	6	7	10
20-34	53	3.9	5	1	2	3	5	6	9	12
35-49	23	3.6	2	1	2	4	5	5	6	6
50-64	5	3.8	4	1	1	4	5	6	6	6
65+	3	2.3	2	1	1	2	3	4	4	4
B. *Operated*										
0-19 YRS	11	5.1	9	2	2	4	7	10	10	10
20-34	4	4.5	10	1	1	4	7	8	8	8
35-49	2	3.0		3	3	3	3	3	3	3
50-64										
65+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	136	3.6	4	1	1	3	5	6	8	9
20-34	70	3.3	7	<1	1	3	5	6	7	16
35-49	35	4.1	6	1	1	4	6	7	9	11
50-64	18	4.6	9	1	2	3	6	10	11	11
65+	27	7.4	120	1	2	4	8	12	35	53
B. *Operated*										
0-19 YRS	26	5.9	7	2	2	6	8	10	10	11
20-34	25	4.4	19	<1	1	3	6	12	14	18
35-49	18	4.1	10	1	1	3	6	9	11	12
50-64	7	5.6	12	3	3	4	9	11	11	11
65+	7	4.1	6	1	1	4	6	8	8	8
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	289	4.0	4	1	1	4	5	6	7	10
B. *Operated*	18	4.6	8	1	2	3	6	9	10	10
2. MULTIPLE DX										
A. *Not Operated*	286	4.0	17	1	1	3	5	7	9	16
B. *Operated*	83	4.9	11	1	1	4	7	10	11	16
1. SINGLE DX	307	4.0	4	1	2	4	5	6	8	10
2. MULTIPLE DX	369	4.2	16	1	1	3	5	8	10	17
A. NOT OPERATED	575	4.0	11	1	1	4	5	6	8	12
B. OPERATED	101	4.8	11	1	1	4	6	10	11	15
TOTAL 0-19 YRS	378	4.0	5	1	1	4	5	7	8	10
20-34	152	3.7	8	1	1	3	5	7	9	18
35-49	78	3.9	6	1	1	4	5	6	9	12
50-64	30	4.7	9	1	2	4	6	10	11	11
65+	38	6.3	89	1	1	4	7	11	24	53
GRAND TOTAL	**676**	**4.1**	**11**	**1**	**1**	**4**	**5**	**7**	**9**	**12**

376: Other superficial injuries (910-920; 922-924)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	543	1.8	2	<1	1	1	2	3	4	8
20-34	518	2.6	4	<1	1	2	3	5	7	10
35-49	272	3.1	9	1	1	2	4	6	8	13
50-64	143	3.2	5	1	1	2	4	7	7	10
65+	160	3.8	8	1	1	3	5	8	10	14
B. *Operated*										
0-19 YRS	116	2.3	4	<1	1	2	3	5	7	11
20-34	100	3.4	15	<1	<1	2	4	7	9	25
35-49	39	4.9	18	<1	1	3	6	11	14	19
50-64	38	5.0	14	1	1	4	7	10	14	15
65+	20	7.1	14	2	3	7	9	12	14	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1035	2.3	4	<1	1	2	3	4	6	10
20-34	1368	2.9	6	<1	1	2	4	6	8	13
35-49	844	3.9	12	1	1	3	5	8	10	18
50-64	773	4.7	13	1	1	4	6	9	11	18
65+	1702	6.0	26	1	2	5	7	11	15	27
B. *Operated*										
0-19 YRS	164	4.0	18	1	1	2	5	8	13	21
20-34	204	4.7	19	<1	1	3	7	10	14	21
35-49	111	4.8	11	1	1	4	7	10	10	16
50-64	136	8.3	60	1	2	6	10	17	27	37
65+	203	8.8	50	1	2	8	11	16	22	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1636	2.6	5	<1	1	2	3	5	7	10
B. *Operated*	313	3.6	13	<1	1	2	4	8	10	17
2. MULTIPLE DX										
A. *Not Operated*	5722	4.1	16	1	1	3	5	8	11	19
B. *Operated*	818	6.2	36	1	1	4	8	13	17	31
1. SINGLE DX	1949	2.7	7	<1	1	2	3	6	8	12
2. MULTIPLE DX	6540	4.4	19	1	1	3	6	9	12	21
A. NOT OPERATED	7358	3.8	14	1	1	3	5	8	10	18
B. OPERATED	1131	5.5	31	1	1	4	7	12	16	30
TOTAL 0-19 YRS	1858	2.3	5	<1	1	2	3	4	6	12
20-34	2190	3.0	8	<1	1	2	4	6	8	14
35-49	1266	3.8	12	1	1	3	5	8	10	17
50-64	1090	5.0	20	1	1	4	6	10	13	23
65+	2085	6.1	28	1	2	5	8	12	15	28
GRAND TOTAL	**8489**	**4.0**	**16**	**1**	**1**	**3**	**5**	**8**	**11**	**19**

377: Miscellaneous crushing injury (925-929)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	25	2.0	1	1	1	2	2	3	4	4
20-34	42	3.0	4	<1	1	2	4	6	7	7
35-49	13	3.5	6	<1	1	3	4	7	9	9
50-64	6	3.5	18	1	1	2	3	11	12	12
65+										
B. *Operated*										
0-19 YRS	27	2.7	8	<1	1	2	3	6	10	14
20-34	54	4.7	41	1	1	3	5	11	19	38
35-49	30	5.4	24	1	2	4	8	10	17	23
50-64	13	6.5	93	1	1	3	8	15	33	37
65+	2	2.0	2	<1	<1	1	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	16	3.9	12	1	1	3	5	9	12	13
20-34	44	3.7	9	1	1	3	5	7	10	14
35-49	17	3.6	5	1	1	3	5	7	8	8
50-64	6	4.3	1	3	3	4	5	6	6	6
65+	7	6.0	20	2	2	6	10	13	13	13
B. *Operated*										
0-19 YRS	36	7.3	49	1	1	5	9	17	19	31
20-34	112	6.3	34	1	1	4	8	15	19	55
35-49	70	7.8	167	1	1	4	9	18	22	86
50-64	34	12.5	347	1	1	4	15	34	55	86
65+	8	8.8	38	1	2	8	12	18	20	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	86	2.8	4	1	1	2	4	6	7	11
B. *Operated*	126	4.6	35	1	1	3	5	10	15	37
2. MULTIPLE DX										
A. *Not Operated*	90	4.0	9	1	1	3	5	8	11	14
B. *Operated*	260	7.7	115	1	1	4	9	18	22	83
1. SINGLE DX	212	3.9	23	1	1	2	4	8	11	28
2. MULTIPLE DX	350	6.8	90	1	1	4	8	16	20	60
A. NOT OPERATED	176	3.4	7	1	1	3	4	7	8	13
B. OPERATED	386	6.7	91	1	1	3	8	17	22	52
TOTAL 0-19 YRS	104	4.3	26	1	1	2	5	10	17	25
20-34	252	5.0	28	1	1	3	6	12	17	29
35-49	130	6.3	99	1	1	4	7	15	20	48
50-64	59	9.4	232	1	1	4	10	28	37	84
65+	17	6.8	29	<1	1	6	11	13	18	20
GRAND TOTAL	**562**	**5.7**	**67**	**1**	**1**	**3**	**7**	**13**	**19**	**37**

378: Foreign body on external eye (930)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	1.2		<1	<1	1	1	2	2	2
20-34										
35-49	1	3.0		3	3	3	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	12	1.1		<1	<1	1	1	2	2	2
20-34	4	1.5		1	1	1	2	2	2	2
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	2.5	5	1	1	2	4	4	4	4
20-34	1	2.0		2	2	2	2	2	2	2
35-49	2	2.0	2	1	1	2	3	3	3	3
50-64	1	6.0		6	6	6	6	6	6	6
65+	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-19 YRS	6	1.8	1	1	1	2	2	4	4	4
20-34	2	3.0	8	1	1	3	5	5	5	5
35-49	1	4.0		4	4	4	4	4	4	4
50-64	1	2.0		2	2	2	2	2	2	2
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11	1.4		<1	<1	1	2	3	3	3
B. *Operated*	17	1.2		<1	<1	1	1	2	2	2
2. MULTIPLE DX										
A. *Not Operated*	7	3.0	3	1	1	3	4	6	6	6
B. *Operated*	10	2.3	2	1	1	2	4	5	5	5
1. SINGLE DX	28	1.3		<1	<1	1	2	2	2	3
2. MULTIPLE DX	17	2.6	3	1	1	2	4	5	6	6
A. NOT OPERATED	18	2.0	2	<1	1	1	3	4	5	6
B. OPERATED	27	1.6	1	<1	<1	1	2	3	4	5
TOTAL 0-19 YRS	30	1.4	1	<1	<1	1	1	2	4	4
20-34	7	2.0	2	1	1	2	2	4	5	5
35-49	5	2.6	1	1	1	3	3	4	4	4
50-64	2	4.0	8	2	2	4	6	6	6	6
65+	1	4.0		4	4	4	4	4	4	4
GRAND TOTAL	**45**	**1.8**	**2**	**<1**	**<1**	**1**	**2**	**4**	**5**	**6**

379: Foreign body entering through other body orifice (931-939)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	512	1.3	1	<1	<1	1	1	2	3	4
20-34	95	1.7	2	<1	<1	1	2	3	6	8
35-49	73	1.5	2	<1	<1	1	2	2	4	10
50-64	71	1.7	2	<1	<1	1	2	3	5	10
65+	60	2.1	4	<1	1	1	2	5	7	10
B. *Operated*										
0-19 YRS	176	2.1	3	<1	<1	1	2	4	6	9
20-34	18	1.7	1	<1	<1	1	2	3	4	5
35-49	20	3.8	9	<1	1	3	6	9	10	10
50-64	18	2.8	7	1	1	2	3	7	9	10
65+	21	2.3	17	<1	1	1	2	3	11	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	126	2.3	7	<1	1	2	3	4	6	12
20-34	62	3.4	13	<1	1	3	4	6	9	23
35-49	72	4.1	20	1	1	2	5	9	14	24
50-64	106	3.6	13	<1	1	2	4	9	12	16
65+	242	4.2	18	1	1	3	5	9	12	24
B. *Operated*										
0-19 YRS	74	4.8	31	<1	1	3	6	9	15	34
20-34	35	4.3	16	<1	1	3	6	12	12	15
35-49	44	6.6	60	<1	1	4	8	21	28	32
50-64	73	5.7	45	1	1	3	8	12	21	34
65+	137	5.7	32	1	1	4	8	15	19	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	811	1.5	1	<1	<1	1	1	2	3	8
B. *Operated*	253	2.2	5	<1	1	1	2	5	7	10
2. MULTIPLE DX										
A. *Not Operated*	608	3.6	15	1	1	2	4	8	11	23
B. *Operated*	363	5.5	36	1	1	3	7	12	19	30
1. SINGLE DX	1064	1.6	2	<1	<1	1	2	3	4	9
2. MULTIPLE DX	971	4.3	24	1	1	3	5	10	14	27
A. NOT OPERATED	1419	2.4	8	<1	<1	1	2	5	8	14
B. OPERATED	616	4.2	26	<1	1	2	5	10	14	28
TOTAL 0-19 YRS	888	1.9	5	<1	<1	1	2	4	5	11
20-34	210	2.7	9	<1	<1	2	3	6	8	15
35-49	209	3.7	24	<1	1	2	4	8	11	28
50-64	268	3.6	21	<1	1	2	4	9	11	28
65+	460	4.3	22	1	1	3	5	10	13	23
GRAND TOTAL	**2035**	**2.9**	**14**	**<1**	**1**	**1**	**3**	**7**	**10**	**21**

380: Third degree burns (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	57	7.1	44	1	1	5	10	17	18	36
20-34	30	6.3	29	1	1	5	9	12	13	27
35-49	19	9.9	159	<1	1	8	11	20	41	56
50-64	11	6.3	14	<1	1	5	9	12	13	13
65+	6	18.5	236	8	8	13	18	46	49	49
B. *Operated*										
0-19 YRS	120	11.3	116	1	2	8	16	23	36	52
20-34	66	7.8	38	1	2	6	11	19	21	26
35-49	48	9.6	130	1	2	5	12	21	32	53
50-64	26	11.2	153	1	2	6	16	36	41	42
65+	18	15.6	179	1	2	13	23	38	45	47
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	61	7.4	45	1	1	5	10	15	22	33
20-34	51	7.4	41	1	2	4	11	17	20	27
35-49	49	10.0	99	1	2	7	14	21	28	59
50-64	31	13.5	114	3	4	9	15	31	40	43
65+	47	15.5	179	2	3	10	20	38	44	49
B. *Operated*										
0-19 YRS	114	18.6	229	2	4	14	26	43	59	99+
20-34	125	18.8	375	2	2	12	25	47	62	99
35-49	87	18.6	213	1	3	15	27	41	45	66
50-64	87	22.5	390	3	5	16	35	56	77	99+
65+	126	24.5	362	4	6	21	34	59	90	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	123	7.8	69	1	1	5	11	15	18	51
B. *Operated*	278	10.4	109	1	2	7	14	23	33	51
2. MULTIPLE DX										
A. *Not Operated*	239	10.3	99	1	2	7	14	21	33	47
B. *Operated*	539	20.7	322	2	4	16	29	48	64	99+
1. SINGLE DX	401	9.6	98	1	2	6	13	21	29	51
2. MULTIPLE DX	778	17.5	276	2	3	12	25	41	57	99+
A. NOT OPERATED	362	9.4	90	1	2	6	13	20	31	49
B. OPERATED	817	17.2	273	2	2	12	24	41	56	99+
TOTAL 0-19 YRS	352	12.3	150	1	2	8	17	29	38	63
20-34	272	12.6	225	1	2	8	15	30	43	93
35-49	203	13.6	178	1	2	10	18	30	42	60
50-64	155	17.7	299	2	3	12	27	45	57	99+
65+	197	21.4	312	3	4	17	30	47	73	99+
GRAND TOTAL	**1179**	**14.8**	**229**	**1**	**2**	**10**	**20**	**36**	**50**	**98**

381: Other burns (940; 941-946 with 4th digit 0, 1 or 2; 947; 948 without 5th digit 0-9; 949 with 4th digit 0, 1 or 2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	297	4.8	21	1	1	3	7	10	14	25
20-34	190	4.0	15	1	1	3	5	9	13	19
35-49	89	4.5	14	1	1	3	6	9	12	17
50-64	30	5.8	38	1	1	3	7	16	17	25
65+	20	7.9	49	1	2	5	11	16	24	31
B. *Operated*										
0-19 YRS	72	11.9	142	2	3	8	16	24	32	70
20-34	50	10.2	94	2	2	8	11	24	31	43
35-49	24	11.5	109	1	1	9	16	25	35	43
50-64	13	10.8	165	1	1	5	15	30	42	45
65+	10	10.4	84	2	2	9	13	24	34	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	574	5.8	31	1	1	4	8	12	16	23
20-34	422	5.7	26	1	1	4	8	12	17	24
35-49	247	6.8	44	1	1	5	9	16	20	38
50-64	134	7.9	57	1	1	5	12	17	23	35
65+	159	10.5	108	2	3	7	12	22	33	74
B. *Operated*										
0-19 YRS	147	14.8	238	2	3	8	22	35	45	78
20-34	128	13.4	206	1	1	9	18	27	37	80
35-49	69	15.0	160	2	2	12	20	40	54	99+
50-64	65	18.2	223	3	4	13	26	41	52	67
65+	55	19.0	249	4	4	16	25	63	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	626	4.7	20	1	1	3	6	10	14	24
B. *Operated*	169	11.2	119	1	2	8	15	25	32	45
2. MULTIPLE DX										
A. *Not Operated*	1536	6.6	44	1	1	5	8	14	18	33
B. *Operated*	464	15.4	219	2	3	11	21	37	52	99+
1. SINGLE DX	795	6.1	48	1	1	4	8	14	19	33
2. MULTIPLE DX	2000	8.6	98	1	1	6	11	19	28	55
A. NOT OPERATED	2162	6.0	38	1	1	4	8	13	17	30
B. OPERATED	633	14.3	196	1	2	10	20	33	45	90
TOTAL 0-19 YRS	1090	7.2	75	1	1	5	8	15	22	42
20-34	790	6.8	67	1	1	4	9	16	20	39
35-49	429	7.9	71	1	1	5	10	18	24	52
50-64	242	10.5	126	1	1	7	15	24	34	52
65+	244	12.2	146	2	3	9	15	31	45	99+
GRAND TOTAL	**2795**	**7.9**	**85**	**1**	**1**	**5**	**10**	**17**	**24**	**52**

382: Injury to nerve and spinal cord (950-957)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	37	2.5	8	<1	<1	1	3	6	8	15
20-34	37	3.4	4	<1	1	3	4	6	7	10
35-49	24	4.3	17	1	1	2	6	10	15	15
50-64	11	5.2	17	<1	<1	3	9	11	12	12
65+	1	12.0		12	12	12	12	12	12	12
B. *Operated*										
0-19 YRS	57	2.5	4	1	1	2	3	5	7	10
20-34	88	3.6	38	1	1	2	3	7	10	41
35-49	42	3.0	8	1	1	2	4	6	9	15
50-64	22	4.0	15	<1	1	3	5	9	13	17
65+	6	6.3	95	1	1	2	5	24	26	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	30	4.8	37	1	1	3	5	8	17	32
20-34	53	4.9	17	1	1	3	7	11	16	97
35-49	34	7.1	38	1	1	5	8	16	24	26
50-64	24	9.1	367	1	2	5	7	9	40	98
65+	49	8.6	79	1	2	6	10	18	32	45
B. *Operated*										
0-19 YRS	71	4.8	106	1	1	2	4	10	20	68
20-34	148	8.0	177	1	1	3	7	21	32	72
35-49	67	6.1	86	1	1	3	7	13	23	93
50-64	33	13.1	406	1	2	4	13	37	55	95
65+	28	12.0	137	2	2	6	18	31	35	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	110	3.5	11	<1	1	2	4	8	11	15
B. *Operated*	215	3.3	22	1	1	2	3	6	9	23
2. MULTIPLE DX										
A. *Not Operated*	190	6.8	85	1	1	4	8	14	20	76
B. *Operated*	347	7.8	168	1	1	3	7	20	34	77
1. SINGLE DX	325	3.4	18	1	1	2	4	7	10	18
2. MULTIPLE DX	537	7.4	139	1	1	4	8	17	30	77
A. NOT OPERATED	300	5.6	60	1	1	4	7	12	16	39
B. OPERATED	562	6.1	117	1	1	3	5	14	26	65
TOTAL 0-19 YRS	195	3.7	48	1	1	2	4	7	11	30
20-34	326	5.8	98	1	1	3	5	11	21	67
35-49	167	5.3	49	1	1	3	6	10	17	59
50-64	90	8.9	261	1	1	4	8	16	37	97
65+	84	9.6	99	1	2	6	12	26	33	45
GRAND TOTAL	**862**	**5.9**	**97**	**1**	**1**	**3**	**6**	**12**	**21**	**63**

383: Certain traumatic complications and unspecified injuries (958-959)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	278	2.0	3	<1	1	2	2	4	5	8
20-34	268	2.6	5	<1	1	2	3	5	6	13
35-49	111	3.7	10	1	1	3	5	7	9	19
50-64	45	4.7	14	1	1	4	6	11	13	17
65+	52	3.6	8	1	1	3	4	9	11	12
B. *Operated*										
0-19 YRS	88	4.7	37	1	1	3	5	10	16	36
20-34	124	4.0	26	1	1	2	5	9	11	27
35-49	35	4.7	19	1	1	3	7	12	13	18
50-64	36	6.8	168	1	1	3	7	14	21	77
65+	11	13.9	457	1	1	3	20	44	71	73
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	299	3.2	30	1	1	2	4	6	8	18
20-34	430	3.5	10	1	1	2	5	7	9	15
35-49	253	4.4	15	1	1	3	5	9	11	22
50-64	193	4.9	15	1	1	4	7	10	12	19
65+	355	6.9	24	2	2	5	9	14	17	25
B. *Operated*										
0-19 YRS	118	7.7	76	1	1	5	11	17	33	61
20-34	189	8.4	120	1	1	5	10	17	31	77
35-49	103	6.9	43	1	1	5	10	15	22	31
50-64	80	10.9	129	1	1	7	14	26	42	47
65+	73	12.4	161	2	2	9	16	25	28	75
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	754	2.7	6	1	1	2	3	5	7	13
B. *Operated*	294	5.0	64	1	1	3	5	10	15	43
2. MULTIPLE DX										
A. *Not Operated*	1530	4.5	20	1	1	3	6	10	13	21
B. *Operated*	563	8.8	106	1	1	6	11	20	31	59
1. SINGLE DX	1048	3.4	23	1	1	2	4	6	10	20
2. MULTIPLE DX	2093	5.7	47	1	1	4	7	12	17	37
A. NOT OPERATED	2284	3.9	16	1	1	3	5	8	11	18
B. OPERATED	857	7.5	95	1	1	4	10	17	26	48
TOTAL 0-19 YRS	783	3.6	31	1	1	2	4	7	12	34
20-34	1011	4.2	35	1	1	3	5	9	12	32
35-49	502	4.8	21	1	1	3	6	10	13	24
50-64	354	6.4	61	1	1	4	8	13	17	43
65+	491	7.5	57	1	2	5	10	16	20	35
GRAND TOTAL	**3141**	**4.9**	**40**	**1**	**1**	**3**	**6**	**11**	**15**	**34**

384: Poisoning by drugs, medicinal, and biological substances (960-979)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1453	1.7	2	<1	1	1	2	3	4	8
20-34	686	2.0	2	<1	<1	2	2	4	5	7
35-49	289	2.3	3	<1	1	2	3	4	5	9
50-64	124	3.0	7	<1	1	2	4	6	9	14
65+	84	4.3	24	1	1	3	5	8	12	30
B. *Operated*										
0-19 YRS	2	4.0	8	2	2	4	6	6	6	6
20-34	6	4.0	20	1	1	2	3	12	13	13
35-49	2	2.5	1	2	2	2	3	3	3	3
50-64	3	11.0	93	4	4	7	18	22	22	22
65+	2	11.0	200	1	1	11	21	21	21	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1368	3.3	30	<1	1	2	[illegible]	6	9	27
20-34	2026	3.6	21	<1	1	2	[illegible]	7	11	25
35-49	1158	4.1	23	1	1	3	[illegible]	9	12	28
50-64	706	5.5	35	1	1	4	[illegible]	11	15	30
65+	1172	6.5	29	1	2	5	8	13	16	30
B. *Operated*										
0-19 YRS	15	13.2	260	1	2	5	20	27	53	62
20-34	39	9.9	96	1	1	7	13	27	33	38
35-49	41	10.3	143	1	1	6	11	27	38	50
50-64	42	13.8	137	2	3	11	19	31	46	99+
65+	78	12.4	70	2	4	11	15	23	32	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2636	2.0	3	<1	1	1	2	4	5	9
B. *Operated*	15	6.1	48	1	1	3	7	21	22	22
2. MULTIPLE DX										
A. *Not Operated*	6430	4.4	28	1	1	3	5	9	13	28
B. *Operated*	215	11.9	114	1	2	9	16	27	35	57
1. SINGLE DX	2651	2.0	3	<1	1	1	2	4	5	9
2. MULTIPLE DX	6645	4.6	33	1	1	3	5	10	14	30
A. NOT OPERATED	9066	3.7	22	<1	1	2	4	8	11	24
B. OPERATED	230	11.5	112	1	2	9	15	26	35	56
TOTAL 0-19 YRS	2838	2.5	18	<1	1	2	3	4	7	19
20-34	2757	3.3	19	<1	1	2	4	6	10	23
35-49	1490	3.9	24	<1	1	2	4	8	12	28
50-64	875	5.6	40	1	1	4	7	12	17	36
65+	1336	6.7	34	1	2	5	8	13	17	31
GRAND TOTAL	**9296**	**3.9**	**26**	**<1**	**1**	**2**	**4**	**8**	**12**	**27**

385: Toxic effects of substances chiefly nonmedicinal as to source (980-989)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	907	1.8	3	<1	1	1	2	3	5	9
20-34	380	1.8	2	<1	1	1	2	3	4	7
35-49	241	1.8	2	1	1	1	2	3	4	7
50-64	131	1.8	1	1	1	1	2	3	4	7
65+	52	1.9	2	1	1	1	2	3	6	8
B. *Operated*										
0-19 YRS	22	3.9	8	1	1	3	6	8	10	11
20-34	20	6.1	15	1	2	5	10	12	12	12
35-49	11	4.1	18	1	1	4	4	10	15	16
50-64	7	4.0	9	1	1	3	6	9	9	9
65+	2	4.0	8	2	2	4	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	423	2.5	8	1	1	2	3	5	6	13
20-34	329	3.1	12	<1	1	2	3	6	8	17
35-49	255	3.4	16	<1	1	2	4	6	11	21
50-64	202	4.0	31	1	1	2	4	7	12	39
65+	175	4.3	16	1	1	3	5	10	14	18
B. *Operated*										
0-19 YRS	22	12.1	178	1	1	7	16	35	42	49
20-34	28	11.4	190	1	1	8	14	45	57	99+
35-49	22	15.0	603	1	1	6	17	39	84	99
50-64	14	15.2	466	1	2	8	15	35	75	86
65+	21	9.1	64	1	2	7	14	16	26	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1711	1.8	3	<1	1	1	2	3	4	7
B. *Operated*	62	4.6	12	1	1	4	6	10	12	16
2. MULTIPLE DX										
A. *Not Operated*	1384	3.2	15	1	1	2	4	6	10	19
B. *Operated*	107	12.3	277	1	1	7	14	30	54	99+
1. SINGLE DX	1773	1.9	3	<1	1	1	2	4	5	10
2. MULTIPLE DX	1491	3.9	39	1	1	2	4	8	13	33
A. NOT OPERATED	3095	2.4	9	<1	1	2	3	5	6	15
B. OPERATED	169	9.5	193	1	1	6	11	18	35	96
TOTAL 0-19 YRS	1374	2.2	9	<1	1	1	2	4	6	12
20-34	757	2.8	17	<1	1	2	3	6	8	17
35-49	529	3.2	39	1	1	2	3	6	9	24
50-64	354	3.6	42	1	1	2	4	7	10	38
65+	250	4.2	20	1	1	3	5	10	14	18
GRAND TOTAL	**3264**	**2.8**	**21**	**<1**	**1**	**2**	**3**	**5**	**8**	**19**

386: Miscellaneous adverse effects (990-994; 995)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	317	1.9	2	1	1	1	2	3	4	6
20-34	244	2.0	3	1	1	1	3	4	5	8
35-49	186	2.4	4	1	1	2	3	5	6	11
50-64	146	2.7	5	1	1	2	3	5	8	12
65+	101	3.9	10	1	1	3	5	8	10	16
B. *Operated*										
0-19 YRS	6	4.3	8	1	1	4	7	8	8	8
20-34	7	4.7	19	<1	<1	5	7	12	13	13
35-49	9	15.9	209	3	3	6	30	36	36	36
50-64	7	3.6	9	1	1	2	6	8	8	8
65+	5	9.8	74	1	1	9	13	24	24	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	376	3.6	18	1	1	2	4	7	10	22
20-34	388	3.5	18	1	1	2	4	6	9	27
35-49	402	3.9	15	1	1	3	5	8	11	20
50-64	618	4.9	20	1	1	4	6	10	13	21
65+	1310	6.3	37	1	2	5	8	12	15	32
B. *Operated*										
0-19 YRS	27	13.9	202	1	2	11	19	43	60	99+
20-34	27	6.3	38	1	1	4	9	16	19	22
35-49	43	8.3	100	1	2	5	11	19	43	99+
50-64	87	14.3	181	2	2	10	21	36	45	58
65+	146	12.2	108	2	2	9	16	25	37	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	994	2.3	4	1	1	2	3	5	6	11
B. *Operated*	34	8.1	92	1	1	5	8	24	34	36
2. MULTIPLE DX										
A. *Not Operated*	3094	5.0	27	1	1	4	6	10	14	26
B. *Operated*	330	11.9	132	1	2	9	16	27	41	69
1. SINGLE DX	1028	2.5	8	1	1	2	3	5	7	13
2. MULTIPLE DX	3424	5.7	41	1	1	4	7	11	16	38
A. NOT OPERATED	4088	4.4	23	1	1	3	5	9	12	23
B. OPERATED	364	11.6	130	1	2	8	15	27	39	63
TOTAL 0-19 YRS	726	3.2	22	1	1	2	3	6	10	28
20-34	666	3.1	14	1	1	2	4	6	8	22
35-49	640	3.9	24	1	1	3	4	7	11	30
50-64	858	5.4	43	1	1	3	6	11	16	39
65+	1562	6.7	45	1	2	5	8	13	18	37
GRAND TOTAL	**4452**	**5.0**	**36**	**1**	**1**	**3**	**6**	**10**	**14**	**34**

387: Complications peculiar to certain specified procedures (996)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	100	3.1	5	<1	1	2	4	7	8	11
20-34	36	4.5	28	<1	<1	3	5	10	18	23
35-49	45	4.8	10	1	1	4	7	9	11	13
50-64	32	6.7	63	1	2	4	6	16	21	41
65+	74	6.4	60	<1	1	3	8	14	19	43
B. *Operated*										
0-19 YRS	548	4.8	21	1	2	3	5	9	13	28
20-34	352	4.4	23	<1	1	3	5	10	13	25
35-49	401	5.9	49	1	1	3	7	15	18	30
50-64	442	7.4	51	1	2	5	11	16	20	31
65+	758	8.2	57	1	2	5	12	17	22	37
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	153	5.7	39	1	1	4	6	14	18	38
20-34	98	5.4	17	1	1	4	8	11	15	19
35-49	121	5.5	14	1	1	5	8	11	12	18
50-64	184	6.6	41	1	2	4	8	14	20	33
65+	416	7.3	48	1	2	6	9	15	20	38
B. *Operated*										
0-19 YRS	675	9.5	98	2	2	6	12	22	31	48
20-34	564	7.3	67	1	1	4	9	16	23	46
35-49	891	8.1	69	1	2	5	11	18	24	43
50-64	1444	9.9	107	1	2	7	13	21	31	55
65+	2329	10.9	117	2	2	8	15	23	31	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	287	4.8	31	<1	1	3	6	10	14	34
B. *Operated*	2501	6.4	44	1	1	4	8	15	19	30
2. MULTIPLE DX										
A. *Not Operated*	972	6.5	38	1	1	5	8	14	18	32
B. *Operated*	5903	9.7	102	1	2	7	13	21	29	51
1. SINGLE DX	2788	6.2	43	1	1	4	8	15	18	30
2. MULTIPLE DX	6875	9.3	94	1	2	6	12	20	28	50
A. NOT OPERATED	1259	6.1	37	1	1	4	8	13	18	33
B. OPERATED	8404	8.7	87	1	2	5	12	19	26	47
TOTAL 0-19 YRS	1476	6.9	63	1	2	4	8	16	24	39
20-34	1050	6.1	48	1	1	4	8	14	19	37
35-49	1458	7.1	58	1	1	5	9	16	21	37
50-64	2102	9.0	91	1	2	6	12	19	28	52
65+	3577	9.8	98	1	2	7	14	21	28	48
GRAND TOTAL	**9663**	**8.4**	**81**	**1**	**2**	**5**	**11**	**18**	**25**	**46**

388: Hemorrhage or hematoma complicating a procedure (998.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	170	1.6	1	<1	<1	1	2	3	3	5
20-34	247	2.2	2	1	1	2	3	4	5	8
35-49	136	3.0	5	1	1	2	3	6	7	14
50-64	104	3.3	4	1	1	3	4	6	7	10
65+	170	4.0	9	1	2	3	5	6	7	14
B. *Operated*										
0-19 YRS	151	1.9	5	<1	1	1	2	3	5	14
20-34	234	2.4	4	<1	1	2	3	5	7	11
35-49	104	3.0	5	1	1	2	4	6	8	11
50-64	59	4.6	12	1	1	4	6	10	13	15
65+	50	4.6	11	1	1	3	6	9	12	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	44	2.8	10	1	1	2	3	6	7	20
20-34	72	3.2	7	1	1	2	4	7	9	12
35-49	66	3.7	7	1	1	3	4	9	10	12
50-64	128	4.8	14	1	1	4	6	9	12	41
65+	269	4.5	11	1	2	4	6	8	10	15
B. *Operated*										
0-19 YRS	28	3.8	10	<1	1	3	5	8	10	14
20-34	116	5.1	61	1	1	3	6	10	14	43
35-49	76	6.2	28	1	1	5	9	14	16	24
50-64	78	8.2	107	1	2	5	11	14	17	61
65+	162	6.4	33	1	2	5	7	14	19	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	827	2.7	4	<1	1	2	3	5	6	10
B. *Operated*	598	2.8	7	1	1	2	3	6	7	14
2. MULTIPLE DX										
A. *Not Operated*	579	4.2	11	1	1	3	5	8	10	19
B. *Operated*	460	6.2	51	1	1	4	7	13	16	34
1. SINGLE DX	1425	2.7	5	1	1	2	3	5	7	12
2. MULTIPLE DX	1039	5.1	30	1	1	4	6	10	14	25
A. NOT OPERATED	1406	3.3	8	1	1	3	4	6	8	14
B. OPERATED	1058	4.3	29	1	1	3	5	9	13	23
TOTAL 0-19 YRS	393	2.0	5	<1	<1	1	2	4	5	12
20-34	669	2.9	14	1	1	2	3	6	8	14
35-49	382	3.8	11	1	1	3	5	8	11	16
50-64	369	5.0	33	1	1	4	6	10	13	43
65+	651	4.9	17	1	2	4	6	9	12	23
GRAND TOTAL	**2464**	**3.7**	**17**	**1**	**1**	**3**	**5**	**7**	**10**	**19**

389: Postoperative wound infection (998.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	59	4.1	5	1	1	4	6	7	8	11
20-34	105	5.1	12	1	2	4	6	9	11	21
35-49	104	6.0	38	2	2	5	7	9	12	38
50-64	76	7.3	21	2	3	6	10	14	17	21
65+	59	7.5	12	3	4	7	9	13	15	92
B. Operated										
0-19 YRS	71	7.5	51	1	2	5	11	14	21	38
20-34	106	7.6	41	2	3	6	9	17	23	33
35-49	102	7.4	71	1	2	5	9	14	19	52
50-64	82	8.8	77	1	2	5	11	21	29	42
65+	44	13.4	167	2	3	9	16	27	43	68
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	57	5.7	19	2	2	4	8	11	13	25
20-34	121	6.0	17	1	2	5	8	10	13	23
35-49	154	7.3	28	2	3	6	9	12	17	29
50-64	210	9.1	71	2	3	7	10	15	24	50
65+	258	9.3	60	3	4	7	11	16	20	52
B. Operated										
0-19 YRS	60	14.1	208	2	3	10	17	27	40	86
20-34	135	13.5	144	3	4	9	16	32	40	55
35-49	161	12.1	95	2	3	8	17	29	35	45
50-64	229	14.4	212	2	4	10	17	29	45	99
65+	270	15.5	150	3	4	12	21	31	38	62
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	403	6.0	21	2	2	5	7	11	14	21
B. Operated	405	8.4	74	1	2	6	10	16	25	43
2. MULTIPLE DX										
A. Not Operated	800	8.1	49	2	3	7	10	15	19	40
B. Operated	855	14.2	160	2	4	10	18	30	38	76
1. SINGLE DX	808	7.2	49	2	2	5	8	14	19	40
2. MULTIPLE DX	1655	11.2	116	2	3	8	13	24	32	63
A. NOT OPERATED	1203	7.4	41	2	2	6	9	13	17	33
B. OPERATED	1260	12.3	140	2	3	9	15	27	35	68
TOTAL 0-19 YRS	247	7.9	84	1	2	5	9	15	24	46
20-34	467	8.3	70	2	2	6	9	17	26	46
35-49	521	8.5	65	2	2	6	10	17	25	42
50-64	597	10.9	127	2	3	8	13	21	30	75
65+	631	12.1	112	3	4	9	14	25	32	61
GRAND TOTAL	**2463**	**9.9**	**97**	**2**	**3**	**7**	**12**	**20**	**29**	**55**

390: Other complications of surgical procedures (997; 998.0; 998.2-998.4; 998.6-998.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	44	2.7	5	<1	1	2	4	6	7	9
20-34	109	4.2	13	1	1	3	6	10	12	15
35-49	93	4.2	9	1	1	4	5	8	10	14
50-64	64	5.4	14	1	1	4	8	11	12	16
65+	68	5.9	32	1	1	5	8	13	15	34
B. Operated										
0-19 YRS	77	4.4	21	1	1	3	5	10	11	27
20-34	128	4.7	17	1	1	3	6	10	11	22
35-49	132	6.0	32	<1	1	4	8	13	18	31
50-64	134	6.9	45	1	2	5	8	14	23	34
65+	125	6.8	68	1	1	4	8	13	21	49
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	88	3.7	12	1	1	3	5	7	9	18
20-34	136	4.3	32	1	1	3	4	9	13	35
35-49	178	5.7	31	1	1	4	8	11	18	25
50-64	236	6.6	44	1	1	5	9	13	16	31
65+	295	8.2	68	1	2	6	10	16	22	37
B. Operated										
0-19 YRS	85	7.1	80	1	1	4	7	21	26	84
20-34	181	8.7	129	1	1	5	11	20	31	82
35-49	305	10.0	114	1	1	8	12	21	28	68
50-64	415	10.7	138	1	2	8	13	21	35	61
65+	542	11.1	118	1	2	9	15	25	35	54
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	378	4.6	15	1	1	3	6	10	12	16
B. Operated	596	5.9	38	1	1	4	7	12	17	33
2. MULTIPLE DX										
A. Not Operated	933	6.3	47	1	1	4	8	13	18	33
B. Operated	1528	10.3	123	1	2	7	13	23	33	63
1. SINGLE DX	974	5.4	30	1	1	4	7	11	14	30
2. MULTIPLE DX	2461	8.8	98	1	1	6	11	19	28	54
A. NOT OPERATED	1311	5.8	38	1	1	4	8	12	16	27
B. OPERATED	2124	9.0	103	1	1	6	11	20	30	54
TOTAL 0-19 YRS	294	4.7	35	1	1	3	6	9	18	33
20-34	554	5.8	60	1	1	3	7	12	18	40
35-49	708	7.4	69	1	1	5	9	17	22	39
50-64	849	8.5	92	1	2	6	10	16	26	54
65+	1030	9.4	95	1	2	7	12	21	30	52
GRAND TOTAL	**3435**	**7.8**	**81**	**1**	**1**	**5**	**10**	**17**	**24**	**48**

391: Other complications of medical care, except drugs (999)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	36	2.8	8	1	1	2	3	5	6	17
20-34	16	2.7	5	<1	<1	2	3	7	8	8
35-49	6	2.2	1	1	1	2	3	4	4	4
50-64	3	6.3	8	3	3	8	8	8	8	8
65+	3	2.3	2	1	1	2	3	4	4	4
B. *Operated*										
0-19 YRS										
20-34										
35-49	1	43.0		43	43	43	43	43	43	43
50-64										
65+	1	7.0		7	7	7	7	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	36	3.2	3	1	1	3	4	6	7	7
20-34	24	5.7	19	1	1	4	7	14	14	15
35-49	21	4.3	9	1	2	4	5	8	11	14
50-64	30	7.9	38	1	2	6	11	16	22	26
65+	60	5.9	31	1	1	3	10	16	18	20
B. *Operated*										
0-19 YRS	2	23.5	221	13	13	23	34	34	34	34
20-34	6	2.8	3	<1	<1	2	3	6	6	6
35-49	5	4.2	11	1	1	5	6	9	9	9
50-64	13	11.3	160	2	3	7	12	26	45	50
65+	8	13.4	178	2	3	10	15	36	44	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	64	2.9	6	1	1	2	3	5	8	16
B. *Operated*	2	25.0	648	7	7	25	43	43	43	43
2. MULTIPLE DX										
A. *Not Operated*	171	5.4	24	1	1	4	7	12	17	22
B. *Operated*	34	10.0	134	1	2	6	12	21	42	50
1. SINGLE DX	66	3.5	31	1	1	2	3	7	8	39
2. MULTIPLE DX	205	6.2	44	1	1	4	8	13	18	38
A. NOT OPERATED	235	4.7	20	1	1	3	6	11	15	20
B. OPERATED	36	10.8	157	1	2	6	13	33	44	50
TOTAL 0-19 YRS	74	3.5	19	1	1	2	4	6	7	30
20-34	46	4.3	14	<1	1	3	5	10	14	15
35-49	33	5.1	54	1	1	4	5	9	13	43
50-64	46	8.7	70	1	2	7	12	18	23	50
65+	72	6.6	50	1	1	4	10	16	19	39
GRAND TOTAL	**271**	**5.5**	**42**	**1**	**1**	**3**	**7**	**12**	**17**	**41**

392: Admission for prophylactic sterilization (V25.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	8	1.4	1	<1	<1	1	2	3	3	3
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS	18	2.3	2	<1	<1	2	3	4	6	7
20-34	2394	1.7	1	<1	<1	1	2	3	4	5
35-49	832	1.5	2	<1	<1	1	2	3	3	4
50-64	8	1.4	1	<1	<1	1	2	3	3	3
65+	1	1.0		<1	<1	<1	<1	<1	<1	<1
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	43	2.7	104	<1	<1	1	1	2	3	68
35-49	10	1.1		<1	<1	1	1	2	2	2
50-64	2	3.0	2	2	2	3	4	4	4	4
65+										
B. *Operated*										
0-19 YRS	17	3.1	3	<1	1	3	4	6	6	6
20-34	1574	2.1	2	<1	<1	2	3	4	5	7
35-49	699	2.0	2	<1	<1	2	2	4	5	6
50-64	12	2.1	1	<1	<1	2	3	4	4	4
65+	2	2.0	2	<1	<1	1	3	3	3	3
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10	1.4		<1	<1	1	2	3	3	3
B. *Operated*	3253	1.6	1	<1	<1	1	2	3	3	5
2. MULTIPLE DX										
A. *Not Operated*	57	2.4	79	<1	<1	1	1	2	3	63
B. *Operated*	2304	2.1	2	<1	<1	2	3	4	5	7
1. SINGLE DX	3263	1.6	1	<1	<1	1	2	3	3	5
2. MULTIPLE DX	2361	2.1	4	<1	<1	2	2	4	5	7
A. NOT OPERATED	67	2.2	67	<1	<1	1	1	2	3	57
B. OPERATED	5557	1.8	2	<1	<1	1	2	3	4	6
TOTAL 0-19 YRS	37	2.6	3	<1	<1	2	4	5	6	7
20-34	4019	1.8	3	<1	<1	1	2	3	4	6
35-49	1543	1.7	2	<1	<1	1	2	3	4	6
50-64	22	1.9	1	<1	<1	2	3	3	4	4
65+	3	1.7	1	<1	<1	<1	2	3	3	3
GRAND TOTAL	**5624**	**1.8**	**2**	**<1**	**<1**	**1**	**2**	**3**	**4**	**6**

393: Single liveborn, born in hospital (V30.0; V39.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G	1	9.0		9	9	9	9	9	9	9
1000-1499	5	36.8	226	18	18	39	50	52	52	52
1500-1749	7	18.3	46	8	8	22	23	23	23	23
1750-2499	2402	3.2	4	1	2	3	4	5	6	12
2500+	111651	2.9	2	1	2	3	3	5	5	7
B. *Operated*										
1-999 G										
1000-1499	4	38.3	293	15	15	41	49	56	56	56
1500-1749	1	19.0		19	19	19	19	19	19	19
1750-2499	6	13.0	35	1	2	15	16	16	16	16
2500+	52	7.7	104	1	2	4	10	14	35	49
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G	33	55.5	380	21	40	58	73	98	99+	99+
1000-1499	222	36.4	226	13	19	35	45	57	65	81
1500-1749	368	21.7	65	10	12	21	27	33	36	43
1750-2499	5212	6.8	36	2	2	5	8	14	18	28
2500+	47393	3.8	4	2	2	3	5	6	7	11
B. *Operated*										
1-999 G	91	73.5	405	41	56	89	99+	99+	99+	99+
1000-1499	225	46.5	359	14	26	47	64	94	99+	99+
1500-1749	155	33.7	202	17	20	31	40	56	65	81
1750-2499	462	17.5	185	2	5	15	22	34	46	80
2500+	1164	8.2	65	2	2	6	10	15	23	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	114066	2.9	2	1	2	3	3	5	5	7
B. *Operated*	63	10.3	160	1	2	5	13	23	44	55
2. MULTIPLE DX										
A. *Not Operated*	53228	4.3	18	2	2	3	5	6	9	22
B. *Operated*	2097	19.1	438	2	3	10	28	61	87	99+
1. SINGLE DX	114129	2.9	2	1	2	3	3	5	5	7
2. MULTIPLE DX	55325	4.9	42	2	2	4	5	7	11	39
A. NOT OPERATED	167294	3.3	7	1	2	3	4	5	6	12
B. OPERATED	2160	18.8	432	2	3	10	28	60	86	99+
TOTAL 1-999 G	125	68.2	483	27	44	83	99+	99+	99+	99+
1000-1499	456	41.4	316	13	20	41	54	73	98	99+
1500-1749	531	25.2	134	10	13	23	30	38	46	68
1750-2499	8082	6.3	45	2	2	4	7	14	18	32
2500+	160260	3.2	3	1	2	3	4	5	6	9
GRAND TOTAL	**169454**	**3.5**	**16**	**1**	**2**	**3**	**4**	**5**	**6**	**17**

394: Twin or multiple liveborn, born in hospital (V31.0; V32.0; V33.0; V34.0; V35.0; V36.0; V37.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G										
1000-1499	2	40.5	61	35	35	40	46	46	46	46
1500-1749	5	19.4	18	14	14	21	22	24	24	24
1750-2499	294	5.1	11	2	2	5	6	8	12	21
2500+	891	4.3	3	2	2	4	5	6	7	10
B. *Operated*										
1-999 G										
1000-1499	1	46.0		46	46	46	46	46	46	46
1500-1749										
1750-2499	1	19.0		19	19	19	19	19	19	19
2500+										
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G	5	61.6	923	15	15	67	80	97	97	97
1000-1499	43	35.3	196	20	22	32	44	57	70	99+
1500-1749	82	22.0	60	13	14	20	26	31	37	51
1750-2499	745	8.9	64	2	3	6	12	17	22	38
2500+	579	5.4	17	2	3	5	6	7	9	26
B. *Operated*										
1-999 G	15	64.1	704	15	42	90	99+	99+	99+	99+
1000-1499	46	48.9	450	19	23	51	80	99+	99+	99+
1500-1749	35	25.3	61	11	13	26	29	32	38	46
1750-2499	78	19.9	250	2	7	17	24	29	37	94
2500+	22	10.0	106	4	5	8	11	24	70	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1192	4.6	8	2	2	4	5	7	8	17
B. *Operated*	2	32.5	365	19	19	32	46	46	46	46
2. MULTIPLE DX										
A. *Not Operated*	1454	9.2	96	3	3	6	10	20	27	55
B. *Operated*	196	30.0	539	5	8	25	50	97	99+	99+
1. SINGLE DX	1194	4.7	10	2	2	4	5	7	8	18
2. MULTIPLE DX	1650	11.7	193	3	3	6	15	28	43	99+
A. NOT OPERATED	2646	7.1	62	2	3	5	7	15	22	42
B. OPERATED	198	30.0	536	5	8	25	49	97	99+	99+
TOTAL 1-999 G	20	63.5	714	15	29	83	99+	99+	99+	99+
1000-1499	92	42.3	360	19	22	40	59	94	99+	99+
1500-1749	122	22.8	61	13	14	22	27	31	37	49
1750-2499	1118	8.7	75	2	3	6	11	18	23	37
2500+	1492	4.8	11	2	3	4	5	7	8	14
GRAND TOTAL	**2844**	**8.7**	**128**	**2**	**3**	**5**	**8**	**20**	**30**	**88**

Appendix

ICD-9-CM Codes for Selected Diagnosis Groups

ICD-9-CM Codes for Selected Diagnosis Groups

ICD-9-CM codes for diagnosis groups 193, 268, 286, 287, 290, and 380

193	Nongastric peptic ulcer with hemorrhage or perforation	532.00; 532.10; 532.20; 532.40; 532.50; 532.60; 533.00; 533.10; 533.20; 533.40; 533.50; 533.60; 534.00; 534.10; 534.20; 534.40; 534.50; 534.60
268	Miscellaneous complications of pregnancy without delivery	644.00; 644.03; 645.03; 646.0-646.4 with 5th digit 3; 646.73; 646.83; 646.93; 651-656 with 5th digit 3; 657 with 5th digit 3; 658.0-658.1 with 5th digit 0 or 3; 658.23; 658.33; 658.8-658.9 with 5th digit 0 or 3; 659.03; 659.10; 659.13; 659.4-663.9 with 5th digit 3; 665.03; 665.83; 665.93; 668.0-669.2 with 5th digit 3; 669.8-669.9 with 5th digit 3; 671.0-671.3 with 5th digit 3; 671.5-671.9 with 5th digit 3; 673.0-674.0 with 5th digit 3; 675.0-676.9 with 5th digit 3
286	Other obstetrical trauma	664.5-664.9 with 5th digit 0 or 1; 665.0 with 5th digit 0 or 1; 665.1 with 5th digit 0, 1, or 2; 665.2 with 5th digit 0 or 2; 665.3-665.6 with 5th digit 0 or 1; 665.7-665.9 with 5th digit 0, 1, or 2
287	Miscellaneous complications of delivery	642 with 5th digit 0, 1, or 2; 643.0-643.9 with 5th digit 1; 644.20-644.21; 645.00-645.01; 646.00-646.01; 646.1-646.2 with 5th digit 0, 1, or 2; 646.30-646.31; 646.4-646.6 with 5th digit 0, 1, or 2; 646.70-646.71; 646.80-646.82; 646.90-646.91; 655-657 with 5th digit 0 or 1; 658.01; 658.41; 658.81; 658.91; 659.00-659.01; 659.11; 659.21; 659.3-659.9 with 5th digit 0 or 1; 661.30-661.31; 666.20; 666.22; 668.0-668.9 with 5th digit 0, 1, or 2; 669.0-669.2 with 5th digit 0, 1, or 2; 669.30; 669.32; 669.40-669.42; 669.50-669.51; 669.70-669.71; 669.8-669.9 with 5th digit 0, 1, or 2; 670.02; 671.0-671.2 with 5th digit 0, 1, or 2; 671.30-671.31; 671.40; 671.42; 671.5-671.9 with 5th digit 0, 1, or 2; 672.02; 673-674.0 with 5th digit 0, 1, or 2; 674.1-674.9 with 5th digit 0 or 2; 675-676 with 5th digit 0, 1, or 2

290	Other puerperal complications	646.14; 646.24; 646.44; 646.84; 654.04; 654.14; 654.3-654.9 with 5th digit 4; 664 with 5th digit 4; 665.1-665.9 with 5th digit 4; 668.0-669.4 with 5th digit 4; 669.8-669.9 with 5th digit 4; 671.0-671.2 with 5th digit 4; 671.4-671.9 with 5th digit 4; 673.0-676.9 with 5th digit 4
380	Third degree burns	941-946 with 4th digit 3, 4, or 5; 948.00; 948.10-948.11; 948.20-948.22; 948.30-948.33; 948.40-948.44; 948.50-948.55; 948.60-948.66; 948.70-948.77; 948.80-948.88; 948.90-948.99; 949 with 4th digit 3, 4, or 5

Index to the Length of Stay Tables

If a diagnosis does not appear in the Index, its corresponding *ICD-9-CM* code can be found in the *International Classification of Diseases, 9th Revision, Clinical Modification,* Volume 2, Diseases: Alphabetic Index, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978. The diagnosis group containing the *ICD-9-CM* code can then be located in the length of stay tables.

DIAGNOSIS INDEX

This diagnosis index lists common diagnoses and gives the number of the *ICD-9-CM* List A diagnosis group to which each diagnosis belongs.

Group Number	Title
211	Abdominal angina
165	Abdominal aortic aneurysm
338	Abdominal pain
258	Abortion, except spontaneous, elective, legal, therapeutic, and threatened
255	Abortion, elective
256	Abortion, illegal
258	Abortion, missed
256	Abortion, self-induced
257	Abortion, spontaneous
255	Abortion, therapeutic
259	Abortion, threatened
210	Abscess, anal
312	Abscess, bone
292	Abscess, digit
188	Abscess, mouth
188	Abscess, salivary gland
291	Abscess, skin and subcutaneous tissue, except digit
188	Abscess, tongue
81	Acidosis, except diabetic
72	Acidosis, diabetic
107	Acute alcoholic intoxication, except in chronic alcoholism
104	Acute alcoholic intoxication in chronic alcoholism
	Acute appendicitis – *see Appendicitis, acute*
174	Acute bronchitis
122	Acute glaucoma
84	Acute hemorrhagic anemia
48	Acute leukemia, except lymphocytic or lymphoid
47	Acute leukemia, lymphocytic or lymphoid
140	Acute myocardial infarction
95	Acute schizophrenic episode
	Addiction – *see Dependence*
	Adenocarcinoma – *see Neoplasm, malignant*
245	Adenomyosis
110	Adjustment reaction
207	Adynamic ileus

DIAGNOSIS INDEX (continued)

Group Number	Title
107	Alcohol abuse
104	Alcohol dependence
107	Alcohol intoxication, except in chronic alcoholism
104	Alcohol intoxication in chronic alcoholism
92	Alcoholic psychosis
104	Alcoholism, chronic
81	Alkalosis
183	Allergic bronchitis
1	Amebiasis
140	AMI
340	Amnesia
372	Amputation, traumatic, lower limb
371	Amputation, traumatic, upper limb
79	Amyloidosis
210	Anal abscess
210	Anal fissure
210	Anal fistula
391	Anaphylactic shock, except due to drugs
386	Anaphylactic shock due to drugs
84	Anemia, except iron deficiency, sickle cell, and of pregnancy
84	Anemia, aplastic
82	Anemia, iron deficiency
267	Anemia of pregnancy
269	Anemia of pregnancy, with delivery
83	Anemia, sickle cell
166	Aneurysm, except aorta
165	Aneurysm, aorta
211	Angina, abdominal
141	Angina pectoris
54	Angioma
301	Ankylosis
	Anomaly, congenital
318	Central nervous system
320	Circulatory system
323	Digestive system, except cleft palate and lip, and pyloric stenosis
319	Ear
319	Eye
327	Generalized
325	Genitourinary system, except undescended testis and urethral stenosis
320	Heart
317	Musculoskeletal system, except clubfoot
323	Respiratory system
340	Anorexia, except nervosa

DIAGNOSIS INDEX (continued)

Group Number	Title
111	Anorexia nervosa
140	Anterior wall infarction
101	Anxiety reaction or neurosis, except depression
102	Anxiety depression
165	Aortic aneurysm
	Aortic valve disease — *see Valvular disease*
128	Aphakia
84	Aplastic anemia
199	Appendicitis, except acute
197	Appendicitis, acute, without peritonitis
198	Appendicitis, acute, with peritonitis
199	Appendicitis, recurrent
148	Arrhythmia, heart
168	Arterial disease, except cerebrovascular, arteriosclerosis, aneurysm, embolism, thrombosis, and gangrene
164	Arteriosclerosis, except cerebral and coronary
163	Arteriosclerosis, cerebral
143	Arteriosclerosis, coronary
151	Arteriosclerotic cardiovascular disease
91	Arteriosclerotic dementia or psychosis
143	Arteriosclerotic heart disease
164	Arteriosclerotic vascular disease
299	Arthritis, except osteo- and rheumatoid
298	Arthritis, osteo-, except spine
303	Arthritis, osteo-, spine
299	Arthritis, pyogenic
297	Arthritis, rheumatoid, except spine
302	Arthritis, rheumatoid, spine
339	Ascites
151	ASCVD
143	ASHD
183	Asthma
183	Asthmatic bronchitis
	Atherosclerosis — *see Arteriosclerosis*
147	Atrial fibrillation and flutter
76	Avitaminosis
145	Bacterial endocarditis
234	Bacteriuria, except in pregnancy
266	Bacteriuria in pregnancy
287	Bacteriuria in pregnancy, with delivery
311	Baker's cyst
235	Benign prostatic hyperplasia (BPH)

Group Number	Title
234	Bladder disease, except calculus and cystitis
48	Blast cell leukemia
251	Bleeding, menopausal
251	Bleeding, postmenopausal
221	Blind loop syndrome
129	Blindness
148	Block, heart
332	Bloody nose
313	Bone disease, except osteomyelitis and osteoarthritis
123	Borderline glaucoma
1	Botulism
67	Bowen's disease
235	BPH
121	Break, retinal
242	Breast disease, except fibrocystic
241	Breast disease, fibrocystic
183	Bronchial asthma
174	Bronchiolitis, acute
181	Bronchitis, except acute
174	Bronchitis, acute
181	Bronchitis, chronic
179	Bronchopneumonia
6	Brucellosis
376	Bruise, except eye and orbit
375	Bruise, eye and orbit
310	Bunion
381	Burn, any site, except third degree
380	Burn, any site, third degree
309	Bursitis
217	Calculus, bile duct, except cystic
231	Calculus, bladder
215	Calculus, cystic bile duct
215	Calculus, gallbladder
228	Calculus, renal
188	Calculus, salivary gland
229	Calculus, ureter
231	Calculus, urethra
	Cancer — *see Neoplasm, malignant*
	Carcinoma — *see Neoplasm, malignant*
67	Carcinoma in situ, except cervix
66	Carcinoma in situ, cervix
148	Cardiac arrest

395: Single or multiple liveborn, born before admission to hospital (V30.1; V31.1; V32.1; V33.1; V34.1; V35.1; V36.1; V37.1; V39.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499	22	2.7	1	1	1	3	3	4	5	6
2500+	336	2.3	1	1	1	2	3	3	4	7
B. *Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G										
1000-1499	1	42.0		42	42	42	42	42	42	42
1500-1749	8	24.0	111	10	10	29	30	36	38	38
1750-2499	49	8.7	60	2	2	6	12	18	21	37
2500+	131	4.5	25	1	1	3	5	9	11	30
B. *Operated*										
1-999 G	1	86.0		86	86	99+	99+	99+	99+	99+
1000-1499	3	66.0	553	39	39	77	81	82	82	82
1500-1749	2	30.0	8	28	28	30	32	32	32	32
1750-2499	6	11.3	29	3	3	12	14	18	19	19
2500+	5	4.4	22	1	1	2	7	12	12	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	358	2.3	1	1	1	2	3	3	4	7
B. *Operated*	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*	189	6.6	61	1	2	4	8	15	28	39
B. *Operated*	17	25.5	838	1	2	14	67	94	99+	99+
1. SINGLE DX	359	2.3	1	1	1	2	3	3	4	7
2. MULTIPLE DX	206	8.2	148	1	2	4	9	19	34	92
A. NOT OPERATED	547	3.8	26	1	1	2	3	7	11	31
B. OPERATED	18	24.3	817	1	2	13	58	93	99+	99+
TOTAL 1-999 G	1	86.0		86	86	99+	99+	99+	99+	99+
1000-1499	4	60.0	513	39	39	59	79	82	82	82
1500-1749	10	25.2	94	10	10	29	31	35	38	38
1750-2499	77	7.2	49	1	2	4	11	17	19	36
2500+	473	2.9	9	1	1	2	3	5	7	12
GRAND TOTAL	**565**	**4.4**	**63**	**1**	**1**	**2**	**4**	**9**	**14**	**42**

396: Aftercare for removal of internal fixation device (V54.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	18	2.6	6	<1	<1	2	3	7	9	9
20-34	10	1.3		<1	<1	1	1	2	3	3
35-49	1	2.0		2	2	2	2	2	2	2
50-64	5	1.8	1	<1	<1	2	2	3	3	3
65+	5	3.4	9	<1	<1	2	6	8	8	8
B. *Operated*										
0-19 YRS	447	2.1	1	<1	<1	2	3	3	4	5
20-34	483	2.4	2	<1	<1	2	3	4	5	8
35-49	286	2.5	5	<1	<1	2	3	4	5	13
50-64	197	2.9	4	<1	1	2	3	5	7	11
65+	115	4.0	21	<1	<1	3	4	8	12	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	16	1.3	1	<1	<1	1	1	1	4	5
20-34	5	1.0		<1	<1	1	1	1	1	1
35-49	7	1.6		<1	<1	2	2	2	2	2
50-64	5	2.2	2	1	1	2	3	4	4	4
65+	5	19.4	1077	1	1	2	31	77	77	77
B. *Operated*										
0-19 YRS	116	3.0	6	<1	1	2	4	6	7	15
20-34	153	3.9	19	<1	1	3	4	6	11	19
35-49	89	5.0	31	1	1	4	6	10	13	35
50-64	82	5.1	63	1	2	3	5	7	15	50
65+	114	7.3	77	1	1	4	9	17	22	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	39	2.2	4	<1	<1	1	2	6	8	9
B. *Operated*	1528	2.5	4	<1	<1	2	3	4	5	10
2. MULTIPLE DX										
A. *Not Operated*	38	3.8	155	<1	<1	1	2	4	12	77
B. *Operated*	554	4.8	39	<1	1	3	5	9	15	41
1. SINGLE DX	1567	2.5	4	<1	<1	2	3	4	5	10
2. MULTIPLE DX	592	4.7	46	<1	1	3	5	9	15	42
A. NOT OPERATED	77	3.0	78	<1	<1	1	2	5	8	60
B. OPERATED	2082	3.1	14	<1	1	2	3	5	8	18
TOTAL 0-19 YRS	597	2.2	3	<1	<1	2	3	4	5	9
20-34	651	2.7	6	<1	1	2	3	4	6	12
35-49	383	3.1	12	<1	1	2	4	5	7	17
50-64	289	3.5	22	<1	1	2	4	6	7	21
65+	239	5.9	71	<1	1	3	7	13	19	43
GRAND TOTAL	**2159**	**3.1**	**17**	**<1**	**1**	**2**	**3**	**5**	**8**	**18**

397: Aftercare involving intermittent dialysis (V56)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	1.5	1	<1	<1	1	2	2	2	2
20-34										
35-49										
50-64	3	4.3	24	1	1	2	8	10	10	10
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	32	1.5	2	1	1	1	1	4	5	7
20-34	4	2.3	2	1	1	2	3	4	4	4
35-49	24	2.2	2	1	1	2	2	4	5	7
50-64	60	1.6	1	1	1	2	2	2	3	5
65+	63	1.3	1	1	1	1	1	2	2	9
B. *Operated*										
0-19 YRS	6	4.7	9	2	2	4	5	10	10	10
20-34	12	4.8	21	1	1	3	5	12	16	17
35-49	38	3.8	14	<1	<1	2	4	9	12	17
50-64	32	4.1	16	<1	1	3	5	10	14	16
65+	17	3.4	8	1	1	2	4	8	10	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	2.8	13	<1	<1	1	2	9	10	10
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	183	1.6	1	1	1	1	2	2	4	7
B. *Operated*	105	4.0	14	<1	1	3	5	9	13	17
1. SINGLE DX	6	2.8	13	<1	<1	1	2	9	10	10
2. MULTIPLE DX	288	2.4	7	1	1	1	2	5	8	15
A. NOT OPERATED	189	1.6	2	1	1	1	2	2	4	9
B. OPERATED	105	4.0	14	<1	1	3	5	9	13	17
TOTAL 0-19 YRS	40	2.0	4	1	1	1	2	5	6	10
20-34	16	4.1	17	1	1	3	5	10	15	17
35-49	62	3.2	10	<1	1	2	4	8	9	17
50-64	95	2.5	8	1	1	2	2	5	9	15
65+	81	1.7	3	1	1	1	1	3	5	11
GRAND TOTAL	**294**	**2.5**	**7**	**1**	**1**	**1**	**2**	**5**	**9**	**15**

398: Admission for special examinations and miscellaneous reasons (V01-V24; V25.0-V25.1; V25.3-V25.9; V26-V28; V40-V53; V54.8-V54.9; V55; V57-V82)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	820	2.3	7	<1	<1	1	3	4	6	15
20-34	1157	2.7	22	<1	<1	1	2	5	10	24
35-49	459	3.2	25	<1	<1	2	3	5	11	24
50-64	529	3.2	26	<1	1	2	3	6	13	29
65+	327	4.2	42	<1	1	2	4	9	18	32
B. *Operated*										
0-19 YRS	419	3.2	10	<1	1	2	4	8	9	14
20-34	967	3.5	8	<1	1	3	5	8	9	13
35-49	581	4.0	16	<1	1	2	5	9	11	17
50-64	372	4.5	17	<1	1	3	7	10	12	20
65+	246	5.0	22	<1	1	3	8	12	13	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1646	3.9	28	<1	1	3	4	7	11	28
20-34	1515	4.0	46	<1	1	2	4	7	11	38
35-49	2604	3.3	23	1	1	2	4	6	8	28
50-64	5899	3.4	23	1	1	2	4	6	9	27
65+	6079	4.5	47	1	1	2	4	8	16	39
B. *Operated*										
0-19 YRS	509	5.8	75	1	1	3	7	11	17	66
20-34	1074	4.4	35	<1	1	3	5	9	12	49
35-49	1179	5.6	56	1	1	3	7	11	16	35
50-64	1533	5.3	38	1	1	3	7	11	15	33
65+	1717	6.5	64	1	1	4	9	14	21	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3292	2.9	22	<1	<1	1	3	5	10	24
B. *Operated*	2585	3.9	13	<1	1	2	5	9	11	16
2. MULTIPLE DX										
A. *Not Operated*	17743	3.8	34	1	1	2	4	7	11	32
B. *Operated*	6012	5.6	52	1	1	3	7	12	16	41
1. SINGLE DX	5877	3.3	18	<1	<1	2	4	8	11	24
2. MULTIPLE DX	23755	4.3	39	1	1	2	5	8	14	34
A. NOT OPERATED	21035	3.7	32	1	1	2	4	6	11	31
B. OPERATED	8597	5.1	41	1	1	3	6	11	14	34
TOTAL 0-19 YRS	3394	3.7	29	<1	1	2	4	8	11	27
20-34	4713	3.7	30	<1	<1	2	4	7	11	29
35-49	4823	3.9	31	1	1	2	4	8	12	28
50-64	8333	3.8	26	1	1	2	4	7	11	28
65+	8369	4.9	50	1	1	3	5	10	17	40
GRAND TOTAL	**29632**	**4.1**	**35**	**1**	**1**	**2**	**4**	**8**	**13**	**32**

DIAGNOSIS INDEX (continued)

Group Number	Title
390	Cardiac arrest, postoperative
109	Cardiac neurosis
189	Cardiospasm
119	Carpal tunnel syndrome
125	Cataract, except senile and diabetic
73	Cataract, diabetic
124	Cataract, senile
221	Celiac disease
292	Cellulitis, digit
291	Cellulitis, skin and subcutaneous tissue, except digit
117	Central nervous system disease, except epilepsy, inflammatory, multiple sclerosis, and paralysis agitans
154	Cerebral hemorrhage, except subarachnoid, without paralysis
155	Cerebral hemorrhage, except subarachnoid, with paralysis
161	Cerebrovascular accident, without paralysis
162	Cerebrovascular accident, with paralysis
268	Cervical incompetence
280	Cervical incompetence, with delivery
246	Cervical infection
246	Cervicitis
340	Chemical diabetes mellitus
385	Chemical poisoning
398	Chemotherapy session or treatment
8	Chickenpox
97	Childhood psychoses
218	Cholangitis
216	Cholecystitis, without cholelithiasis
215	Cholecystitis, with cholelithiasis
217	Choledocholithiasis
215	Cholelithiasis
36	Choriocarcinoma
128	Chorioretinitis
104	Chronic alcoholism
181	Chronic bronchitis
241	Chronic cystic disease of breast
48	Chronic leukemia, except lymphocytic or lymphoid
47	Chronic leukemia, lymphocytic or lymphoid
88	Chronic lymphadenitis, except mesenteric
213	Cirrhosis, except Laennec's
212	Cirrhosis, alcoholic
213	Cirrhosis, biliary
212	Cirrhosis, Laennec's
321	Cleft palate and lip

DIAGNOSIS INDEX (continued)

Group Number	Title
122	Closed-angle glaucoma
326	Clubfoot
173	Cold, head
215	Colic, biliary
337	Colic, renal
208	Colitis, except mucous and ulcerative
211	Colitis, mucous
211	Colitis, ulcerative
296	Collagen disease, NOS
340	Coma, except diabetic and hepatic
72	Coma, diabetic
214	Coma, hepatic
11	Common warts
390	Complication of amputation stump
387	Complication of cardiac pacemaker
	Complication of drugs — *see Effect, adverse*
387	Complication of grafts
387	Complication of internal orthopedic device
391	Complication of medical care, except drugs
387	Complication of prosthesis
390	Complication of surgery NEC
364	Concussion, current or unspecified
149	Congestive heart failure
127	Conjunctivitis
376	Contusion, except eye and orbit
375	Contusion, eye and orbit
329	Convulsions, except epileptic
116	Convulsions, epileptic
184	COPD
143	Coronary artery disease
142	Coronary insufficiency, except chronic
143	Coronary insufficiency, chronic
140	Coronary occlusion, acute
336	Cough
8	Cowpox
314	Coxa valgum, varum
83	Crisis, sickle-cell
211	Crohn's disease
174	Croupous bronchitis
367	Crush injury, except chest and limbs
366	Crush injury, chest
377	Crush injury, limbs
75	Cushing's syndrome

DIAGNOSIS INDEX (continued)

Group Number	Title
161	CVA, without paralysis
162	CVA, with paralysis
128	Cyclitis
311	Cyst, Baker's
188	Cyst, mouth
243	Cyst, ovarian
293	Cyst, pilonidal
121	Cyst, retinal
294	Cyst, sebaceous
311	Cyst, synovial
241	Cystic breast
218	Cystic duct remnant
77	Cystic fibrosis
232	Cystitis
266	Cystitis of pregnancy
248	Cystocele
134	Deafness
295	Decubitus
112	Deficiency, mental
76	Deficiency, nutritional
	Deformity, congenital — *see Anomaly, congenital*
316	Deformity, musculoskeletal, acquired
128	Degeneration, globe of eye
81	Dehydration
340	Delirium, except acute and subacute
89	Delirium, acute or subacute
270	Delivery, NOS
	Delivery complicated by:
278	Abnormality, bony pelvis
272	Abruptio placentae
287	Acute toxemia
276	Breech presentation
278	Cephalopelvic disproportion
281	Cesarean section, previous
287	Complication NOS
278	Disproportion, cephalopelvic
278	Disproportion, fetopelvic
287	Eclampsia
278	Fetopelvic disproportion
287	Hypertensive disorder
279	Inertia, uterine
277	Malpresentation, except breech
275	Multiple fetation

DIAGNOSIS INDEX (continued)

Group Number	Title
	Delivery complicated by: (continued)
272	Placenta, abruptio
271	Placenta previa
287	Pre-eclampsia
282	Premature rupture of membranes
272	Premature separation of the placenta
276	Presentation, breech
281	Previous cesarean section
279	Prolonged labor, NOS
282	Rupture of membranes, premature
287	Toxemia
279	Uterine inertia
270	Delivery, normal
270	Delivery, uncomplicated
90	Dementia, except arteriosclerotic
91	Dementia, arteriosclerotic
90	Dementia, presenile
90	Dementia, senile
104	Dependence, alcoholic
106	Dependence, amphetamine
106	Dependence, barbiturate
106	Dependence, cocaine
105	Dependence, heroin
106	Dependence, LSD
106	Dependence, marihuana
105	Dependence, methadone
105	Dependence, morphine
105	Dependence, opioid
111	Depression, except neurotic, postpartum, and psychotic
102	Depression, neurotic
267	Depression, postpartum
98	Depression, psychotic
102	Depressive neurosis
98	Depressive psychosis
102	Depressive reaction
301	Derangement, joint except knee
300	Derangement, knee joint
295	Dermatitis
15	Dermatomycosis
121	Detachment of retina
175	Deviated nasal septum
340	Diabetes mellitus, chemical
71	Diabetes mellitus, uncomplicated

DIAGNOSIS INDEX (continued)

Group Number	Title
73	Diabetes mellitus, uncontrolled
72	Diabetic acidosis
73	Diabetic cataract
72	Diabetic coma
73	Diabetic gangrene
73	Diabetic nephropathy
73	Diabetic neuropathy
73	Diabetic retinopathy
73	Diabetic ulcer
397	Dialysis, peritoneal
397	Dialysis, renal
204	Diaphragmatic hernia
208	Diarrhea, except infectious and functional
211	Diarrhea, functional
1	Diarrhea, infectious
6	Diphtheria
	Disease
199	Appendix, except acute appendicitis
151	Arteriosclerotic cardiovascular
168	Artery, except cerebrovascular, arteriosclerosis, aneurysm, embolism, thrombosis, and gangrene
13	Arthropod-borne
79	Autoimmune
6	Bacterial, except intestinal, tuberculosis, strep throat, and septicemia
218	Biliary ducts
234	Bladder, except calculus and cystitis
313	Bone, except osteomyelitis and osteoarthritis
242	Breast, except fibrocystic
241	Breast, fibrocystic
221	Celiac
	Central nervous system
7	Enteroviral
113	Inflammatory, except enteroviral
117	Noninflammatory, except epilepsy, multiple sclerosis, and paralysis agitans
	Cerebrovascular — *see Cerebrovascular accident*
136	Chronic rheumatic heart
296	Connective tissue, diffuse
143	Coronary artery
211	Crohn's
75	Cushing's
187	Dental
209	Diverticular

DIAGNOSIS INDEX (continued)

Group Number	Title
	Disease (continued)
196	Duodenum, except ulcer and inflammatory
134	Ear, except inflammatory and otosclerosis
75	Endocrine, except ovary, thyroid, and diabetes mellitus
189	Esophagus
129	Eye, except inflammatory, strabismus, cataract, glaucoma, and retinal detachment
128	Eye, inflammatory, except lacrimal tract
252	Fallopian tube, except endometriosis
316	Fascia
252	Female genitalia, except adnexa, endometriosis, infective, prolapse, and menstrual
216	Gallbladder
252	Gynecologic, except adnexa, endometriosis, infective, prolapse, and menstrual
	Heart
138	Hypertensive
143	Ischemic, except infarction and angina pectoris
136	Rheumatic, chronic
150	Other, except arrhythmia and bacterial endocarditis
86	Hematopoietic, except anemia, hemophilia, and leukemia
328	Hemolytic, newborn
46	Hodgkin's
137	Hypertensive, except heart
138	Hypertensive, heart
17	Infectious, except bacterial, viral, arthropod-borne, venereal, mycotic, and helminthiases
211	Intestine, except gastroenteritis, diverticular, appendix, anus, and hernia
1	Intestine, infectious
143	Ischemic heart, except acute infarction and angina pectoris
187	Jaw
301	Joint, except internal derangement, ruptured disc, and sacroiliac
306	Joint, sacroiliac
230	Kidney, except nephritis, nephrosis, infection, and calculus
73	Kimmelstiel-Wilson
127	Lacrimal tract, inflammation
188	Lip
214	Liver, except infectious and serum hepatitis, and Laennec's cirrhosis
186	Lung, except pneumonia, obstructive, and pneumothorax
184	Lung, obstructive, except asthma, bronchitis, and emphysema
240	Male genitalia, except prostate, hydrocele, and inflammatory
132	Meniere's

DIAGNOSIS INDEX (continued)

Group Number	Title
	Disease (continued)
188	Mouth, except dental
117	Muscle, except deformity
120	Nervous system, except CNS and sciatica
184	Obstructive lung, except asthma, bronchitis, and emphysema
252	Ovary, except endometriosis
313	Paget's, bone
32	Paget's, breast
219	Pancreas
252	Parametrium, except endometriosis
17	Parasitic, except helminthiasis
114	Parkinson's
244	Pelvic inflammatory
196	Peptic
328	Perinatal
120	Peripheral nervous system, except sciatica
211	Peritoneum
186	Pleura
236	Prostate, except hypertrophy
186	Respiratory, upper, except acute URI, hypertrophy of tonsils and adenoids, deviated nasal septum, and nasal and laryngeal polyps
135	Rheumatic, active
136	Rheumatic, chronic
188	Salivary gland
83	Sickle-cell
295	Skin, except infective, pilonidal and sebaceous cysts
196	Stomach, except ulcer and inflammatory
187	Teeth
316	Tendon, except tenosynovitis
188	Tongue
340	Undiagnosed
186	Upper respiratory, except URI, tonsils, deviated nasal septum, and nasal and laryngeal polyps
230	Ureter, except calculus
234	Urethra, except calculus and stricture
14	Venereal
12	Viral, except enteroviral CNS, that with exanthem, viral hepatitis, infectious mononucleosis, and viral warts
8	Viral with exanthem
359	Dislocation, joint, except knee and shoulder
358	Dislocation, knee
357	Dislocation, shoulder

DIAGNOSIS INDEX (continued)

Group Number	Title
	Disorder
111	Behavior
81	Electrolyte
79	Immunodeficiency
250	Menstruation, except metrorrhagia
103	Personality
109	Psychophysiologic
305	Displacement of intervertebral disc, except lumbar
304	Displacement of lumbar disc
165	Dissecting aortic aneurysm
209	Diverticulitis
209	Diverticulosis
189	Diverticulum, esophagus
209	Diverticulum, intestine
108	Drug abuse, except alcohol
106	Drug dependence, except opioid
105	Drug dependence, opioid
93	Drug-induced psychosis
384	Drug poisoning or overdose
93	Drug withdrawal syndrome or symptoms
107	Drunkenness
196	Duodenal disease, except ulcer and inflammation
	Duodenal ulcer — *see Ulcer, duodenal*
195	Duodenitis
1	Dysentery
74	Dysfunction, ovarian
317	Dysfunction, somatic (osteopathic)
253	Dysmenorrhea
253	Dyspareunia
336	Dyspnea
117	Dystrophy, muscular
337	Dysuria
329	Eclampsia
261	of pregnancy
287	of pregnancy, with delivery
254	Ectopic pregnancy
	Effect, adverse
386	Drug NOS
384	Drug, overdose or wrong substance given or taken
386	External conditions
385	Nonmedicinal substance
386	Radiation
386	Temperature

DIAGNOSIS INDEX (continued)

Group Number	Title
268	Elderly primigravida
287	Elderly primigravida, with delivery
255	Elective abortion
392	Elective sterilization
81	Electrolyte imbalance or disorder
167	Embolism, arterial, except cerebral and precerebral
158	Embolism, cerebral, without paralysis
159	Embolism, cerebral, with paralysis
156	Embolism, precerebral, without paralysis
157	Embolism, precerebral, with paralysis
144	Embolism, pulmonary, except postoperative
390	Embolism, pulmonary, postoperative
172	Embolism, vein
182	Emphysema
113	Encephalitis, except viral
12	Encephalitis, viral
18	Encephalitis, viral, late effect
145	Endocarditis, acute and subacute bacterial
75	Endocrine disease, except ovary, thyroid, and diabetes mellitus
245	Endometriosis
247	Endometritis, except puerperal
288	Endometritis, puerperal
69	Enlarged thyroid
208	Enteritis, except bacterial, regional, and viral
1	Enteritis, bacterial
208	Enteritis, noninfectious
211	Enteritis, regional
1	Enteritis, viral
238	Epididymitis
116	Epilepsy
332	Epistaxis
6	Erysipelas
67	Erythroplasia
172	Esophageal varices
189	Esophagitis
189	Esophagospasm
137	Essential benign hypertension
398	Examination, follow-up
298	Examination, medical
149	Failure, heart
390	Failure, heart, postoperative
225	Failure, renal, except chronic

DIAGNOSIS INDEX (continued)

Group Number	Title
224	Failure, renal, chronic
340	Fainting
263	False labor
82	Fe deficiency anemia
135	Fever, active rheumatic
330	Fever, NOS (FUO)
1	Fever, paratyphoid
288	Fever, puerperal
4	Fever, scarlet
1	Fever, typhoid
12	Fever, yellow
147	Fibrillation or flutter, atrial
148	Fibrillation or flutter, ventricular
241	Fibrocystic breast
77	Fibrocystic disease, pancreas
56	Fibroma, uterus
16	Filariasis
210	Fissure, anal
210	Fistula, anal
128	Flat anterior chamber
1	Food poisoning
379	Foreign body in body orifice, except eye
378	Foreign body in eye
	Fracture
354	Ankle
349	Arm, lower
348	Arm, upper
354	Bimalleolar
350	Carpal
355	Clavicle
349	Colles
343	Face bone
352	Femur, except upper end
351	Femur, upper end
353	Fibula, except lateral malleolus
350	Finger
354	Foot
350	Hand
398	Healed, aftercare, except removal of fixation device
396	Healed, aftercare, removal of fixation device
351	Hip
348	Humerus
354	Knee

DIAGNOSIS INDEX (continued)

Group Number	Title
	Fracture (continued)
354	Lateral malleolus
353	Leg, lower, except ankle
352	Leg, upper, except hip
343	Mandible
354	Medial malleolus
350	Metacarpal
354	Metatarsal
356	Multiple bones
343	Nose
354	Patella
347	Pelvis
349	Radius
346	Rib
355	Scapula
342	Skull, base
341	Skull, vault
344	Spine, without cord injury
345	Spine, with cord injury
346	Sternum
354	Tarsal
346	Thorax
353	Tibia, except articulating surface
354	Toe
354	Trimalleolar
349	Ulna
344	Vertebra, without cord injury
345	Vertebra, with cord injury
330	FUO
216	Gallbladder disease
311	Ganglion, tendon sheath
334	Gangrene, except gas gangrene
6	Gangrene, gas
	Gastric ulcer – *see Ulcer, gastric*
195	Gastritis
208	Gastroenteritis, except infectious
1	Gastroenteritis, infectious
208	Gastroenteritis, noninfectious
220	Gastrointestinal hemorrhage
192	Gastrojejunal ulcer, without complication
193	Gastrojejunal ulcer, with complication
164	Generalized arteriosclerosis

DIAGNOSIS INDEX (continued)

Group Number	Title
3	Generalized tuberculosis
314	Genu valgum or varum, except congenital
327	Genu valgum or varum, congenital
220	GI hemorrhage
123	Glaucoma, except acute
122	Glaucoma, acute
122	Glaucoma, closed-angle
122	Glaucoma, open-angle
222	Glomerulonephritis, except acute
223	Glomerulonephritis, acute
69	Goiter
14	Gonorrhea
80	Gout
116	Grand mal epilepsy
268	Grand multiparity
392	Grand multiparity, without pregnancy
268	Habitual aborter
252	Habitual aborter, without pregnancy
310	Hallux valgus or varus, except congenital
327	Hallux valgus or varus, congenital
310	Hammer toe
331	Headache, except migraine and tension
118	Headache, migraine
111	Headache, tension
398	Healed fracture aftercare, except removal of fixation device
396	Healed fracture aftercare, removal of fixation device
140	Heart attack
149	Heart failure
390	Heart failure, postoperative
16	Helminthiasis
54	Hemangioma
220	Hematemesis
286	Hematoma, pelvic, with delivery
290	Hematoma, pelvic, postpartum
388	Hematoma, postoperative wound
84	Hemolytic anemia, except hereditary and newborn
83	Hemolytic anemia, hereditary
328	Hemolytic anemia, newborn
328	Hemolytic disease of newborn
85	Hemophilia
336	Hemoptysis

DIAGNOSIS INDEX (continued)

Group Number	Title
	Hemorrhage
265	Antepartum, except early
260	Antepartum, early
172	Blood vessel, spontaneous
220	Gastrointestinal
154	Intracerebral, except subarachnoid, without paralysis
155	Intracerebral, except subarachnoid, with paralysis
258	Postabortal
388	Postoperative wound
274	Postpartum, except delayed or secondary
289	Postpartum, delayed or secondary
260	Pregnancy, early
289	Puerperal, after 24 hours
152	Subarachnoid, without paralysis
153	Subarachnoid, with paralysis
171	Hemorrhoids
214	Hepatitis, except chronic and viral
213	Hepatitis, chronic
9	Hepatitis, infectious
9	Hepatitis, serum
9	Hepatitis, viral
	Hernia, without complication
205	Abdominal, except inguinal
204	Diaphragmatic
205	Femoral
204	Hiatal
203	Incisional
200	Inguinal
203	Postoperative
202	Umbilical
203	Ventral
	Hernia, with complication
206	Abdominal, except inguinal
206	Diaphragmatic
206	Femoral
206	Hiatal
206	Incisional
201	Inguinal
206	Postoperative
206	Umbilical
206	Ventral
105	Heroin dependence or addiction
8	Herpes simplex

DIAGNOSIS INDEX (continued)

Group Number	Title
18	Herpes simplex, late effect
8	Herpes zoster
18	Herpes zoster, late effect
79	Histiocytosis
46	Hodgkin's disease
237	Hydrocele
318	Hydrocephaly
79	Hyperbilirubinemia, except neonatal
328	Hyperbilirubinemia, neonatal
79	Hypercalcemia
262	Hyperemesis gravidarum
75	Hyperinsulinism
79	Hyperlipoproteinemia
75	Hyperparathyroidism
235	Hyperplasia of prostate
81	Hyperpotassemia
137	Hypertension, except renal and of pregnancy
261	Hypertension of pregnancy
287	Hypertension of pregnancy, with delivery
139	Hypertension, renal
139	Hypertension, renovascular
128	Hypertensive retinopathy
70	Hyperthyroidism
177	Hypertrophy of tonsils and adenoids
79	Hypogammaglobulinemia
75	Hypoparathyroidism
81	Hypopotassemia
172	Hypotension
70	Hypothyroidism
81	Hypovolemia
211	Ileitis, regional
207	Ileus, paralytic or adynamic
340	Ill-defined conditions
79	Immunodeficiency disorder
160	Impending CVA
292	Impetigo
257	Incomplete abortion
337	Incontinence
125	Infantile cataract
122	Infantile glaucoma
140	Infarction, acute myocardial

DIAGNOSIS INDEX (continued)

Group Number	Title
	Infection
232	Bladder
312	Bone
246	Cervix
227	Kidney, except nephritis, nephrosis, and acute pyelonephritis
6	Meningococcal
389	Postoperative wound
288	Puerperal, major
292	Skin and subcutaneous tissue, except cellulitis and abscess
173	Upper respiratory, except streptococcal
234	Urinary tract
266	Urinary tract, in pregnancy
247	Uterine, except cervix
247	Vaginal
247	Vulvar
389	Wound, postoperative
10	Infectious mononucleosis
252	Infertility, female
240	Infertility, male
113	Inflammation, central nervous system
129	Inflammation, eye, except lacrimal tract
127	Inflammation, lacrimal tract
180	Influenza
180	Influenzal pneumonia
200	Inguinal hernia, without complication
201	Inguinal hernia, with complication
	Injury
328	Birth
373	Blood vessel
377	Crush, except abdomen and chest
367	Crush, abdomen
366	Crush, chest
365	Head, except concussion
367	Internal, except chest
366	Internal, chest
358	Knee ligament or meniscus
374	Late effect
363	Musculoskeletal, except back and sacroiliac region
362	Musculoskeletal, back
361	Musculoskeletal, sacroiliac region
382	Nerve
386	Radiation
374	Radiation, late effect

DIAGNOSIS INDEX (continued)

Group Number	Title
	Injury (continued)
382	Spinal cord
376	Superficial
	Insufficiency, heart valve — *see Valvular disease*
250	Intermenstrual bleeding
160	Intermittent cerebral ischemia
301	Internal derangement of joint, except knee
300	Internal derangement of knee
211	Intestinal disease, except gastroenteritis, diverticular, appendix, anus, and hernia
107	Intoxication, acute alcohol
98	Involutional melancholia
128	Iridocyclitis
128	Iritis
82	Iron deficiency anemia
211	Irritable colon or bowel
143	Ischemic heart disease, except acute or subacute
142	Ischemic heart disease, acute or subacute, except acute myocardial infarction
163	Ischemic cerebrovascular disease, generalized
116	Jacksonian epilepsy
340	Jaundice, except newborn
328	Jaundice of newborn
125	Juvenile cataract
	Juvenile diabetes — *see Diabetes mellitus*
230	Kidney disease, except nephritis, nephrosis, infection, and calculus
227	Kidney infection, except nephritis, nephrosis, and acute pyelonephritis
73	Kimmelstiel-Wilson disease
316	Kyphosis
	Laceration
370	Abdominal wall
371	Arm
370	Back
365	Cerebral
370	Chest
368	Eye
371	Hand
369	Head, except eye
372	Leg
372	Lower limb

DIAGNOSIS INDEX (continued)

Group Number	Title
	Laceration (continued)
370	Multiple sites
369	Neck
285	Perineum, except first and second degree, with delivery
284	Perineum, first or second degree, with delivery
370	Trunk
371	Upper limb
255	Legal abortion
48	Leukemia, except lymphocytic
47	Leukemia, lymphocytic
214	Liver disease, except infectious and serum hepatitis and Laennec's cirrhosis
6	Lockjaw
316	Lordosis
108	LSD reaction
308	Lumbago
306	Lumbosacral instability
186	Lung disease, except pneumonia, and obstructive
88	Lymphadenitis, except acute and mesenteric lymphadenitis
292	Lymphadenitis, acute
87	Lymphadenitis, mesenteric
54	Lymphangioma
172	Lymphedema
49	Lymphosarcoma
128	Macular degeneration, retina
221	Malabsorption syndrome
13	Malaria
30	Malignant melanoma, skin
99	Manic-depressive psychosis
99	Manic psychosis
242	Mastitis, except puerperal
290	Mastitis, puerperal
8	Measles
18	Measles, late effect
119	Median nerve entrapment
30	Melanoma, malignant
132	Meniere's disease
113	Meningitis, except tuberculous and viral
3	Meningitis, tuberculous
7	Meningitis, viral
18	Meningitis, viral, late effect
251	Menopause

DIAGNOSIS INDEX (continued)

Group Number	Title
250	Menstrual disorder, except metrorrhagia
112	Mental deficiency or retardation
211	Mesenteric artery syndrome
87	Mesenteric lymphadenitis
247	Metritis
249	Metrorrhagia
118	Migraine
3	Miliary tuberculosis
	Mitral valve disease — *see Valvular disease*
327	Mongolism
15	Moniliasis
10	Mononucleosis
211	Mucous colitis
268	Multiparity, without delivery
392	Multiparity, without pregnancy
268	Multiple pregnancy
275	Multiple pregnancy, with delivery
115	Multiple sclerosis
12	Mumps
117	Muscular dystrophy
15	Mycosis
140	Myocardial infarction, acute
176	Nasal polyp
339	Nausea
	Neoplasm, benign
61	Bladder
53	Bone
63	Brain
55	Breast
52	Bronchus
50	Buccal cavity
57	Cervix
53	Connective tissue
51	Digestive
65	Endocrine, except thyroid
62	Eye
59	Genitalia, female, except uterus and ovary
60	Genitalia, male
61	Kidney
52	Larynx
52	Lung
53	Muscle

DIAGNOSIS INDEX (continued)

Group Number	Title
	Neoplasm, benign (continued)
63	Nervous system
58	Ovary
50	Pharynx
60	Prostate
52	Respiratory
60	Scrotum
54	Skin
52	Thymus
64	Thyroid
61	Ureter
61	Urethra
61	Urinary
57	Uterus, except fibroma
56	Uterus, fibroma
59	Vagina
59	Vulva
	Neoplasm, malignant
44	Adrenal gland
39	Bladder
29	Bone
42	Brain
32	Breast
27	Bronchus
19	Buccal cavity
43	Cerebral meninges
33	Cervix uteri
23	Colon
29	Connective tissue
44	Endocrine glands
20	Esophagus
41	Eye
36	Fallopian tube
36	Genitalia, female, except uterus and ovary
38	Genitalia, male, except prostate
45	Ill-defined sites
25	Intestine, except colon and rectum
23	Intestine, large, except rectum
22	Intestine, small
40	Kidney
23	Large intestine, except rectum
27	Lung
49	Lymphatic, except Hodgkin's disease

DIAGNOSIS INDEX (continued)

Group Number	Title
	Neoplasm, malignant (continued)
45	Metastatic
19	Mouth
43	Nervous system, except brain
35	Ovary
26	Pancreas
19	Pharynx
44	Pituitary gland
36	Placenta
37	Prostate
24	Rectum
28	Respiratory system, except bronchus and lung
38	Scrotum
45	Secondary
31	Skin, except genitalia
22	Small intestine
43	Spinal cord and meninges
21	Stomach
44	Thyroid gland
40	Ureter
40	Urethra
40	Urinary tract, except bladder
34	Uterus, except cervix
36	Vagina
36	Vulva
49	Neoplasm, lymphatic, except leukemia and Hodgkin's disease
68	Neoplasm, unspecified type, any site
222	Nephritis, except acute
223	Nephritis, acute
222	Nephrosis, except tubular
225	Nephrosis, tubular
222	Nephropathy, except diabetic
73	Nephropathy, diabetic
109	Nervous gastritis
315	Neuralgia, except sciatic and trigeminal
307	Neuralgia, sciatic
120	Neuralgia, trigeminal
315	Neuritis, except median and sciatic
119	Neuritis, median
307	Neuritis, sciatic
120	Neuroma, except amputation stump
390	Neuroma, amputation stump
103	Neurosis, except anxiety, cardiac, and depressive

DIAGNOSIS INDEX (continued)

Group Number	Title
101	Neurosis, anxiety
109	Neurosis, cardiac
102	Neurosis, depressive
54	Nevus, skin
327	Nevus, vascular
	Newborn, hospital
394	Multiple
393	Single term
394	Twin
	Newborn, nonhospital
395	Multiple
395	Single
270	Normal delivery
125	Nuclear cataract
84	Nutritional anemia
128	Nystagmus
78	Obesity
268	Obstructed labor
280	Obstructed labor, with delivery
218	Obstruction, bile duct, except calculus
207	Obstruction, intestinal, except postoperative
390	Obstruction, intestinal, postoperative
172	Obstruction, portal vein
172	Obstruction, vena cava
184	Obstructive pulmonary disease NOS (COPD)
158	Occlusion, cerebral, without paralysis
159	Occlusion, cerebral, with paralysis
156	Occlusion, precerebral, without paralysis
157	Occlusion, precerebral, with paralysis
122	Open-angle glaucoma
105	Opioid dependence or addiction
128	Optic atrophy
238	Orchitis
90	Organic brain syndrome, except acute and arteriosclerotic
89	Organic brain syndrome, acute
91	Organic brain syndrome, arteriosclerotic
89	Organic brain syndrome, transient
298	Osteoarthritis, except spinal
303	Osteoarthritis, spinal
312	Osteomyelitis
317	Osteopathic somatic dysfunction
130	Otitis media, chronic and unspecified

DIAGNOSIS INDEX (continued)

Group Number	Title
131	Otitis media, acute
133	Otosclerosis
243	Ovarian cyst
252	Ovarian disease, except endometriosis and dysfunction
74	Ovarian dysfunction
254	Ovarian pregnancy
74	Ovary, polycystic
384	Overdose, drug
	Paget's disease — *see Disease, Paget's*
	Pain
338	Abdominal
335	Chest
253	Female genital organ
331	Head
335	Precordial
219	Pancreatic disease
128	Papilledema
114	Paralysis agitans
207	Paralytic ileus
100	Paranoia, except schizophrenic
94	Paranoid schizophrenia
114	Parkinsonism
146	Paroxysmal atrial or supraventricular tachycardia
17	Pediculosis
	Peptic ulcer — *see Ulcer, peptic*
189	Perforation, esophagus
397	Peritoneal dialysis treatment
211	Peritonitis, except due to appendicitis
84	Pernicious anemia
6	Pertussis
314	Pes planus
116	Petit mal epilepsy
240	Peyronie's disease
239	Phimosis
169	Phlebitis
244	PID
171	Piles
293	Pilonidal cyst
16	Pinworm infection
70	PKU
264	Placenta previa
271	Placenta previa, with delivery

DIAGNOSIS INDEX (continued)

Group Number	Title
11	Plantar warts
186	Pleural disease
186	Pleurisy
179	Pneumonia, except influenzal
180	Pneumonia with influenza
185	Pneumothorax, spontaneous
366	Pneumothorax, traumatic
385	Poisoning, except food and drug
384	Poisoning, drug
1	Poisoning, food
374	Poisoning, late effect
7	Poliomyelitis
18	Poliomyelitis, late effect
74	Polycystic ovary
68	Polycythemia, except secondary
86	Polycythemia, secondary
268	Polyhydramnios
287	Polyhydramnios, with delivery
211	Polyp, anal
68	Polyp, bladder
252	Polyp, cervix
211	Polyp, intestinal
178	Polyp, laryngeal
176	Polyp, nasal
211	Polyp, rectal
176	Polyp, sinus
178	Polyp, vocal cord
172	Portal vein thrombosis
218	Postcholecystectomy syndrome
211	Postgastrectomy dumping syndrome
172	Postmasectomy lymphedema
390	Postoperative wound dehiscence
389	Postoperative wound infection
290	Postpartum complication, NEC
267	Postpartum depression
269	Postpartum depression, with delivery
3	Pott's disease
156	Precerebral occlusion, without paralysis
157	Precerebral occlusion, with paralysis
340	Prediabetes
261	Pre-eclampsia
287	Pre-eclampsia, with delivery
123	Preglaucoma

DIAGNOSIS INDEX (continued)

Group Number	Title
398	Pregnancy
254	Pregnancy, ectopic
254	Pregnancy, ovarian
268	Pregnancy, post-term
287	Pregnancy, post-term, with delivery
254	Pregnancy, tubal
398	Pregnancy, undelivered
268	Premature rupture of membranes
282	Premature rupture of membranes, with delivery
253	Premenstrual tension
265	Prenatal hemorrhage, except threatened abortion
272	Prenatal hemorrhage, with delivery
125	Presenile cataract
90	Presenile dementia or psychosis
128	Prolapse, iris
248	Prolapse, uterovaginal
171	Prolapsed hemorrhoids
236	Prostatic disease, except hypertrophy
235	Prostatic hypertrophy
340	Proteinuria, except postural
223	Proteinuria, postural or orthostatic
	Psychogenic
109	Diarrhea
109	Hyperventilation
109	Paralysis
109	Vomiting
116	Psychomotor epilepsy
100	Psychosis
92	Psychosis, alcoholic
91	Psychosis, arteriosclerotic
98	Psychosis, depressive
93	Psychosis, drug-induced
99	Psychosis, manic-depressive
89	Psychosis, organic, acute or transient
90	Psychosis, organic, chronic, except arteriosclerotic
90	Psychosis, senile
98	Psychotic depression
290	Puerperal complication
287	Puerperal complication, with delivery
144	Pulmonary embolism
182	Pulmonary emphysema
1	Pulmonary tuberculosis
	Pulmonary valve disease — *see Valvular disease*

DIAGNOSIS INDEX (continued)

Group Number	Title
227	Pyelitis, except acute
226	Pyelitis, acute
227	Pyelonephritis, except acute
226	Pyelonephritis, acute
332	Pyloric stenosis, congenital
330	Pyrexia of unknown origin
288	Pyrexia of unknown origin, puerperal
12	Rabies
398	Radiotherapy session or treatment
340	Rash
101	Reaction, anxiety
102	Reaction, depressive
386	Reaction, drug, NEC
391	Reaction, transfusion
248	Rectocele, female
239	Redundant prepuce
211	Regional enteritis
396	Removal of internal fixation device
228	Renal calculus
397	Renal dialysis treatment
225	Renal failure, except chronic
224	Renal failure, chronic
139	Renal hypertension
139	Renovascular hypertension
2	Respiratory tuberculosis
128	Retained intraocular foreign body
273	Retained placenta
112	Retardation, mental
337	Retention, urine
121	Retinal cyst
121	Retinal detachment
121	Retinal hemorrhage
121	Retinal tear
128	Retinitis pigmentosa
328	Rh (Rhesus) disease of newborn
135	Rheumatic fever, active
136	Rheumatic heart disease, chronic
316	Rheumatism
297	Rheumatoid arthritis, except spine
302	Rheumatoid arthritis, spine
13	Rickettsiosis
8	Rubella

DIAGNOSIS INDEX (continued)

Group Number	Title
18	Rubella, late effect
172	Rupture, blood vessel
304	Rupture, lumbar disc
305	Rupture of intervertebral disc, except lumbar
243	Rupture, ovarian cyst
268	Rupture, uterus
286	Rupture, uterus, with delivery
290	Rupture, uterus, postpartum
198	Ruptured appendix
306	Sacroiliac instability
1	Salmonellosis
244	Salpingitis
	Sarcoma – *see Neoplasm, malignant, connective tissue*
96	Schizophrenia, except paranoid, childhood, and acute schizophrenic episode
95	Schizophrenia, acute episode
97	Schizophrenia, childhood
94	Schizophrenia, paranoid
307	Sciatica
115	Sclerosis, multiple
316	Scoliosis
294	Sebaceous cyst
329	Seizure, except epileptic
116	Seizures, epileptic
256	Self-induced abortion
124	Senile cataract
90	Senile dementia or psychosis
340	Senility
357	Separation, shoulder
5	Sepsis
288	Sepsis, puerperal
5	Septicemia
288	Septicemia, puerperal
9	Serum hepatitis
391	Serum sickness
391	Shock, anaphylactic, except due to drug
386	Shock, anaphylactic, due to drug
333	Shock, nontraumatic
390	Shock, postoperative
383	Shock, traumatic
83	Sickle cell anemia or crisis
178	Sinusitis

DIAGNOSIS INDEX (continued)

Group Number	Title
295	Skin disease, except infective and pilonidal and sebaceous cysts
292	Skin infection, except cellulitis
305	Slipped intervertebral disc, except lumbar
304	Slipped lumbar disc
8	Smallpox
317	Somatic dysfunction, osteopathic
240	Spermatocele
318	Spina bifida
302	Spondylitis, ankylosing
303	Spondylosis
257	Spontaneous abortion
172	Spontaneous hemorrhage of blood vessel
185	Spontaneous pneumothorax
363	Sprain, except knee, back, and sacroiliac region
362	Sprain, back
360	Sprain, knee
361	Sprain, sacroiliac region
170	Stasis dermatitis
116	Status epilepticus
221	Steatorrhea
74	Stein-Leventhal syndrome
48	Stem cell leukemia
322	Stenosis, pyloric, congenital
233	Stenosis, urethral, except congenital
325	Stenosis, urethral, congenital
	Stenosis, heart valve — *see Valvular disease*
392	Sterilization, elective
196	Stomach disease, except ulcer and inflammation
	Stomach ulcer — *see Ulcer, gastric*
188	Stomatitis
126	Strabismus
363	Strain, except knee, back, and sacroiliac region
362	Strain, back
360	Strain, knee
361	Strain, sacroiliac region
4	Streptococcal sore throat
253	Stress incontinence, female
233	Stricture of urethral meatus, except congenital
325	Stricture, urethra, congenital
161	Stroke, without paralysis
162	Stroke, with paralysis
145	Subacute bacterial endocarditis
152	Subarachnoid hemorrhage, without paralysis

DIAGNOSIS INDEX (continued)

Group Number	Title
153	Subarachnoid hemorrhage, with paralysis
292	Subcutaneous infection, except cellulitis
	Syndrome, organic brain — *see Organic brain syndrome*
308	Syndrome, vertebrogenic pain
309	Synovitis
14	Syphilis
296	Systemic lupus erythematosus (SLE)
333	Tachycardia, except paroxysmal
148	Tachycardia, paroxysmal, except atrial
146	Tachycardia, paroxysmal atrial or supraventricular
314	Talipes deformity, acquired
16	Tapeworm infestation
358	Tear, medial meniscus, current injury
300	Tear, medial meniscus, old
121	Tear, retinal
309	Tenosynovitis, except spine
308	Tenosynovitis, spine
111	Tension headache
255	Termination of pregnancy
6	Tetanus
165	Thoracic aortic aneurysm
259	Threatened abortion
86	Thrombocytopenia
169	Thrombophlebitis
172	Thrombophlebitis migrans
167	Thrombosis, arterial, except cerebral and precerebral
158	Thrombosis, cerebral, without paralysis
159	Thrombosis, cerebral, with paralysis
172	Thrombosis, portal vein
156	Thrombosis, precerebral, without paralysis
157	Thrombosis, precerebral, with paralysis
172	Thrombosis, vein
70	Thyroid disease, except nodule or goiter
69	Thyroid nodule or goiter
70	Thyrotoxicosis
160	TIA
120	Tic douloureux
177	Tonsillitis, chronic
261	Toxemia of pregnancy
287	Toxemia of pregnancy, with delivery
261	Toxemia of the puerperium
287	Toxemia of the puerperium, with delivery

DIAGNOSIS INDEX (continued)

Group Number	Title
174	Tracheobronchitis, acute
391	Transfusion reaction
160	Transient ischemic attack (TIA)
125	Traumatic cataract
	Treatment
398	Chemotherapy
397	Dialysis
398	Physical therapy
398	Radiotherapy
16	Trichinosis
17	Trichomoniasis
	Tricuspid valve disease — *see Valvular disease*
120	Trigeminal neuralgia
232	Trigonitis
254	Tubal pregnancy
3	Tuberculosis, bone
18	Tuberculosis, late effect
2	Tuberculosis, lung
3	Tuberculosis, nonrespiratory
2	Tuberculosis, respiratory
3	Tuberculous meningitis
363	Twisted ankle
13	Typhus
295	Ulcer, decubitus
192	Ulcer, duodenal
193	Ulcer, duodenal, with hemorrhage or perforation
190	Ulcer, gastric
191	Ulcer, gastric, with hemorrhage or perforation
192	Ulcer, gastrojejunal
193	Ulcer, gastrojejunal, with hemorrhage or perforation
192	Ulcer, peptic, except gastric
193	Ulcer, peptic, except gastric, with hemorrhage or perforation
194	Ulcer, peptic, any site, with obstruction
295	Ulcer, skin
170	Ulcer, varicose, lower extremity
211	Ulcerative colitis
73	Uncontrolled diabetes mellitus
324	Undescended testis
340	Undiagnosed disease
306	Unstable low back
173	Upper respiratory infection, acute, except streptococcal
225	Uremia, except chronic

DIAGNOSIS INDEX (continued)

Group Number	Title
224	Uremia, chronic
229	Ureteral calculus
230	Ureteral disease, except calculus
231	Urethral calculus
234	Urethral disease, except calculus and stricture
233	Urethral stenosis, except congenital
325	Urethral stenosis, congenital
233	Urethral stricture, except congenital
325	Urethral stricture, congenital
234	Urethritis
266	Urethritis, in pregnancy
173	URI
234	Urinary tract infection
266	Urinary tract infection, in pregnancy
57	Uterine fibroma
248	Uterine prolapse
128	Uveitis
247	Vaginal infection
247	Vaginitis, except atrophic and senile
251	Vaginitis, atrophic or senile
314	Valgus deformity, limb
150	Valvular disease, nonrheumatic
136	Valvular disease, rheumatic
172	Varices, esophagus
170	Varicose ulcer of lower extremity
170	Varicose veins of lower extremities
314	Varus deformity, limb
14	VD
14	Venereal disease
11	Venereal wart
308	Vertebrogenic pain syndrome
340	Vertigo
12	Viral encephalitis
18	Viral encephalitis, late effect
7	Viral meningitis
18	Viral meningitis, late effect
11	Viral wart
128	Vitreous abscess
128	Vitreous prolapse
255	Voluntary abortion
207	Volvulus
339	Vomiting

DIAGNOSIS INDEX (continued)

Group Number	Title
262	Vomiting of pregnancy
247	Vulvar infection
247	Vulvitis
11	Warts, viral
6	Whooping cough
92	Withdrawal, alcohol
93	Withdrawal, drug
390	Wound dehiscence, postoperative
389	Wound infection, postoperative
383	Wound infection, posttraumatic
	Wound, open — *see Laceration*
12	Yellow fever